



3637 N. 275 E. • Crawfordsville, IN 47933

2991 South St. • Ft. Myers, FL 33916

Grainhopper, Dump, Flat, Tank Trailers, Bio-Solids Liquid & Cake Field Application

Phone: 765-362-9600

Phone: 239-693-6600

February 01, 2012

Florida Department of Environmental Protection
South District
P.O. Box 2549
Fort Myers, FL 33902-2549

RE: Annual Residual Summery Report

Charleston Park Permit # FLA014419 is a Waste Water Treatment Facility that Karle Enviro-Organic Recycling, Inc. has under contract. The biosolids from this WWTP are currently being **dewatered at our facility**. The sludge is disposed in a Class I or II solid waste landfill. This letter is their Residual Report for the 2011 year. The above facilities residuals have been hauled to WSI Waste Services, Inc. or Waste Management Okeechobee Landfill, Inc. for the 2011 reporting year. As required, all load manifest with weight tickets are at our office for review.

If you have any questions please call me at 239-693-6600 or 239-707-0555.

Sincerely,

A handwritten signature in black ink, appearing to read "Krish A. Alexander", is written over a horizontal line.

Krish A. Alexander, President
Karle Enviro-Organic Recycling, Inc.

RECEIVED

FEB 14 2012

D.E.P. South District