

Florida Department of Environmental Protection
Fifth Year Inspection Summary

Discharger: **Gulf Power- Scholz Electric Generating Plant**
County: **Jackson**
NPDES Number: **FL0002283**
Permit Expiration: **April 12, 2004**

Toxics Sampling Inspection (XSI)

Date Sampled: August 26, 2003

Results: No organic constituents were detected in the effluent. The metals aluminum, copper, iron, lead, and zinc were detected in the effluent at levels that did not exceed Class III Water Quality Criteria or the facility's permit limits.

Compliance Biomonitoring Inspection (CBI)

Date Sampled:

Results: The effluent sample was not acutely toxic to the fish, *Cyprinella leedsi*, or to the water flea, *Ceriodaphnia dubia*, during the 48-hour acute screening bioassays.

Water Quality Inspection (WQI)

Date Sampled: August 26, 2003

Results: Fecal and total coliforms were detected in the effluent and the receiving water at levels that did not exceed Class III Water Quality Criteria or the facility's permit limits. Nutrient levels in the facility's effluent were similar to the levels in water samples taken upstream and downstream of the facility's outfall. Nitrate + nitrite levels were higher than 80% of typical Florida streams, while orthophosphate, total phosphorus, ammonia and total Kjeldahl nitrogen levels were lower than the lowest 20% of typical Florida streams.

Impact Bioassessment Inspection (IBI)

Date Sampled: August 26, 2003

Results: Phytoplankton and periphyton assemblages were similar at both the Test and Control sites. Chlorophyll a was not detected in water samples from either the Test or Control Site. On periphytometers, chlorophyll a levels were similar between Test and Control Sites, but the periphytometers were partially fouled with drift material and had invertebrate grazer cases attached. Quantitative results of Shannon-Weaver diversity from Hester-Dendy samplers were similar between

Test and Control Sites. However, there were differences in macroinvertebrate assemblages at the Test Site as compared with the Control Site that may have been related to the facility's heated effluent.

Biological assessments are prepared by FDEP staff to provide information for review of NPDES permit renewal applications. Biological assessments, in conjunction with other information concerning the subject facility and its receiving-water body, are used to determine appropriate permit conditions.



Biological Assessment of
Gulf Power- Scholz Electric Generating Plant

Jackson County
NPDES #FL0002283
Sampled August 2003

March 2004

Biology Section
Bureau of Laboratories
Division of Resource Assessment and Management

Quality Manual No. 870346G
NELAC Certification No. E31780

Introduction

The Scholz Electric Generating Plant (Gulf Power Company) is located in Jackson County, Florida (Appendix 1). This facility is a steam-powered electrical generating plant, built in 1953. All treated and untreated wastewater (except once-through cooling water) is discharged to an ash pond (see Facility Summary in Appendix 2). The ash pond discharges to the facility's 850-foot long discharge canal. Wastewater streams to the ash pond include ash sluice water, water softener regeneration wastewater, boiler blowdown, air pre-heater wash, auxiliary equipment cooling water, coal-pile runoff, yard sumps and treated domestic wastewater. The effluent from the ash pond and once-through cooling water is then discharged into a box-cut and dredged canal before joining the Class III fresh water of the Apalachicola River. The wastewater system has no design capacity limit and the mean flow between January 2002 and May 2003 was 129.6 MGD (million gallons per day, per W. Keller, FDEP Northwest District). The actual mean flow during this survey was not recorded.

Surface Water Quality Criteria and facility permit limits are listed in Table 1. According to the facility's monthly discharge monitoring reports, the plant has had no water quality violations between January 2002 and May 2003 (Appendix 2). Between March 1998 and November 2001, the facility exceeded permit limits for iron (2 exceedances), copper (3), lead (1), oil and grease (1), and total suspended solids (2) (Appendix 2).

Methods

The purpose of this investigation was to determine the potential effects of the facility's effluent on the biota of the receiving waters. Chemical and

biological comparisons were made between a control site (located at the entrance of the box-cut, plant intake canal upstream of the plant) and a test site (located at the end of the box-cut discharge canal after the ash pond effluent enters the flow). Two sets of floating Hester-Dendy samplers were deployed at each study site. Because there was little available habitat for macroinvertebrates, dipnet sampling and habitat assessment was not performed during this biological assessment. Detailed methods and their relationship to Florida Administrative Code are given in Appendix 3.

All field and laboratory biological methods followed Biology Section Standard Operating Procedures (SOPs, see <http://www.floridadep.org/labs/qa/2002sops.htm> for details) and met DEP quality assurance/quality control standards (see <http://www.floridadep.org/labs/qa/index.htm>).

The following were involved in this investigation: Keith Butchikas (FDEP Northwest District), and Johnny Richardson, Michael Heyn and Sally Levings (FDEP Central Laboratory in Tallahassee). The report was reviewed by District representatives and the Point Source Studies Review Committee (Wayne Magley, Chuck Ziegmont and Michael Tanski).

Results and Discussion

- Specific chemical results are reported in Table 1 and a complete list of chemical analytes can be reviewed in Appendix 4. No organic pollutants were detected in the effluent. Effluent metals complied with Class III Water Quality Criteria (FAC 62-302) and facility permit limits. Aluminum, copper, iron and lead were found in the effluent at levels above the practical quanti-

tation limit (PQL) but not exceeding Class III Water Quality Criteria. The metal zinc was found in the effluent at levels above the method detection limit and below the PQL. Levels of copper and iron in the effluent were close to, but did not exceed, the Class III Water Quality Criteria. None of the metals detected in the effluent exceeded facility permit limits.

- Effluent pH (Standard Units) and dissolved oxygen (mg/L) complied with Class III Water Quality Criteria (62-302 F.A.C.) and facility permit limits (permit limit for pH only). Dissolved oxygen, pH and conductivity ($\mu\text{mhos/cm}$) at the Test and Control Sites complied with Class III Water Quality Criteria (Table 1, 62-302.530 F.A.C.).
- Effluent temperature was elevated (37°C , 98.6°F) as a result of passage through the facility (Table 1). Water temperature at the Test Site (36.6°C , 97.9°F) was elevated compared with the Control Site (29.2°C , 84.5°F) as a result of the facility's heated effluent. The temperature of the facility's effluent exceeded maximum thermal criteria as given in F.A.C. 62-302.520(4)(a), by being (1) more than 5°F above ambient (Control) water temperature, and (2) higher than 90°F . Monthly average maximum water temperature in 12 months of DMR data (December 2002-November 2003) indicated an average elevation of $4.4\text{--}9.2^{\circ}\text{F}$ with an overall mean temperature elevation of 7.1°F (Appendix 2). The difference was less than 5°F only in October 2003. Discharge temperature exceeded 90°F in August 2003 and was 89.6°F in July and September 2003.
- The effluent sample was not acutely toxic to the fish, *Cyprinella leedsi*, or to the water flea, *Ceriodaphnia*

Table 1. Effluent limits, Class III Criteria and chemical, microbiological, and toxicological data.

Gulf Power - Scholz	Class III Stds	Effluent Limits	Effluent Samples	Control Site	Test Site
Organic Constituents ($\mu\text{g/L}$)					
None Detected	-	-	-	-	-
Metals ($\mu\text{g/L}$ unless otherwise noted)					
Aluminum	≤ 1500	-	243	-	-
Arsenic	≤ 50	-	5 U	-	-
Cadmium	≤ 0.7 b	≤ 0.7 b	0.025 U	-	-
Calcium (mg/L)	-	-	19.7	-	-
Chromium-III	≤ 53.8 b	-	2 U	-	-
Copper	≤ 5.7 b	≤ 5.7 b	5.1	-	-
Iron	≤ 1000	≤ 1000	709	-	-
Lead	≤ 1.5 b	≤ 1.5 b	0.3	-	-
Magnesium (mg/L)	-	-	1.7	-	-
Nickel	≤ 32 b	-	2.5 U	-	-
Selenium	≤ 5	-	1 U	-	-
Silver	≤ 0.07	-	0.02 U	-	-
Zinc	≤ 73.5 b	-	6.1 I	-	-
Nutrients (mg/L)					
Ortho-phosphate	-	-	0.006 I	0.004 I	0.004 U
Total Phosphorus	-	-	0.028 I	0.028 I	0.022 I
Ammonia	-	-	0.044	0.047	0.048
Unionized Ammonia	≤ 0.02	-	< 0.02 c	< 0.02 c	< 0.02 c
Nitrate+Nitrite	-	-	0.48	0.46	0.47
Total Kjeldahl Nitrogen	-	-	0.35	0.39	0.41
Organic Nitrogen	-	-	0.31 c	0.34 c	0.36 c
Total Nitrogen	-	-	0.83 c	0.85 c	0.88 c
General Physical and Chemical Parameters					
Dissolved Oxygen (mg/L)	≥ 5	-	-	6.4	8.9
pH (S.U.)	6.0 - 8.5	6.0 - 8.5 s	7.8	7.4	7.4
Conductivity (umhos/cm)	≤ 1275	-	-	132	137
Temperature ($^{\circ}\text{C}$)	-	report	37.0	29.2	36.6
Temperature ($^{\circ}\text{F}$)	90 s	report	98.6	84.5	97.9
Oil and Grease (mg/L)	≤ 5	< 5	0.6 IV	-	-
Total Suspended Solids (mg/L)	-	-	6 I	4 I	6 I
Flow (MGD)	-	report	-	-	-
Hardness (mg/L)	-	report	56.2 c	-	-
Chlorophyll a ($\mu\text{g/L}$)	-	-	0.85 U	0.85 U	0.85 U
Phaeophytin ($\mu\text{g/L}$)	-	-	0.85 U	0.85 U	0.85 U
Microbiology (# counts/100ml)					
Fecal Coliforms-Membrane Filter	≤ 800 s	< 800 s	6 B	4 B	4 AB
Total Coliforms-Membrane Filter	≤ 2400 s	-	540	270	460 A
Toxicology Bioassays (48-hour static, screening bioassay, percent mortality in 100% effluent)					
Fish	-	-	0%	-	-
Water flea	-	-	0%	-	-

Value is an exceedance of Chapter 62.302.520 (F.A.C.).

b - Value is calculated based on hardness

c - Value is calculated.

A - Value reported is the mean of two or more determinations

B - Results based on colony counts outside the acceptable range

I - Value reported is < the minimum quantitation limit, and $\geq$ the minimum detection limit

U - Material analyzed for but not detected; value reported is the minimum detection limit

V - Analyte was detected in both sample and method blank

s - Single sample

Table 2. Measured and predicted algal growth potential (AGP) for ortho phosphate (OP) and estimated total phosphate (TP) limitation

Location	AGP (measured)	Predicted AGP (OP) $\pm$ 20%	Predicted AGP (TP) $\pm$ 20%	Inorganic N:P ratio	Total N:P ratio
Effluent Samples	11.0	2.58 $\pm$ 0.52	12.04 $\pm$ 2.41	87.33	29.64
Control Site	3.74	1.72 $\pm$ 0.344	12.04 $\pm$ 2.41	126.75	30.36
Test Site	9.86	ND	9.46 $\pm$ 1.89	ND	40

ND-- No orthophosphate was detected, so these values cannot be calculated.

dubia, during 48-hour acute screening bioassays (see Table 1 for percent mortality and Appendix 6 for bioassay bench sheets).

- Fecal and total coliforms were detected in the effluent and receiving waters at levels that did not exceed Class III Water Quality Criteria or facility permit limits (Table 1).
- Nutrient concentrations in the effluent were almost identical to those in water samples from the Test and Control Sites (Table 1). Total nitrogen concentration in the water samples ranged from 0.83-0.88 mg/L, with approximately equal concentrations of nitrate + nitrite and Total Kjeldahl Nitrogen (TKN) with <0.05 mg/L of ammonia (Table 1). Total phosphorus levels ranged from 0.022 to 0.028 mg/L, with orthophosphate <0.007 mg/L or not detected. Levels of TKN, ammonia, orthophosphate and total phosphorus were lower than those of the lowest 20% of typical Florida streams, while nitrate + nitrite levels were greater than those at the highest 80% of typical Florida streams (Appendix 5).
- Algal growth potential (AGP) is a measure of nutrients available for algal growth (Miller *et al.* 1978). Raschke and Shultz (1987) found that AGP above 5.0 mg dry wt/L represent a "problem" threshold for fresh receiving waters, implying nutrient enrichment. The AGP value at the upstream Control Site was 3.74 mg dry wt/L (Table 2). The AGP values of the downstream Test Site

(9.86 mg dry wt/L) and the effluent (11 mg dry wt/L) were above this threshold. Algal growth in all three water samples was probably limited by phosphorus availability, because the nitrogen to phosphorus ratios exceeded 30:1 in all cases. Orthophosphate levels were close to or below detection limits in all samples, complicating estimation of growth inhibition based on phosphorus limitation. If total phosphorus is used as an indicator of estimated yield, growth did not appear to be inhibited in the water samples from the effluent and Test Site, but there might have been growth inhibition in the Control Site sample (Table 2). This difference may have been related to a change in the chemical form of

phosphorus compounds or release of nutrients by plankton that broke apart after passage through the facility's cooling tower, leading to higher production in the effluent and Test Site water samples.

- Chlorophyll *a* was not detected in water samples of the effluent or from the Test and Control Sites (Tables 1, 3a). Phytoplankton community composition was similar in water samples from the Control and Test Sites (Table 3a, Appendix 8).
- Periphyton chlorophyll *a* concentration was 2.7 mg/m² at the Test Site and 2.6 mg/m² at the Control Site (Table 3b). However, periphytometers from both the Test and Control Sites were partially fouled with drift material, had a few

Table 3a. Phytoplankton composition

Gulf Power-Scholz	Control Site	Test Site
Number of Taxa	60	68
Shannon-Weaver Diversity	4.73	5.03
Chlorophyll <i>a</i> (μ g/L)	0.85 U	0.85 U
Phaeophytin (μ g/L)	0.85 U	0.85 U
Algal Density (number/cm ³)	1,401	977
Percent Dominant Taxon	16.2	11.4
Dominant Taxon (name)	<i>Chlorella</i>	<i>Chlorella</i>
Number of Algal Units Identified	315	315
Percentage Composition		
Blue-green algae	30.5	31.8
Diatoms	30.8	31.4
Dinoflagellates	0.3	2.5
Euglenoids	0.3	1.0
Green algae	37.8	33.0
Other	0.3	0.3

U - Material analyzed for but not detected; value reported is the minimum detection limit

Table 3b. Periphyton composition

Gulf Power-Scholz	Control Site	Test Site
Number of Taxa	40	46
Shannon-Weaver Diversity	4.21	4.48
Chlorophyll a (mg/m ²)	2.6	2.7 A
Phaeophytin (mg/m ²)	0	0 A
Algal Density (number/cm ²)	786,713	515,613
Percent Dominant Taxon	18.5	13.1
Dominant Taxon (name)	<i>Achnanthes minutissima</i>	<i>Navicula minima</i>
Number of Algal Units Identified	297	298
Percentage Composition		
Blue-green algae	8.1	9.7
Diatoms	89.6	85.6
Green algae	1.7	4.4
Other	0.7	0.3

A - Value reported is the mean of two or more determinations

attached cases from grazing invertebrates, and appeared to have lost some attached algae by sloughing (J. Richardson, M. Heyn, S. Levings, personal observations). Periphyton community composition was similar between Test and Control Sites (Table 3b, Appendix 9). The similarity between the periphytometers may have been related, in part, to similar exposure to confounding factors.

- Quantitative measures of benthic macroinvertebrate assemblages based on the Shannon-Weaver diversity index from Hester-Dendy samplers were similar at the Test Site compared to the Control Site (Table 4, Appendix 10). However, the macroinvertebrate assemblages from the samplers differed between the Test and Control Sites. In the two sets of Control Site samples, the assemblages were similar, with amphipods, dipterans and trichopterans forming >80% of the samples. At the Test Site, amphipods were rare or absent. On one sampling rack, gastropods were abundant, replacing the amphipods, while on the other sampling rack, trichopterans were rare and the sample was ~80% dipterans. The differences in macroinvertebrate

assemblages between the Test and Control Sites may have been related to the heated discharge from the facility. However, Shannon-Weaver diversity complied with the Biological Integrity Criterion at the study sites (62-302.530 (11) F.A.C.).

Summary

Levels of copper and iron in the effluent were close to, but did not exceed, the Class III Water Quality Criteria. Aluminum, lead and zinc were also present in the effluent at levels that complied with Class III Water Quality Criteria. Reevaluation of monitoring frequency for effluent metal content may be warranted. Test Site water temperature was elevated by the facility's effluent and exceeded thermal criteria given in FAC 62-302.520(4a). DMR data for December 2002 to November 2003 similarly indicated that the facility routinely exceeds thermal criteria given in FAC 62-302.520(4).

Periphyton and phytoplankton results were similar when the Test and Control Site samples were compared. Although

Hester-Dendy results complied with the Biological Integrity Criterion, macroinvertebrate assemblages differed between the Test and Control Sites. This difference may have been related to the heated effluent released by the facility.

Literature Cited

- Barbour, M. T. and J. B. Stribling. 1994. A technique for assessing stream habitat structure. In: Proceedings of Riparian Ecosystems in the Humid United States: Functions and Values. U. S. Dept. Agriculture. 15-18 March 1993, Atlanta, Ga. 22 pp.
- Beck, W. M. Jr. 1954. Studies in stream pollution biology 1. A simplified ecological classification of organisms. Quart. J. Fla. Acad. Sci. 17(4): 211-227.
- EA Engineering, Science, and Technology and Tetra Tech, Inc. 1994. Bioassessment for the nonpoint source program (draft). Prepared for the Florida Department of Environmental Protection. Unpaginated.
- FDEP. 1994. Lake bioassessments for the determination of nonpoint source impairment in Florida. Florida Department of Environmental Protection, Biology Section, Tallahassee, Fla. 73 p.
- Magurran, A. E. 1988. Ecological diversity and its measurement. Princeton University Press, Princeton, New Jersey.
- Miller, W. E., T. E. Maloney, and J. C. Greene. 1978. The *Selenastrum capricornutum* Printz algal assay bottle test. EPA-600/9-78-018. U. S. EPA, Cincinnati, Ohio. 126 p.
- Plafkin, J. L., M. T. Barbour, K. D. Porter, S. K. Gross and R. M. Hughes. 1989. Rapid bioassessment protocols for use in streams and

Table 4. Macroinvertebrate Hester-Dendy Samples - Quantitative

Gulf Power-Scholz	Control Site 1	Control Site 2	Test Site 1	Test Site 2
Summary Statistics				
Shannon-Weaver Diversity	3.43	3.42	3.72	2.9
Number of Taxa	31	38	35	20
Florida Index	11	19	20	9
Number of EPT Taxa	7	12	12	5
Percent Dominant Taxon	21.9	20.9	22.5	32.5
Dominant Taxon (name)	<i>Ablabesmyia rhamphe</i> grp.	<i>Ablabesmyia rhamphe</i> grp.	<i>Physella</i>	<i>Palpomyia/bezzia</i> grp.
Dominant Taxon (group)	Diptera	Diptera	Gastropoda	Diptera
Total Number of Individuals	447	488	503	252
Community Composition: Percent of total				
Amphipoda	19.7	16.8	0.0	1.6
Bivalvia	8.9	8.8	1.4	1.2
Coleoptera	1.6	0.4	0.0	0.4
Diptera	45.6	50.6	46.9	79.4
Ephemeroptera	4.9	4.1	7.2	6.7
Gastropoda	1.8	0.6	22.5	3.2
Odonata	0.7	0.8	0.2	1.2
Trichoptera	16.3	17.6	21.5	6.4
Other	0.5	0.2	0.3	0.0
Functional Feeding Groups: Percent of total				
Parasite	0.2	0.0	0.2	0.0
Piercer	2.2	0.6	0.0	1.7
Predators	22.1	21.0	19.6	31.6
Surface Deposit Feeders	37.5	41.8	30.6	52.5
Suspension Feeders	22.7	25.3	21.4	6.3
Scrapers	3.6	1.8	25.4	6.2
Scavenger	0.8	0.2	0.0	0.0
Shredders	10.9	9.2	2.6	1.8
Unknown	0.0	0.0	0.2	0.0



- rivers: Benthic macroinvertebrates and fish. U. S. EPA, Office of Water Regulations and Standards, Washington D.C., EPA 440-4-89-001
- Raschke, R. L. and D. A. Schultz. 1987. The use of the algal growth potential test for data assessment. J. Wat. Poll. Cont. Fed. 59(4): 222-227.
- Ross, L. T. 1990. Methods for aquatic biology. Florida Department of Environmental Regulation Technical Series 10(1): 1-47.
- Sokal, R. R. and F. J. Rohlf. 1995. Biometry, Third edition. W. H. Freeman and Company, New York.
- Stevenson, R. J. and L. L. Bahls. 1999. Periphyton protocols. Pp. 6.1-6.22 in: Rapid bioassessment protocols for use in wadeable streams and rivers. 2nd edition. By: M. T. Barbour, J. Gerritsen, B. D. Snyder and J. B. Stribling. EPA 841-B-99-002. U. S. Environmental Protection Agency, Office of Water, Washington, D. C.
- Stevenson, R. J. and J. P. Smol. 2003. Use of algae in environmental assessments, pp. 775-803, in: Freshwater algae of North America, edited by J. D. Wehr and R. G. Sheath, Academic Press, San Diego. 918 pp.
- Wallace, J. B., J. W. Grubaugh and M. R. Whiles. 1996. Biotic indices and stream ecosystem processes: results from an experimental study. Ecol. Appl. 6(1): 140-151.
- USEPA. 2000. Nutrient Criteria Technical Guidance Manual – River and Streams. EPA-822-B-00-002.
- USEPA. 2002. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to freshwater organisms. 4th Edition. EPA-821-R-02-013

Appendices

- Appendix 1. Map of facility
- Appendix 2. Facility summary
- Appendix 3. Explanation of measurements
- Appendix 4. Chemical analyses of effluent and receiving water.
- Appendix 5. Typical values for selected parameters in Florida waters
- Appendix 6. Additional physical, chemical, toxicological and microbiological results
- Appendix 7. Field sheets
- Appendix 8a. Phytoplankton: Taxa list and density (number of individuals per mL)
- Appendix 8b. Phytoplankton: Taxa list and number of individuals counted
- Appendix 9a. Periphyton: Taxa list and density (number of individuals per cm²)
- Appendix 9b. Periphyton: Taxa list and number of individuals counted
- Appendix 10a. Hester-Dendy multi-plate samplers: Taxa list and macroinvertebrate density (average number of individuals per m²)
- Appendix 10b. Hester-Dendy multi-plate samplers: Taxa list and total number of macroinvertebrates counted

Appendix 1

Gulf Power - Sholz



Fifth Year Inspection Program
FDEP - Bureau of Laboratories
Created on: February 20, 2003
Created by: J. K. Espy

Appendix 2

Facility Summary

Facility Name (as it appears on permit): Scholz Electric Generation Plant		Former Names:
Physical Address: 1460 Gulf Power Rd Sneads	NPDES Permit No: FL0002283 Expiration Date: April 12, 2004	Prepared By: Wes Keller
County: Jackson District: Northwest	State Permit No.: Expiration Date:	Facility Type: Electric Generation Plant
Function of Facility: Electric Generation Plant		
Sampling Location (specify lat/longs of NPDES point): N 30° 39' 58" W 84° 53' 12"		
Description of treatment process: All treated and untreated wastewater (except once-through cooling water) is discharged to the ash pond. The ash pond discharges via Outfall I-1C (formally Outfall 002) to the facility's 850-foot long discharge canal. Wastewater streams that discharge to the ash pond include: ash sluice water, water softener regeneration wastewater, boiler breakdown, air preheater wash, auxiliary equipment cooling water, coal pile runoff, yard sumps, and treated domestic wastewater.		
Receiving Waters: Apalachicola River		Classification: Class III Freshwater
Temperature (C):	Design Flow: No limit	
pH (SU):	Mean Flow: 129.6 MGD (1/02-5/03)	
Conductivity (umhos/cm):	Flow During Survey:	
Dissolved Oxygen (mg/L):	Total Residual Chlorine (mg/L): non-chlorinated	
Discharge is: ☒ Continuous ☐ Intermittent ☐ Seasonal ☐ Rainfall Dependent ☐ Other		
Facility Mixing Zone Details: The facility has no mixing zone.		
List Effluent Limits:		
Parameter and Units	Limit	Describe special permit conditions and permit modifications:
Flow	No limit on flow, report only on Instantaneous Maximum	On August 23, 1999 a request was granted to Scholz Plant to allow the use of hydrazine as an oxygen scavenger and ammonia for pH adjustment in the boiler water feed system.
Intake Temp, F	Report only	
Discharge Temp, F	Report only	
pH Range, stand. Units	6.0 minimum 8.5 maximum	
Fecal Coliform, #/100 ml	300	
Effluent Hardness, mg/l as CaCO3	Report only	
Total Residual Chlorine, mg/l	0.01	
Oil & Grease, mg/l	5.0	
Total Recoverable Cadmium, ug/l	Based on standards set in FAC62-302.530	

Total Recoverable Copper, ug/l	Based on standards set in FAC62-302.530	
Iron, mg/l	1.0 ¹	
Total Recoverable Lead, ug/l	Based on standards set in FAC62-302.530	
Description of permitted outfall: All treated and untreated wastewater (except once through cooling water) is discharged to the ash pond. The ash pond discharges via Outfall I-1C (formally outfall 002) to the facility's 850- foot long discharge canal.		
List permit violations (DMR data) and plant upsets that occurred at the plant within the last year:		
Monitoring Date	Outfall Indicator	Parameter Description
	Statistical Base	Units
3/31/1998	001-Q IRON, TOTAL RECOVERABLE	1.6 1.0 INST MAX
6/30/1998	001-Q IRON, TOTAL RECOVERABLE	1.5 1.0 INST MAX
9/30/1998	004-Q SOLIDS, TOTAL SUSPENDED	39 30.0 DAILY AV
9/30/1998	004-Q SOLIDS, TOTAL SUSPENDED	39 60.0 DAILY MX
7/31/2000	D01-A COPPER, TOTAL RECOVERABLE	6.1 0.0
	UG/L	
8/31/2000	D01-A COPPER, TOTAL RECOVERABLE	9.37 0.0
	UG/L	
10/31/2000	D01-1 OIL AND GREASE	8.7 5.0 INST MAX
12/31/2000	D01-A COPPER, TOTAL RECOVERABLE	0.67 0.0
	UG/L	
8/31/2001	I1C-1 SOLIDS, TOTAL SUSPENDED	270 100 MX DA AV
8/31/2001	I1C-1 SOLIDS, TOTAL SUSPENDED	72.25 30
	MG/L	
10/31/2001	D01-A LEAD, TOTAL RECOVERABLE	1.63 0.0 INST MAX
		UG/L
Describe previous impact bioassessments, WQBEL's, and previous or current enforcement actions:		
There are no current enforcement actions against the facility.		
Discuss MOR trends to prior data; is trend improving or declining: There were no water quality violations from 1/02 to 5/03.		
Additional Information: N/A		

Discharge Monitoring Data: Gulf Power- Scholz Generating Plant

Outfall Indicator: D01-1

Monitoring Location Code: 1

Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00011	TEMPERATURE, WATER DEG FAHRENHEI	ADDMON	5/1/99 to 4/30/2004	INST MAX	DEG.F	88.475	103.2	69
P 00011	TEMPERATURE, WATER DEG FAHRENHEI	ADDMON	5/1/99 to 4/30/2004	MX MO AV	DEG.F	76.8167	91.1	59.6
P 00400	PH	8.5	5/1/99 to 4/30/2004	MAXIMUM	SU	7.6267	8.03	7.21
P 00400	PH	6	5/1/99 to 4/30/2004	MINIMUM	SU	7.2025	7.43	6.88
P 00556	OIL AND GREASE	5	5/1/99 to 4/30/2004	INST MAX	MG/L	0.55	0.55	0.55
P 50050	FLOW	ADDMON	5/1/99 to 4/30/2004	INST MAX	MGD	119.6308	129.6	0.0004
P 50050	FLOW	DELMON	5/1/99 to 4/30/2004		MGD	0.0007	0.0007	0.0007
P 74055	COLIFORM, FECAL GENERAL	800	5/1/99 to 4/30/2004	INST MAX	#/ 100ML	41.25	140	4

Outfall Indicator: D01-1

Monitoring Location Code: 7

Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00011	TEMPERATURE, WATER DEG FAHRENHEI	ADDMON	5/1/99 to 4/30/2004	INST MAX	DEG.F	76.1583	93.3	53.6
P 00011	TEMPERATURE, WATER DEG FAHRENHEI	ADDMON	5/1/99 to 4/30/2004	MX MO AV	DEG.F	69.7333	82.6	50.4

Outfall Indicator: D01-A

Monitoring Location Code: 1

Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00980	IRON, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	MG/L	770	770	770
P 01113	CADMIUM, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	0.16	0.16	0.16
P 01114	LEAD, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	0.6	0.6	0.6
P 01119	COPPER, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	0.51	0.51	0.51

Outfall Indicator: D01-A

Monitoring Location Code: P

Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00980	IRON, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	MG/L	1000	1000	1000
P 01113	CADMIUM, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	0.57	0.57	0.57
P 01114	LEAD, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	1.05	1.05	1.05
P 01119	COPPER, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	4.45	4.45	4.45

Outfall Indicator: I1A-1

Monitoring Location Code: 1

Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00310	BOD, 5-DAY (20 DEG C)	60	5/1/99 to 4/30/2004	MX DA AV	MG/L	7.15	7.3	7
P 00310	BOD, 5-DAY (20 DEG C)	30	5/1/99 to 4/30/2004	MX MO AV	MG/L	7.15	7.3	7
P 50050	FLOW	ADDMON	5/1/99 to 4/30/2004	MX DA AV	MGD	0.0022	0.00423	0.00055
P 50050	FLOW	ADDMON	5/1/99 to 4/30/2004	MX MO AV	MGD	0.0007	0.00188	0.00042

Outfall Indicator: I1C-1

Monitoring Location Code: 1



Parameter Code	Description	Limit	Limit Effective Dates	Statistical Base	Units	AVG	MAX	MIN
P 00400	PH	6	5/1/99 to 4/30/2004	DAILY MN	SU	7.5682	7.85	7.32
P 00400	PH	9	5/1/99 to 4/30/2004	DAILY MX	SU	7.8155	8.1	7.63
P 00530	SOLIDS, TOTAL SUSPENDED	100	5/1/99 to 4/30/2004	MX DA AV	MG/L	5.7636	8	2.8
P 00530	SOLIDS, TOTAL SUSPENDED	30	5/1/99 to 4/30/2004	MX MO AV	MG/L	5.2455	11	3
P 00556	OIL AND GREASE	20	5/1/99 to 4/30/2004	MX DA AV	MG/L	0.4945	0.59	0.41
P 00556	OIL AND GREASE	15	5/1/99 to 4/30/2004	MX MO AV	MG/L	0.5173	0.59	0.41
P 01074	NICKEL, TOTAL RECOVERABLE	ADDMON	5/1/99 to 4/30/2004	INST MAX	UG/L	1.2	1.2	1.2
P 50050	FLOW	ADDMON	5/1/99 to 4/30/2004	MX DA AV	MGD	6.498	21.83	1.45
P 50050	FLOW		5/1/99 to 4/30/2004			-1.#IND	-1000	1000000

**Monthly Intake and Outfall Temperature
Difference (Degrees F)**

Monitoring Date	Outfall Data	Intake Data	Difference
Dec-02	61.5	55.1	6.4
Jan-03	59.6	50.4	9.2
Feb-03	62.2	55.5	6.7
Mar-03	70.2	63.4	6.8
Apr-03	75.7	68.1	7.6
May-03	82	76.6	5.4
Jun-03	87.2	80.7	6.5
Jul-03	89.6	81.8	7.8
Aug-03	91.1	82.6	8.5
Sep-03	89.6	81.1	8.5
Oct-03	77.9	73.5	4.4
Nov-03	75.2	68	7.2

No Data Indicator Codes

CODE	DESCRIPTION
B	BELOW DETECTION LIMIT
Q	NOT QUANTIFIABLE
C	NO DISCHARGE
D	LOST SAMPLE
E	ANALYSIS NOT CONDUCTED
F	INSUFFICIENT FLOW FOR SAMPLING
G	SAMPLING EQUIPMENT FAILURE
K	FLOOD DISASTER
1	WRONG FLOW
2	OPERATIONS SHUTDOWN
3	LOW LEVEL PRODUCTION
6	PRODUCTION BASED LIMITS DONT APPLY TO MP
8	OTHER
9	MONITORING NOT REQUIRED THIS PERIOD
L	DMR RECEIVED BUT NOT ENTERED



Appendix 3

Explanation of Measurements

(1) Quality Assurance and Quality Control

FDEP's quality assurance requirements for analytical laboratories and field activities are codified in Chapter 62-160, F.A.C., Quality Assurance (QA Rule) and in Internal Standard Operating Procedures (FDEP SOPs). Methods for all analyses are on file at the FDEP Central Laboratory in Tallahassee and may be viewed on the web at <http://www.floridadep.org/labs/sop/index.htm> and/or <http://www.floridadep.org/labs/qa/index.htm>.

(2) Chemical Analyses of the Effluent

The effluent was analyzed for nutrients, metals, organic constituents (base, neutral, and acid extractables) and pesticides following FDEP SOPs. A list of the analytes tested for, results, data qualifiers, the minimum detection limit and the practical quantitation limit are given in Appendix 4. The results from these analyses were compared with Water Quality Criteria (62-302 F.A.C.) and facility permit limits (Table 1, Appendix 2). Exceedances of Water Quality Criteria may be violations of specific provisions of Chapter 62-302 (F.A.C.) and/or facility permit limits.

(3) Toxicity Bioassays

Acute screening toxicity bioassays were performed on the effluent sample using the water flea, *Ceriodaphnia dubia*, and the fish, *Cyprinella leedsi* following FDEP SOPs TA07_01 and TA07_02. Failure of toxicity testing may constitute a violation of 62-302.520(21), 62-302.530(62) and/or facility permit limits.

(4) Bacteriological Testing

The effluent and water from control and test sites were analyzed for the presence and concentration of total and fecal coliform bacteria following FDEP SOPs MB1_0 and MB1_1. High levels of fecal or total coliform bacteria may constitute violation of 62-302.530(6), 62-302.530(7) and/or facility permit limits.

(5) Algal Growth Potential (AGP)

The effluent and water from control and test sites are autoclaved, filtered (0.45µm), inoculated with the unicellular green alga, *Pseudokirchneriella subcapitata* (formerly *Selenastrum capricornutum*, USEPA 2002), and incubated for 14 days (FDEP SOP TA08_05). The algal growth potential (AGP) value is the peak growth of the alga within that 14-day period, recorded as mg dry weight/L. Raschke and Shultz (1987) found that an AGP above 5.0 mg dry weight/L represents a "problem" threshold for fresh receiving waters, implying nutrient enrichment. High AGP values may constitute one line of evidence for violation of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C. and/or 62-302.530(48)(b) F.A.C..

The concentration of nutrients in a water sample may be used to calculate the expected yield of AGP under the assumption that other required nutrients (e.g. silicon, micronutrients) are present in excess (Miller *et al.* 1978). The expected amount of production is calculated as 38 times the total soluble inorganic nitrogen (nitrate and nitrite plus ammonia) under nitrogen limitation or 430 times the ortho-phosphate (OP) concentration under phosphorus limitation with an error of ± 20%. When the ratio of nitrogen to phosphorus (N:P) is less than 10:1, nitrogen limitation of algal production is likely. When the N:P ratio is 20:1 or greater, phosphorus limitation is likely (USEPA 2000). For ratios in-between, co-limitation may occur. Production of lower biomass than expected may be evidence of growth inhibition related to toxic compounds present in the water sample tested and may be a violation of 62-302.530(62) F.A.C..

(6) Algal Phytoplankton and Periphyton Assemblages

Methods: Periphyton were sampled at both control and test sites by incubating glass microscope slides in a standard periphytometer for 28 days (QA Rule SOP FS7210). Phytoplankton were sampled using a 1 L grab sample (QA Rule SOP FS7100). Periphyton and phytoplankton were subsampled and identified to the lowest practical level, usually species (FDEP SOPs AB03, AB03_1 and AB05).

Chlorophyll a Content: Chlorophyll a content is measured in both phytoplankton and periphyton samples to estimate algal biomass (FDEP SOP BB05). High algal biomass implies nutrient stress (Stevenson and Bahls 1999) and may be a violation of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C. and/or 62-302.530(48)(b) F.A.C..

Algal Density: Algal density is estimated as number of natural units/ml for phytoplankton samples and number of natural units/cm² for periphyton samples. Although algal density of a single site is highly variable and depends on a number of factors, comparison of algal density at a control site to algal density at a related test site gives a partial comparison of algal biomass at the two sites (Stevenson and Smol 2003).

Taxa richness: Taxa richness is the number of distinct algal taxa present in a sample. Extreme nutrient enrichment tends to reduce the number of different types of algae present in a sample because a few tolerant taxa tend to reproduce rapidly and constitute the majority of the cells present. However, moderate nutrient enrichment of nutrient poor waters may sometimes be correlated with increased algal taxa richness (Stevenson and Bahls 1999) as the algal community begins to respond to the increased input of nutrients.

Community Composition: Shifts in relative proportions of major groups of algae downstream of a point source, compared to upstream, control conditions, may indicate negative effects of a discharge (Stevenson and Bahls 1999) and may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Shannon-Weaver Diversity Index: This index is specified in the Florida Administrative Code 62-302 as a measure of biological integrity. Low diversity scores are undesirable. Where diversity is low, only a few taxa are abundant as compared to an area where many taxa are present with more equitable abundance among taxa (Magurran 1988). Low diversity scores related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

(7) Benthic Macroinvertebrate Assemblages

Methods: Benthic macroinvertebrates were collected from Hester-Dendy multi-plate samplers incubated for 28 days (QA Rule SOP FS7430). Benthic macroinvertebrates were sorted and identified to the lowest practical taxonomic level, usually species (FDEP SOP IZ06).

Taxa richness: Taxa richness is the number of distinct macroinvertebrate taxa present in a sample. Stress, habitat destruction and pollution tend to reduce the number of different types of organisms present (Karr and Chu 1998). Decreases in taxa richness related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Percent Contribution of Dominant Taxon: Percent contribution of the dominant taxon is calculated by dividing the number of individuals in the most abundant taxa by the total number of individuals counted. Percent contribution of the dominant taxon tends to increase with increasing perturbation (Plafkin *et al.*, 1989). Increases in the percent contribution of the dominant taxon related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C. and/or 62-302.530(48)(b) F.A.C..

Shannon-Weaver Diversity Index: This index is specified in the Florida Administrative Code 62-302 as a measure of biological integrity. Low diversity scores are undesirable. Where diversity is low, only a few taxa are abundant as compared to an area where many taxa are present in equitable abundance among taxa (Magurran 1988). A difference of 25% in Shannon-Weaver diversity between results from Hester-Dendy multiplate samplers incubated for 28 days at test and control sites constitutes a violation of 62-302.530(11) F.A.C..

The Florida Index: Some organisms become rare or absent as the intensity or duration of disturbance increases. The Florida Index assigns points to stream-dwelling macroinvertebrates based on their ranked sensitivity to pollution (Beck 1954). A site with a high Florida Index score is considered healthy (Ross 1990). Decreases in Florida Index points related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Ephemeroptera/Plecoptera/Trichoptera (EPT) Taxa: This value is the number of EPT taxa present. More EPT taxa are usually present in unpolluted waters (Plafkin *et al.*, 1989, Wallace *et al.*, 1996). Decreases in the number of EPT taxa related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Community Composition: Shifts in proportions of major groups of organisms downstream of a point source, compared to upstream, control conditions, may indicate negative effects of a discharge (Karr and Chu 1998). Shifts in community composition related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Functional Feeding Groups: Environmental degradation may differentially affect groups of invertebrates based on how the group feeds (e.g. predators, deposit feeders, etc.). In Florida, pollution may be responsible for reducing the numbers of filter feeders (FDEP 1994) and shredders (EA Engineering 1994). Changes in the proportions of functional feeding groups related to a facility's effluent may constitute violations of 62-302.530(47) F.A.C., 62-302.530(48)(a) F.A.C., 62-302.530(48)(b) F.A.C. and/or 62-302.530(62) F.A.C..

Appendix 4

Chemical analysis of effluent and receiving water

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,2,4,5-Tetrachlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,2,4-Trichlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,2-Dichlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,3,5-Trinitrobenzene	3.9	ug/L	UJ	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,3-Dichlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,3-Dinitrobenzene	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,4-Dichlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1,4-Naphthoquinone	19	ug/L	UJ	19	78
08/26/03	GULF POWER SCHOLTZ	BNA-Water	1-Naphthylamine	9.7	ug/L	UJ	9.7	39
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,3,4,6-Tetrachlorophenol	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4,5-Trichlorophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4,6-Trichlorophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4-Dichlorophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4-Dimethylphenol	49	ug/L	U	49	190
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4-Dinitrophenol	15	ug/L	U	15	58
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,4-Dinitrotoluene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,6-Dichlorophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2,6-Dinitrotoluene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Acetylaminofluorene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Chloronaphthalene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Chlorophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Methyl-4,6-dinitrophenol	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Methylnaphthalene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Naphthylamine	9.7	ug/L	UJ	9.7	39
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Nitroaniline	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Nitrophenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	2-Picoline	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	3,3'-Dichlorobenzidine	39	ug/L	U	39	160
08/26/03	GULF POWER SCHOLTZ	BNA-Water	3,3'-Dimethylbenzidine	19	ug/L	UJ	19	78
08/26/03	GULF POWER SCHOLTZ	BNA-Water	3-Methylcholanthrene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	3-Nitroaniline	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4,4'-DDD	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4,4'-DDE	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4,4'-DDT	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Aminobiphenyl	3.9	ug/L	UJ	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Bromophenyl phenyl ether	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Chloro-3-methylphenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Chloroaniline	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Chlorophenyl phenyl ether	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Nitroaniline	0.97	ug/L	U	0.97	3.9

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	GULF POWER SCHOLTZ	BNA-Water	4-Nitrophenol	15	ug/L	U	15	58
08/26/03	GULF POWER SCHOLTZ	BNA-Water	5-Nitro-o-toluidine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	7,12-Dimethylbenz(a)anthracene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Acenaphthene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Acenaphthylene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Acetophenone	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Aldrin	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Aniline	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Anthracene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Azobenzene/1,2-Diphenylhydrazine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzidine	97	ug/L	UJ	97	390
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzo(a)anthracene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzo(a)pyrene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzo(b)fluoranthene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzo(g,h,i)perylene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzo(k)fluoranthene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Benzyl alcohol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Bis(2-chloroethoxy)methane	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Bis(2-chloroethyl)ether	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Bis(2-chloroisopropyl)ether	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Bis(2-ethylhexyl)phthalate	15	ug/L	UJ	15	58
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Butyl benzyl phthalate	4.9	ug/L	U	4.9	19
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Chrysene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Di-n-butyl phthalate	4.9	ug/L	U	4.9	19
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Di-n-octyl phthalate	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dibenzo(a,h)anthracene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dibenzofuran	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dieldrin	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Diethyl phthalate	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dimethyl phthalate	49	ug/L	U	49	190
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dimethylaminoazobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Dinoseb	3.9	ug/L	U	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Diphenylamine	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Endosulfan I	3.9	ug/L	U	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Endosulfan II	3.9	ug/L	U	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Endosulfan sulfate	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Endrin	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Endrin aldehyde	3.9	ug/L	U	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Ethyl methanesulfonate	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Fluoranthene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Fluorene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Heptachlor	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Heptachlor epoxide	1.5	ug/L	U	1.5	5.8

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Hexachlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Hexachlorobutadiene	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Hexachlorocyclopentadiene	2.9	ug/L	UJ	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Hexachloroethane	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Hexachloropropene	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Indeno(1,2,3-cd)pyrene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Isophorone	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Isosafrole	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Methapyrilene	3.9	ug/L	UJ	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Methyl methanesulfonate	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosodi-n-butylamine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosodi-n-propylamine	1.9	ug/L	UJ	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosodiethylamine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosodimethylamine	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosodiphenylamine	2.9	ug/L	UJ	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosomethylethylamine	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosomorpholine	0.97	ug/L	UJ	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosopiperidine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	N-Nitrosopyrrolidine	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Naphthalene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Nitrobenzene	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Nitroquinoline-1-oxide	19	ug/L	UJ	19	78
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pentachlorobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pentachloroethane	49	ug/L	U	49	190
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pentachloronitrobenzene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pentachlorophenol	2.9	ug/L	U	2.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Phenacetin	3.9	ug/L	U	3.9	12
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Phenanthrene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Phenol	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pyrene	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Pyridine	3.9	ug/L	UJ	3.9	16
08/26/03	GULF POWER SCHOLTZ	BNA-Water	Safrole	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	BNA-Water	alpha-BHC	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	beta-BHC	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	delta-BHC	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	gamma-BHC	1.5	ug/L	U	1.5	5.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	m,p-Cresols	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	o-Cresol	1.9	ug/L	U	1.9	7.8
08/26/03	GULF POWER SCHOLTZ	BNA-Water	o-Toluidine	0.97	ug/L	U	0.97	3.9
08/26/03	GULF POWER SCHOLTZ	Bio-AGP/LimNut	Algal Growth Potential	11	mg DryWt/L	A	0.1	0.3
08/26/03	GULF POWER SCHOLTZ	Bio-Chl-a	Chlorophyll-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	GULF POWER SCHOLTZ	Bio-Chl-a	Phaeophytin-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	GULF POWER SCHOLTZ	Bio-Microbiology	Fecal Coliforms-Membrane Filter	6	#/100 mL	B		

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	GULF POWER SCHOLTZ	Bio-Microbiology	Total Coliforms-Membrane Filter	540	#/100 mL			
08/26/03	GULF POWER SCHOLTZ	Bio-Toxicology	Bioassay-Acute-Screen-FW-C.dubia, LC50	100	LC50	L		
08/26/03	GULF POWER SCHOLTZ	Bio-Toxicology	Bioassay-Acute-Screen-FW-Fish, LC50	100	LC50	L		
08/26/03	GULF POWER SCHOLTZ	GC-Water	Alachlor	0.62	ug/L	U	0.62	2.48
08/26/03	GULF POWER SCHOLTZ	GC-Water	Ametryn	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Atrazine	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Azinphos Methyl	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Bromacil	0.21	ug/L	U	0.21	0.84
08/26/03	GULF POWER SCHOLTZ	GC-Water	Butylate	0.21	ug/L	U	0.21	0.84
08/26/03	GULF POWER SCHOLTZ	GC-Water	Chlorpyrifos Ethyl	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Chlorpyrifos Methyl	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Diazinon	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Ethion	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Ethoprop	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Fenamiphos	0.21	ug/L	U	0.21	0.84
08/26/03	GULF POWER SCHOLTZ	GC-Water	Fonofos	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Hexazinone	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Malathion	0.15	ug/L	U	0.15	0.6
08/26/03	GULF POWER SCHOLTZ	GC-Water	Metalaxyl	0.26	ug/L	U	0.26	1.04
08/26/03	GULF POWER SCHOLTZ	GC-Water	Metolachlor	0.52	ug/L	U	0.52	2.08
08/26/03	GULF POWER SCHOLTZ	GC-Water	Metribuzin	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Mevinphos	0.21	ug/L	U	0.21	0.84
08/26/03	GULF POWER SCHOLTZ	GC-Water	Naled	0.82	ug/L	U	0.82	3.28
08/26/03	GULF POWER SCHOLTZ	GC-Water	Norflurazon	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Parathion Ethyl	0.15	ug/L	U	0.15	0.6
08/26/03	GULF POWER SCHOLTZ	GC-Water	Parathion Methyl	0.1	ug/L	U	0.1	0.4
08/26/03	GULF POWER SCHOLTZ	GC-Water	Phorate	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	GC-Water	Prometryn	0.15	ug/L	U	0.15	0.6
08/26/03	GULF POWER SCHOLTZ	GC-Water	Simazine	0.052	ug/L	U	0.052	0.208
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Aluminum	243	ug/L		10	40
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Arsenic	5	ug/L	U	5	20
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Cadmium	0.025	ug/L	U	0.025	0.1
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Calcium	19.7	mg/L		0.05	0.2
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Chromium	2	ug/L	U	2	8
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Copper	5.1	ug/L		1.2	4.8
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Iron	709	ug/L		15	60
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Lead	0.3	ug/L		0.05	0.2
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Magnesium	1.7	mg/L		0.02	0.08
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Nickel	2.5	ug/L	U	2.5	10
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Selenium	1	ug/L	U	1	4
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Silver	0.02	ug/L	U	0.02	0.08
08/26/03	GULF POWER SCHOLTZ	Metals-Water	Zinc	6.1	ug/L	I	4	16
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	Ammonia-N	0.044	mg N/L		0.01	0.02

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	NO2NO3-N	0.48	mg N/L		0.004	0.01
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	N_KJEL_TOT	0.35	mg N/L		0.06	0.2
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	O-Phosphate-P	0.006	mg P/L	I	0.004	0.01
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	TSS	6	mg/L	I	4	16
08/26/03	GULF POWER SCHOLTZ	Nutrients-Liquid	Total-P	0.028	mg P/L	I	0.02	0.06
08/26/03	GULF POWER SCHOLTZ	Overflow	Oil and Grease	0.6	mg/l	IV		
08/26/03	TEST 1A	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	23	# Taxa			
08/26/03	TEST 1B	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	21	# Taxa			
08/26/03	TEST 1C	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	15	# Taxa			
08/26/03	TEST 1D	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	25	# Taxa			
08/26/03	TEST 2A	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	7	# Taxa			
08/26/03	TEST 2B	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	12	# Taxa			
08/26/03	TEST 2C	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	15	# Taxa			
08/26/03	TEST 2D	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	13	# Taxa			
08/26/03	CONTROL 1B	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	18	# Taxa			
08/26/03	CONTROL 1C	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	18	# Taxa			
08/26/03	CONTROL 1D	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	18	# Taxa			
08/26/03	CONTROL 2A	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	15	# Taxa			
08/26/03	CONTROL 2B	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	19	# Taxa			
08/26/03	CONTROL 2C	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	19	# Taxa			
08/26/03	CONTROL 2D	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	23	# Taxa			
08/26/03	CONTROL 1A	Bio-Invertebrates	Macroinvert-FW-Quan-ArtSubstr-# Taxa	15	# Taxa			
08/26/03	CONTROL	Bio-AGP/LimNut	Algal Growth Potential	3.74	mg DryWt/L		0.1	0.3
08/26/03	CONTROL	Bio-Chl-a	Chlorophyll-A, Monochromatic, Periphyton	2.6	mg/m2		0.11	0.34
08/26/03	CONTROL	Bio-Chl-a	Chlorophyll-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	CONTROL	Bio-Chl-a	Phaeophytin-A, Monochromatic, Periphyton	0	mg/m2		0.11	0.34
08/26/03	CONTROL	Bio-Chl-a	Phaeophytin-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	CONTROL	Bio-Microbiology	Fecal Coliforms-Membrane Filter	4	#/100 mL	B		
08/26/03	CONTROL	Bio-Microbiology	Total Coliforms-Membrane Filter	270	#/100 mL			
08/26/03	CONTROL	Bio-Peri/Phyto	Periphyton-Quantitative-# Diatom Taxa	29	#Taxa			
08/26/03	CONTROL	Bio-Peri/Phyto	Periphyton-Quantitative-# Wet Taxa	11	#Taxa			
08/26/03	CONTROL	Bio-Peri/Phyto	Phytoplankton-Quantitative-# Wet Taxa	25	#Taxa			
08/26/03	CONTROL	Bio-Peri/Phyto	Phytoplankton-Quantitative-#Diatom Taxa	36	#Taxa			
08/26/03	CONTROL	Nutrients-Liquid	Ammonia-N	0.047	mg N/L		0.01	0.02
08/26/03	CONTROL	Nutrients-Liquid	NO2NO3-N	0.46	mg N/L		0.004	0.01
08/26/03	CONTROL	Nutrients-Liquid	N_KJEL_TOT	0.39	mg N/L		0.06	0.2
08/26/03	CONTROL	Nutrients-Liquid	O-Phosphate-P	0.004	mg P/L	I	0.004	0.01
08/26/03	CONTROL	Nutrients-Liquid	TSS	4	mg/L	I	4	16
08/26/03	CONTROL	Nutrients-Liquid	Total-P	0.028	mg P/L	I	0.02	0.06
08/26/03	TEST	Bio-AGP/LimNut	Algal Growth Potential	9.86	mg DryWt/L		0.1	0.3
08/26/03	TEST	Bio-Chl-a	Chlorophyll-A, Monochromatic, Periphyton	2.7	mg/m2	A	0.11	0.34
08/26/03	TEST	Bio-Chl-a	Chlorophyll-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	TEST	Bio-Chl-a	Phaeophytin-A, Monochromatic, Periphyton	0	mg/m2	A	0.11	0.34

Date Sampled	Field ID	Analysis Group	Component	Result	Units	Remark	MDL	PQL
08/26/03	TEST	Bio-Chl-a	Phaeophytin-A, Monochromatic, Water	0.85	ug/L	U	0.85	2.6
08/26/03	TEST	Bio-Microbiology	Fecal Coliforms-Membrane Filter	4	#/100 mL	AB		
08/26/03	TEST	Bio-Microbiology	Total Coliforms-Membrane Filter	460	#/100 mL	A		
08/26/03	TEST	Bio-Peri/Phyto	Periphyton-Quantitative-# Diatom Taxa	31	#Taxa			
08/26/03	TEST	Bio-Peri/Phyto	Periphyton-Quantitative-# Wet Taxa	15	#Taxa			
08/26/03	TEST	Bio-Peri/Phyto	Phytoplankton-Quantitative-# Wet Taxa	31	#Taxa			
08/26/03	TEST	Bio-Peri/Phyto	Phytoplankton-Quantitative-#Diatom Taxa	37	#Taxa			
08/26/03	TEST	Nutrients-Liquid	Ammonia-N	0.048	mg N/L		0.01	0.02
08/26/03	TEST	Nutrients-Liquid	NO2NO3-N	0.47	mg N/L		0.004	0.01
08/26/03	TEST	Nutrients-Liquid	N_KJEL_TOT	0.41	mg N/L		0.06	0.2
08/26/03	TEST	Nutrients-Liquid	O-Phosphate-P	0.004	mg P/L	U	0.004	0.01
08/26/03	TEST	Nutrients-Liquid	TSS	6	mg/L	I	4	16
08/26/03	TEST	Nutrients-Liquid	Total-P	0.022	mg P/L	I	0.02	0.06

Appendix 5

Typical Values for Selected Parameters in Florida Waters

Percentile Distribution (1617 stations)

CONTROL SITE

Parameter	5%	10%	20%	30%	40%	50%	60%	70%	80%	90%	95%	Measured
Periphyton Chlorophyll <i>a</i> (mg/m ²)	0.31	0.43	0.77	1.04	2.16	2.94	6.45	10.51	17.00	39.51	60.85	2.6
Hester-Dendy Diversity	0.84	2.12	2.48	2.74	2.88	3.09	3.25	3.40	3.52	3.76	3.90	3.43, 3.42
Hester-Dendy Taxa Richness	6	6.5	9	11.5	13	15	17	21.5	26	29	32	31, 38
Dipnet Taxa Richness	9	12	17	20	22	24.5	26	28	31	37	53	ND
Total Kjeldahl Nitrogen	0.30	0.39	0.56	0.73	0.87	1.00	1.11	1.26	1.49	1.93	2.80	0.39
Total Ammonia	0.02	0.02	0.04	0.05	0.06	0.08	0.11	0.14	0.20	0.34	0.60	0.047
Nitrate plus Nitrite	0.01	0.01	0.03	0.05	0.07	0.10	0.14	0.20	0.32	0.64	1.05	0.46
Total Phosphorus	0.02	0.03	0.05	0.06	0.10	0.13	0.18	0.25	0.39	0.74	1.51	0.028 I
Orthophosphate	0.01	0.01	0.03	0.04	0.05	0.08	0.11	0.17	0.27	0.59	1.37	0.004 I
Turbidity (NTU)	0.60	0.90	1.20	1.45	2.10	2.80	3.60	4.50	6.65	10.45	16.30	ND

TEST SITE

Parameter	5%	10%	20%	30%	40%	50%	60%	70%	80%	90%	95%	Measured
Periphyton Chlorophyll <i>a</i> (mg/m ²)	0.31	0.43	0.77	1.04	2.16	2.94	6.45	10.51	17.00	39.51	60.85	2.7
Hester-Dendy Diversity	0.84	2.12	2.48	2.74	2.88	3.09	3.25	3.40	3.52	3.76	3.90	2.9, 3.72
Hester-Dendy Taxa Richness	6	6.5	9	11.5	13	15	17	21.5	26	29	32	20, 35
Dipnet Taxa Richness	9	12	17	20	22	24.5	26	28	31	37	53	ND
Total Kjeldahl Nitrogen	0.30	0.39	0.56	0.73	0.87	1.00	1.11	1.26	1.49	1.93	2.80	0.41
Total Ammonia	0.02	0.02	0.04	0.05	0.06	0.08	0.11	0.14	0.20	0.34	0.60	0.048
Nitrate plus Nitrite	0.01	0.01	0.03	0.05	0.07	0.10	0.14	0.20	0.32	0.64	1.05	0.47
Total Phosphorus	0.02	0.03	0.05	0.06	0.10	0.13	0.18	0.25	0.39	0.74	1.51	0.022 I
Orthophosphate	0.01	0.01	0.03	0.04	0.05	0.08	0.11	0.17	0.27	0.59	1.37	0.004 U
Turbidity (NTU)	0.60	0.90	1.20	1.45	2.10	2.80	3.60	4.50	6.65	10.45	16.30	ND

Taxa richness and diversity values are for benthic macroinvertebrates. Hester-Dendy sample= benthic macroinvertebrates collected from a standardized multi-plate sampler. Dipnet taxa richness = number of taxa collected in standardized dipnet sweep samples. Diversity = Shannon-Weaver H'. NTU = Nephelometric turbidity units. Adapted from Joe Hand, FDER, personal communication, 1991 (data collected 1980-1989). ND = No data. I = Value reported is < the minimum quantitation limit, and ≥ the minimum detection limit. U = Material analyzed for but not detected; value reported is the minimum detection limit.

Appendix 6

Additional physical, chemical, toxicological and microbiological results

Table 1. Data recorded during the 48-hour acute screening bioassays of a sample of effluent from the Gulf Power Scholz Steam, Jackson County, Sneads Florida, NPDES# FL0002283, performed from 26 to 28 August, 2003.

Facility: Gulf Power Scholz Steam	NPDES #: FL0002283	Facility Type: Power production	Analysts: Christa Piccini
Location: 1460 Gulf Power Road	Contact/District: Keith Butchikas/Northwest		James Daniels
County: Jackson	Test type: static acute screen		Marshall Faircloth
Sample Collection Date: 8/26/2003	# tests: 2	Receiving Water: Apalachicola River	Josh Ayres
Time: 1124	Chlorination Type: nonchlorinated	Class III fresh	
Test Beginning Date: 8/26/2003	Time: 1600		
Test Ending Date: 8/28/2003	Time: 1330	FDEP SOP#: TA07 01 /02	Reviewer: Rob Buda
Page 1 of 1			

Organism: <i>Ceriodaphnia dubia</i> (water flea)		Life stage: <24 hours				Feeding: YCT/Algae									
		Chamber size: 30 mL				Food Batch #: YCT 1/P. sub. 17									
Concentrations	Sample/Diluent	SURVIVAL # Alive			pH			Temperature (°C)			Diss. Oxygen (mg/L)			Conductivity	
	Volume (mL)	0 hr	24 hr	48 hr	0 hour	24 hour	48 hour	0 hour	24 hour	48 hour	0 hour	24 hour	48 hour	0 hour	48 hour
Control A	0/20	5	5	5	8.1		8.2	25.6		24.6	7.6		7.9	180	220
Control B	0/20	5	5	5			8.3			24.6			7.9		210
Control C	0/20	5	5	5			8.3			24.7			7.9		210
Control D	0/20	5	5	5			8.3			24.9			7.8		225
100% A	20/0	5	5	5	7.9		8.2	25.1		24.9	6.9		7.8	140	150
100% B	20/0	5	5	5			8.2			24.8			8.0		150
100% C	20/0	5	5	5			8.2			24.8			7.8		150
100% D	20/0	5	5	5			8.2			25.0			7.8		165

^a Organisms fed prior to testing.

Temperatures of room and test incubator were continuously recorded on a strip chart recorder.

Room Temperature range for the test period was 24.0 - 25.0°C.

Incubator #3 temperature range for the test period was 25.0 - 26.5°C.

Light Intensity during the test was 50-100 foot candles.

Photoperiod during the test was 16 hours of light : 8 hours of dark.

^b Conductivity value is uncorrected $\mu\text{mhos/cm}$.

LIMS	
Job number: TLH-2003-08-28-03	
sample number: 699485	

Data Transcription Verification	
date: 2/4/04	
by: Josh Ayres/James Daniels	

Total Residual Cl ₂	mg/L	Method
Field 100% sample:	-	-
Lab 100% sample:	0.05	Hach
Control water (water flea):	0.00	Hach
Control water: (fish):	0.00	Hach

Ammonia	Total (mg/L)	Un-ionized (mg/L)
Control water:		
(water flea):	<0.017	<0.017
Control water: (fish):	<0.017	<0.017
100% Sample:	<0.017	<0.017

Organism: <i>Cyprinella leedsi</i> (fish)		Life stage: 13 days		Feeding: Artemia											
Chamber size: 1000 mL		Food Batch #: 0194025G													
	Sample/Diluent	SURVIVAL # Alive			pH			Temperature (°C)			Diss. Oxygen (mg/L)			Conductivity	
Concentrations	Volume(mL)	0 hr	24 hr	48 hr	0 hour	24 hour	48 hour	0 hour	24 hour	48 hour	0 hour	24 hour	48 hour	0 hour	48 hour
Control A	0/500	5	5	5	7.7	8.2	8.4	25.9	25.7	24.2	7.9	7.1	7.6	275	290
Control B	0/500	5	5	5	7.7	8.2	8.4	25.9	26.2	24.2	7.9	7.2	7.8	275	275
Control C	0/500	5	5	5	7.7	8.2	8.4	25.9	26.0	24.3	7.8	6.9	7.9	275	275
Control D	0/500	5	5	5	7.7	8.2	8.4	25.9	25.9	24.5	7.8	7.0	7.8	275	280
100% A	500/0	5	5	5	7.8	8.0	8.1	25.0	25.6	24.1	6.9	6.9	8.0	140	150
100% B	500/0	5	5	5	7.8	8.0	8.1	24.9	26.4	24.0	6.9	7.0	8.0	135	140
100% C	500/0	5	5	5	7.8	8.0	8.1	24.9	26.4	24.1	7.0	6.7	8.2	135	140
100% D	500/0	5	5	5	7.8	8.0	8.1	24.8	25.4	24.5	6.9	6.8	7.9	135	145

^a Organisms fed prior to testing.

Temperatures of room and test incubator were continuously recorded on a strip chart recorder.

Room Temperature range for the test period was 24.0 - 25.0°C.

Incubator #3 temperature range for the test period was 25.0 - 26.5°C.

Light Intensity during the test was 50-100 foot candles.

Photoperiod during the test was 16 hours of light : 8 hours of dark.

^b Conductivity value is uncorrected $\mu\text{mhos/cm}$.

Alk & Hardness	Alkalinity (mg/L)	Hardness (mg/L)
Control water:	79	81
(water flea):		
Control water:	141	134
(fish):		
100% Sample:	64	56

Mortality	Percent
Control water (water flea):	0%
100% (water flea):	0%
Control water (fish):	0%
100% (fish):	0%

Appendix 7

Field Sheets.

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
PHYSICAL/CHEMICAL CHARACTERIZATION FIELD DATA SHEET (5-10-99)

SUBMITTING AGENCY CODE: _____		STORET STATION NUMBER: _____	DATE (MM/DD/YY): <u>26 Jun 03</u>	TIME (HH:MM): <u>11:30</u>	RECEIVING BODY OF WATER: <u>Apalachicola River</u>
SUBMITTING AGENCY NAME: _____		COUNTY: <u>Jackson</u>	LOCATION: <u>Gulf Power Schlo3</u>	FIELD ID/NAME: <u>Control</u>	

REMARKS: _____

RIPARIAN ZONE/INSTREAM FEATURES

Predominant Land-Use in Watershed (specify relative percent in each category):

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)
☐	☐	☐	☐	☐	☐	☐	☐

Local Watershed Erosion (check box): None ☐ Slight ☐ Moderate ☐ Heavy ☒

Local Watershed NPS Pollution (check box): No evidence ☒ Slight ☐ Moderate potential ☐ Obvious sources ☐

Width of riparian vegetation (m) on least buffered side: _____ List & map dominant vegetation on back

Artificially Channelized ☐ no ☒ recent, shows some recovery mostly recovered more sinuous

Artificially Impounded ☐ yes ☒

High Water Mark: _____ + _____ = _____

Canopy Cover %: Open ☒ Lightly Shaded (11-45%): ☐ Moderately Shaded (46-80%): ☐ Heavily Shaded: ☐

SEDIMENT/SUBSTRATE

Sediment Odors: Normal: ☐ Sewage: ☐ Petroleum: ☐ Chemical: ☐ Anaerobic: ☒ Other: ☐

Sediment Oils: Absent: ☒ Slight: ☐ Moderate: ☐ Profuse: ☐

Sediment Deposition: Sludge: ☐ Sand smothering: none slight moderate severe Silt smothering: none slight moderate severe Other: ☐

Substrate Types	% coverage	# times sampled	method	Substrate Types	% coverage	# times sampled	method
Woody Debris (Snags)				Sand			
Leaf Packs or Mats				Mud/Muck/Silt			
Aquatic Vegetation				Other:			
Rock or Shell Rubble				Other:			
Undercut banks/Roots				Draw aerial view sketch of habitats found in 100 m section			

WATER QUALITY Depth (m): Temp. (°C): pH (SU): D.O. (mg/l): Cond. (µmho/cm) or Salinity (ppt): Secchi (m):

Top		<u>29.22</u>	<u>7.47</u>	<u>6.37</u>	<u>132</u>	
Mid-depth	<u>1.5</u>	<u>29.22</u>	<u>7.41</u>	<u>6.36</u>	<u>132</u>	
Bottom	<u>1.5</u>	<u>29.22</u>	<u>7.35</u>	<u>6.36</u>	<u>132</u>	

System Type: Stream: ☐ 1st - 2nd order ☒ 3rd - 4th order ☐ 5th - 6th order ☐ 7th order or greater Lake: ☐ Wetland: ☐ Estuary: ☐ Other: ☐

Water Odors (check box): Normal: ☒ Sewage: ☐ Petroleum: ☐ Chemical: ☐ Other: ☐

Water Surface Oils (check box): None: ☒ Sheen: ☐ Globbs: ☐ Slick: ☐

Clarity (check box): Clear: ☐ Slightly turbid: ☐ Turbid: ☒ Opaque: ☐

Color (check box): Tannic: ☐ Green (algae): ☒ Clear: ☐ Other: ☐

Weather Conditions/Notes: Hot Sunny
HO-4 from each OK, Periphyton too faded
w/algae + mud/cases, Entolera

Abundance:

	Absent	Rare	Common	Abundant
Periphyton	☐	☐	☐	☐
Fish	☐	☐	☐	☐
Aquatic Macrophytes	☐	☐	☐	☐
Iron/sulfur Bacteria	☒	☐	☐	☐

SAMPLING TEAM: J. Richardson, M. Hays, S. L. Wray SIGNATURE: _____ DATE: 9/26/03

**STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION**

PHYSICAL/CHEMICAL CHARACTERIZATION FIELD DATA SHEET (5-10-95)

SUBMITTING AGENCY CODE: _____	STORET STATION NUMBER: _____	DATE (MO/Y): <u>26 VIII 95</u>	TIME: <u>11:45</u>	RECEIVING BODY OF WATER: <u>Apalachicola River</u>
SUBMITTING AGENCY NAME: _____				
REMARKS: _____	COUNTY: <u>Jackson</u>	LOCATION: <u>Gulf Power Scholz</u>	FIELD ID/NAME: <u>Test</u>	

RIPARIAN ZONE/INSTREAM FEATURES

Predominant Land-Use in Watershed (specify relative percent in each category):

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)
☐	☐	☐	☐	☐	☐	☐	☐

Local Watershed Erosion (check box): None ☐ Slight ☐ Moderate ☐ Heavy ☒

Local Watershed NPS Pollution (check box): No evidence ☒ Slight ☐ Moderate potential ☐ Obvious sources ☐

Width of riparian vegetation (m) on least buffered side: List & map dominant vegetation on back

Artificially Channelized ☐ no ☒ recent, severe some recovery mostly recovered more sinuous

Artificially Impounded ☐ yes

High Water Mark: _____ + _____ = _____
(m above present water level) (present depth in m) (m above bed)

Canopy Cover %: Open: ☒ Lightly Shaded (11-45%): ☐ Moderately Shaded (46-80%): ☐ Heavily Shaded: ☐

SEDIMENT/SUBSTRATE

Sediment Odors: Normal: ☒ Sewage: ☐ Petroleum: ☐ Chemical: ☐ Anaerobic: ☒ Other: ☐

Sediment Oils: Absent: ☒ Slight: ☐ Moderate: ☐ Profuse: ☐

Sediment Deposition: Sludge: ☐ Sand smothering: none ☐ slight ☐ moderate ☐ severe ☐ Silt smothering: none ☐ slight ☐ moderate ☐ severe ☐ Other: ☐

Substrate Types	% coverage	# times sampled	method	Substrate Types	% coverage	# times sampled	method
Woody Debris (Snags)				Sand			
Leaf Packs or Mats				Mud/Muck/Silt			
Aquatic Vegetation				Other:			
Rock or Shell Rubble				Other:			
Undercut banks/Roots				Draw aerial view sketch of habitats found in 100 m section			

WATER QUALITY	Depth (m):	Temp. (°C):	pH (SU):	D.O. (mg/l):	Cond. (µmho/cm) or Salinity (ppt):	Secchi (m):
Top		<u>36.63</u>	<u>7.40</u>	<u>3.91</u>	<u>137</u>	
Mid-depth		<u>36.67</u>	<u>7.34</u>	<u>3.88</u>	<u>137</u>	
Bottom		<u>36.63</u>	<u>7.41</u>	<u>3.88</u>	<u>137</u>	

System Type: Stream: ☐ (1st - 2nd order ☐ 3rd - 4th order ☐ 5th - 6th order ☐ 7th order or greater ☐ Lake: ☐ Wetland: ☐ Estuary: ☐ Other: ☐

Water Odors (check box): Normal: ☒ Sewage: ☐ Petroleum: ☐ Chemical: ☐ Other: ☐

Water Surface Oils (check box): None: ☒ Sheen: ☐ Globbs: ☐ Slick: ☐

Clarity (check box): Clear: ☐ Slightly turbid: ☐ Turbid: ☒ Opaque: ☐

Color (check box): Tannic: ☐ Green (algae): ☒ Clear: ☐ Other: ☐

Weather Conditions/Notes: test 2 OK - all 4 HDs Periphyton, 18w
Side channel off Apalachicola
1/8 ditch/gravel
hot sunny

Abundance:	Absent	Rare	Common	Abundant
Periphyton	☐	☐	☐	☐
Fish	☐	☐	☐	☐
Aquatic Macrophytes	☐	☐	☐	☐
Iron/sulfur Bacteria	☐	☐	☐	☐

SAMPLING TEAM: <u>J. Richardson, M. Hays, S. Leavins</u>	SIGNATURE: <u>[Signature]</u>	DATE: <u>8/26/95</u>
--	-------------------------------	----------------------

Appendix 8a

Taxa list and density (number/mL) for phytoplankton collected upstream and downstream of Gulf Power-Scholz facility discharge, 8/26/03.

	Control Site	Test Site
Bacillariophyta		
<i>Achnanthes</i> sp.	4	3
<i>Achnanthes minutissima</i>	4	3
<i>Achnanthes rupestoides</i>	-	3
<i>Amphora</i> sp.	4	-
<i>Asterionella</i> sp.	4	-
<i>Aulacoseira</i> sp.	151	105
<i>Aulacoseira granulata</i>	22	37
Bacillariophyceae	9	3
<i>Brachysira vitrea</i>	4	3
<i>Cocconeis placentula</i>	4	3
Coccinodiscophyceae	27	16
<i>Cyclotella</i> sp.	36	19
<i>Cyclotella meneghiniana</i>	-	6
<i>Cyclotella pseudostelligera</i>	22	19
<i>Cyclotella stelligera</i>	9	6
<i>Cymbella</i> sp.	4	3
Cymbellaceae	4	3
<i>Diploneis</i> sp.	4	-
<i>Encyonema neomesianum</i>	-	3
<i>Encyonema silesiacum</i>	-	3
<i>Eunotia</i> sp.	9	3
<i>Eunotia siolii</i>	-	3
<i>Fragilaria</i> sp.	4	3
<i>Fragilaria capucina</i>	4	-
<i>Fragilaria delicatissima</i>	-	3
Fragilariaceae	18	6
<i>Frustulia rhomboides</i>	-	3
<i>Gomphonema</i> sp.	4	3
<i>Gomphonema parvulum</i>	4	3
<i>Gyrosigma</i> sp.	4	3
<i>Luticola</i> sp.	-	3
<i>Navicula</i> sp.	4	3
<i>Navicula cryptocephala</i>	4	3
<i>Navicula minima</i>	4	3
<i>Navicula radiosa</i>	4	-
<i>Nitzschia</i> sp.	13	6
<i>Nitzschia amphibia</i>	4	-
<i>Nitzschia gracilis</i>	4	-
<i>Nitzschia palea</i>	4	3
<i>Nitzschia subacicularis</i>	4	3
<i>Opephora</i> sp.	4	-
Pinnulariaceae	-	3
<i>Synedra acus angustissima</i>	4	3
<i>Synedra parasitica</i>	-	3
<i>Synedra ulna</i>	4	3
<i>Tryblionella levidensis</i>	4	-

continued on next page

Appendix 8a continued

	Control Site	Test Site
Chlorophycota		
<i>Ankistrodesmus falcatus</i>	9	22
<i>Chlamydomonas</i> sp.	71	19
<i>Chlorella</i> sp.	227	112
<i>Chlorococcum</i> sp.	44	31
<i>Chlorogonium</i> sp.	22	9
<i>Coelastrum cambricum</i>	-	3
<i>Crucigenia irregularis</i>	-	12
<i>Golenkinia paucispina</i>	-	9
<i>Oocystis</i> sp.	36	16
<i>Scenedesmus arcuatus</i>	0	3
<i>Scenedesmus bijuga</i>	27	34
<i>Scenedesmus quadricauda</i>	53	31
<i>Scenedesmus quadricauda westii</i>	-	3
<i>Selenastrum</i> sp.	40	-
<i>Staurastrum</i> sp.	-	9
<i>Tetraedron minimum</i>	-	9
Chrysophyta		
<i>Dinobryon sertularia</i>	4	-
Cyanophycota		
<i>Cyanobium parvum</i>	18	-
<i>Cyanobium plancticum</i>	31	40
<i>Cylindrospermopsis raciborskii</i>	129	96
<i>Jaaginema</i> sp.	44	40
<i>Merismopedia minima</i>	18	34
<i>Merismopedia tenuissima</i>	4	3
<i>Microcystis</i> sp.	44	28
<i>Planktolyngbya</i> sp.	9	16
<i>Planktothrix</i> sp.	9	3
<i>Pseudanabaena</i> sp.	9	3
<i>Rhabdogloea</i> sp.	107	34
<i>Romeria</i> sp.	4	12
Euglenophycota		
<i>Lepocinclis</i> sp.	-	3
<i>Phacus</i> sp.	-	3
<i>Trachelomonas</i> sp.	4	3
Pyrrophytophyta		
<i>Glenodinium</i> sp.	-	25
<i>Peridinium</i> sp.	4	-
Xanthophyta		
<i>Ophiocytium bicuspidatum</i>	-	3

Appendix 8b

Taxa list and number of individuals counted for phytoplankton collected upstream and downstream of Gulf Power-Scholz facility discharge, 8/26/03.

	Control Site	Test Site
Bacillariophyta		
<i>Achnanthes</i> sp.	1	1
<i>Achnanthes minutissima</i>	1	1
<i>Achnanthes rupestoides</i>	-	1
<i>Amphora</i> sp.	1	-
<i>Asterionella</i> sp.	1	-
<i>Aulacoseira</i> sp.	34	34
<i>Aulacoseira granulata</i>	5	12
Bacillariophyceae	2	1
<i>Brachysira vitrea</i>	1	1
<i>Cocconeis placentula</i>	1	1
Coscinodiscophyceae	6	5
<i>Cyclotella</i> sp.	8	6
<i>Cyclotella meneghiniana</i>	-	2
<i>Cyclotella pseudostelligera</i>	5	6
<i>Cyclotella stelligera</i>	2	2
<i>Cymbella</i> sp.	1	1
Cymbellaceae	1	1
<i>Diploneis</i> sp.	1	-
<i>Encyonema neomesianum</i>	-	1
<i>Encyonema silesiacum</i>	-	1
<i>Eunotia</i> sp.	2	1
<i>Eunotia solii</i>	-	1
<i>Fragilaria</i> sp.	1	1
<i>Fragilaria capucina</i>	1	-
<i>Fragilaria delicatissima</i>	-	1
Fragilariaceae	4	2
<i>Frustulia rhomboides</i>	-	1
<i>Gomphonema</i> sp.	1	1
<i>Gomphonema parvulum</i>	1	1
<i>Gyrosigma</i> sp.	1	1
<i>Luticola</i> sp.	-	1
<i>Navicula</i> sp.	1	1
<i>Navicula cryptocephala</i>	1	1
<i>Navicula minima</i>	1	1
<i>Navicula radiosa</i>	1	-
<i>Nitzschia</i> sp.	3	2
<i>Nitzschia amphibia</i>	1	-
<i>Nitzschia gracilis</i>	1	-
<i>Nitzschia palea</i>	1	1
<i>Nitzschia subacicularis</i>	1	1
<i>Opephora</i> sp.	1	-
Pinnulariaceae	-	1
<i>Synedra acus angustissima</i>	1	1
<i>Synedra parasitica</i>	-	1
<i>Synedra ulna</i>	1	1
<i>Tryblionella levidensis</i>	1	-

continued on next page

Appendix 8b continued

	Control Site	Test Site
Chlorophycota		
<i>Ankistrodesmus falcatus</i>	2	7
<i>Chlamydomonas</i> sp.	16	6
<i>Chlorella</i> sp.	51	36
<i>Chlorococcum</i> sp.	10	10
<i>Chlorogonium</i> sp.	5	3
<i>Coelastrum cambricum</i>	-	1
<i>Crucigenia irregularis</i>	-	4
<i>Golenkinia paucispina</i>	-	3
<i>Oocystis</i> sp.	8	5
<i>Scenedesmus arcuatus</i>	0	1
<i>Scenedesmus bijuga</i>	6	11
<i>Scenedesmus quadricauda</i>	12	10
<i>Scenedesmus quadricauda westii</i>	-	1
<i>Selenastrum</i> sp.	9	-
<i>Staurastrum</i> sp.	-	3
<i>Tetraedron minimum</i>	-	3
Chrysophyta		
<i>Dinobryon sertularia</i>	1	-
Cyanophycota		
<i>Cyanobium parvum</i>	4	-
<i>Cyanobium plancticum</i>	7	13
<i>Cylindrospermopsis raciborskii</i>	29	31
<i>Jaaginema</i> sp.	10	13
<i>Merismopedia minima</i>	4	11
<i>Merismopedia tenuissima</i>	1	1
<i>Microcystis</i> sp.	10	9
<i>Planktolyngbya</i> sp.	2	5
<i>Planktothrix</i> sp.	2	1
<i>Pseudanabaena</i> sp.	2	1
<i>Rhabdogloea</i> sp.	24	11
<i>Romeria</i> sp.	1	4
Euglenophycota		
<i>Lepocinclis</i> sp.	-	1
<i>Phacus</i> sp.	-	1
<i>Trachelomonas</i> sp.	1	1
Pyrrophytophyta		
<i>Glenodinium</i> sp.	-	8
<i>Peridinium</i> sp.	1	-
Xanthophyta		
<i>Ophiocytium bicuspidatum</i>	-	1

Appendix 9a

Taxa list and density (number/cm²) for periphyton collected from glass microscope slides incubated for 28 days upstream and downstream of Gulf Power-Scholz facility discharge, 8/26/03.

	Control Site	Test Site
Bacillariophyta		
<i>Achnanthes</i> sp.	111,252	6,921
<i>Achnanthes lanceolata</i>	2,649	3,460
<i>Achnanthes minutissima</i>	145,688	12,112
<i>Amphipleura</i> sp.	-	1,730
<i>Aulacoseira</i> sp.	5,298	13,842
<i>Aulacoseira granulata</i>	2,649	-
<i>Bacillaria paxillifer</i>	2,649	-
Bacillariophyceae	42,382	64,019
<i>Brachysira vitrea</i>	-	3,460
<i>Cocconeis</i> sp.	2,649	-
<i>Cocconeis placentula</i>	13,244	3,460
Coscinodiscophyceae	7,947	6,921
<i>Cyclotella</i> sp.	10,595	17,302
<i>Cyclotella stelligera</i>	2,649	12,112
<i>Cymbella</i> sp.	5,298	-
<i>Cymbella cistula</i>	2,649	-
<i>Cymbella minuta</i>	13,244	-
<i>Encyonema neomesianum</i>	5,298	-
<i>Encyonema silesiacum</i>	-	1,730
<i>Eunotia</i> sp.	2,649	15,572
<i>Fragilaria</i> sp.	13,244	5,191
<i>Fragilaria capucina</i>	-	8,651
<i>Fragilaria construens</i>	-	1,730
<i>Fragilaria crotonensis</i>	7,947	-
Fragilariaceae	13,244	8,651
<i>Gomphonema</i> sp.	42,382	6,921
<i>Gomphonema gracile</i>	-	1,730
<i>Gomphonema parvulum</i>	58,275	10,381
<i>Gyrosigma</i> sp.	7,947	5,191
<i>Hippodonta</i> sp.	-	1,730
<i>Melosira</i> sp.	26,489	-
<i>Navicula</i> sp.	37,084	17,302
<i>Navicula cryptocephala</i>	10,595	5,191
<i>Navicula cryptotenella</i>	-	1,730
<i>Navicula minima</i>	13,244	67,480
<i>Nitzschia</i> sp.	87,413	65,749
<i>Nitzschia palea</i>	-	62,289
<i>Pinnularia</i> sp.	-	1,730
<i>Synedra ulna</i>	7,947	1,730
<i>Thalassiosira</i> sp.	-	5,191

continued on next page

Appendix 9a continued

	Control Site	Test Site
Chlorophycota		
<i>Chlamydomonas</i> sp.	-	1,730
<i>Chlorococcum</i> sp.	2,649	1,730
<i>Coelastrum cambricum</i>	2,649	-
<i>Cosmarium</i> sp.	2,649	8,651
<i>Cosmarium pseudopyramidatum</i>	2,649	-
<i>Scenedesmus acutiformis</i>	2,649	-
<i>Scenedesmus quadricauda</i>	-	5,191
<i>Spirogyra</i> sp.	-	1,730
<i>Stigeoclonium</i> sp.	-	3,460
Cyanophycota		
<i>Jaaginema</i> sp.	2,649	15,572
<i>Lyngbya martensiana</i>	-	5,191
<i>Merismopedia tenuissima</i>	2,649	-
<i>Oscillatoria</i> sp.	10,595	-
<i>Oscillatoria chalybea</i>	-	1,730
<i>Oscillatoria limosa</i>	-	6,921
<i>Oscillatoria nigra</i>	23,840	1,730
<i>Oscillatoria tenuis</i>	23,840	10,381
<i>Planktolyngbya</i> sp.	-	1,730
<i>Pseudanabaena</i> sp.	-	6,921
Euglenophycota		
<i>Trachelomonas</i> sp.	5,298	1,730

Appendix 9b

Taxa list and number of individuals counted for periphyton collected from glass microscope slides incubated for 28 days upstream and downstream of Gulf Power-Scholz facility discharge, 8/26/03.

	Control Site	Test Site
Bacillariophyta		
<i>Achnanthes</i> sp.	42	4
<i>Achnanthes lanceolata</i>	1	2
<i>Achnanthes minutissima</i>	55	7
<i>Amphipleura</i> sp.	-	1
<i>Aulacoseira</i> sp.	2	8
<i>Aulacoseira granulata</i>	1	-
<i>Bacillaria paxillifer</i>	1	-
Bacillariophyceae	16	37
<i>Brachysira vitrea</i>	-	2
<i>Cocconeis</i> sp.	1	-
<i>Cocconeis placentula</i>	5	2
Coscinodiscophyceae	3	4
<i>Cyclotella</i> sp.	4	10
<i>Cyclotella stelligera</i>	1	7
<i>Cymbella</i> sp.	2	-
<i>Cymbella cistula</i>	1	-
<i>Cymbella minuta</i>	5	-
<i>Encyonema neomesianum</i>	2	-
<i>Encyonema silesiacum</i>	-	1
<i>Eunotia</i> sp.	1	9
<i>Fragilaria</i> sp.	5	3
<i>Fragilaria capucina</i>	-	5
<i>Fragilaria construens</i>	-	1
<i>Fragilaria crotonensis</i>	3	-
Fragilariaceae	5	5
<i>Gomphonema</i> sp.	16	4
<i>Gomphonema gracile</i>	-	1
<i>Gomphonema parvulum</i>	22	6
<i>Gyrosigma</i> sp.	3	3
<i>Hippodonta</i> sp.	-	1
<i>Melosira</i> sp.	10	-
<i>Navicula</i> sp.	14	10
<i>Navicula cryptocephala</i>	4	3
<i>Navicula cryptotenella</i>	-	1
<i>Navicula minima</i>	5	39
<i>Nitzschia</i> sp.	33	38
<i>Nitzschia palea</i>	-	36
<i>Pinnularia</i> sp.	-	1
<i>Synedra ulna</i>	3	1
<i>Thalassiosira</i> sp.	-	3

continued on next page

Appendix 9b continued

	Control Site	Test Site
Chlorophycota		
<i>Chlamydomonas</i> sp.	-	1
<i>Chlorococcum</i> sp.	1	1
<i>Coelastrum cambricum</i>	1	-
<i>Cosmarium</i> sp.	1	5
<i>Cosmarium pseudopyramidatum</i>	1	-
<i>Scenedesmus acutiformis</i>	1	-
<i>Scenedesmus quadricauda</i>	-	3
<i>Spirogyra</i> sp.	-	1
<i>Stigeoclonium</i> sp.	-	2
Cyanophycota		
<i>Jaaginema</i> sp.	1	9
<i>Lyngbya martensiana</i>	-	3
<i>Merismopedia tenuissima</i>	1	-
<i>Oscillatoria</i> sp.	4	-
<i>Oscillatoria chalybea</i>	-	1
<i>Oscillatoria limosa</i>	-	4
<i>Oscillatoria nigra</i>	9	1
<i>Oscillatoria tenuis</i>	9	6
<i>Planktolyngbya</i> sp.	-	1
<i>Pseudanabaena</i> sp.	-	4
Euglenophycota		
<i>Trachelomonas</i> sp.	2	1

Appendix 10a

Benthic macroinvertebrates collected from Hester-Dendy artificial substrates incubated upstream and downstream of the Gulf Power-Scholz facility for 28 days (8/26/03). Taxa collected and density (average number of individuals/m²) rounded to the nearest individual. See SOP LT 7100 sect. 4.2.1 for method on collapsing taxa.

	Control Site 1	Control Site 2	Test Site 1	Test Site 2
Annelida				
Hirudinea				
<i>Placobdella</i> sp.	-	-	2	-
<i>Placobdella parasitica</i>	2	-	-	-
Arthropoda				
Arachnida				
Acariformes				
<i>Arrenurus</i> sp.	-	2	-	-
<i>Hygrobatas</i> sp.	-	-	2	-
Crustacea				
Amphipoda				
<i>Crangonyx</i> sp.	2	6	-	-
<i>Hyaella azteca</i>	173	157	-	8
Insecta				
Coleoptera				
<i>Bidessonotus</i> sp.	-	-	-	2
<i>Dineutus</i> sp.	14	4	-	-
Diptera				
<i>Ablabesmyia rhamphe</i> grp.	194	203	176	111
<i>Cricotopus</i> sp.	-	-	10	10
<i>Cricotopus politus</i>	8	7	-	-
<i>Cricotopus sylvestris</i> grp.	-	7	-	-
<i>Cryptochironomus</i> sp.	2	-	-	12
<i>Dicrotendipes simpsoni</i>	2	4	10	-
<i>Dicrotendipes thanatogratus</i>	-	-	2	-
<i>Endochironomus subtendens</i>	-	2	-	-
<i>Labrundinia pilosella</i>	8	2	-	-
<i>Nanocladius</i> sp.	8	2	-	-
Orthoclaadiinae	2	2	-	-
<i>Orthocladus</i> sp.	-	2	-	-
<i>Palpomyia/bezzia</i> grp.	121	133	103	163
<i>Parachironomus</i> sp.	-	2	-	-
<i>Parachironomus carinatus</i>	4	-	2	-
<i>Parachironomus directus</i>	-	-	-	2
<i>Paralauterborniella nigrohalterale</i>	-	2	-	-
<i>Pentaneura inconspicua</i>	4	8	-	-
<i>Polypedilum beckae</i>	2	2	-	-
<i>Polypedilum flavum</i>	-	-	15	-
<i>Polypedilum halterale</i> grp.	2	4	8	-
<i>Polypedilum illinoense</i> grp.	4	4	6	-
<i>Polypedilum scalaenum</i> grp.	6	-	4	-
<i>Rhectanytarsus exiguus</i> grp.	-	2	27	-
<i>Stenochironomus</i> sp.	-	-	8	-

continued on next page

Appendix 10a continued

	Control Site 1	Control Site 2	Test Site 1	Test Site 2
<i>Tanytarsus</i> sp. A Epler	-	-	2	-
<i>Tanytarsus</i> sp. C Epler	-	-	2	-
<i>Tanytarsus</i> sp. F Epler	-	-	-	4
<i>Tanytarsus</i> sp. S Epler	-	-	2	-
<i>Tanytarsus</i> sp. T Epler	-	-	2	-
<i>Thienemanniella lobapodema</i>	-	-	2	-
<i>Tribelos fuscicornis</i>	37	100	85	94
Ephemeroptera				
<i>Acerpenna pygmaea</i>	-	-	2	-
<i>Caenis</i> sp.	2	8	10	30
<i>Callibaetis</i> sp.	10	2	-	-
<i>Hexagenia</i> sp.	-	2	-	-
<i>Pseudocloeon</i> sp.	-	2	26	-
<i>Stenacron</i> sp.	30	14	13	-
<i>Stenonema exiguum</i>	-	-	4	-
<i>Stenonema smithae</i>	-	-	2	-
<i>Tricorythodes albilineatus</i>	2	12	14	4
Odonata				
<i>Argia</i> sp.	-	-	2	-
<i>Argia apicalis</i>	-	-	-	2
<i>Argia moesta</i>	-	4	-	-
<i>Argia sedula</i>	-	-	-	2
<i>Enallagma</i> sp.	-	4	-	2
<i>Enallagma signatum</i>	4	-	-	-
<i>Ischnura</i> sp.	2	-	-	-
Trichoptera				
<i>Ceratomyza</i> sp.	-	2	17	-
<i>Cheumatopsyche</i> sp.	-	-	5	-
<i>Cymellus fraternus</i>	116	150	70	23
<i>Hydropsyche</i> sp.	-	2	55	-
<i>Hydroptila</i> sp.	20	6	-	4
<i>Neureclipsis</i> sp.	-	6	68	-
<i>Neureclipsis melco</i>	9	-	-	-
<i>Oecetis persimilis</i>	-	4	-	-
<i>Orthotrichia</i> sp.	-	-	-	4
Mollusca				
Bivalvia				
<i>Corbicula fluminea</i>	79	85	-	6
Undetermined Bivalvia	-	-	14	-
Gastropoda				
Ancylidae	16	-	-	-
<i>Micromenetus</i> sp.	-	6	-	-
<i>Micromenetus dilatatus</i>	-	-	-	9
<i>Physella</i> sp.	-	-	224	7
Nemertea				
<i>Prostoma</i> sp.	2	-	-	-

Appendix 10b

Benthic macroinvertebrates collected from Hester-Dendy artificial substrates incubated upstream and downstream of the Gulf Power-Scholz facility for 28 days (8/26/03). Taxa collected and total number of individuals counted (n = 3 samples).

	Control Site 1	Control Site 2	Test Site 1	Test Site 2
Annelida				
Hirudinea				
<i>Placobdella</i> sp.	-	-	1	-
<i>Placobdella parasitica</i>	1	-	-	-
Arthropoda				
Arachnida				
Acariformes				
<i>Arrenurus</i> sp.	-	1	-	-
<i>Hygrobatas</i> sp.	-	-	1	-
Crustacea				
Amphipoda				
<i>Crangonyx</i> sp.	1	3	-	-
<i>Hyaella azteca</i>	87	79	-	4
Insecta				
Coleoptera				
<i>Bidessonotus</i> sp.	-	-	-	1
<i>Dineutus</i> sp.	7	2	-	-
Diptera				
<i>Ablabesmyia rhamphe</i> grp.	95	97	85	54
Ceratopogonidae	45	51	41	70
Chironomidae	4	9	8	4
<i>Cricotopus</i> sp.	1	3	5	5
<i>Cricotopus politus</i>	3	2	-	-
<i>Cricotopus sylvestris</i> grp.	-	2	-	-
<i>Cryptochironomus</i> sp.	1	-	-	6
<i>Dicrotendipes</i> sp.	-	1	-	-
<i>Dicrotendipes simpsoni</i>	1	1	5	-
<i>Dicrotendipes thanatogratus</i>	-	-	1	-
<i>Endochironomus subtendens</i>	-	1	-	-
<i>Labrundinia pilosella</i>	4	1	-	-
<i>Nanocladius</i> sp.	4	1	-	-
Orthoclaadiinae	1	1	-	-
<i>Orthoclaadius</i> sp.	-	1	-	-
<i>Palpomyia/bezzia</i> grp.	16	16	11	12
<i>Parachironomus</i> sp.	1	1	-	-
<i>Parachironomus carinatus</i>	1	-	1	-
<i>Parachironomus directus</i>	-	-	-	1
<i>Paralauterborniella nigrohalterale</i>	-	1	-	-
<i>Pentaneura inconspicua</i>	2	4	-	-
<i>Polypedilum beckae</i>	1	1	-	-
<i>Polypedilum flavum</i>	-	-	7	-
<i>Polypedilum halterale</i> grp.	1	2	4	-
<i>Polypedilum illinoense</i> grp.	2	2	3	-
<i>Polypedilum scalaenum</i> grp.	3	-	2	-
<i>Rheotanytarsus exiguus</i> grp.	-	1	13	-
<i>Stenochironomus</i> sp.	-	-	4	-
<i>Tanytarsus</i> sp.	-	-	-	1
<i>Tanytarsus</i> sp. A Epler	-	-	1	-
<i>Tanytarsus</i> sp. C Epler	-	-	1	-

continued on next page

Appendix 10b continued

	Control Site 1	Control Site 2	Test Site 1	Test Site 2
<i>Tanytarsus</i> sp. F Epler	-	-	-	1
<i>Tanytarsus</i> sp. S Epler	-	-	1	-
<i>Tanytarsus</i> sp. T Epler	-	-	1	-
<i>Thienemanniella lobapodema</i>	-	-	1	-
<i>Tribelos fuscicornis</i>	18	48	41	46
Ephemeroptera				
<i>Acerpenna pygmaea</i>	-	-	1	-
Baetidae	-	-	1	-
<i>Caenis</i> sp.	1	4	5	15
<i>Callibaetis</i> sp.	5	1	-	-
Heptageniidae	-	-	1	-
<i>Hexagenia</i> sp.	-	1	-	-
<i>Pseudocloeon</i> sp.	-	1	12	-
<i>Stenacron</i> sp.	15	7	6	-
<i>Stenonema exiguum</i>	-	-	2	-
<i>Stenonema smithae</i>	-	-	1	-
<i>Tricorythodes albilineatus</i>	1	6	7	2
Odonata				
<i>Argia</i> sp.	-	1	1	-
<i>Argia apicalis</i>	-	-	-	1
<i>Argia moesta</i>	-	1	-	-
<i>Argia sedula</i>	-	-	-	1
<i>Enallagma</i> sp.	1	2	-	1
<i>Enallagma signatum</i>	1	-	-	-
<i>Ischnura</i> sp.	1	-	-	-
Trichoptera				
<i>Ceriotina</i> sp.	-	1	8	-
<i>Cheumatopsyche</i> sp.	-	-	2	-
<i>Cymellus fratermus</i>	54	73	34	7
<i>Hydropsyche</i> sp.	-	1	23	-
Hydropsychidae	-	-	5	-
<i>Hydroptila</i> sp.	10	3	-	2
<i>Neureclipsis</i> sp.	3	3	33	-
<i>Neureclipsis melco</i>	1	-	-	-
<i>Oecetis</i> sp.	-	1	-	-
<i>Oecetis persimilis</i>	-	1	-	-
<i>Orthotrichia</i> sp.	-	-	-	2
Polycentropodidae	5	2	3	4
Undetermined Trichoptera	-	1	-	1
Mollusca				
Bivalvia				
<i>Corbicula</i> sp.	7	-	-	-
<i>Corbicula fluminea</i>	11	17	-	2
Undetermined Bivalvia	22	26	7	1
Gastropoda				
Ancylidae	8	-	-	-
<i>Micromenetus</i> sp.	-	1	-	-
<i>Micromenetus dilatatus</i>	-	-	-	3
<i>Physella</i> sp.	-	-	113	3
Planorbidae	-	2	-	1
Undetermined Gastropoda	-	-	-	1
Nemertea				
<i>Prostoma</i> sp.	1	-	-	-

Fill Out This Section For All Surface Water Discharger Inspections (CEI, CSI, CBI, PAI, XSI-RI Optional)

Remarks

66

Fill Out This Section For All Surface Water Discharger Inspections (CEI, CSI, CBI, PAI, XSI-RI Optional)

Remarks

66