


EcoSummary

Alexander Springs

11/29/2006



Background

Florida DEP's Division of Water Resource Management selected Alexander Springs for biological and water quality monitoring as part of the Springs Initiative. Data from these efforts will be used for documenting conditions within springs throughout Florida and for making resource protection decisions. Alexander Springs Recreation Area is located in Lake County, Florida, in the Ocala National Forest; see Figure 1. Alexander Springs flows into the St. John's River and is a popular recreation area.

Samples were collected from Alexander Springs on November 29, 2006. Water chemistry samples were taken for ammonia, nitrate-nitrite, total Kjeldahl nitrogen (TKN), total phosphorus, *Escherichia coli*, *Enterococci*, fecal coliform, and total coliform analyses; see Figure 2. Habitat assessment and benthic macroinvertebrate Stream Condition Index (SCI) sampling were also conducted.

Figure 1: Map of the Alexander Springs Area



Results

The nitrate-nitrite concentration (0.034 mg/L) in Alexander Springs was lower than average for typical Florida streams, and much lower than most Florida springs. The total phosphorus concentration was below the Practical Quantitation Limit. TKN was very low compared to typical Florida streams. Ammonia was undetected.

Enterococci and *Escherichia coli* concentrations complied with the EPA single-sample guideline values of 61 CFU/100 mL and 235 CFU/100 mL, respectively, for "designated beach areas." Fecal and total coliform levels complied with Class III water quality standards.

The thresholds for interpreting the Stream Condition Index values have recently been revised according to the EPA Biological Condition Gradient (BCG) conceptual model. In addition, the laboratory methodology used to evaluate the macroinvertebrate samples taken for the SCI was also revised to reduce variability associated with SCI results. In the SCI 2004 method, a single sub-sample of 100 individuals was identified and scored, while in the new SCI 2007 method, two separate sub-samples of 150 individuals are analyzed, and the two resulting SCI scores are averaged. The SCI 2007 produces a more robust evaluation since the decision thresholds are based on the BCG, and the examination of two separate aliquots reduces error. Note that the sampling method and the ten metrics used for calculating the score remain exactly the same. The SCI 2007 went into effect August 1, 2006. In Figure 3, the new thresholds have been retroactively applied to the scores acquired before this date.

The SCI score of 19 for Alexander Springs was in the "Impaired" range. This may have been partially due to the high conductivity at the site (1054 umhos/cm), low dissolved oxygen levels (1.7 mg/L), and habitat smothering due to algal growth. The high conductivity (somewhat "salty" water) and low dissolved oxygen in Alexander Springs are natural conditions, however, these factors will limit the diversity of freshwater organisms that can inhabit the site. The overall Habitat Assessment score (121) was in the "Optimal" range (>120).


In conclusion, a limited macroinvertebrate community, probably related to high conductivity, low DO, and habitat smothering, continued to be observed in Alexander Springs.

Figure 2: Data Table

ALEXANDER SPRINGS			
Sampling Date	11/29/2006	**Field Data**	
Macroinvertebrate Data		Habitat Assessment Score	121
SCI Score	19 A	Temperature (deg. C)	23.4
SCI Evaluation	Impaired	pH	7.9
Chemistry Data		Dissolved Oxygen (mg/L)	1.72
Turbidity (NTU)	0.15	Specific Conductance (umhos/cm)	1054
Color (PCU)	5 U	**Bacteria Data**	
Ammonia (mg/L)	0.01 U	*Escherichia coli* (col/100 mL)	14 BQ
Nitrate-Nitrite (mg/L)	0.034	*Enterococci* (col/100 mL)	26 BQ
TKN (mg/L)	0.094	Fecal Coliforms (col/100 mL)	24 BQ
Total Phosphorus (mg/L)	0.047 I	Total Coliforms (col/100 mL)	44 Q

"U"=Below Method Detection Limit; "I"=Below Practical Quantitation Limit; "B"=Results based on colony counts outside the acceptable range; "Q"= Outside of holding time; "A"= Value reported is the average of two or more determinations

Figure 3: SCI Scores Over Time



FOR MORE INFORMATION, CONTACT:
Emily Peffer, FDEP Environmental Assessment Section
2600 Blair Stone Road MS#6511 Tallahassee, FL 32399-2400
(850) 245-8071 Emily.Peffer@dep.state.fl.us