

SWEATT-WHIDDEN 230 kV TRANSMISSION LINE				
TA 22-19				
POST CERTIFICATION SUBMITTAL REQUIREMENTS SUMMARY				
Condition Number*	Requirement	Timeframe	Due Date	Name of Agency or Agency Subunit to whom the submittal is required to be provided
SECTION A: GENERAL CONDITIONS I. SCOPE	D. Within 180 days following the corridor narrowing as defined by Section 403.522(10), F.S., the Licensee shall provide an aerial photograph(s)/map(s) of the specific Right-of-Way (ROW) at a scale of at least 1:400, or acceptable equivalent documentation such as an official legal description or survey map(s) signed by a professional land surveyor, delineating the boundaries of the certified transmission line right-of-way, which shall be known as the Delineation of the Certified Transmission Line ROW and attached as Attachment B – Final ROW Maps. [Section 403.531, F.S.]	Within 180 days following the corridor narrowing as defined by Section 403.522(10), F.S.	TBD	FDEP - SCO
SECTION A: GENERAL CONDITIONS VII. NOTIFICATION	E. Within 60 days after certification of the corridor, the Licensee shall file a notice of the certified route with the Department and the clerk of the circuit court for each county through which the corridor will pass. The notice will consist of maps or aerial photographs in the scale of 1:24,000 which clearly show the location of the certified route and shall state that the certification of the corridor will result in the acquisition of rights-of-way within the corridor. The Licensee shall certify to the Department and the clerk that all lands required for the transmission line rights-of-way within the corridor have been acquired within such county. [Rule 62-4.160(8), F.A.C.]	Within 60 days after certification of the corridor	Submitted on 11/21/2022	FDEP -SCO Clerk of Circuit Court for each county (Okeechobee, Highlands, Glades and DeSoto)
SECTION A: GENERAL CONDITIONS XXII. POST-CERTIFICATION SUBMITTAL REQUIREMENTS SUMMARY	Within 90 days after certification and within 90 days of any subsequent modification or certification, the Licensee shall provide the SCO a complete summary of post-certifications submittals that are identified in these Conditions when due-dates for the information required of the Licensee have been identified. A summary shall be provided as a separate document for each transmission line, if any. [Section 403.5317, F.S.; Subsection 62-17.660, F.A.C.]	Within 90 days after certification	12/21/2022	FDEP-SCO
SECTION A: GENERAL CONDITIONS XXVIII. PROCESS FOR REVIEW OF ROW LOCATION	A. Prior to the finalization of the ROW location, three copies of the most recent available aerial photographs at a scale of 1" = 400' with wetland locations generally identified shall be submitted to DEP Siting Coordination Office, and one copy each to the applicable district office, SFWMD, SJRWMD, SWFWMD, DOT, DEO, FWC, Okeechobee County, Glades County, Highlands County, and DeSoto County delineating the certified corridor, and the selected transmission line ROW. In addition, Licensee shall note on the aerial photographs, new construction within the corridor that has occurred since the photograph was taken. Licensee shall notify all parties of such filing and, if needed, shall meet with DEP to discuss the ROW location. This information may be submitted in segments. The agencies receiving the aerial photographs from Licensee shall have an opportunity to review the photographs and to notify DEP, within 12 days of Licensee's submittal of the aerial photographs to the agencies, of any apparent conflicts with the requirements of the Conditions of Certification. [Sections 403.531 and 403.5312, F.S.; Rule 62-17.600, F.A.C.]	Prior to finalization of ROW location	TBD	FDEP SCO, applicable district office, SFWMD, SJRWMD, SWFWMD, DOT, DEO, FWC, Okeechobee County, Glades County, Highlands County, and DeSoto County

SECTION A: GENERAL CONDITIONS XXVIII. PROCESS FOR REVIEW OF ROW LOCATION	D. After Licensee has acquired the necessary property interests in the entire length of the transmission line ROW, Licensee shall: 1. File a statement with the clerk of the circuit court for each county through which the corridor passes certifying that all lands required for the transmission line ROW within the corridor have been acquired. Licensee shall also file with the county Planning Department a map at the scale of 1" = 400' showing the boundaries of the acquired ROW. 2. File with DEP Siting Coordination Office a map at a scale of 1" = 400' showing the boundaries of the acquired ROW, if such boundaries are different from those shown in the filing required by paragraph A above. Such maps shall comply with the requirements of paragraph A. If the boundaries have not changed, Licensee shall file a statement with DEP Siting Coordination Office accordingly. [Sections 403.531 and 403.5312, F.S.; Rule 62-17.600, F.A.C.]	After all property interests are acquired	TBD	Clerk of Court, Okeechobee, Highlands and DeSoto
		After all property interests are acquired	TBD	FDEP SCO
SECTION A: GENERAL CONDITIONS XXVIII. PROCESS FOR REVIEW OF ROW LOCATION	E. Once the ROW has been determined, the Licensee will submit to Okeechobee County, Glades County, Highlands County and DeSoto County, respectively, the information that is consistent with County ROW permits for the portions of the line which pass through each affected county. [Sections 403.531 and 403.5312, F.S.; Rule 62-17.600, F.A.C.]	Once ROW Determined	TBD	FDEP - SCO Okeechobee County, Glades County, Highlands County and DeSoto County
SECTION A: GENERAL CONDITIONS XXIX. ENVIRONMENTAL RESOURCES	A. General 1. Submittals for Construction Activities a. Prior to the commencement of construction of new facilities and/or new associated facilities the Licensee shall provide to the applicable district office for review, with a copy to the SCO, all information necessary for a complete Application for Individual and Conceptual Approval Environmental Resource Permit and authorization to Use State-Owned Lands (ERP), DEP Form 62-330.060(1), F.A.C., or other applicable ERP authorization form(s). A copy of the submittal shall also be provided to the SCO.	Prior to commencement of construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION A: GENERAL CONDITIONS XXIX. ENVIRONMENTAL RESOURCES	A. General 1. Submittals for Construction Activities b. Concurrent with submittal of the DEP form required in Subparagraph A.1.a. above, the Licensee shall submit, as applicable, a survey of wetland and surface water areas as delineated in accordance with Chapter 62-340, F.A.C., and verified by appropriate agency staff for Department compliance review.	Prior to commencement of construction and concurrent with Condition XXIX A.1.a.	TBD	FDEP - SCO applicable FDEP District Office
SECTION A: GENERAL CONDITIONS XXIX. ENVIRONMENTAL RESOURCES	B. Surface Water Management Systems 5. At least 48 hours prior to beginning the authorized activities, the Licensee shall submit to the applicable district office, a fully executed Form 62-330.350(1), "Construction Commencement Notice," (October 1, 2013), http://www.flrules.org/Gateway/reference.asp?No=Ref-02505 , indicating the expected start and completion dates. A copy of this form may be obtained from the Department, as described in subsection 62-330.010(5), F.A.C., and shall be submitted electronically. However, for activities involving more than one acre of construction that also require a NPDES stormwater construction general permit, submittal of the Notice of Intent to Use Generic Permit for Stormwater Discharge from Large and Small Construction Activities, DEP Form 62-621.300(4)(b), shall also serve as notice of commencement of construction and, in such a case, submittal of Form 62-330.350(1) is not required.	At least 48 hours prior to beginning the authorized activities	TBD	FDEP - SCO applicable FDEP District Office
SECTION A: GENERAL CONDITIONS XXIX. ENVIRONMENTAL RESOURCES	B. Surface Water Management Systems 7. Within 30 days, or such other date as agreed to by DEP and the Licensee, after completion of construction of any new portions of the SWMS, the Licensee shall submit to the applicable district office, and copy the SCO, a written statement of completion and certification by a registered professional engineer (P.E.), or other appropriate registered professional, as authorized by law, utilizing the required "As-Built Certification and Request for Conversion to Operation Phase" (DEP Form 62-330.310(1), F.A.C.). Additionally, if deviations from the approved drawings are discovered, the As-Built Certification must be accompanied by a copy of the approved drawings with deviations noted.	Within 30 days of completion of construction (or as agreed)	TBD	FDEP - SCO applicable FDEP District Office

SECTION A: GENERAL CONDITIONS XXIX. ENVIRONMENTAL RESOURCES	B. Surface Water Management Systems 10. The applicable district office must be notified in advance of any proposed construction dewatering. If the dewatering activity is likely to result in offsite discharge or sediment transport into wetlands or surface waters, a written dewatering plan must be submitted to and approved by the Department prior to the dewatering event. Additional authorizations may be required for certain dewatering activities. [Section 373.414, F.S.; Chapters 62-25, 62-302, 63-33-, and Rule 62-4.242, F.A.C.]	In advance of dewatering activities that will result in discharge	TBD	FDEP - SCO applicable FDEP District Office
SECTION B: SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality Review 1. Field Inspection Prior to any construction FPL will arrange with the appropriate DEP district staff a field inspection to verify wetland and other surface water boundaries and site conditions. Prior to field inspection, FPL will have wetland and other surface water boundaries field staked or flagged for DEP staff verification and approval. Additional information, depending on the outcome of the field inspection, may be required. Verification and approval will be processed as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Section 10.2, Vol I Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction (but after preflagging)	TBD	FDEP - SCO applicable FDEP District Office
SECTION B: SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality Review 2. Transition from Construction Area into Adjacent Wetlands Prior to any construction FPL will provide to the applicable DEP district typical cross-sectional diagrams showing the transition from the construction area into adjacent wetlands. Details of slope grades, location of erosion and turbidity control devices, location of limits of construction, and methods and timing of slope stabilization and revegetation shall also be included. Review and approval will be processed as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330.060, and 62-17.665, F.A.C]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B: SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality Review 3. Wetlands Mitigation Plan Prior to any construction FPL will submit documentation demonstrating that the proposed ROW will meet the requirements of Section 10.2.1 of the Applicant's Handbook Volume I with regard to the elimination or reduction of wetland and other surface water impacts. A detailed mitigation plan shall be submitted if there will be any unavoidable wetland impacts. The plan shall include adequate compensation for wetland and other surface water impacts in accordance with the requirements of Section 10.3, Vol. I, including an estimation of credits for functional loss to determine the extent of potential wetland and other surface water impacts associated with the proposed ROW. The plan will be reviewed, and notification of compliance issued, by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. As described in Section A. Condition XXIX. Environmental Resources, paragraph C, such plan and requirements will be included in Attachment D. [Rules 62-330.060, and 62-17.665, F.A.C]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B: SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 4. Erosion and Sediment Plan Prior to any construction FPL will submit to the applicable district office, a detailed erosion and sediment control plan for the project area. The plan will be reviewed, and notification of compliance issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-40.432(2), 62-330 and 62-17.665, F.A.C]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office

SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 5. Benthic Resource Survey Prior to any construction FPL will submit to the applicable district office, a detailed survey describing submerged land characteristics within all proposed surface waters that may be impacted by the proposed ROW. The survey will be reviewed, and notification of compliance issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. Mitigation for unavoidable adverse impacts may be considered once impacts have been reduced to the furthest extent practicable. If mitigation is required, the Licensee shall submit a detailed mitigation plan that adequately offsets all adverse impacts to other surface waters. This plan, once approved by DEP, shall become part of Attachment D and labeled as Mitigation for Surface Water Impacts. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 6. Construction Schedule Prior to any construction FPL shall submit to the applicable district office a construction schedule which will include, at a minimum, details on phases of vegetation clearing, installation of erosion and turbidity control devices, dredging, filling, slope stabilization and replanting. The schedule shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 7. Water Quality Assurance Prior to any construction FPL will provide reasonable assurance to the appropriate DEP district that the regulated activity will not cause or contribute to violations of water quality standards within surface waters and wetlands. The location of turbidity and erosion control devices shall be included on the plans as well as descriptions of the proposed methodology for ensuring the project will not result in adverse short-term impacts to water quality. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 8. Nighttime construction activities All proposed dredging and filling activities within other surface waters shall be limited to daylight as turbidity plumes are not visible at night. Should such activities need to occur, FPL shall provide reasonable assurances to the appropriate DEP district that such activities shall not violate water quality standards. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the postcertification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office

SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 9. Hydrologic Studies Prior to any construction FPL shall submit to the appropriate DEP district hydrologic studies to evaluate runoff characteristics for culvert crossings and access road designs. The hydrologic studies shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 10. Sovereignty Submerged Lands Prior to any construction FPL shall obtain appropriate leases and/or easements for any state-owned lands as outlined in Section A. Condition XVII. Use of State Lands. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 11. Floodplain Prior to any construction FPL shall provide documentation to demonstrate the no-net encroachment into the floodplain, between the average wet season water table and that encompassed by the 100-year event, which will adversely affect the existing rights of others. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 12. Passage of Drainage Prior to any construction FPL shall provide documentation to demonstrate that onsite works such as swales and dikes shall be used to allow the passage of drainage from offsite areas to downstream areas. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-40, 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 13. Stormwater Treatment Methodology Prior to any construction FPL shall provide a description of the proposed stormwater treatment methodology for existing and proposed paved and unpaved access roads, temporary or permanent, and impervious areas of the monoples. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rules 62-40, 62-330 and 62-17.665, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office

SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 14. Flowage easements Prior to any construction FPL shall provide drafts of all stormwater management system easements and plats of the property containing the proposed system. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Rule 62-330, F.A.C; Applicant's Handbook]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	A. Management and Storage of Surface Waters, Activities in Surface Waters and Wetlands, and Water Quality 15. Herbicide Management and Application Plan Prior to any construction FPL shall provide a proposed herbicide management and application plan including stormwater runoff, distance to nearby surface water, wetlands and sensitive areas. Review of the plan and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Chapter 62-330, F.A.C]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS I. DEPARTMENT OF ENVIRONMENTAL PROTECTION	B. Potable Water Prior to construction FPL will provide documentation demonstrating that the construction, operation and maintenance of the transmission line will not impact public water supply areas and meet all applicable requirements of Rule 62-520, F.A.C. The documentation shall be reviewed, and a notification of compliance shall be issued by the appropriate DEP district through the post-certification process as described in Section A. Condition XXI. Procedures for Post-Certification Submittals. [Chapter 62-520, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO applicable FDEP District Office
SECTION B. SPECIFIC CONDITIONS II. DEPARTMENT OF TRANSPORTATION	E. Drainage All information necessary to complete a Drainage Connection permit application required by Chapter 14-86, Florida Administrative Code, for any drainage onto State of Florida right-of-way and transportation facilities shall be submitted for processing in accordance with a post-certification submittal (see Section A. Condition XXI. Procedures for Post-Certification Submittals) [Chapter 14-86, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO FDOT
SECTION B. SPECIFIC CONDITIONS II. DEPARTMENT OF TRANSPORTATION	F. Use of Air Space Any newly proposed structure or alteration of an existing structure will be subject to the requirements of Chapter 333, Florida Statutes, and Rule 14-60.009, Florida Administrative Code. Additionally, notification to the Federal Aviation Administration (FAA) is required prior to beginning construction, if the structure exceeds notification requirements of 14 CFR Part 77, Objects Affecting Navigable Airspace, Subpart B, Notice of Construction or Alteration. Notification will be provided to FAA Southern Region Headquarters using FAA Form 7460-1, Notice of Proposed Construction or Alteration in accordance with instructions therein. A subsequent determination by the FAA stating that the structure exceeds any federal obstruction standard of 14 CFR Part 77, Subpart C, for any structure that is located within a 10-nautical-mile radius of the geographical center of a public-use airport or military airfield in Florida will be required to submit information for an Airspace Obstruction Permit from the Florida Department of Transportation or variance from local government depending on the entity with jurisdictional authority over the site of the proposed structure. The FAA Determination regarding the structure serves only as a review of its impact on federal airspace and is not an authorization to proceed with any construction. However, FAA recommendations for marking and/or lighting of the proposed structure are made mandatory by Florida law. For a site under Florida Department of Transportation jurisdiction, application will be made by submitting Florida Department Transportation Form 725-040-11, Airspace Obstruction Permit Application, in accordance with the instructions therein. [Chapter 333, F.S.; Rule 14-60.009, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO FAA and/or FDOT

SECTION B. SPECIFIC CONDITIONS II. DEPARTMENT OF TRANSPORTATION	I. ROW Requirements All information necessary to complete a Utility Permit application required by Chapter 14-46, Florida Administrative Code, for the construction, alteration, operation, relocation, removal, and maintenance of utilities on DOT right-of-way shall be submitted for processing in accordance with a post-certification submittal (see Section A. Condition XXI. Procedures for Post-Certification Submittals). [Sections 337.401, 337.403 and 337.404, F.S.; Chapters 14-15 and 14-46, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO FDOT
SECTION B. SPECIFIC CONDITIONS II. DEPARTMENT OF TRANSPORTATION	J. Consultation Regarding Protected Species Licensee shall submit a copy, for informational purposes only, to DOT of the listed species survey to be conducted and submitted to USFWS or FWC per “Specific Listed Species Surveys” Condition (Section B. Condition V, paragraph B.) [Applicant Agreement]	After survey data is available	TBD	FDEP - SCO FDOT
SECTION B. SPECIFIC CONDITIONS IV. SOUTH FLORIDA WATER MANAGEMENT DISTRICT	B. Water Use 2. Site Specific Design Authorizations/Requirements a. Water Use (1) The Licensee shall submit all data as required by the implementation schedule for each of the above Conditions for Certification to: SFWMD at www.sfwmd.gov/ePermitting, or Regulatory Support, 3301 Gun Club Road, West Palm Beach, FL 33406. [Section 373.223, F.S.; Rules 40E-2.091, 40E-2.301 and 40E-2.381, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO SFWMD
SECTION B. SPECIFIC CONDITIONS IV. SOUTH FLORIDA WATER MANAGEMENT DISTRICT	B. Water Use 2. Site Specific Design Authorizations/Requirements b. Dewatering Activities Prior to commencement of construction of those portions of the licensed project that involve dewatering activities, the Licensee shall submit a detailed plan for any such activities to the SFWMD for a determination of compliance with the applicable non-procedural requirements of Chapters 40E-2, F.A.C., in effect at the time of Certification. The following information, referenced to NGVD or NAVD where appropriate, shall include: (1) detailed site plan which shows the location(s) for each proposed dewatering area; (2) The method(s) used for each dewatering operation; (3) The maximum depth for each dewatering operation; (4) The location and specifications for all proposed wells and/or pumps associated with each dewatering (5) The duration of each dewatering operation; (6) The discharge method, route, and location of receiving waters generated by each dewatering operation, including the measures (Best Management Practices) that will be taken to prevent water quality problems in the receiving water(s); (7) An analysis of the impacts of the proposed dewatering operations on any existing on and/or off-site legal users, wetlands, or existing groundwater contamination plumes; (8) The location of any infiltration trench(es) and/or recharge barriers; and (9) All plans must be signed and sealed by a Professional Engineer or a Professional Geologist registered in the State of Florida. [Section 373.229 and 373.308, F.S.; Rules 40E-2.091, 40E-2.301, and 40E-3.500-531, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO SFWMD

SECTION B. SPECIFIC CONDITIONS IV. SOUTH FLORIDA WATER MANAGEMENT DISTRICT	C. Right-of-Way 1. General a. Prior to commencing construction of any portion of the transmission line, which may cross over, on, under, or otherwise use, the SFWMD's right-of-way, the Licensee must submit complete drawings showing the proposed facilities to the SFWMD for documentation of compliance with Chapter 40E-6, Florida Administrative Code (F.A.C.), and the Right of Way Criteria Manual for Use of Works or Lands of the District, incorporated by reference in Rule 40E-6.091(1), F.A.C. These drawings must depict the proposed crossing in both plan and profile views and must show, at a minimum: (1)The canal right-of-way lines; (2)The top of the canal bank and its elevation; (3)The centerline of the levee and its elevation; (4)The canal maintenance berm and its elevation at its highest point; (5)The location of any poles, tower, and/or access roads located within the SFWMD's right-of-way; (6)The location of any anchors, down-guys or span-guys within the SFWMD's right-of-way; (7)The elevation of the lowest line, wire, or cable crossing over the SFWMD's right-of-way, given at the lowest point of sag in the span within the SFWMD's right-of-way; (8)The location and elevation of any buried facilities installed as part of this transmission line project; and (9)The location of the facilities in relation to a section line, major road or other prominent well-known landmark by which the facilities may be located in the field. b.Any parallel run of transmission line within the SFWMD's is prohibited. c.Any improvement which requires a waiver from the SFWMD's rules or Criteria Manual referenced in paragraph 1.a. above shall be prohibited under this certification, unless the Licensee modifies this certification and follows the requirements for obtaining a waiver set forth in Chapter 120, F.S. d.The Licensee shall submit all data and information as required by the above Conditions for Certification to: rowpermits@sfwmd.gov, or the Right-of-Way Section, 3301 Gun Club Road, West Palm Beach, FL 33406. [Sections 373.085, 373.086, F.S.; Rules 40E-6.091, 40E-6.201, 40E-6.221, 40E-6.381, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO SFWMD
SECTION B. SPECIFIC CONDITIONS IV. SOUTH FLORIDA WATER MANAGEMENT DISTRICT	C Right of Way 2. Access a. Should the Licensee desire to utilize the SFWMD's right-of-way for access during construction of the Project and/or for inspection, maintenance, and/or operation of the Project after construction, the Licensee shall submit to the SFWMD a detailed plan identifying the following: proposed route; type, weight, length, and number of vehicles to be used; daily trips for each vehicle; proposed material and/or vehicle/equipment storage within the right-of-way; and dates of proposed access of the right of way. If travel over a District bridge or facility is required, Licensee shall submit engineering analysis required by the District to determine if the bridge or facility can support the vehicles/equipment proposed to travel over the bridge or facility. Prior to the use of any portion of the SFWMD right-of-way, the Licensee must post a financial assurance, which shall be a minimum of \$5,000 per one-half mile, or a greater amount as determined by SFWMD, depending on the scope of work, the route, use of or travel over SFWMD bridges and/or facilities, types of vehicles, and duration. In addition, Licensee must obtain liability insurance covering the Licensee use of that portion of the right-of-way. Licensee shall comply with all safeguards and guarantees, financial or otherwise, required by SFWMD to ensure that no damage, liability or loss occurs to the District's right of way, including its bridges and facilities. All use of the SFWMD's right-of-way by Licensee shall be in accordance with Chapter 40E-6, F.A.C., and the Right of Way Criteria Manual for Use of Works or Lands of the District, incorporated by reference in Rule 40E-6.091(1), F.A.C. [Sections 373.085, 373.086, F.S.; Rules 40E-6.091, 40E-6.201, 40E-6.221 40E-6.361, 40E-6.381, F.A.C.]	During Post-Certification Submittal Review and prior to construction and if access to Water Management ROW is needed	TBD	FDEP - SCO SFWMD

SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	A. General Listed Species Surveys 2. Surveys shall be conducted prior to clearing and construction in accordance with the survey protocols. The results of those surveys shall be provided to the FWC in a report, and coordination shall occur with the FWC on appropriate impact avoidance, minimization, or mitigation methodologies. Reports can be sent to ConservationPlanningServices@MyFWC.com. [Article IV, Sec. 9, Florida Constitution; Sections 379.2291, 403.507, 403.526, and 403.5113(2), Florida Statutes (F.S.); and Rule 68A-27, F.A.C.]	During Post-Certification Submittal Review and prior to construction	TBD	FDEP - SCO FDEP - District Office FFWCC
SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	B. Specific Listed Species Surveys 1. Before land clearing and construction activities within the FPL Sweatt-Whidden 230-kilovolt Transmission Line rights-of-way, the Licensee shall conduct an assessment for terrestrial listed species and shall note all habitat, occurrence, or evidence of listed species. Wildlife surveys shall be conducted during the reproductive or active season for each species that falls before the projected clearing activity schedule unless otherwise approved by the FWC. For species that are difficult to detect, the Licensee may make the assumption that the species is present and plan appropriate avoidance or mitigation measures after consultation with the FWC. The Licensee will submit avoidance or mitigation measures to the FWC for post-certification review and approval at least 60 days prior to commencing clearing or construction activities within the surveyed area. The surveys required by these Conditions of Certification may be conducted prior to issuance of the final order of certification, in which case this Condition would be considered satisfied. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rules 68A-27, 68A-4, and 68A-16, F.A.C.]	During Post-Certification Submittal Review and at least 60 Days prior to commencing clearing or construction activities within the surveyed area	TBD	FDEP - SCO FDEP - District Office FFWCC
SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	C. Listed Species Locations 1. Where any suitable habitat or evidence is found of the presence of listed species, including but not limited to those specified in D, E, F, G, H, and I below, within the FPL Sweatt-Whidden 230-kilovolt Transmission Line rights-of-way, construction staging areas, and accessible appropriate buffers, the Licensee shall report those locations to, and confer with, the FWC to determine whether additional pre-clearing surveys are warranted, and to identify potential mitigation or avoidance recommendations. If additional pre-clearing surveys are required by the FWC as appropriate and as specified in these Conditions of Certification, they shall occur in the reproductive season prior to the anticipated date for the start of construction within the FPL Sweatt-Whidden 230-kilovolt Transmission Line area to be impacted. The Licensee shall not construct in areas where evidence of listed species was identified during the initial survey until the listed species issues have been resolved. 2. If listed wildlife species are found, their presence shall be reported to the DEP Siting Coordination Office, the FWC, and the USFWS. 3. If avoidance of state-listed wildlife species is not feasible, the Licensee shall consult with the FWC to determine the steps appropriate for the species potentially impacted to avoid, minimize, mitigate, or otherwise appropriately address potential impacts. These steps shall be memorialized in a Species Management Plan attached herein as Attachment E and submitted to the FWC. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rule 68A-27, F.A.C.]	During Post-Certification Submittal and prior to clearing or construction activities	TBD	FDEP - SCO FDEP - District Offices FFWCC USFWS

SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	D. Gopher Tortoise 1. The Licensee shall conduct surveys for gopher tortoise (<i>Gopherus polyphemus</i>) and their burrows, in accordance with the FWC-approved Gopher Tortoise Management Plan (as revised) and the FWC-approved Gopher Tortoise Permitting Guidelines, or subsequent FWC-approved versions of the Plan or Guidelines. A burrow survey covering a minimum of 15% of the potential gopher tortoise habitat to be impacted by development, including staging areas, is required in order to apply for a relocation permit. Immediately prior to capturing tortoises for relocation, a 100% survey is required to effectively locate and mark all potentially occupied tortoise burrows and to subsequently remove the tortoises. Burrow survey methods are outlined in Appendix 4 of the Gopher Tortoise Permitting Guidelines, "Methods for Locating Gopher Tortoise Burrows on Sites Slated for Development." All surveys completed by authorized agents or other licensees are subject to field verification by the FWC. 3. The Licensee shall coordinate with the FWC and provide detailed gopher tortoise relocation information in accordance with the FWC-approved Gopher Tortoise Management Plan and Gopher Tortoise Permitting Guidelines as a post-certification submittal. This information shall provide details on the location for on-site recipient areas and any off-site FWC-approved temporary contiguous habitat, as well as appropriate mitigation contributions per tortoise, as outlined in the Gopher Tortoise Permitting Guidelines. [Article IV, Sec. 9, Florida Constitution; Sections 403.526, 403.5317 and 379.2291, F.S.; and Rules 62-17.660 and 68A-27, FA.C.]	During Post-Certification Submittal and prior to clearing or construction activities	TBD	DEP - SCO applicable DEP District Office FFWCC
SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	E. Wading Birds 1. The Licensee shall conduct surveys for state-threatened wading birds and their nests in accordance with the FWC-approved Conservation Measures and Permitting Guidelines: https://myfwc.com/media/18634/threatenedwadingbirds-guidelines.pdf. Surveys shall be conducted for wading birds in areas potential for nesting prior to the commencement of any clearing, grading, or filling activities and during their breeding season, which extends from March through August. 2. If wading bird nesting is identified within or adjacent to the planned right-of-way or other areas associated with the project, a 330-foot (100-meter) buffer distance from the nest shall be maintained. 3. If wading bird nesting is identified on the site, the Licensee shall also provide a detailed post-certification submittal. This submittal should include location information for the wading bird nesting areas and what steps were taken to avoid these areas. If these areas cannot be avoided, the submittal should also include the Licensee's proposed coordination with the FWC. 4. If nesting is discovered after site activities have begun, if the removal or trimming of trees with active nests is unavoidable, or if maintaining the recommended buffer is not possible, the Licensee shall consult with FWC staff to determine the steps appropriate to minimize, mitigate, or otherwise appropriately address potential impacts. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rule 68A-27, F.A.C.]	During Post-Certification Submittal and prior to clearing or construction activities, and if wading bird nesting is identified in surveyed area	TBD	DEP - SCO applicable DEP District Office FFWCC

SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	F. Florida Sandhill Crane 1. The Licensee shall conduct surveys for nesting Florida sandhill cranes in accordance with the FWC-approved Species Conservation Measures and Permitting Guidelines: https://myfwc.com/media/11565/final-florida-sandhill-crane-species-guidelines-2016.pdf. Surveys for nesting Florida sandhill cranes shall be conducted prior to commencement of construction activities in or adjacent to habitat where Florida sandhill cranes could nest, and during the December through August breeding season. If construction occurs over several years, it may be necessary to conduct surveys each year as Florida sandhill cranes do not nest in the same location every year. 2. If Florida sandhill crane nesting is identified within or adjacent to the final corridor, or other areas associated with the project, a 400-foot buffer distance from the nest with eggs shall be maintained, or 1500-foot buffer distance from a nest with flightless young shall be maintained until the young can fly. 3. If Florida sandhill crane nesting is identified on site the Licensee shall also provide a detailed post-certification submittal (see Section A. Condition XXI. Procedures for Post-Certification Submittals). This submittal should include location information for the nesting areas and what steps were taken to avoid these areas. If these areas, cannot be avoided, the submittal should also include the Licensee's proposed coordination with the FWC. 4. If nesting or flightless young are discovered after site activities have begun, or if maintaining the buffer is not possible, the applicant shall consult with FWC staff to determine the steps appropriate to minimize, mitigate, or otherwise appropriately address potential impacts. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rule 68A-27, F.A.C.]	Post-Certification Submittal and prior to clearing or construction activities, and if Florida sandhill crane nesting is identified within or adjacent to the final corridor	TBD	DEP - SCO applicable DEP District Office FFWCC
SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	G. Southeastern American Kestrel 1. The Licensee shall conduct surveys for southeastern American kestrel and their nest cavities in accordance with the FWC-approved Species Conservation Measures and Permitting Guidelines: https://myfwc.com/wildlifehabitats/wildlife/species-guidelines/ 2. If surveys encounter southeastern American kestrel nesting, a 490-foot (150 meters) buffer shall be maintained from the nest during the breeding season (March through July) to avoid disturbance. 3. If southeastern American kestrel nesting is identified on site the Licensee shall also provide a detailed post-certification submittal (see Section A. Condition XXI. Procedures for Post-Certification Submittals). This submittal should include location information for the nests and what steps were taken to avoid these areas. If these areas, cannot be avoided, the submittal should also include the Licensee's proposed coordination with the FWC. 4. If nesting is discovered after site activities have begun, or if maintaining the buffer is not possible, the applicant shall consult with FWC staff to determine the steps appropriate to minimize, mitigate, or otherwise appropriately address potential impacts. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rule 68A-27, F.A.C.]	Prior to clearing or construction activities, and if kestrel nesting is identified onsite	TBD	DEP - SCO applicable DEP District Office FFWCC

SECTION B. SPECIFIC CONDITIONS V. FLORIDA FISH AND WILDLIFE CONSERVATION COMMISSION	H. Florida Burrowing Owl 1. The Licensee shall conduct project planning surveys for Florida burrowing owls and their burrows in accordance with FWC-approved Species Conservation Measures and Permitting Guidelines: https://myfwc.com/media/2028/floridaburrowingowlguidelines-2018.pdf. Project planning surveys shall be conducted within 90 days of clearing or earthwork activities. 2. If potentially occupied Florida burrowing owl burrows (as defined by the Species Conservation Measures and Permitting Guidelines) are found during the project planning surveys, pre-activity surveys shall be conducted in the active part of the project site within 48 hours prior to commencing site preparation, clearing, or project activities. 6. If a Florida burrowing owl burrow is identified on-site the Licensee shall also provide a detailed post-certification submittal (see Section A. Condition XXI. Procedures for Post-Certification Submittals). This submittal should include location information for the nests and what steps were taken to avoid these areas. If these areas, cannot be avoided, the submittal should also include the Licensee's proposed coordination with the FWC. 7. If previously undetected burrows are found either in pre-activity surveys or later during project activities and required buffers cannot be maintained, the applicant shall consult with FWC staff to determine the steps appropriate to minimize, mitigate, or otherwise appropriately address potential impacts. [Article IV, Sec. 9, Florida Constitution; Section 379.2291, F.S.; and Rule 68A-27, F.A.C.]	During Post-Certification Submittal if burrows are identified onsite and prior to clearing or construction activities	TBD	FDEP - SCO applicable FDEP District Office FFWCC
SECTION B. SPECIFIC CONDITIONS VI. DEPARTMENT OF STATE – DIVISION OF HISTORICAL RESOURCES	A. Prior to new construction in areas not previously surveyed, and after the ROW has been selected, the Licensee shall conduct a professional cultural resource assessment survey of the sensitive cultural resource areas, as determined in consultation with the Department of State, Division of Historical Resources (DHR). A qualified cultural resources consultant will conduct this investigation in accordance with the appropriate work plan for this project developed within the Desktop Analysis Report requested and approved in consultation with DHR. Upon completion of the field survey, the results will be compiled into a report which shall be submitted to DHR. If feasible, any sites considered to be eligible for the National Register ("historic properties") shall be avoided during construction of the project and access roads, and subsequently during maintenance of the ROW. If avoidance by the proposed ROW of any identified historic properties is not feasible, any adverse effect shall be mitigated through archaeological data recovery or other methods acceptable to DHR, as appropriate. [Sections 267.061, 403.531, and 872.02, F.S.]	During Post-Certification Submittal and prior to construction and after ROW has been selected	TBD	FDEP - SCO DOS-DHR
SECTION B. SPECIFIC CONDITIONS VIII. DESOTO COUNTY	B. The Licensee shall submit all information necessary to complete a Right-of- Way permit post-certification to be processed in accordance with Section A. Condition XXI. Procedures for Post-Certification Submittals. [Sec. 12-86, 12-87, and 12-116 through 12-121, DeSoto County Code of Ordinances]	During Post-Certification Submittal Review and prior to construction in DeSoto County	TBD	FDEP-SCO applicable FDEP District Office DeSoto County