



March 28, 2023

Cindy Mulkey
Deputy Director, Water Resource Management
Siting Coordination Office
Florida Department of Environmental Protection
2600 Blair Stone Road, MS 5500
Tallahassee, FL 32399-2400
Submitted electronically to: sco@floridadep.gov

**Re: FPL Sweatt-Whidden 230 kV Transmission Line Project
TLSA Application No. TA22-19
Segment 1: Sweatt – Basinger Post Certification Submittal**

Dear Ms. Mulkey,

Florida Power & Light Company (FPL) respectfully submits the enclosed Post Certification submittal for Segment 1 of the FPL Sweatt – Whidden 230 kV Transmission Line Pursuant to Conditions of Certification, *Section A: General Conditions, Subsection XXI, Procedures for Post Certification Submittals*. This segment of the certified corridor originates at the Sweatt Substation and terminates at the Basinger Substation. The enclosed Gopher Tortoise Relocation (Conservation) Permit Application form and included attachments address the post-certification conditions listed below.

- Section B: Specific Condition V - FWC:
 - B.1-3. Specific Listed Species Surveys – within Attachment 6 & 7
 - C.1-3. Listed Species Location – Within Attachment 6
 - D.1-5. Gopher Tortoise – within Gopher Tortoise Relocation (Conservation) Permit Application form

FPL looks forward to continuing working with the Department and other agencies during the Post-Certification process. If you have additional questions, please do not hesitate to contact Nick Zweber at (561) 348-4387 or Nick.Zweber@fpl.com.

Best Regards,

Franck Leblanc

Digitally signed by Franck Leblanc
DN: cn=Franck Leblanc, o=Florida Power &
Light, ou=Environmental Services,
email=franck.l.leblanc@fpl.com, c=US
Date: 2024.03.28 07:50:24 -04'00'

Franck Leblanc
Director, FPL, Environmental Services
Franck.L.Leblanc@fpl.com

Enclosures:
Distribution List
Segment 1: Sweatt-Basinger Post-Certification Filing

FPL Sweatt-Whidden TLSA (TA22-19) Distribution List
Segment 1: Sweatt-Basinger

Florida Department of Environmental Protection Siting Coordination Office 2600 Blair Stone Road, MS 5500 Tallahassee, Florida 32399-2400 ann.seiler@floridadep.gov and SCO@floridadep.gov Southeast District – West Palm Beach 3301 Gun Club Road, MSC 7210-1 West Palm Beach, Florida 33406 Indarjit.Jagnarine@FloridaDEP.gov Danielle.Sattelberger@FloridaDEP.gov Office of General Counsel 3900 Commonwealth Blvd, MS 35 Tallahassee, Florida 32399-3000 Kelley.Corbari@FloridaDEP.gov	Florida Fish & Wildlife Conservation Commission Josh Cucinella 620 South Meridian Street Tallahassee, Florida 32399-1600 josh.cucinella@myfwc.com, and Laura.DiGruttolo@MyFWC.com conservationplanningservices@myfwc.com
--	--



Florida Fish and Wildlife Conservation Commission

Gopher Tortoise Relocation (Conservation) Permit Application

Application Summary

Name:	Florida Power & Light Company	Application Status:	Initiated	Permit Number:
Permit Type:	Gopher Tortoise Conservation	Date Submitted:		Predecessor:
Application #:	109646	Date/Time Application Printed:	3/3/2024	Successor:

Filer type : Agent or Consultant

*The Florida Fish and Wildlife Conservation Commission (FWC) collects social security numbers (SSN) for the issuance of licenses or permits to an individual in accordance with s. 372.561 F.S. and 42 USC 666 for the purposes of administration of the Title IV-D program for child support enforcement, use by the commission, and as otherwise provided by law.

Have you ever been convicted or found guilty, of any criminal or non-criminal violation, regardless of adjudication, or plea entered, of any wildlife violation (including a violation of Chapters 379, 370, 372, F.S.; Section 828.12, F.S.; Rules of the commission; Similar laws or rules in another jurisdiction)?

☐ Yes ☒ No

If yes, please explain, and list the type of violation(s) cited and the county/state where the violation occurred:

Have you ever had a fish or wildlife-related permit suspended or revoked?

☐ Yes ☒ No

Explain, if yes:

Certification: I hereby swear and affirm by signature that the information submitted in this application and supporting documents is complete and accurate to the best of my knowledge and belief. I understand that any false statement herein may subject me to criminal penalties. I further state that I will abide by all applicable state, federal, and local laws.

☒ Yes ☐ No

Contact Information

Applicant	Agent
Personal Title FirstName MiddleInitial LastName Suffix Business Name Country of Residence Country Mailing Address Address1 Address2 Country City State/Province Zip/Postal Code Contact Information Contact First Name Contact Last Name Primary Phone Number Secondary Phone Number Fax Number E-Communication Confirmed	Personal Title FirstName MiddleInitial LastName Suffix Business Name Country of Residence Country Mailing Address Address1 Address2 Country City State/Province Zip/Postal Code Contact Information Contact First Name Contact Last Name Primary Phone Number Secondary Phone Number Fax Number E-Communication Confirmed
Florida Power & Light Company	Mr. Robert J. McLoughlin III
US	US
15430 Endeavor Drive	7900 ne 192ND PL
US	US
JUPITER	CITRA
FL	FL
33478	32113
David	Bob
Niebch	McLoughlin
561-904-3275	7326919779
	7326919779
☒	☒

Donor Location

Project Name:	FPL Sweatt - Basinger 230kV Transmission Project
Description:	~21-mile linear transmission line rebuild project
Address 1:	
Address 2:	
County:	OKEECHOBEE
City:	BASINGER, 34972
Driving Directions:	Segment 1: Sweatt - Basinger The proposed transmission line originates at the existing Sweatt Substation, located on NE 224th Street (Hililo Road) in Okeechobee, approximately one mile east of Highway 441. From Sweatt Substation, the line travels one mile west to Highway 441, where the line crosses to the west side of the highway and turns north, continuing another approximately 1.10 miles to NW 240th Street, where the project turns west. The proposed transmission line traverses west along

Estimated Start Date 4/15/2024

Is the project a Development of Regional Impact (DRI)? ☐ Yes ☒ No

Was a relocation permit previously issued for this or a prior phase of the project? ☐ Yes ☒ No

Project Counties

County
OKEECHOBEE

Project Location

Project Latitude and Longitude

Latitude Degrees	Latitude Minutes	Latitude Seconds	Longitude Degrees	Longitude Minutes	Longitude Seconds
27	26	53.76	80	47	35.41
27	23	21.95	81	1	46.53

Project Parcel Location

Parcel Information
10135330A00000010000
10135330A0000002A000
10235330A00000010000
10235330A00000020000
10335350A00000010000
10535340A00000010000
10635340A00000010000
10635340A0000001A000
11035350A00000010000
11035350A00000020000
11135330A00000050000
11135330A0000005A000
11135330A00000060000
11135330A00000070000
11135330A00000090000
11135330A00000017C000
11135330A000000180000
11135350A00000010000
11135350A00000020000
11135330A00000080000
11435330A0000001C000
11435330A0000001D000
11435330A00000040000
11435330A00000050000
11435330A000000100010
11435330A000000100130
11435330A000000110000
12235330A00000020000
12235330A00000050000
12235330A0000005B000
12235330A00000060000
12235330A00000070000
12235330A0000007B000
12235330A0000007D000
12235330A0000002A000
12335330A00000030000
12335330A0000003A000
12335330A00000070000
12335330A00000080000
12635330A0000006B000
12735330A00000020000
12735330A00000030000
12735330A0000003B000
12735330A0000003C000
12735330A00000060000
12735330A00000070000
12735330A00000080000
12934340010000000010
129343400100000000R0
12934340010000000740
13134350A00000010000
13234340A00000010000
13234350A00000010000
13334340A00000010000
13334350A00000010000
13335330A00000010000
13335330A0000003B000
13434340A00000010000
13434340A0000001A000
13434340A00000020000
13434350A00000010000
134353300100000000P0
13435330010000200010
13435330010000300130
13435330010000300220
13435330A00000010000
13435330A00000020000
13435330A0000002A000
13435330A000000120000
13534340A00000010000
13534340A00000020000
13634340A00000010000

Donor Information

Gopher Tortoise Survey

Total number of acres of project site:	155.22
Total number of acres of gopher tortoise habitat:	121.68
Date of gopher tortoise survey:	12/18/2023
Total number of acres of gopher tortoise habitat surveyed:	121.68
Percentage of gopher tortoise habitat surveyed:	100.00

Number of potential occupied burrows (active and inactive) from survey:	2.00
Estimated total number of potentially occupied burrows:	2.00
Estimated gopher tortoise population (Estimated number of potentially occupied burrows X .50):	1
Requested additional gopher tortoises to be relocated:	5
Total number of gopher tortoises to be relocated:	6

Soil

Vegetative Communities

Relocation Information

On-site Relocation
Is this recipient site unit on public conservation land and is contiguous to the proposed public project? ☐ Yes ☒ No
For on-site relocation to short-term protected or unprotected units complete the following section

Unit

How long will gopher tortoises be temporarily enclosed ? months

For on-site relocation to public conservation land that is contiguous to the proposed public project,complete the following section

Unit

For off-site relocation complete the following section

Recipient Site


Recipient Site Name	Unit Name	Current Available Capacity*	Reserved Capacity	Lat/Mileage	Date Reserved	Confirmed	Protected
NW Hackletrap(Tier1)	NW Hackletrap	685	6	29		☐	Yes
Total Gopher Tortoises to be Relocated : 6 Total Reserved Capacity : 6							

Method of Capture


- ☐ Capture gopher tortoises using bucket traps
- ☐ Capture gopher tortoises using live traps
- ☒ Capture gopher tortoises using hand shovel excavation of gopher tortoise burrows
- ☐ Mark captured gopher tortoises
- ☐ Release gopher tortoises at recipient sites
- ☒ Supervise backhoe excavation of gopher tortoise burrows to capture gopher tortoises
- ☐ Use a pulling rod to remove and capture gopher tortoises from their burrows
- ☐ Authorized to burrow scope

Comments

Attachments




- Legend**
- Existing Substation
 - Segment 1: Sweatt-Basinger
 - Segment 2: Basinger-Waterway
 - Segment 3: Waterway-Dorr Field
 - Segment 4: Dorr Field-Whidden




Attachment 1
Segment 1: Sweatt - Basinger
Location Map

Sweatt-Whidden Transmission Line
Desoto/Glades/Highlands/Okeechobee Counties, Florida





- Legend**
- Existing Substation
 - Segment 1: Sweatt-Basinger
 - Segment 2: Basinger-Waterway
 - Segment 3: Waterway-Dorr Field
 - Segment 4: Dorr Field-Whidden





Sources: ESRI World Street map; ECT, 2023.


Attachment 1A
Segment 1: Sweatt - Basinger
Location Map

Sweatt-Whidden Transmission Line
 Desoto/Glades/Highlands/Okeechobee Counties, Florida





- Legend**
- Existing Substation
 - Sweatt-Basinger Project Footprint



Sources: ESRI World Street map; ECT, 2024.

Attachment 1
Segment 1: Sweatt - Basinger
Location Map


Okeechobee County, Florida



**Attachment 3: Sweatt - Basinger
Section/Township/RangeTable**

SECTION	TOWNSHIP	RANGE	TD	RD	COUNTY
034	34	33	S	E	OKEECHOBEE
032	34	34	S	E	OKEECHOBEE
033	34	34	S	E	OKEECHOBEE
034	34	34	S	E	OKEECHOBEE
035	34	34	S	E	OKEECHOBEE
036	34	34	S	E	OKEECHOBEE
031	34	35	S	E	OKEECHOBEE
032	34	35	S	E	OKEECHOBEE
033	34	35	S	E	OKEECHOBEE
034	34	35	S	E	OKEECHOBEE
035	34	35	S	E	OKEECHOBEE
001	35	33	S	E	OKEECHOBEE
002	35	33	S	E	OKEECHOBEE
003	35	33	S	E	OKEECHOBEE
010	35	33	S	E	OKEECHOBEE
011	35	33	S	E	OKEECHOBEE
014	35	33	S	E	OKEECHOBEE
015	35	33	S	E	OKEECHOBEE
022	35	33	S	E	OKEECHOBEE
023	35	33	S	E	OKEECHOBEE
027	35	33	S	E	OKEECHOBEE
033	35	33	S	E	OKEECHOBEE
034	35	33	S	E	OKEECHOBEE
035	35	33	S	E	OKEECHOBEE
005	35	34	S	E	OKEECHOBEE
006	35	34	S	E	OKEECHOBEE
010	35	35	S	E	OKEECHOBEE
011	35	35	S	E	OKEECHOBEE
012	35	35	S	E	OKEECHOBEE


Attachment 4: Sweatt - Basinger Parcel Table	
Okeechobee County	
Parcel ID	Parcel ID
10135330A00000010000	12735330A00000020000
10135330A0000002A000	12735330A00000030000
10235330A00000010000	12735330A0000003B000
10235330A00000020000	12735330A0000003C000
10335350A00000010000	12735330A00000060000
10535340A00000010000	12735330A00000070000
10635340A00000010000	12735330A00000080000
10635340A0000001A000	12934340010000000010
11035350A00000010000	129343400100000000R0
11035350A00000020000	12934340010000000740
11135330A00000050000	13134350A00000010000
11135330A0000005A000	13234340A00000010000
11135330A00000060000	13234350A00000010000
11135330A00000070000	13334340A00000010000
11135330A00000090000	13334350A00000010000
11135330A0000017C000	13335330A00000010000
11135330A00000180000	13335330A0000003B000
11135350A00000010000	13434340A00000010000
11135350A00000020000	13434340A0000001A000
11135330A00000080000	13434340A00000020000
11435330A0000001C000	13434350A00000010000
11435330A0000001D000	134353300100000000P0
11435330A00000040000	13435330010000200010
11435330A00000050000	13435330010000300130
11435330A00000100010	13435330010000300220
11435330A00000100130	13435330A00000010000
11435330A00000110000	13435330A00000020000
12235330A00000020000	13435330A0000002A000
12235330A00000050000	13435330A00000120000
12235330A0000005B000	13534340A00000010000
12235330A00000060000	13534340A00000020000
12235330A00000070000	13634340A00000010000
12235330A0000007B000	
12235330A0000007D000	
12235330A0000002A000	
12335330A00000030000	
12335330A0000003A000	
12335330A00000070000	
12335330A00000080000	
12635330A0000006B000	



CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 1 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 2 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 3 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024





Sources: FWC 2023; ECT, 2024.



CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 4 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024




Sources: FWC 2023; ECT, 2024.



CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 5 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover


Okeechobee County, Florida
Date: 1/9/2024





CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.		

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 6 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 7 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 8 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 9 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 10 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 11 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 12 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover





Attachment 4 - Page 13 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024





- Substation
- Structure
- ▭ Sweatt-Basinger Narrowed Corridor
- ▭ Sweatt-Basinger Project Footprint
- ▭ Cooperative Land Cover



Attachment 4 - Page 14 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 15 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 16 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 17 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 18 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 19 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 20 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 21 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- ▭ Sweatt-Basinger Narrowed Corridor
- ▭ Sweatt-Basinger Project Footprint
- ▭ Cooperative Land Cover



Attachment 4 - Page 22 of 44 Segment 1: Sweatt – Basinger Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover




Sources: FWC 2023; ECT, 2024.

Attachment 4 - Page 23 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 24 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 25 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 26 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 27 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Sources: FWC 2023; ECT, 2024.

Attachment 4 - Page 28 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover


Okeechobee County, Florida
Date: 1/9/2024





CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.		

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 29 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- ▭ Sweatt-Basinger Narrowed Corridor
- ▭ Sweatt-Basinger Project Footprint
- ▭ Cooperative Land Cover



Attachment 4 - Page 30 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 31 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 32 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 33 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024





CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

Substation

Structure

Sweatt-Basinger Narrowed Corridor

Sweatt-Basinger Project Footprint

Cooperative Land Cover

N

0200400

Feet

Sources: FWC 2023; ECT, 2024.


Attachment 4 - Page 34 of 44

Segment 1: Sweatt – Basinger

Cooperative Land Cover

Okeechobee County, Florida



Date: 1/9/2024



CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 35 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 36 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 37 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover




Sources: FWC 2023; ECT, 2024.

Attachment 4 - Page 38 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 39 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 40 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024




Sources: FWC 2023; ECT, 2024.



CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 41 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 42 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024






CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.


- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover



Attachment 4 - Page 43 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024







CLC	Description	Acres
1311	Mesic Flatwoods	0.25
1400	Mixed Hardwood-Coniferous	4.89
1500	Shrub and Brushland	2.64
1822	High Intensity Urban	0.58
183313	Improved Pasture	60.91
18332	Orchards/Groves	11.71
1840	Transportation	55.25
1830	Rural	8.51
1860	Utilities	0.52
2110	Prairies and Bogs	3.97
2120	Marshes	4.08
2121	Isolated Freshwater Marsh	0.38
2100	Freshwater Non-Forested Wetlands	0.33
2210	Cypress/Tupelo	0.05
2200	Freshwater Forested Wetlands	1.09
3200	Cultural-Lacustrine	0.06
Total		155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint.

- Substation
- Structure
- Sweatt-Basinger Narrowed Corridor
- Sweatt-Basinger Project Footprint
- Cooperative Land Cover





Attachment 4 - Page 44 of 44
Segment 1: Sweatt – Basinger
Cooperative Land Cover

Okeechobee County, Florida
Date: 1/9/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 1 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (±30ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 2 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 3 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 4 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 5 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 6 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 7 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 8 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint




Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 9 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint




Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 10 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- ✱ GT Burrow Location
- GT Transect (± 30 ft)
- ▭ Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 11 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 12 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 13 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 14 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint




Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 15 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 16 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 17 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 18 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 19 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 20 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint




Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 21 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (±30ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 22 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 23 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 24 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 25 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect ($\pm 30\text{ft}$)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 26 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
 Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 27 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect ($\pm 30\text{ft}$)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 28 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 29 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (±30ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 30 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
 Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 31 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 32 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
 Date: 3/5/2024





- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 33 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 34 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
 Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 35 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 36 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 37 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 38 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 39 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 40 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
 Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 41 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024

ECT



- GT Burrow Location
- GT Transect (± 30 ft)
- Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 42 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint



Sources: Esri World Imagery 2020; ECT 2024



Attachment 6 - Page 43 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024





-  GT Burrow Location
-  GT Transect (± 30 ft)
-  Sweatt-Basinger Project Footprint




Sources: Esri World Imagery 2020; ECT 2024

Attachment 6 - Page 44 of 44
Segment 1: Sweatt – Basinger
Gopher Tortoise Survey

Okeechobee County, Florida
Date: 3/5/2024



ECT



Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Guy Anchor
- Substation
- Soil
- Hydric Soil
- Unranked Soil (Water)
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 1 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023

ECT



Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the
Sweatt-Basinger Project Footprint

- Structure

Guy Anchor


Soil

Hydric Soil
- Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 2 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt - Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 3 of 44
Segment 1: Sweatt - Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 4 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure

Guy Anchor


Soil

Hydric Soil
- Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 5 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the
Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 6 of 44
Segment 1: Sweatt – Basinger
Soils


Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 7 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 8 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 9 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 10 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure

Soil


Hydric Soil

Unranked Soil (Water)
- Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 11 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023







Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the
Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 12 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt - Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 13 of 44
Segment 1: Sweatt - Basinger
Soils


Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 14 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 15 of 44
Segment 1: Sweatt – Basinger
Soils


Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 16 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 17 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 18 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023







Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- ▭ Sweatt-Basinger Project Footprint
- ▭ Sweatt-Basinger Narrowed Corridor
- ▭ Sweatt – Whidden Certified Corridor Route
- ▭ Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 19 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 20 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 21 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 22 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.



Attachment 7 - Page 23 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023





- Structure
- Soil
- Hydric Soil
- Unranked Soil (Water)
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 24 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure

Guy Anchor

Soil



Hydric Soil

Unranked Soil (Water)
- Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 25 of 44
Segment 1: Sweatt – Basinger
Soils


Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- ▭ Sweatt-Basinger Project Footprint
- ▭ Sweatt-Basinger Narrowed Corridor
- ▭ Sweatt - Whidden Certified Corridor Route
- ▭ Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 26 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 27 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 28 of 44
Segment 1: Sweatt – Basinger
Soils


Okeechobee County, Florida
Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 29 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 30 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Attachment 7 - Page 31 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.



Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the
Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt - Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 32 of 44
Segment 1: Sweatt - Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 33 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt - Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 34 of 44
Segment 1: Sweatt - Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 35 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 36 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 37 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023






Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 38 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023







Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 39 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida


Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22
Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint			

- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 40 of 44
Segment 1: Sweatt – Basinger
Soils


Okeechobee County, Florida

Date: 3/10/2023





- Structure
- Soil
- Hydric Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 41 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023





Structure

Guy Anchor

Soil

Hydric Soil

Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert

N

0

200

400

Feet


Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 42 of 44

Segment 1: Sweatt – Basinger Soils

Okeechobee County, Florida


Date: 3/10/2023



Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the
Sweatt-Basinger Project Footprint

- Structure
- Soil
- Sweatt-Basinger Project Footprint
- Sweatt-Basinger Narrowed Corridor
- Sweatt – Whidden Certified Corridor Route
- Proposed Culvert




Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 43 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida

Date: 3/10/2023





Symbol	Description	Hydric	Acres
2	Basinger Fine Sand, 0 To 2 Percent Slopes	Yes	15.10
3	Basinger And Placid Soils, Depressional	Yes	3.50
5	Valkaria Fine Sand, 0 To 2 Percent Slopes	Yes	7.60
7	Floridana, Riviera, And Placid Soils, Depressional	Yes	6.50
8	Pineda-Pineda, Wet, Fine Sand, 0 To 2 Percent Slopes	No	0.06
9	Riviera Fine Sand, 0 To 2 Percent Slopes	Yes	2.04
11	Immokalee Fine Sand, 0 To 2 Percent Slopes	No	15.20
14	Myakka Fine Sand, 0 To 2 Percent Slopes	No	101.90
19	Floridana, Placid, And Okeelanta Soils, Frequently Flooded	Yes	2.68
20	Pomello Fine Sand, 0 To 5 Percent Slopes	No	0.57
23	St. Johns Fine Sand	Yes	0.08
Total			155.22

Please Note: Acreages only calculated within the Sweatt-Basinger Project Footprint

- Structure

Guy Anchor

Substation


Soil

Hydric Soil
- Sweatt-Basinger Project Footprint

Sweatt-Basinger Narrowed Corridor

Sweatt – Whidden Certified Corridor Route

Proposed Culvert



Sources: NRCS, 2022; Esri World Imagery, 2020; ECT, 2023.

Attachment 7 - Page 44 of 44
Segment 1: Sweatt – Basinger
Soils

Okeechobee County, Florida
Date: 3/10/2023



GOPHER TORTOISE RELOCATION AGREEMENT
(Pay Upon Invoice)
(Florida Power and Light Company – FPL Segment 1: Sweatt-Basinger)

THIS GOPHER TORTOISE RELOCATION AGREEMENT (the “Agreement”) is made and entered into this _____ day of _____, 2024, (“Effective Date”) by and between **Florida Power and Light Company**, (“Buyer”) and **Lykes Bros. Inc.**, a Florida corporation, (“Lykes”). Lykes and Buyer may herein individually be referred to as a “Party” and collectively be referred to as the “Parties.”

W I T N E S S E T H

FOR AND IN CONSIDERATION of the mutual agreements and covenants contained herein, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged by the Parties, the Parties agree as follows:

1. GOPHER TORTOISES. The term “**Gopher Tortoise(s)**” shall refer herein to all individuals of the species *Gopherus polyphemus*, a species listed as “State-designated Threatened” by Florida Fish and Wildlife Conservation Commission (hereinafter referred to as “FWC”) and protected by Florida law, that have been captured on Donor Site, as defined below, and have a carapace length of at least 130 millimeters.

2. PREMISE. As a result of its development of Donor Sites, defined below, Buyer needs to relocate up to five (5) Gopher Tortoises captured from the Donor Site(s) (the “**Maximum Relocation Allowance**”). Lykes currently owns Recipient Site(s), defined below, approved to receive Gopher Tortoises. The Parties desire to enter into a contractual relationship, pursuant to the terms hereof, pursuant to which Buyer shall compensate Lykes for accepting, and Lykes shall accept onto its Recipient Site(s), Gopher Tortoises relocated from Donor Sites in accordance with the terms and conditions of this Agreement.

3. TERM. Unless sooner terminated in accordance with the terms and conditions of this Agreement, the term of this Agreement shall be for a period of twelve (12) consecutive months commencing on the Effective Date (“**Term**”). The last day of the Term shall be referred to as the “**Termination Date**”.

4. RECIPIENT SITE(S); DONOR SITE(S).

a. **Recipient Site(s).** The term “**Recipient Site**” shall herein refer to lands owned by Lykes that are approved by FWC to accept Gopher Tortoises that have been captured on and relocated from Donor Site(s), as defined below, under the terms of this Agreement.

b. **Donor Site(s).** The term “**Donor Site(s)**” shall herein refer to the Lands that are approved by FWC for the number of Gopher Tortoises stated above in Paragraph 2 to be captured on and relocated from under the terms of this Agreement.

c. **Compliance.** Lykes shall be solely responsible for obtaining and complying with any and all permits necessary for Lykes to accept Gopher Tortoises within Recipient Site(s) under the terms of this Agreement. Buyer shall obtain all permits required to remove Gopher Tortoises from Donor Site(s) and transport and relocate them to Recipient Site(s) under the terms of this Agreement (“**Buyer Permits**”). Buyer shall at all times maintain Buyer Permits and relocate Gopher Tortoises from Donor Site(s) to Recipient Site(s) in compliance with all applicable laws, rules and regulations. Prior to Buyer’s delivery of any Gopher Tortoises to a Recipient Site, Buyer shall provide Lykes with each applicable Buyer Permit issued by FWC. Buyer shall immediately provide Lykes written notice if any Buyer Permit is modified, terminated or closed or if Buyer receives notice from FWC that Buyer is not in compliance with the terms and conditions of a Buyer Permit. Neither Party shall be responsible for the other Party’s compliance under the other Party’s respective permit(s) or for the other Party’s failure to obtain a required permit.

d. **Information.** Each Party shall timely provide reasonably available information to the other Party upon request of the other Party if the requesting Party reasonably requires such information to verify the other Party’s compliance with the terms and conditions of this Agreement or to obtain or maintain or comply under any permit necessary to fulfill the obligations of either Party hereunder.

5. **CAPACITY.** During the Term, Lykes agrees to maintain available capacity at Recipient Site(s) to accommodate the Maximum Relocation Allowance granted to Buyer under this Agreement. Following the Effective Date, Lykes will issue a reservation letter (“**Reservation Letter**”) in the form attached hereto as **Exhibit A**, setting forth the Maximum Relocation Allowance reserved to Buyer under this Agreement.

6. **COMPENSATION; PAYMENT.** Within thirty (30) days of Lykes issuing to Buyer an invoice for payment, Buyer shall pay to Lykes **\$6000.00** per Gopher Tortoise relocated by Buyer to a Recipient Site (the “**Per GT Rate**”). All payments shall be made in United States Dollars in immediately available funds. Buyer acknowledges that Lykes will only accept payments from Buyer and that payments cannot be made by or through a third party. All payments shall be made either by wire transfer, ACH transfer, or by check made payable to Lykes Bros. Inc. Buyer hereby acknowledges and agrees that Buyer’s failure to timely pay an invoice issued by Lykes pursuant to this paragraph shall constitute a default under this Agreement, and immediately thereafter, Lykes shall have the right to exercise all available rights and remedies in connection therewith, including without limitation, the right to refuse Gopher Tortoises’ admittance to Recipient Site(s) with respect to all agreements that may exist between Lykes and Buyer.

7. **DELIVERY AND ACCEPTANCE.** After Lykes has issued a Reservation Letter, Buyer may begin relocating Gopher Tortoises from its Donor Site(s) to Recipient Site(s), and Lykes agrees to accept said Gopher Tortoises at its Recipient Sites, subject to the conditions of this Agreement and the applicable Buyer Permits, upon the following terms:

- a. **Delivery and Acceptance Protocol.** The Parties hereby agree to the terms of the Delivery and Acceptance Protocol, attached hereto and incorporated

herein as **Exhibit B** (the “**Protocol**”). The Protocol may be amended by Lykes from time to time with notice to Buyer.

- b. **Delivery.** Buyer shall deliver Gopher Tortoises to Lykes in the manner described by the Protocol and this Agreement. Buyer shall be responsible for all Gopher Tortoise relocation activities described in the Protocol, through and including Lyke’s acceptance of the Gopher Tortoise(s) to the Recipient Site(s). Buyer shall be responsible for the health, safety, and welfare of the Gopher Tortoise(s) it delivers from its Donor Site(s) to Recipient Site(s) under the terms of this Agreement and in accordance with all standards required by the FWC and the Protocol, until such time as the Gopher Tortoises are accepted at a Recipient Site by Lykes. Lykes shall have no responsibility for relocation activities or for the health, safety, and welfare of Gopher Tortoises until Lykes has accepted said Gopher Tortoises into its Recipient Site(s).
- c. **Acceptance.** Subject to all terms and conditions of this Agreement: (i) Lykes agrees to accept Gopher Tortoises delivered by Buyer in the manner described by the Protocol; and (ii) provided Buyer delivers the Gopher Tortoise in compliance with its obligations under this Agreement, Lykes shall be responsible for the health, safety, and welfare of Gopher Tortoises relocated to the Recipient Site, in accordance with the standard required by FWC and the Protocol, after Lykes accepts delivery of Gopher Tortoise(s) into Recipient Site(s).
- d. **Delivery and Acceptance of Juveniles and Eggs.** Subject to all terms and conditions of this Agreement, during the Term, Buyer may deliver and Lykes agrees to accept juvenile Gopher Tortoises (Gopher Tortoise maintaining a carapace length of less than 130 mm) and Gopher Tortoise eggs obtained from Donor Site(s) at no additional cost to Buyer, so long as Lykes’ acceptance of juvenile Gopher Tortoises and Gopher Tortoise eggs does not reduce Lykes’ available capacity to accept Gopher Tortoises at its Recipient Site(s). Delivery and acceptance of juveniles and eggs shall be made in accordance with the terms of the Protocol and this Agreement. Juveniles and eggs shall only be delivered in conjunction with the delivery of mature Gopher Tortoises.

8. NO PROPERTY RIGHTS. Nothing in this Agreement shall give Buyer any interest in or rights to lands owned or controlled by Lykes. Buyer shall not have the right to access, for inspection or otherwise, any Recipient Site(s) or other Lykes lands by virtue of this Agreement.

9. DEFAULT.

- a. Buyer acknowledges that Buyer’s rights under this Agreement are cross-defaulted with Buyer’s obligations under all other agreements which may exist from time to time between Lykes and Buyer. Accordingly, a default

by Buyer under this Agreement shall constitute a default by Buyer under all other agreements which may exist from time to time between Lykes and Buyer, and a default by Buyer under any other agreement that may exist from time to time between Lykes and Buyer shall constitute a default under this Agreement. Upon the occurrence and during the continuance of an event of default under this Agreement, all amounts owed by Buyer to Lykes shall bear interest at a rate per annum equal to the lesser of fifteen percent (15.0%) and the highest rate permitted by applicable law.

- b. The following shall constitute an event of default by Buyer under this Agreement: (i) if Buyer fails to pay any amount required under this Agreement by the date due; or (ii) if Buyer fails to perform any other of Buyer's obligations hereunder and Buyer fails to remedy such default within fifteen (15) days after written notice from Lykes; or (iii) if a receiver for Buyer is appointed, or Buyer be adjudged bankrupt, or if Buyer files a voluntary petition in bankruptcy, disposes of all or substantially all of its assets in bulk, or makes an assignment for the benefit of its creditors; or (iv) if Buyer Permits are revoked or otherwise deemed invalid.
- c. Lykes shall be deemed in default of this Agreement if Lykes fails to comply with this Agreement and does not remedy the failure within thirty (30) days after written notice by Buyer or, if the failure cannot reasonably be remedied in such time, if Lykes does not commence a remedy within the allotted thirty (30) days and diligently pursue the cure to completion.

10. REMEDIES; INDEMNIFICATION.

- a. In addition to all rights and remedies available at law and in equity, all of which shall be cumulative, Lykes shall have the right to immediately terminate this Agreement and/or refuse Gopher Tortoises admittance to Recipient Site(s) without terminating the Agreement in the event Buyer defaults under this Agreement.
- b. Buyer shall indemnify, defend and hold Lykes, its officers, directors, shareholders, employees and agents harmless from and against any and all losses, claims, liabilities, causes of action, proceedings, damages, costs and expenses (including reasonable attorneys' fees) arising out or resulting from any default of Buyer's obligations under this Agreement, which indemnity shall survive the Termination Date.
- c. Each Party waives consequential, exemplary or punitive, future, incidental, special, or prospective damages, including, but not limited to, lost profits. In no event shall Lykes or any of its respective officers, employees or agents be liable to Buyer, its officers, employees or agents under any theory of tort, contract, strict liability or other legal or equitable theory in excess of the revenues received by Lykes under this Agreement.

11. TERMINATION. If the Gopher Tortoise is federally listed under the Endangered Species Act and such listing materially limits, prohibits, or prevents the further relocation of Gopher Turtles from Donor Sites to Recipient Sites, either Party may terminate this Agreement with thirty (30) days' written notice, without liability or penalty. Upon termination of this Agreement, Buyer will work diligently and in good faith with FWC and Lykes to remove any limitations or encumbrances on lands owned by Lykes caused by the Reservation Letter.

12. LAWS AND REGULATIONS. Neither Party shall violate any laws, ordinances, rules, regulations or permit conditions of the United States or the State of Florida or any governing body or any rule, regulation or order of any governmental agency, including but not limited to the U.S. Corps of Engineers, the United States Environmental Protection Agency, the Florida Department of Environmental Protection, any Florida Water Management District, the FWC or any other agency applicable to the operations or activities under this Agreement. If either Party acts or fails to act under this Agreement in a manner which is contrary to any said laws, ordinances, rules, regulations, or permit conditions, then that Party shall assume full responsibility therefor and shall bear all costs attributable thereto.

13. SUCCESSORS; ASSIGNMENT. Neither this Agreement, in whole or in part, nor any monies due or to become due hereunder, may be assigned or transferred by Buyer without the prior written consent of Lykes, which consent may be withheld in Lykes' sole discretion. Any purported assignment made in contravention of this Paragraph shall be null and void.

14. NO THIRD PARTY BENEFICIARIES. This Agreement does not create any right or interest in any member of the public as a third-party beneficiary, nor shall it authorize anyone not a Party to this Agreement to maintain suit for performance, personal injuries, or damages pursuant to any provision of this Agreement.

15. RELATIONSHIP OF THE PARTIES; NO TENANCY CREATED. Except as contemplated in this Agreement, this Agreement shall not create, nor shall be represented by either Party hereto to create, a partnership, joint-venture, employer-employee, master-servant, principal-agent, or other relationship whatsoever between the Parties hereto. Nothing in this Agreement whatsoever shall be construed to create a tenancy or vest title in the property of either Party to the other Party or any third-party. The terms of this Paragraph shall survive the Termination Date.

16. RESPONSIBILITY FOR AGENTS. Neither Party shall be responsible for the acts and omissions of the other Party's employees, agents, subcontractors, their agents and employees, and all other persons acting through, or under, the respective Party, pursuant to the terms of this Agreement. The terms of this Paragraph shall survive the Termination Date.

17. APPLICABLE LAW; VENUE. This Agreement shall be governed by and construed under and in accordance with the laws of the State of Florida, without regard to its conflicts of law provisions. The Parties agree that all disputes and matters whatsoever

arising under, in connection with or incidental to this Agreement shall be litigated exclusively in Highlands County, Florida. The Parties expressly waive the right to a jury trial, if any.

18. ATTORNEY'S FEES. In any action brought by either Party for the interpretation or enforcement of the obligations of the other Party under this Agreement, each Party shall be responsible for their own respective attorney's fees, paralegal fees, expert fees, court and other costs, whether incurred before or during litigation, on appeal, in bankruptcy, or in post judgment collections.

19. ENTIRE AGREEMENT; WAIVERS; AMENDMENTS OR MODIFICATIONS. This Agreement constitutes the entire agreement of the Parties hereto and supersedes all prior and contemporaneous agreements, representations, and understandings of the Parties. No waiver of the provisions of this Agreement shall be deemed or shall constitute a waiver of any of the other provisions, nor shall any waiver constitute a continuing waiver. This Agreement may not be supplemented, altered, modified or amended, or otherwise changed except by an instrument in writing signed by authorized representatives of both Parties. The course of dealing or course of performance between the Parties shall not commit either Party to duties or obligations which are not expressly stated by this Agreement.

20. NOTICES. Any notice, request, demand, instruction, or other communication required or permitted to be sent by either Party to the other Party under or in connection with this Agreement shall be in writing, shall be sent or delivered to the address of the other Party set forth below, and shall be deemed to have been delivered upon the earlier to occur of (i) actual receipt, if delivered by hand or by commercial courier, (ii) actual receipt, if sent by fax, e-mail or other generally recognized electronic means, (iii) one business day after mailing by any form of overnight mail service, or (iv) the date upon which the return receipt is signed or delivery is refused, or the notice is designated by postal authorities as not deliverable, as the case may be, when mailed by registered or certified mail, return receipt requested. Notice so delivered after normal business hours of the recipient or on a Saturday, Sunday, or any public or legal holiday, shall be deemed to have been received on the next succeeding regular business day. Either Party may change the address for notices to it, effective as of any date not less than ten (10) days following delivery of the change of address notice, by giving the other Party hereto notice of such change of address in the manner specified in this Paragraph 20. For the purposes of this Agreement, the notice addresses of the Parties named herein are as follows:

Lykes Primary Address:

LYKES BROS. INC.

Attention: Grace Campbell, Wildlife Biologist

106 SW CR 721

Okeechobee, Florida 34974

Phone: 863-763-3041

Buyer:

Florida Power and Light Company

Attention: Franck Leblanc

15430 Endeavor Dr

Jupiter, FL 33478

With a copy to:

Lykes:
LYKES BROS. INC.
Attention: Corporate Secretary
Rivergate Tower
400 N. Ashley Drive, Suite 2500
Tampa, FL 33602

1. **CAPTIONS.** The captions for the various provisions of this Agreement have been provided for convenience of reference only and shall not be used in interpreting any such provision.

2. **DRAFTING.** It is understood that this Agreement was negotiated and prepared by the Parties and counsel for the Parties as a combined effort designed to meet their clients' desires and needs. This Agreement shall be interpreted without regard to any presumption or rule requiring interpretation against the drafter or the party causing this Agreement, or any part or provision thereof, or any exhibit thereto, or any instrument or judgment thereunder, to be drafted, prepared, or revised.

3. **DATES.** Should any date described in this Agreement requiring performance under this Agreement fall on a Saturday, Sunday, or a day that has been recognized as a public or legal holiday, said performance shall be required on the next succeeding regular business day.

4. **COUNTERPARTS.** This Agreement may be executed in counterparts, each of which may be an original, but all of which together shall constitute one and the same agreement. Any counterpart may be delivered by facsimile transmission or by electronic communication in portable document format (.pdf) and the Parties agree that their electronically transmitted signatures shall have the same effect as manually transmitted signatures.

5. **ASSURANCES BY BUYER.** Buyer represents and warrants to Lykes that, as of the Effective Date: (a) Buyer is authorized to do business and is in good standing in the state of Florida; (b) Buyer has full power and authority to enter into this Agreement and to comply with the terms of this Agreement; (c) this Agreement constitutes the legal, valid and binding obligation of Buyer enforceable against Buyer in accordance with its terms, subject only to applicable bankruptcy or insolvency laws; (d) all requisite action has been taken to make this Agreement valid and binding on Buyer in accordance with its terms; (e) the person signing this Agreement on behalf of Buyer is fully authorized to do so; (f) there is no agreement, order, judgment, claim, litigation or proceeding pending or threatened against Buyer that would require consent for, or could interfere with, Buyer's performance of this Agreement; (g) there is no attachment, execution or assignment by or against Buyer for the benefit of creditors; and (h) there is no receivership, or voluntary or involuntary proceeding in bankruptcy or pursuant to any other debtor relief laws contemplated or pending by or against Buyer. All of Buyer's warranties and representations in this Agreement, all of which are relied upon by Lykes, shall survive the Termination Date of this Agreement.

6. ASSURANCES BY LYKES. Lykes represents and warrants to Buyer that, as of the Effective Date: (a) Lykes is a corporation duly organized and in good standing under the laws of Florida; (b) Lykes has full power and authority to enter into this Agreement and to comply with the terms of this Agreement; (c) this Agreement constitutes the legal, valid and binding obligation of Lykes, enforceable against Lykes in accordance with its terms, subject only to applicable bankruptcy or insolvency laws; (d) all requisite action has been taken to make this Agreement valid and binding on Lykes in accordance with its terms; (e) the person signing this Agreement on behalf of Lykes is fully authorized to do so; (f) there is no agreement, order, judgment, claim, litigation or proceeding pending or threatened against Lykes that would require consent for, or could interfere with, Lykes' performance of this Agreement; (g) there is no attachment, execution or assignment by or against Lykes for the benefit of creditors; and (h) there is no receivership, or voluntary or involuntary proceeding in bankruptcy or pursuant to any other debtor relief laws contemplated or pending by or against Lykes. All of Lykes' warranties and representations in this Agreement, all of which are relied upon by Buyer, shall survive the Termination Date of this Agreement.

[The remainder of this page is blank. This Agreement continues on the next page.]

IN WITNESS WHEREOF, the Parties herein have caused this Gopher Tortoise Relocation Agreement to be executed as of the day and year first above written.

***Signed, Sealed and Delivered
in the presence of:***

LYKES BROS INC., a Florida corporation

X
Witness 1 Signature

By:

Printed Name: _____

Printed Name: Noah A. Handley

X
Witness 2 Signature

Its: Vice President

Printed Name: _____

Florida Power and Light Company,

Witness 1 Signature

By:

Printed Name: _____

Printed Name: Franck Leblanc

Witness 2 Signature

Its: Director, Environmental Services

Printed Name: _____

Exhibit "A"

Reservation letter will be supplied after execution by Lykes Bros. Inc.

Exhibit “B”

Gopher Tortoise Delivery and Acceptance Protocol

I. Delivery to Lykes:

- A. Buyer shall determine the size and composition of the containers used to transport tortoises to Lykes.
- B. Buyer shall individually measure and weigh all tortoises delivered to Lykes. Measuring will consist of straight-line carapace length measured in millimeters (mm) and weight will be recorded in kilograms (kg). Buyer shall indicate whether the tortoise is male, female, or juvenile (measuring less than 130 mm in carapace length). Buyer shall provide a unique and permanent sequential identification number for each tortoise corresponding with the numbers designated in the reservation letter (Exhibit A).
- C. Buyer shall permanently mark each tortoise by drilling holes or notching a combination of the marginal scutes as described in Appendix 5 of the September 2012 Gopher Tortoise Permitting Guidelines. Buyer reserves the right to use PIT (Passive Integrated Transponder) tags as an alternative method to permanently mark tortoises delivered to Lykes. Buyer also reserves the right to use different methods of marking if the FWC Guidelines are updated to allow different options.
- D. Buyer and Lykes will communicate 24 hours prior to desired delivery time and coordinate to ensure the availability of Lykes’ authorized agent to accept Buyer’s gopher tortoises at the Lykes Recipient Site. Buyer and Lykes shall to the extent practical try and arrange delivery times during the hours of 8:00 am to 3:00 pm. Buyer and Lykes agree that deliveries outside those hours will be allowed based on mutually agreed on times.
- E. For cold weather handling, Buyer and Lykes shall coordinate delivery dates ensuring there are 3 consecutive days above 50° Fahrenheit as forecasted by the National Weather Service at the Lykes recipient site.

I. Reporting and Data Documentation:

- A. Both Lykes and Buyer shall maintain valid Authorized Agent permits issued by the FWC as required by the FWC Gopher Tortoise Permitting Guidelines and be appropriately authorized to perform the tasks required of them with regard to the capture and release of gopher tortoises.
- A. Upon delivery to Lykes, Buyer shall provide a field data sheet to Lykes for counter signature by the Release Agent for Lykes. The Buyer Capture Agent and Lykes Release Agent shall verify the number of tortoises captured and released and verify that the

drill marks or PIT number matches the Identification Number on the field data sheet. Buyer and Lykes Shall each retain a copy of the fully executed field data sheet. A copy of the field data sheet is provided as **Attachment A**. The field data sheet may be modified as agreed on by Buyer and Lykes.

II. Cursory Health Evaluation:

- A. Prior to delivery to Lykes, Buyer shall perform a cursory health evaluation as described in Appendix 6 of the September 2012 Gopher Tortoise Permitting Guidelines for each adult tortoise from Buyer's donor site. Before delivery to Lykes, Buyer shall determine if excavated tortoises from Buyer donor sites exhibit any of the long-term indicative signs of poor health described in the September 2012 Gopher Tortoise Permitting Guidelines. Tortoises that are determined by Buyer to be symptomatic will not be delivered to Lykes. Delivery of those tortoises which are determined by Lykes to not meet the health requirements from the September 2012 Gopher Tortoise Permitting Guidelines upon arrival shall not be required to be accepted by Lykes. Buyer will not be required to test for Mycoplasma Upper Respiratory Tract Disease (URTD).
- A. Buyer shall report to Lykes the general health condition of each adult tortoise (those measuring greater than or equal to 130 mm). Reporting will be provided on the field data sheet.

III. Delivery of Eggs

- A. If eggs are encountered at Buyer donor sites, they shall be placed in individual containers. Buyer and Lykes will follow the procedures for handling and relocating tortoise eggs as detailed in the September 2012 Gopher Tortoise Permitting Guidelines.

[END OF EXHIBIT B]

Insert Attachment A Here

Gopher Tortoise Receipt Form will be supplied after execution by Lykes Bros. Inc.