



Florida Department of Environmental Regulation

Twin Towers Office Bldg. • 2600 Blair Stone Road • Tallahassee, Florida 32399-2400

Lawton Chiles, Governor

Carol M. Browner, Secretary

September 2, 1992

Mrs. Marsha Denton, C.F.E.
Putnam County Property Appraiser's Office
Post Office Box 1920
Palatka, Florida 32178-1920

Re: Georgia-Pacific Corporation

Dear Mrs. Denton:


I have reviewed the certified list of pollution control equipment attached to your letter of August 31, 1992. I find that the list contains items eligible for assessment under provisions of Section 193.621, Florida Statutes.

If you have any questions concerning this determination, I may be contacted at Suncom 277-0472 or at (904) 487-0472.

Sincerely,

Hamilton S. Oven

Hamilton S. Oven, P.E.
Administrator, Siting
Coordination Office



PUTNAM COUNTY PROPERTY APPRAISER

P.O. BOX 1920

PALATKA, FLORIDA 32178-1920

SUNCOM: 869-0286
PALATKA: 904/329-0286
TOLL FREE: 1-800-826-1437

LARRY PRITCHETT, C.F.A.
Property Appraiser
SHARON PRESTON, C.F.E.
Assistant

RECEIVED

SEP 2 1992

D. E. R.
SITING COORDINATION

August 31, 1992

Mr. Hamilton Oven, Jr., P.E.
Florida Department of Environmental Regulation
2600 Blair Stone Rd.
Tallahassee, FL 32399-2400

Dear Mr. Oven:

Enclosed you will find a list of pollution control devices
for Georgia-Pacific Corp.

Would you review this information and advise me what meets
the criteria of pollution control device(s) and should be
assessed as such under Chapter 193.621, Florida Statutes.
If you need any additional information, please let me know.

Thank you for your assistance in this matter.

Sincerely,

Marsha Denton

(Mrs.) Marsha Denton, C.F.E.
Office Operations Supervisor



Georgia-Pacific Corporation

133 Peachtree Street NE (30303)
P.O. Box 105605
Atlanta, Georgia 30348-5605
Telephone (404) 521-4000

August 26, 1992


Mrs. Marsha Denton, C.F.E.
Office Operations Supervisor
Putnam County Property Appraiser
Post Office Box 1920
Palatka, FL 32178-1920

Dear Mrs. Denton:

Re: Georgia-Pacific Corporation Pollution Control Assets

I have reviewed the attached listing of pollution control assets and I certify that these assets are used in the process of eliminating or reducing industrial air or water pollution, as defined under Chapter 193.621, Florida Statutes.

Sincerely,

 8-27-92

Cynthia S. Cooley, P.E.
Environmental Engineer
Florida Registered Engineer #36904

CSC:jrd

cc: V. Adams, FL180
K. Brock, GA030-06



OFFICIAL SPONSOR OF THE
1992 U.S. OLYMPIC TEAM

GEORGIA-PACIFIC CORP.
POLLUTION CONTROL ASSETS
DEC. 31, 1991

DESCRIPTION	COST	NET BOOK VALUE	YEAR OF ACQUISITION
TALL OIL PLANT SCRUBBER	\$135,653	\$45,058	1986
SCRUBBER ZURN S#C -36469-1	\$107,263	\$0	1976
PRECIPITATOR KOPPERS	\$4,135,155	\$71,713	1976
#4 CHEMICAL RECOVERY BOILER (15% OF COST)	\$1,073,771	\$18,622	1976
#4 CHEMICAL RECOVERY BOILER (15% OF COST)	\$48,728	\$799	1977
PRECIPITATOR #4 CHEMICAL BOILER	\$93,201	\$62,263	1987
PRECIPITATOR #4 CHEMICAL BOILER	\$1,611,830	\$1,069,063	1986
PRECIPITATOR #5 POWER BOILER	\$1,611,832	\$1,069,063	1986
NON CONDENSIBLE GAS SYSTEM	\$9,981,028	\$7,880,548	1988
NON CONDENSIBLE GAS SYSTEM	\$777,439	\$644,759	1989
NON CONDENSIBLE GAS SYSTEM	\$75,153	\$65,680	1990
CL02 SCRUBBERS # 29585009	\$36,396	\$23,589	1985
ASH POND - AQIP	\$88,974	\$0	1974
ASH POND - AQIP	\$13,551	\$0	1977
CLARIFIER	\$1,688,700	\$0	1973
CLARIFIER	\$44,696	\$0	1974
AQIP	\$538,442	\$0	1975
SCRUBBER FLEX-KLEEN N#OS-102	\$41,420	\$718	1976
TANK SCRUBBER SUMP ZURN S#B-364	\$12,356	\$0	1976
COOLING TOWER MARLEY M#353601TO	\$142,162	\$2,234	1976
PRECIPITATOR KOPPERS #4	\$151,300	\$2,480	1977
AERATOR AQUA AEROBIC M# 3904011	\$94,704	\$24,684	1978
PIPE OXIDATION POND NW 305	\$381,410	\$121,510	1979
CLARIFIER LINE 290-81-003	\$135,213	\$49,890	1981
AERATOR - WASTE WATER 290-81-011	\$210,430	\$96,711	1982
WASTE EFFLUENT LINE 290-81001	\$133,373	\$61,362	1982
CLARIFIER 290-82-001	\$449,193	\$234,405	1983
WASTEWATER SYSTEM	\$140,407	\$94,145	1986
WASTE CLARIFIER BYPASS LINE	\$100,000	\$93,342	1990
FLY ASH SYSTEM	\$10,969	\$10,969	1977
OXYGEN INJECTION SYSTEM	\$2,275,767	\$913,089	1985
CLARIFIER MCC	\$40,252	\$22,180	1984
FORCE MAIN EFFLUENT	\$2,141,403	\$1,753,567	1988
EFFLUENT MONITOR	\$11,766	\$9,639	1988
FORCED EFFLUENT MAIN	\$40,795	\$36,369	1989
EFFLUENT PIPELINE	\$799,292	\$746,006	1990
SEWER LINE EQUIP. - ASH SLUICE LINE	\$362,331	\$0	1964
TOTALS	\$29,736,355	\$15,224,457	