



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

COPY

Colleen M. Castille
Secretary

September 22, 2006

Ms. Sandra Rose, C.F.E.
Duval County Property Appraiser
231 East Forsyth Street, Room 270
Jacksonville, Florida 32202-3373

Re: Water Recovery, Inc. Acct: 8241570000

Dear Ms. Rose:

I have reviewed the material attached to Mr. Sandlin's letter of July 25, 2006, for Water Recovery, Inc and the material attached to his Email of September 7, 2006. The material provided is sufficient to demonstrate that the equipment listed on the Tangible Personal Property Return and its attachments is pollution control equipment that is "primarily for the purpose of pollution control" pursuant to §193.621, Florida Statutes. One of the items listed on the attached material is not pollution control equipment. The item described as Engineering Permitting - 9/21/2001 - FDEP Permit is not equipment.

If there are any questions on this determination, please contact me at (850) 245-8002.


Sincerely,

Hamilton S. Oven
Hamilton S. Oven, P.E.

Water Recovery, Inc.

1819 Albert St.
Jacksonville, FL 32202
Phone: 904.475.9320
Fax: 904.475.9449

To Hamilton Owen**From** Mark Owens**Fax****Pages****Phone****Date****Re** (F) (850) 245-8003☐**Urgent**☐**Review**☐**Please Comment**☐**Please Reply**☐**Please Handle**Letter Attached


Water Recovery, Inc.

September 21, 2006


Mr. Hamilton Owen, PE
Florida Department of Environmental Protection
Via Facsimile: (850) 245-8003

Reference: Water Recovery, Inc. -- List of Pollution Control Devices

Dear Mr Owen,

Attached please find the revised chart of pollution control equipment for Water Recovery, Inc. (WRI). This chart is revised based on our previous phone discussion. Mr. Tom Sandlin made the changes to the chart itself and I made the decisions as to what equipment to include. I also added the notes in the comments column to help you with your determinations. Please consider this letter my statement as to which items are primarily for the purpose of pollution control. All of the listings are true and accurate to the best of my knowledge. If you have questions or need any additional information, please feel free to contact me at (904) 475-9320 or via email at mowens@wrijax.com.

Sincerely,


Mark Owens, P.E.
Plant Manager

July 25, 2006

Sandra Rose, CFE
Auditor
Duval County Property Appraiser
231 E. Forsyth Street
Jacksonville, FL. 32202

Ref: Water Recovery, Inc. Acct: 824157 0000

Dear Sandra:

Enclosed is the amended return for the above caption that includes DR-405, asset list as of 12/31/2005, historic data asset list for property 1998 and older, site plan and WRI qualifications/permit package. All for the purpose of supporting the request of pollution control devices for AD Valorem Tax assessment.

Thank you for your assistance in this matter.

Sincerely,

Thomas E. Sandlin, Sr.
Agent

Oven, Hamilton

From: Tom Sandlin [tsandlin1@comcast.net]
Sent: Thursday, September 07, 2006 5:31 PM
To: Oven, Hamilton
Cc: Sandra Rose
Subject: Water Recovery, Inc. Pollution Control Devices

Mr. Oven: Attached is our list of Pollution Control Equipment (Excell), for Water Recovery, Inc. and our engineer's, Mark Owens, PE, letter, (Word), to you covering same. I have copied Sandra Rose with this correspondence and she is awaiting the results of your determination. Her E Mail, (srose@coj.net) Should you have questions, you can either E Mail, or call 904-610-1222. Thank you for your assistance in this matter.
Tom Sandlin

WATER RECOVERY, INC. POLLUTION CONTROL DEVICES **2006**

<u>Description of Item</u>	<u>Year Purchased</u>	<u>Original Cost</u>	<u>Comments</u>
TANK EQUIPMENT			
40,000 Gal. Vertical Tank-Water	1986	\$ 88,415.00	Discharge Tank-Part of Treatment Process, 1st installment prior to construction
40,000 Gal. Vertical Tank-Water	1986	\$ 88,415.00	2nd and final payment following completion
Bulk Storage Tank	1986	\$ 131,898.00	Sludge Tank-Integral to Treatment Process
Tank Oil	1994	\$ 5,205.00	We perform gravity seperation and chemical emulsion breaking to recover oil in these tanks
Tank Oil	1994	\$ 5,205.00	We perform gravity seperation and chemical emulsion breaking to recover oil in these tanks
Tank Oil	1994	\$ 10,847.00	We perform gravity seperation and chemical emulsion breaking to recover oil in these tanks
Tank Oil	1994	\$ 10,847.00	We perform gravity seperation and chemical emulsion breaking to recover oil in these tanks
Tank Oil	1994	\$ 10,847.00	We perform gravity seperation and chemical emulsion breaking to recover oil in these tanks
Seperator VTC-200F	1994	\$ 28,998.00	Oil Water Seperator
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 10,644.00	Tank Mixers-Integral to Treatment Process
Mixer Model #1105 2/37	1994	\$ 17,788.00	Tank Mixers-Integral to Treatment Process

WATER RECOVERY, INC. POLLUTION CONTROL DEVICES **2006**

TANK EQUIPMENT (Cont'd)					
New Water Tanks	3/1/2001		159,114.00		We Process Industrial Waste Water in these tanks
New Water Tanks	4/1/2001		\$ 29,669.00		They house the mixers, These also include charges for engineering, fabrication, painting, installation etc.
New Water Tanks	5/1/2001		\$ 18,431.00		" " " " " " " "
New Water Tanks	6/1/2001		\$ 73,161.00		" " " " " " " "
New Water Tanks	7/1/2001		\$ 12,245.00		" " " " " " " "
Heater Upgrade	7/22/2002		\$ 37,060.00		Upgrade to existing heater
Ladder Platform	3/6/2003		\$ 1,886.00		Steps for reaching top of tank for adding chemicals and tank samples
Lacheate Tank Project	2/24/2004		\$ 443.00		Modification of existing tank for purpose of treating Leachate
Power Pump	3/31/2004		\$ 3,073.00		Supporting Leachate Tank Project
Lacheate Tank Upgrade	4/30/2004		\$ 3,996.00		Additional Part for the Leachate system retrofit
Lacheate Tank Upgrade	5/31/2004		\$ 3,076.00		Additional Part for the Leachate system retrofit
Lacheate Tank Upgrade	6/30/2004		\$ 1,579.00		Additional Part for the Leachate system retrofit
Tank Equip. Upgrade	7/31/2004		\$ 5,653.00		Piping modification to make treatment more efficient
EQ Tank Project	10/5/2004		\$ 2,250.00		Large Project to add a 50,000gal Equalization Tank, which greatly improved our treatment process
Tank Equip.	11/30/2004		\$ 1,860.00		Large Project to add a 50,000gal Equalization Tank, which greatly improved our treatment process
Tank Equip.	12/17/2004		\$ 2,250.00		Large Project to add a 50,000gal Equalization Tank, which greatly improved our treatment process
Equalization Tank Work	3/1/2005		\$ 3,000.00		Large Project to add a 50,000gal Equalization Tank, which greatly improved our treatment process
Hudson Pump-DAF Pump	3/31/2005		\$ 2,015.00		

WATER RECOVERY, INC. POLLUTION CONTROL DEVICES
2006

TANK EQUIPMENT (Cont'd)						
Bearings & Drives	3/31/2005		\$ 1,484.00		Spare Parts	
Equalization Tank	6/30/2005		\$ 94,893.00		Large Portion of Equalization Tank Project	
Bar Grading-FABCO	7/6/2005		\$ 1,501.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	7/13/2005		\$ 4,146.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.- FABCO	7/15/2005		\$ 749.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.- FABCO	7/15/2005		\$ 856.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	7/26/2005		\$ 315.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.- FABCO	8/5/2005		\$ 428.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.- FABCO	8/8/2005		\$ 651.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	8/24/2005		\$ 204.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	8/30/2005		\$ 152.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	8/30/2005		\$ 139.00		All Parts & Supply System to and from EQ Tank	
Tank Equip-A-JAX	9/7/2005		\$ 44.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.- FABCO	9/12/2005		\$ 11,633.00		All Parts & Supply System to and from EQ Tank	
Tank Equip-Barnes	9/14/2005		\$ 1,977.00		All Parts & Supply System to and from EQ Tank	
Tank Equip-Barnes	9/14/2005		\$ 299.00		All Parts & Supply System to and from EQ Tank	
Tank Equip-A-JAX	9/15/2005		\$ 63.00		All Parts & Supply System to and from EQ Tank	
Tank Equip.-W&O Supply	9/19/2005		\$ 162.00		All Parts & Supply System to and from EQ Tank	

WATER RECOVERY, INC. POLLUTION CONTROL DEVICES
2006

<u>TANK EQUIPMENT (Cont'd)</u>						
Tank Equip.-W&O Supply	9/19/2005		\$ 246.00		Part & Supplies for Equalization Tank	
Tank Equip.- FABCO	9/30/2005		\$ 2,022.00		Part & Supplies for Equalization Tank	
Tank Equip.-TSC	9/30/2005		\$ 10,877.00		Part & Supplies for Equalization Tank	
Tank Equip.-Doherty Brothers	10/1/2005		\$ 350.00		Part & Supplies for Equalization Tank	
Tank Equip.	11/17/2005		\$ 936.00		Part & Supplies for Equalization Tank	
	TOTAL		\$ 968,064.00			
<u>MECHANICAL EQUIPMENT</u>						
DAF Unit	4/1/2001		\$ 261,404.00		Main Component to our treatment process	
Tanks Valve & Cont'l Systems	4/1/2001		\$ 54,177.00		Automated Valves & Controls	
Electrial System	4/1/2001		\$ 44,882.00		Power Supply to Control Valves, Mixers, & Pumps	
Oil Tank Improvements	4/1/2001		\$ 27,288.00		Required Modification to Tanks to meet FDEP Standards	
Platforms & Stairways	4/1/2001		\$ 2,818.00		Necessary to Access top of tanks	
Platforms & Stairways	5/1/2001		\$ 21,895.00		Necessary to Access top of tanks	
Platforms & Stairways	6/1/2001		\$ 5,576.00		Necessary to Access top of tanks	
Platforms & Stairways	7/1/2001		\$ 12,213.00		Necessary to Access top of tanks	
Electrial System	6/1/2001		\$ 35,000.00		Power Supply to Control Valves, Mixers & Pumps	
Oil Heater	6/1/2001		\$ 11,294.00		Upgrade to heat and treat oil	
Electrical System	7/1/2001		\$ 40,274.00		Power Supply to Control Valves, Mixers & Pumps	

**WATER RECOVERY, INC. POLLUTION CONTROL DEVICES
2006**

MECHANICAL EQUIPMENT, (Cont'd)					
(5) Diaphragm Pumps	7/1/2001	\$ 3,098.00		Used in Sludge Dewatering	
Cont'l System Upgrade	7/21/2002	\$ 2,040.00		Controls to manage treatment system	
Electrical System	8/1/2001	\$ 24,414.00		Controls to manage treatment system	
Pump Upgrade	8/20/2002	\$ 2,062.00		Sludge Pump upgrade	
Electrical System	9/1/2001	\$ 32,922.00		Power Supply to Control Valves, Mixers, & Pumps	
Engineering Permitting	9/1/2001	\$ 4,303.00		FDEP Permit	
Diaphragm Pump-O/S Planter	9/9/2002	\$ 1,146.00		Sludge Handling	
Mechanical System	10/1/2001	\$ 90,332.00		Pipes, Supports, Valves etc.	
Mechanical System	11/1/2001	\$ 51,611.00		Pipes, Supports, Valves etc.	
Sludge Tank Cover	11/8/2002	\$ 546.00		Sludge Handling	
2 Wheeled Drip Pans	11/8/2002	\$ 1,295.00		Spill Prevention	
Sludge Press Chute	11/14/2002	\$ 3,210.00		Filter Press Upgrade	
Platforms & Stairways	12/1/2001	\$ 2,559.00		Ladder to Top of Sludge Tank	
Trailer Mounted Vacuum System	3/10/2005	\$ 7,500.00		1st Installment for Tank cleanout equipment	
Overflow Protection System	3/31/2005	\$ 2,513.00		Spill Protection	
US Filter polymer Blender	3/31/2005	\$ 7,045.00		Automated Polymer delivery system	
Overflow Protection System	4/1/2005	\$ 881.00		Spill Protection	
Overflow Protection System	4/9/2005	\$ 926.00		Spill Protection	

WATER RECOVERY, INC. POLLUTION CONTROL DEVICES
2006

MECHANICAL EQUIPMENT, (Cont'd)					
Overflow Protection System	4/19/2005		\$ 926.00		Spill Protection
Overflow Protection System	5/14/2005		\$ 1,851.00		Spill Protection
Capz Piping Improvement	6/30/2005		\$ 2,221.00		Spill Protection
Trailer Mounted Vacuum Syste	5/26/2005		\$ 14,000.00		Final Payment for Tank cleanout equipment
Mech Equip-Barnes Industrial	12/1/2005		\$ 208.00		Spill Protection
Mech Equip. FABCO Enterp.	12/5/2005		\$ 669.00		Spill Protection
	TOTAL		\$ 775,099.00		
LAB EQUIPMENT					
Lab Equip	12/15/2000		\$ 5,200.00		KF Auto Titrator for measuring water & oil
Lab Bench & Desk	2/1/2001		\$ 614.00		Support equipment for Lab
Lab Bench & Desk	4/1/2001		\$ 921.00		Support equipment for Lab
Lab Equip.	4/1/2001		\$ 1,858.00		Classware, Scale & Centrifuge
Lab Equip. Upgrade	11/7/2003		\$ 4,970.00		Classware, Scale & Centrifuge
Lecheate Tank Project	11/15/2003		\$ 22,211.00		Leachate System Retrofit
Spectro Lab Equip.	9/1/2005		\$ 9,890.00		New ICP Spectro Photometer
Spectro Lab Equip.	9/1/2005		\$ 22,211.00		New ICP Spectro Photometer
Lab Vents	12/1/2005		\$ 257.00		New ICP Spectro Photometer
Lab Equip-FABCO	12/5/2005		\$ 470.00		New ICP Spectro Photometer
	TOTAL		\$ 68,602.00		
	GRAND TOTAL		\$ 1,811,765.00		

T. E. SANDLIN & ASSOCIATES

P. O. BOX 2534 • ORANGE PARK, FLORIDA 32067-2534 • (904) 215-9645

RECEIVED
JUL 26 2006

July 25, 2006

OFFICE OF THE
PROPERTY APPRAISER

Sandra Rose, CFE
Auditor
Duval County Property Appraiser
231 E. Forsyth Street
Jacksonville, FL. 32202


Ref: Water Recovery, Inc. Acct: 824157 0000

Dear Sandra:

Enclosed is the amended return for the above caption that includes DR-405, asset list as of 12/31/2005, historic data asset list for property 1998 and older, site plan and WRI qualifications/permit package. All for the purpose of supporting the request of pollution control devices for AD Valorem Tax assessment.

Thank you for your assistance in this matter.

Sincerely,



Thomas E. Sandlin, Sr.
Agent

2006

HONORABLE JIM OVERTON
 DUVAL COUNTY PROPERTY APPRAISER
 231 E. FORSYTH ST RM 270
 JACKSONVILLE, FL 32202-3373

Tangible Personal Property Tax Return
 Confidential §§193.074 F.S.
 As Required by §§193.052 & 193.062 F.S. Return to
 County Property Appraiser By April 1 to Avoid Penalties
 State of Florida, County of DUVAL

Business Name (DBA - Doing Business As) and
 Mailing Address

TPP NO. 824157 0000 USD1 5556
 LOC ADDR: 1819 ALBERT ST
 APPR AREA: 4-00-0-000-00

WATER RECOVERY, INC.
 P. O. BOX 330569
 ATLANTIC BEACH, FL. 32233-0569

Federal Employer Iden. No

□□ - □□□□□□□□

Social Security Number

□□□□ - □□ - □□□□

NAICS/SIC

□□□□□□

If name and address is incorrect make necessary corrections

This return subject to audit with all records kept by you.

Incomplete entries are subject to penalties.

1. Please give name and telephone number of Owner or Person in charge of this Business.

Name MARK OWEN Telephone 475-9320

Corporate Name Same

2. Actual Physical Location of Property for Which this Return is Filed (Street Address - Not P.O. Box)

1819 ALBERT ST.

3. Is your business or farm located within the incorporated limits of a City? Yes ___ No ___

What City? _____

4. Do You File a Tangible Personal Property Tax Return Under Any Other Name? Yes ___ No ___

Please Show name Exactly as it Appeared on Your most recent Personal Property Tax Bill or
 Other Current Tax Return. _____

5. Date you began business in this county: _____ Fiscal year: _____

5a. Although my fiscal year ended prior to December 31 of the past calendar year, this return reflects property
 additions and deletions through December 31. Yes ___ No ___

6. Describe Type or Nature of Your Business: _____

7. Trade Level (Check as many as apply) Retail ☐ Wholesale ☐ Manufacturing ☐

Professional ☐ Service ☐ Agriculture ☐ Leasing/Rental ☐ Other ☐

8. Did you file a Tangible Personal Property Return in this county last Year? Yes ___ No ___

If so, under what name and where? _____

9. Former owner of the Business: _____

9a. If Business sold, to whom? _____

Date Sold _____

Personal Property Summary

THIS IS A SUMMARY SCHEDULE ONLY. The Schedules on the REVERSE SIDE
 must be completed in detail and TOTALS entered below. ATTACH ITEMIZED LIST or
 DEPRECIATION SCHEDULE showing Original Cost & Date of Acquisition.

Taxpayer's Estimate of
 Fair Market Value

Original
 Installed
 Cost

Appraiser's
 Use only

10. Office Furniture & Office Machines & Library

11. EDP Equipment, Computers, Word Processors

12. Store, Bar & Lounge, and Restaurant Furniture & Equipment, Etc.

13. Machinery and Manufacturing Equipment

14. Farm, Grove, and Dairy Equipment

15. Professional, Medical, Dental & Laboratory Equipment

16. Hotel, Motel, & Apartment Complex

16a. Rental Units - Stoves, Refrig., Furniture, Drapes & Appliances

17. Mobile Home Attachments (Carport, Utility Bldg., Cabana, Porch, Etc.)

18. Service Station & Bulk Plant Equipment - Underground Tanks, Lifts, Tools

19. Signs - Billboard, Pole, Wall, Portable, Directional, Etc.

20. Leasehold Improvements must be grouped by type, year of installation and description

21. Pollution Control Equipment

22. Equipment owned by you but rented, leased or held by others

23. Supplies - Not Held for Resale

24. Other - Please Specify (Tool Set)

TOTAL PERSONAL PROPERTY

RECEIVED

JUL 26 2006

OFFICE OF THE
 PROPERTY APPRAISER

5,634.00

8,621.00

3,124.00

1,894,878.00

2,500.00

1,545.00

1,934,114.00

Under penalties of perjury, I declare that I have read the foregoing tax return and the
 accompanying schedules and statements and that the facts stated in them are true. If
 prepared by someone other than the taxpayer, the preparer signing this return certifies that
 this declaration is based on all information of which he/she has any knowledge.

DATE 7/25/06 TITLE AGENT

SIGNED Letter of Authority

SIGNED Thomas E. Sandlin
 (PREPARER)

ADDRESS _____

PHONE NO. 610-1222

PREPARER'S I.D.# _____

LESS EXEMPTION: () WIDOW () WIDOWER () BLIND
 () TOTAL DISABILITY () OTHER

Taxable value

Deputy

Penalty

Please sign and date your return, send the original to the county
 appraiser's office by April 1, unsigned returns cannot be accepted
 by the appraiser's office.

Notice: If you are entitled to a widow's, widower's or disability
 exemption on personal property (not already claimed on real estate)
 consult appraiser.

Schedules on Reverse Side must be completed in Full.

DR-405
 R. 11/01

Acct: 824157-0000

**WATER RECOVERY, INC.
2006 DELETIONS**

1819 Albert St.

LINE 13: MACH AND MANF. EQUIP(HVY. CONSR.)

10 YEAR LIFE

1986	Pressure Washer	\$ 3,213.00	20%	\$ 642.60
		\$ 3,213.00		\$ 642.60

LINE 13: MACH AND MANF. EQUIP (Lab. Equip.)

8 YEAR LIFE

2001	Perkin Elmer Mdl. P-400 W/Equip.	\$ 30,285.00	49%	\$ 14,975.93
	TOTAL	\$ 30,285.00		\$ 14,975.93

LINE 18: Bulk Plant Equip.

15 Year Life

1994	(3) Pump Model T4A60 B 4'	\$ 18,855.00	39%	\$ 7,423.21
1986	Bulk Storage Tank	\$ 97,101.00	20%	\$ 19,420.20
	TOTAL	\$ 115,956.00		\$ 26,843.41

GRAND TOTAL	\$ 149,454.00		\$ 42,461.95
-------------	---------------	--	--------------

Acct: 824157-0000

WATER RECOVERY, INC. 2006

1819 Albert Street

ACQUISITION DATE	ORIGINAL COST	DEPRE % GOOD	ASS'D VALUE
------------------	------------------	-----------------	----------------

Line 10: Off. Furn. & Fixt.10 YEAR LIFE

2001	\$ 1,535.00	67%	\$ 1,023.85
1990	\$ 4,099.00	20%	\$ 819.80
TOTAL	\$ 5,634.00		\$ 1,843.65

LINE 11: EDP EQUIP4 YEAR LIFE

2002	\$ 1,121.00	18%	\$ 201.78
2001	\$ 7,500.00	12%	\$ 900.00
TOTAL	\$ 8,621.00		\$ 1,101.78

LINE 13: MACH AND MANF. EQUIP. 210010 YEAR LIFE

2005	\$ 47,267.00	92%	\$ 43,485.64
2004	\$ 24,579.00	91%	\$ 22,298.07
2003	\$ 8,340.00	85%	\$ 7,099.01
2002	\$ 47,359.00	76%	\$ 36,172.80
2001	\$ 400,417.00	67%	\$ 267,078.14
1994	\$ 129,470.00	20%	\$ 25,894.00
	\$ 657,432.00		\$ 402,027.66

LINE 13: MACH AND MANF. EQUIP (Lab. Equip.) 21058 YEAR LIFE

2005	\$ 50,177.00	90%	\$ 45,159.30
2003	\$ 27,181.00	75%	\$ 20,396.62
2001	\$ 1,858.00	49%	\$ 918.78
2000	\$ 5,200.00	38%	\$ 1,990.56
TOTAL	\$ 84,416.00		\$ 68,465.26

LINE 17: Utility Bldg (Lab.)10 YEAR LIFE

2003	\$ 2,750.00	85%	\$ 2,340.80
1993	\$ 15,062.00	20%	\$ 3,012.40
TOTAL	\$ 17,812.00		\$ 5,353.20

LINE 18: Bulk Plant Equip. 210615 Year life

2005	\$ 137,131.00	96%	\$ 130,274.45
2003	\$ 1,886.00	95%	\$ 1,795.47
2001	\$ 608,201.00	84%	\$ 510,584.74
1994	\$ 53,798.00	39%	\$ 21,180.27
1987	\$ 131,701.00	20%	\$ 26,340.20
1986	\$ 220,313.00	20%	\$ 44,062.60
TOTAL	\$ 1,153,030.00		\$ 734,237.73

Acct: 824157-0000

WATER RECOVERY, INC.
2006

1819 Albert Street

ACQUISITION DATE	ORIGINAL COST	DEPRE % GOOD	ASST'D VALUE
------------------	------------------	-----------------	-----------------

Line 19: Signs10 Year Life

2005	\$ 1,872.00	92%	\$ 1,722.24
2001	\$ 1,252.00	67%	\$ 835.08
TOTAL	\$ 3,124.00		\$ 2,557.32

Line 23: Supplies100%

2006	\$ 2,500.00		\$ 2,500.00
------	-------------	--	-------------


Line 24: Other (Tool Set)5 Year Life

2001	\$ 1,545.00	26%	\$ 408.65
	\$ 1,545.00		\$ 408.65

GRAND TOTAL \$ 1,934,114.00 \$ 1,218,495.26

WATER RECOVERY, INC.


Industrial Wastewater Treatment Used Oil Processing



Waste Disposal Made Safe and Simple

Water Recovery, Inc. (WRI) specializes in eliminating both the liability and the headache from industrial waste disposal. Our state-of-the-art industrial wastewater and used oil recovery facility opened in July of 2001. The facility is designed and built to satisfy the stringent new standards promulgated for the Centralized Waste Treatment (CWT) Industry. WRI is permitted by the Jacksonville Electric Authority for

Industrial wastewater (including landfill leachate) and the Florida Department of Environmental Protection for Used Oil Processing and Petroleum Contact Water (PCW). The facility includes over 700,000 gallons of storage capacity and is permitted to process up to 300,000 gal/per day. Our friendly professional staff will provide regulatory support including paperwork and profiling. WRI also has close relationships with all the major transporters in Jacksonville and can provide fast, reliable transportation service for all of your waste hauling needs.



Water Recovery, Inc.

1819 Albert Street
Jacksonville
FL 32202

Phone: (904) 475-9320
Fax: (904) 475-9449
www.wrijax.com

- Professional staff includes professional engineers and an on-site chemist
- Regulatory compliance/technical support
- Large volume off-load pumps (3 stations) for fast truck turn-around
- Reliable and responsive transportation
- Conveniently located in downtown Jacksonville with nearby interstate access
- Efficient plant + capable staff = competitive pricing

EnviroTech Southeast, Inc.
Tangible Personal Property Tax Return
1998

Note: Taxpayer used depreciated book value as fair market value

					Taxpayer's Estimate of Fair Market Value	Taxpayer's Estimate of Condition		Original Installed Cost
	Description of Item	Age	Year Purchased			Good	Avg	Poor
Line 13:								
3/10	Auto Sampler (Blakenship)	13/10	6,196.00	7	1990	X		
"	Ingersol Rand 150 CFM Air Comp	13/10	2,000.00	4	1993	X		
"	Piping and Valves	13/10	1,117.00	3	1994	X		
"	East Unloading Pad Sump Pit	13/10	29,464.30	3	1994	X		
"	Heater-Inter Medican 2 MBTU/Medium/Inst	13/10	21,606.75	3	1994	X		
11/10	Boiler upgrade - part of heater system	11/10	6,358.76		1997	X		
13/10	Seperator Sump Pit	13/10	7,476.12	3	1994	X		
3/15	Bulk Storage Tank		630.54	11	1986			X
"	Bulk Storage Tank	13/15	10,499.80	11	1986			X
"	Bulk Storage Tank	13/15	1,031.21	11	1986			X
"	Bulk Storage Tank (104)	13/15	131,897.77	11	1986			X
"	12,000 Gal. Tank 600D 2Ea	13/15	2,166.98	7	1990		X	
"	20,000 Gal. Vertical Tank - Oil	13/15	8,455.11	10	1987		X	
"	20,000 Gal. Vertical/Ht Exchg./Upgrade Tank - Oil	13/15	11,900.16	10	1987	X		
"	20,000 Gal. Vertical Tank - Oil	13/15	8,455.11	10	1987		X	
"	Tank - Oil	13/15	3,886.40	3	1994	X		
"	Tank - Oil	13/15	3,886.40	3	1994	X		
"	Tank - Oil	13/15	8,099.22	3	1994	X		
"	Tank - Oil	13/15	8,099.22	3	1994	X		
"	Tank - Oil	13/15	8,099.22	3	1994	X		
"	Tank - Oil	13/15	8,099.22	3	1994	X		
"	Horizontal Riveted Tank (divided) - Water	13/15	1,319.82	11	1986			X
"	Horizontal Riveted Tank - Water	13/15	1,319.82	11	1986			X
"	Horizontal Riveted Tank (divided) - Water	13/15	1,319.82	11	1986			X
"	Horizontal Riveted Tank - Water	13/15	1,319.82	11	1986			X
"	40,000 Gal. Vertical Tank - Water	13/15	10,499.80	11	1986			X
"	Tank - Water	13/15	9,666.22	3	1994	X		
"	Freight on Sem Frac	13/15	256.47	7	1990		X	
"	Sem Frac Tank	13/15	1,687.50	7	1990		X	
"	Frac Tank	13/15	568.61	9	1988		X	
3/10	Pipe Fitting Equip.	13/10	112.00	9	1988		X	
"	Dual Pod Filter	13/10		11	1986			X
"	Hotsy Steamer	13/10		1	1998			X
"	Subcat	13/10		4	1993	X		
13/10	Lel Equipment	13/10	1,257.21	4	1993	X		

Continued

EnviroTech Southeast, Inc.
Tangible Personal Property Tax Return
1998

Note: Taxpayer used depreciated book value as fair market value

Line 13 Continued:


Description of Item	Age	Year Purchased	Taxpayer's Estimate of Fair Market Value	Taxpayer's Estimate of Condition			Original Installed Cost
			Value	Good	Avg	Poor	
13/10 Spill Response Trailer	4	1993	1,065.00	X			6,590.00
" Hose	4	1993	-	X			22,734.66
" 2 M15 Wilden Pump	4	1993	-	X			1,054.40
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			2,304.50
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			4,203.00
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			6,285.00
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			6,285.00
" Welding Mod Pump 8	3	1994	1,564.00	X			5,120.00
" Separator VTC-200F	3	1994	19,815.30	X			28,998.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	12,155.26	X			17,788.00
" Bowie 3" pump	2	1995	2,566.20	X			5,400.00
" Bowie 3500 Pump	1	1996	512.40	X			3,074.46
" Model 90 Gear Chem -Chemical Pump	1	1996	375.06	X			750.00
" Devilbiss Compress/motor/tank	1	1996	391.71	X			500.00
" Model 90 Gear Chem -Chemical Pump	1	1996	375.06	X			750.00
" Ex-Cell 3200 PSI Pressure Washer	1	1996	950.30	X			1,425.60
3/54 Lab. Equipment	3	1994	3,871.76	X			10,559.00
			<u>301,400.55</u>				<u>928,574.85</u>

13/10 13/15 13/16 13/15 10/6
 96' 7,700.00 94' 56,744.00 93' 15,024.00 94' 10,559.00
 95' 5,499.00 90' 8,638.00
 94' 239,274.00 88' 9,585.00
 93' 36,262.00 87' 131,701.00
 90' 6,196.00 86' 414,977.00
 86' 7,763.00

WRI Plot Plan

10-16-03 MW

FE 19



52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
---------	----------------------	-----------------	-----------	------------------	----------------	-------------------------	---------------------------	---------------	----------------	-------------	-------------

Group: Furniture and Fixtures

5	Computer	2/01/01	2,484.53	11/4	0.00	0.00	1,946.23	496.91	2,443.14	41.39 S/L	5.00
44	Dell PC-Harvey Simms	3/11/02	1,121.32	11/4	0.00	0.00	635.44	224.27	859.71	261.66 S/L	5.00
55	Canopy	2/21/03	2,750.00	17/10	0.00	0.00	1,008.33	550.00	1,558.33	1,191.67 S/L	5.00
	Furniture and Fixtures		6,355.90		0.00 c	0.00	3,590.00	1,271.18	4,861.18	1,494.72	

Group: Lab Equipment

1	Lab equipment	12/15/00	5,200.00	10/3	0.00	0.00	2,123.33	520.00	2,643.33	2,556.67 S/L	10.00
6	Lab Bench & Desk	2/01/01	614.50	10/10	0.00	0.00	331.34	56.63	387.97	226.53 200DB	10.00
7	Lab Bench and Desk	4/01/01	920.88	11	0.00	0.00	345.34	92.09	437.43	483.45 S/L	10.00
8	Lab Equipment	4/01/01	1,858.10	10/3	0.00	0.00	686.79	185.81	882.60	975.50 S/L	10.00
9	Petkin-Ether-Med-P-400-10P	4/04/01	28,427.41	8-00	0.00	0.00	11,376.96	1,164.46	12,555.44	15,074.97 S/L	10.00
61	Upgrade Lab Equipment	11/07/03	4,970.00	10/3	0.00	0.00	579.83	497.00	1,076.83	3,863.17 S/L	10.00
62	Leccate Tank Project	11/15/03	22,211.26	11	0.00	0.00	2,591.32	2,221.13	4,812.45	17,398.81 S/L	10.00
80	Lab Equipment- Spectro	9/01/05	9,890.00	10/3	0.00 c	0.00	0.00	329.67	329.67	9,560.33 S/L	10.00
91	Lab Equipment- Spectro	9/01/05	39,560.00	11	0.00 c	0.00	0.00	1,318.67	1,318.67	38,241.33 S/L	10.00
114	Lab Vents	12/01/05	256.63	11	0.00 c	0.00	0.00	4.28	4.28	252.35 S/L	5.00
115	Lab Equip - Fabco Ent	12/05/05	469.73	11	0.00 c	0.00	0.00	7.83	7.83	461.90 S/L	5.00
	Lab Equipment		114,378.51		0.00 c	0.00	18,038.91	6,417.59	24,456.50	89,922.01	
	*Less: Dispositions		28,427.41		0.00	0.00	11,370.96	0.00	12,555.44	15,871.97	
	Net Lab Equipment		85,951.10		0.00 c	0.00	6,667.95	6,417.59	11,901.06	74,050.04	

Group: Leasehold Improvements

21	Containment	5/01/01	9,597.04	N/A	0.00	0.00	1,759.45	479.85	2,239.30	7,357.74 S/L	20.00
22	Control Room Ceiling	8/01/01	1,040.00	11	0.00	0.00	177.67	52.00	229.67	810.33 S/L	20.00
23	Electrical System	4/01/01	44,882.00	13/10	0.00	0.00	8,415.38	2,244.10	10,659.48	34,222.52 S/L	20.00
24	Electrical System	6/01/01	35,000.00	11	0.00	0.00	6,270.83	1,750.00	8,020.83	26,979.17 S/L	20.00
25	Electrical System	7/01/01	40,273.52	11	0.00	0.00	7,047.88	2,013.68	9,061.56	31,211.96 S/L	20.00
26	Electrical System	8/01/01	24,413.80	11	0.00	0.00	4,170.69	1,220.69	5,391.38	19,022.42 S/L	20.00
27	Electrical System	9/01/01	32,922.00	11	0.00	0.00	5,487.00	1,646.10	7,133.10	25,788.90 S/L	20.00
28	Engineering/Permitting	9/01/01	4,302.54	11	0.00	0.00	717.10	215.13	932.23	3,370.31 S/L	20.00
29	Mechanical Systems	10/01/01	90,332.00	11	0.00	0.00	14,678.95	4,516.60	19,195.55	71,136.45 S/L	20.00
30	Mechanical Systems	11/01/01	51,610.88	11	0.00	0.00	8,171.68	2,580.53	10,752.21	40,858.67 S/L	20.00
32	Oil Heater Upgrade	8/01/01	11,294.01	11	0.00	0.00	2,023.51	564.70	2,588.21	8,705.80 S/L	20.00
33	Oil Tank Improvements	4/01/01	27,288.20	13/14	0.00	0.00	5,116.54	1,304.41	6,460.95	20,807.25 S/L	20.00
34	Platforms and Stairways	4/01/01	2,817.63	11	0.00	0.00	528.30	140.88	669.18	2,148.45 S/L	20.00
35	Platforms and Stairways	5/01/01	21,894.65	11	0.00	0.00	4,014.01	1,094.73	5,108.74	16,785.91 S/L	20.00
36	Platforms and Stairways	6/01/01	5,576.33	11	0.00	0.00	999.10	278.82	1,277.92	4,298.41 S/L	20.00
37	Platforms and Stairways	7/01/01	12,212.51	11	0.00	0.00	2,137.20	610.63	2,747.83	9,464.68 S/L	20.00
38	Platforms and Stairways	12/01/01	2,559.14	11	0.00	0.00	394.54	127.96	522.50	2,036.64 S/L	20.00
39	Signs	4/01/01	1,251.90	19/10	0.00	0.00	234.75	62.60	297.35	954.55 S/L	20.00

52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal c	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
40	Sigurs	9/01/01	297,461.91	0.00	0.00	49.57	14.87	64.44	233.02 S/L		20.00
41	Sitework	5/01/01	9,568.78	0.00	0.00	1,754.28	478.44	2,232.72	7,336.06 S/L		20.00
42	Sitework	6/01/01	17,891.26	0.00	0.00	3,205.51	894.56	4,100.07	13,791.19 S/L		20.00
43	Sitework	7/01/01	6,684.42	0.00	0.00	1,169.77	334.22	1,503.99	5,180.43 S/L		20.00
53	L.H. Dillon Engineering	6/27/02	4,995.92	N/A	0.00	312.25	124.90	437.15	4,558.77 S/L		40.00
54	Chain Link Fence-LH	10/14/02	2,612.00	N/A	0.00	146.93	65.30	212.23	2,399.77 S/L		40.00
60	Asphalt Work	4/01/03	3,828.30	N/A	0.00	334.98	191.42	526.40	3,301.90 S/L		20.00
63	Asphalt Work	7/15/03	4,278.30	N/A	0.00	320.88	213.92	534.80	3,743.50 S/L		20.00
Leasehold Improvements			469,424.39	0.00 c	0.00	79,838.75	23,261.04	102,919.79	366,504.60		

Group: Mechanical Equipment

15	DAF Unit	4/01/01	261,404.10	8/15 0.00	0.00	98,026.54	26,140.41	124,166.95	137,237.15 S/L		10.00
16	Offload Pumps	7/01/01	4,664.16	13/10 0.00	0.00	1,632.47	466.42	2,098.89	2,566.27 S/L		10.00
17	Tanks Valve and Control Systems	4/01/01	74,177.23	11 0.00	0.00	27,816.45	7,417.72	35,234.17	38,943.06 S/L		10.00
31	Offload Pumps	4/01/01	3,446.07	11 0.00	0.00	1,292.29	344.81	1,636.90	1,809.17 S/L		10.00
46	Control system upgrade	7/21/02	2,040.00	11 0.00	0.00	986.00	408.00	1,394.00	646.00 S/L		5.00
47	Pump Upgrade	8/20/02	2,061.89	11 0.00	0.00	962.22	412.38	1,374.60	667.29 S/L		5.00
48	Diaphragm Pump-O/S Planter	9/09/02	1,146.16	11 0.00	0.00	534.87	229.23	764.10	362.06 S/L		5.00
49	Sludge Tank Cover	11/08/02	546.31	11 0.00	0.00	236.73	109.26	345.99	200.32 S/L		5.00
50	2 Wheeled Drip Pans	11/08/02	1,294.80	11 0.00	0.00	561.08	258.96	820.04	474.76 S/L		5.00
51	Sludge Press Chute	11/14/02	3,210.00	11 0.00	0.00	1,391.00	642.00	2,033.00	1,177.00 S/L		5.00
57	Steel cage	2/10/03	1,052.82	11 0.00	0.00	403.58	210.56	614.14	438.68 S/L		5.00
58	Heaters	2/03/03	1,143.23	11 0.00	0.00	438.24	228.65	666.89	476.34 S/L		5.00
59	Pump	5/01/03	1,368.22	11 0.00	0.00	456.07	273.64	729.71	638.51 S/L		5.00
64	Pump	7/15/03	2,657.25	11 0.00	0.00	797.18	531.45	1,328.63	1,328.62 S/L		5.00
65	Various Mechanical Equipment	7/15/03	2,191.13	11 0.00	0.00	667.34	438.23	1,095.57	1,095.56 S/L		5.00
79	Overflow protection System	3/31/05	2,512.93	11 0.00 c	0.00	0.00	376.94	376.94	2,135.99 S/L		5.00
80	US Filterpolymer Blender	3/31/05	7,045.08	11 0.00 c	0.00	0.00	1,056.76	1,056.76	5,988.32 S/L		5.00
81	Trailer Mounted Vacuum System	3/10/05	7,500.00	11 0.00 c	0.00	0.00	1,250.00	1,250.00	6,250.00 S/L		5.00
83	Overflow Protection System	4/01/05	881.15	11 0.00 c	0.00	0.00	132.17	132.17	748.98 S/L		5.00
84	Overflow Protection System	4/09/05	925.55	11 0.00 c	0.00	0.00	138.83	138.83	786.72 S/L		5.00
85	Overflow Protection System	4/19/05	925.55	11 0.00 c	0.00	0.00	123.41	123.41	802.14 S/L		5.00
86	Overflow Protection System	5/14/05	1,851.10	11 0.00 c	0.00	0.00	246.81	246.81	1,604.29 S/L		5.00
87	Capz Piping Improvement	6/30/05	2,221.19	11 0.00 c	0.00	0.00	222.12	222.12	1,999.07 S/L		5.00
88	TLR Mounted Vac System	5/26/05	14,000.00	11 0.00 c	0.00	0.00	1,633.33	1,633.33	12,366.67 S/L		5.00
92	Auto Equipment - Remediation Vacuu	7/14/05	662.65	11 0.00 c	0.00	0.00	47.33	47.33	615.32 S/L		7.00
112	Mech Equip - Barnes Industrial Plastic	12/01/05	208.26	11 0.00 c	0.00	0.00	3.47	3.47	204.79 S/L		5.00
113	Mech Equip - Fabco Enterprises	12/05/05	668.75	11 0.00 c	0.00	0.00	11.15	11.15	657.60 S/L		5.00
Mechanical Equipment			401,805.58	0.00 c	0.00	136,192.06	43,353.84	179,545.90	222,256.66		

Group: Shop Equipment

18	5 Diaphragm Pumps	6/01/01	742.58	0.00	0.00	266.10	74.26	340.36	402.22 S/L		10.00
----	-------------------	---------	--------	------	------	--------	-------	--------	------------	--	-------

52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
19	5 Diaphragm Pumps	7/01/01	3,097.86	13/10 0.00	0.00	1,084.26	309.78	1,394.05	1,703.81 S/L		10.00
20	Tool Set	7/01/01	1,545.32	8/15 0.00	0.00	540.86	154.53	695.39	849.93 S/L		10.00
52	Pressure Washer	7/26/02	2,242.68	9/10 0.00	0.00	1,562.80	642.54	2,195.34	4,047.94 S/L		5.00
89	Shop Equip- GasAlertMax Confined S	7/01/05	1,356.00	13/10 0.00 c	0.00	0.00	68.25	68.25	1,296.75 S/L		10.00
	Shop Equipment		9,963.44	0.00 c	0.00	3,444.02	1,249.37	4,693.39	5,270.05		

Group: Tank Equipment

10	New Water Tanks	3/01/01	159,114.45	12/15 0.00	0.00	60,993.89	15,911.45	76,905.34	82,208.11 S/L		10.00
11	New Water Tanks	4/01/01	29,689.32	11 0.00	0.00	11,125.99	2,968.93	14,092.92	15,576.40 S/L		10.00
12	New Water Tanks	5/01/01	18,430.99	11 0.00	0.00	6,758.03	1,843.10	8,601.13	8,829.86 S/L		10.00
13	New Water Tanks	6/01/01	73,180.76	11 0.00	0.00	26,215.95	7,316.08	33,532.03	39,628.73 S/L		10.00
14	New Water Tanks	7/01/01	12,245.16	11 0.00	0.00	4,285.82	1,224.52	5,510.34	6,734.82 S/L		10.00
45	Header Upgrade	7/22/02	37,059.66	13/10 0.00	0.00	17,912.17	7,411.93	25,324.10	11,735.56 S/L		5.00
56	Ladder Platform	3/06/03	1,885.89	13/10 0.00	0.00	691.50	372.18	1,068.68	817.21 S/L		5.00
66	Lecceate Tank Project	2/24/04	443.37	13/10 0.00	0.00	73.90	88.67	162.57	280.80 S/L		5.00
67	Masthead	3/31/04	398.68	11 0.00	0.00	59.80	79.74	139.54	259.14 S/L		5.00
68	Power Pump	3/31/04	3,072.98	11 0.00	0.00	460.95	614.60	1,075.55	1,997.43 S/L		5.00
69	Lecceate Tank Upgrade	4/30/04	3,986.01	11 0.00	0.00	532.80	799.20	1,332.00	2,664.01 S/L		5.00
70	Lecceate Tank Upgrade	5/31/04	3,075.85	11 0.00	0.00	358.85	615.17	974.02	2,101.83 S/L		5.00
71	Lecceate Tank Upgrade	6/30/04	1,578.79	11 0.00	0.00	157.88	315.76	473.64	1,105.15 S/L		5.00
72	Tank Equipment Upgrade	7/31/04	5,653.45	11 0.00	0.00	471.12	1,130.69	1,601.81	4,051.64 S/L		5.00
73	Tank Equipment	12/17/04	2,250.00	11 0.00	0.00	0.00	450.00	450.00	1,800.00 S/L		5.00
74	Tank Equipment	11/30/04	1,860.00	11 0.00	0.00	31.00	372.00	403.00	1,457.00 S/L		5.00
75	EQ Tank Project	10/05/04	2,250.00	11 0.00	0.00	112.50	450.00	562.50	1,687.50 S/L		5.00
76	Equalization Tank Work	3/01/05	3,000.00	11 0.00 c	0.00	0.00	500.00	500.00	2,500.00 S/L		5.00
77	Hudson Pump-DAF Pump	3/31/05	2,014.81	11 0.00 c	0.00	0.00	302.22	302.22	1,712.59 S/L		5.00
78	Beardings & Dikes DAF	3/31/05	1,483.59	11 0.00 c	0.00	0.00	222.54	222.54	1,261.05 S/L		5.00
82	Equalization Tank	6/30/05	94,893.05	18/15 0.00 c	0.00	0.00	4,744.65	4,744.65	90,148.40 S/L		10.00
93	Bar Grating - FABCO	7/08/05	1,501.21	11 0.00 c	0.00	0.00	150.12	150.12	1,351.09 S/L		5.00
94	Tank Equipment - W&O Supply	7/13/05	4,145.76	11 0.00 c	0.00	0.00	414.58	414.58	3,731.18 S/L		5.00
95	Tank Equipment - FABCO	7/15/05	749.00	11 0.00 c	0.00	0.00	74.90	74.90	674.10 S/L		5.00
96	Tank Equipment - FABCO	7/15/05	856.00	11 0.00 c	0.00	0.00	85.60	85.60	770.40 S/L		5.00
97	Tank Equipment - W&O Supply	7/26/05	314.73	11 0.00 c	0.00	0.00	26.23	26.23	288.50 S/L		5.00
98	Tank Equipment - FABCO	8/05/05	428.00	11 0.00 c	0.00	0.00	35.67	35.67	392.33 S/L		5.00
99	Tank Equipment - FABCO	8/08/05	650.56	11 0.00 c	0.00	0.00	54.21	54.21	596.35 S/L		5.00
100	Tank Equipment - W&O Supply	8/24/05	204.47	11 0.00 c	0.00	0.00	13.63	13.63	190.84 S/L		5.00
101	Tank Equipment - W&O Supply	8/30/05	152.41	11 0.00 c	0.00	0.00	10.16	10.16	142.25 S/L		5.00
102	Tank Equipment - W&O Supply	9/07/05	139.10	11 0.00 c	0.00	0.00	9.27	9.27	129.83 S/L		5.00
103	Tank Equipment - A-Jex	9/12/05	44.01	11 0.00 c	0.00	0.00	2.93	2.93	41.08 S/L		5.00
104	Tank Equipment - FABCO	9/14/05	11,632.80	11 0.00 c	0.00	0.00	775.52	775.52	10,857.28 S/L		5.00
105	Tank Equipment - Barnes	9/14/05	1,976.91	11 0.00 c	0.00	0.00	131.79	131.79	1,845.12 S/L		5.00
106	Tank Equipment - Barnes	9/14/05	299.40	11 0.00 c	0.00	0.00	19.96	19.96	279.44 S/L		5.00
107	Tank Equipment - A-Jex	9/15/05	62.72	11 0.00 c	0.00	0.00	4.18	4.18	58.54 S/L		5.00

52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
108	Tank Equipment - W&O Supply	9/19/05	162.22 ✓ 12/15	0.00 c	0.00	0.00	8.11	8.11	154.11 S/L		5.00
109	Tank Equipment - W&O Supply	9/19/05	246.19 ✓ 11	0.00 c	0.00	0.00	12.31	12.31	233.88 S/L		5.00
110	Tank Equipment - FABCO	9/30/05	2,022.30 ✓ 11	0.00 c	0.00	0.00	101.12	101.12	1,921.18 S/L		5.00
111	Tank Equipment - TSC	9/30/05	10,876.95 ✓ 11	0.00 c	0.00	0.00	543.85	543.85	10,333.10 S/L		5.00
116	Tank Equipment - Doherty Brothers	10/01/05	350.00 ✓ 11	0.00 c	0.00	0.00	17.50	17.50	332.50 S/L		5.00
117	Tank Equipment - Gen Sign Serv	11/14/05	936.25 ✓ 12/15	0.00 c	0.00	0.00	31.21	31.21	905.04 S/L		5.00
118	Tank Equipment	11/17/05	1,487.71 ✓ 12/15	0.00 c	0.00	0.00	24.80	24.80	1,462.91 S/L		5.00
119	Tank Equipment - Gen Sign Service	12/14/05	936.25 ✓ 12/15	0.00 c	0.00	0.00	15.60	15.60	920.65 S/L		5.00
	Tank Equipment		497,711.76	0.00 c	0.00	130,242.15	50,299.68	180,541.83	317,169.93		
	Grand Total		1,499,639.58	0.00 c	0.00	371,145.89	125,872.70	497,018.59	1,002,620.99		
	Less: Dispositions		28,427.41	0.00	0.00	11,370.96	0.00	12,555.44	15,871.87		
	Net Grand Total		1,471,212.17	0.00 c	0.00	359,774.93	125,872.70	484,463.15	986,749.02		

ACORD**CERTIFICATE OF LIABILITY INSURANCE**

DATE (MM/DD/YY)

02/14/06

PRODUCER

Aon Risk Services, Inc. of Florida
13901 Sutton Park Drive South
Suite 360 - Building C
Jacksonville FL 32224 USA

PHONE - (904) 724-2001

FAX - (904) 223-1155

INSURED

Water Recovery, Inc.
P O Box 330569
Jacksonville FL 32233-2613 USA

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY
AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS
CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE
COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

INSURER A: Indian Harbor Insurance Company

INSURER B: Zurich American Ins Co

INSURER C: Commerce & Industry Ins Co

INSURER D: Greenwich Insurance Company

INSURER E:

COVERAGE: This certificate is not intended to provide coverage for any policy, contract, or agreement between the insured and the insurer. It is not a contract and does not create any obligation of the insurer to provide coverage.

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
D	GENERAL LIABILITY	GEC000860805 General Liability	02/15/06	02/15/07	EACH OCCURRENCE	\$1,000,000
	☒ COMMERCIAL GENERAL LIABILITY				FIRE DAMAGE (Any one fire)	\$100,000
	CLAIMS MADE ☒ OCCUR				MED EXP (Any one person)	\$5,000
					PERSONAL & ADV INJURY	\$1,000,000
					GENERAL AGGREGATE	\$2,000,000
					PRODUCTS - COMP/OP AGG	\$2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PRO-JECT ☐ LOC					
B	AUTOMOBILE LIABILITY	BAP9046516	01/18/06	01/18/07	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
	☒ ANY AUTO				BODILY INJURY (Per person)	
	☐ ALL OWNED AUTOS				BODILY INJURY (Per accident)	
	☒ SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	
	☒ HIRED AUTOS					
	☒ NON OWNED AUTOS					
	☒ Includes MCS-90					
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	
	☐ ANY AUTO				OTHER THAN AUTO ONLY: EA ACC	
					AGG	
	EXCESS LIABILITY				EACH OCCURRENCE	
	☐ OCCUR ☐ CLAIMS MADE				AGGREGATE	
	☐ DEDUCTIBLE					
	☐ RETENTION					
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	WC2955599 Workers Comp / USL&H incl.	01/18/06	01/18/07	☒ WC STATUTORY LIMITS ☐ OTHER	
					E.L. EACH ACCIDENT	\$1,000,000
					E.L. DISEASE-POLICY LIMIT	\$1,000,000
					E.L. DISEASE-EA EMPLOYEE	\$1,000,000
A	OTHER	PEC000860901	02/15/04	02/15/07	Aggregate Limit	\$2,000,000
	☒ Pollutn/Env Imp				Per Claim Limit	\$1,000,000

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

CERTIFICATE HOLDER

Water Recovery Inc.
Attn: Mark Owens
1819 Albert Street
Jacksonville FL 32202 USA

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE



ACORD 25 7/97

ACORD CORPORATION 199

2005-2006 OCCUPATIONAL LICENSE TAX

MIKE HOGAN

OFFICE OF THE TAX COLLECTOR

CITY OF JACKSONVILLE / COUNTY OF DUVAL, FLORIDA

231 EAST FORSYTH STREET ROOM 130, JACKSONVILLE, FL 32202 PHONE: (904)630-2080 FAX: (904)630-1432

Note - A penalty is imposed for failure to keep this license exhibited conspicuously at your establishment or place of business.
This license is furnished in pursuance of chapter 770-772 City ordinance codes.

WATER RECOVERY INC
MICHAEL M DOHERTY
1819 ALBERT ST
JACKSONVILLE, FL 32202-1103

06

ACCOUNT NUMBER: 176407-0000-1

LOCATION ADDRESS: 1819 ALBERT ST
32202-1103

DESCRIPTION: PUBLIC SERVICE OR REPAIR, NOT SPEC

County License Code: 770.323-079
Municipal License Code: 772.326

County Tax: \$33.75
Municipal Tax: \$66.25
Total Tax Paid: \$100.00

VALID FROM OCTOBER 1, 2005 TO SEPTEMBER 30, 2006

RCPT #: 001T001416 DATE: 9/30/2005 AMT: \$100.00

ATTENTION

The Following Construction Contractors Require Additional Licensure

ALARM
RESIDENTIAL
ELECTRICAL
MECHANICAL
GENERAL
UNDERGROUND UTILITY
REFRIGERATION

POOL
BUILDING
SHEET METAL
PLUMBING
CARPENTRY
HEATING

ALUMINUM/VINYL
ROOFING
SOLAR
IRRIGATION
WATER TREATMENT
AIR CONDITIONING

This is an occupational license tax only. It does not permit the licensee to violate any existing regulatory or zoning laws of the County or City. Nor does it exempt the licensee from any other license or permit required by law. This is not a certification of the licensee's qualification.

Mike Hogan
TAX COLLECTOR

THIS BECOMES A RECEIPT AFTER VALIDATION



Industrial Pretreatment
CATEGORICAL
INDUSTRIAL USER DISCHARGE PERMIT #099

In accordance with the provisions of JEA's *Industrial Pretreatment Regulation*:

Water Recovery, Inc.
(hereinafter referred to as "Permittee"), located at
1819 Albert Street

is hereby authorized to discharge industrial wastewater from the above location into the District I (Buckman) Publicly Owned Treatment Works (POTW), in accordance with the conditions set forth in this permit. Compliance with this permit does not relieve Permittee of its obligation to comply with any or all applicable pretreatment regulations, standards or requirements under local, State and Federal laws, including any such regulations, standards, requirements, or laws that may become effective during the term of this permit. Noncompliance with any term or condition of this permit shall constitute a violation of JEA's *Industrial Pretreatment Regulation* and may subject Permittee to enforcement action pursuant thereto.

This permit shall become effective on: July 09, 2005.

This permit shall expire at midnight on: July 01, 2008.

The deadline to apply for permit reissuance is: March 01, 2008.

A handwritten signature in black ink, appearing to read "D. P. Parnell", is written over a horizontal line.

Daniel P. Parnell, Manager
Industrial Pretreatment

21 West Church Street
Jacksonville, Florida 32202-3139

Regular Mail



April 07, 2005

Mark Owens, PE
Plant Manager
Water Recovery, Inc. (WRI)
1819 Albert St.
Jacksonville, FL 32202

E L E C T R I C

W A T E R

S E W E R

RE: ANNUAL INSPECTION

Dear Mr. Owens:

As you are aware the JEA Industrial Pretreatment Department performed an annual pretreatment inspection at WRI on April 01, 2005.

The purpose of this inspection was to examine the facility and review records for compliance with Industrial User Discharge Permit (IUDP) # 099. The Florida Department of Environmental Protection (FDEP) requires JEA to perform annual pretreatment inspections.

During the inspection I did not observe any apparent permit violations. In addition, I would like to mention that you have done a good job screening wastestream(s), and maintaining operation of the pretreatment plant as evidenced by your recent good compliance record.

The JEA Industrial Pretreatment Department staff would like to thank you, as well as other facility employees for assisting during the inspection. If you have any questions regarding this matter, please contact me at (904) 665-4522.

Sincerely,

A handwritten signature in cursive script that reads "Randy Hilton".

Randy Hilton
Environmental Scientist Senior
Industrial Pretreatment

cc: iuf/ip



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

Water Recovery, Inc.
1819 Albert Street
Jacksonville, Florida 32202

Attn.: Mr. Mark Owens, Plant Manager

I.D. Number: FLR 000 069 062
Permit/Cert Number: 79677-HO-06
Date of Issue: *April 25, 2006*
Expiration Date: October 11, 2010
County: Duval
Lat/Long: 30° 19' 45" N/81° 37' 25" W
Project: Used Oil Processing Facility

This permit renewal is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rule(s) 62-4, 62-701, 62-710, 62-730, 62-740 and 40 Code of Federal Regulations (CFR) Part 279. The above named Permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

To operate a Used Oil Processing Facility consisting of a tank storage and processing area and a container storage area, hereinafter referred to as "Facility" (Attachment A).

The tank storage and processing area consists of ten (10) aboveground storage tanks and a heater unit, which may be used to store or process used oil, oily water, petroleum contact water (PCW), sludges/solids, and water. Tanks 1-P, 2-P, 3-P, 4-P, 5-P, 6-P, 7-P, 8-P, 9-P, 10-P and the Heater are located within secondary containment on the north side of the facility. Tanks 1-P, 2-P and 3-P have a capacity of 23,232 gallons each. Tank 4-P has a capacity of 21,445 gallons; Tank 5-P has a capacity of 20,778 gallons; Tank 6-P has a capacity of 25,806 gallons; Tank 7-P and 8-P have a capacity of 21,446 gallons each; Tank 9-P has a capacity of 20,833 gallons; and Tank 10-P has a capacity of 10,000 gallons. Stormwater Tank 1SW, with a capacity of 30,000 gallons, is located within the secondary containment in the used oil processing area. Tank 7-P has been designated for the storage of PCW. The total capacity for all used oil storage and processing tanks at the facility is 211,450 gallons. The tank system has the ability to transfer the used oil, PCW, and waste water to and from any of the tanks.

The facility's secondary containment system consists of a concrete slab bounded by concrete block walls and two (east and west) driveway berms. The secondary containment is capable of containing a volume of 40,359 gallons, which is greater than 110% of the volume of the largest tank in the secondary containment area. The facility has the capacity to store up to 30 55-gallon drums containing used oil or used oil filters in the concrete secondary containment system of the oil processing area located on the north side of the facility. This area may also be used for the storage of a roll-off container for the accumulation of used oil processing solid wastes, residues and sludges.

The facility is located at 1819 Albert Street, Jacksonville, Duval County, Florida. Operation of the facility will be in accordance with the permit applications and additional information submitted by the facility.

"More Protection, Less Process"

Printed on recycled paper.

PERMITTEE:
Water Recovery, Inc.
1819 Albert Street
Jacksonville, FL 32202

I.D. Number: FLR 000 069 062
Permit/Cert Number: 79677-HO-06
Expiration Date: October 11, 2010

The following documents were used in preparation of this Permit:

1. Permit renewal application dated September 12, 2005 and additional information dated September 22, 2005.
2. Permit Application dated May 15, 2000 and additional information submitted on June 29, 2000 and the permit modification submitted on January 24, 2002.

This permit replaces the permit No. 79677-HO-005, issued to the previous owner, Envirotech Southeast, Inc.



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

June 20, 2005

MARK OWENS
WATER RECOVERY, INC
1819 Albert St.
Jacksonville, FL 32202

BE IT KNOWN THAT

WATER RECOVERY, INC
1819 Albert St
Jacksonville, FL 32202

IS HEREBY REGISTERED AS A USED OIL

Transfer Facility, Processor, Marketer, Filter Transfer facility, Filter
Processor

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C.)

The Department of Environmental Protection hereby issues
Registration Number **FLR000069062** on June 20, 2005

This registration will expire on 06/30/2006

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

Richard C. Neves
Environmental Specialist
Hazardous Waste Management

"More Protection, Less Process"

Printed on recycled paper.



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGULATION PROGRAM

2005-2006

FACILITY ID: 8506799
WATER RECOVERY INC
1819 ALBERT ST
JACKSONVILLE FL 32202 DUVAL COUNTY

****2005-2006 Storage Tank Registration Placard Enclosed ****

DLAC/WRI LLC

PO BOX 330569
ATLANTIC BEACH FL 32233-

STCM ACCOUNT: 50644

PLACARD NO: 233665
PLACARD ISSUED: 05/27/2005
REGISTRATION PAID: \$ 250

TANK SYSTEMS REGISTERED: 10

STORAGE TANK FACILITY ACCESS TO TOP STUB FOR YOUR RECORDS

This placard certifies that the owner & facility named has complied with the registration requirements for petroleum &/or hazardous substance storage tanks regulated by the FL Department of Environmental Protection. The placard must be placed out of the weather and in plain view of storage tank compliance inspectors entering the facility.

SECONDARY CONTAINMENT INSTALLATION DEADLINES

12-31-2009: Single-wall USTs & UST small diameter piping in contact with the soil must have secondary containment.
01-01-2010: Single-wall field erected ASTs & AST single-wall bulk product piping in contact with the soil must have secondary containment unless deferred by an API 570 Integrity Assessment.

The Department has never issued an extension to an upgrade deadline since the storage tank rules were adopted in 1984. If you have questions about these or other deadlines - or need general technical assistance - consult Rule 62-761, F.A.C., or contact a storage tank inspector from the DEP district office, or from the local storage tank program office for your county.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

The Web address for DEP is <http://www.dep.state.fl.us>.

You can access the site for Storage Tank Regulation directly by using: <http://www.dep.state.fl.us/waste/categories/tanks>.

Look under the HIGHLIGHTS section to find links to storage tank rules, forms, database reports and other program information.

EMAIL registration-related questions and comments to: TankRegistration@dep.state.fl.us - or telephone (850) 245-8839.

Registration staff members will assist you with your questions and will respond to you by phone or reply to your email address.

**The Storage Tank Registration placard below must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.**



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD

2005-2006

FACILITY ID: 8506799

PLACARD NO: 233665

PLACARD ISSUED: 05/27/2005
PLACARD EXPIRES: 06/30/2006

FACILITY: WATER RECOVERY INC

1819 ALBERT ST

JACKSONVILLE FL 32202-1403

DUVAL COUNTY

TANK SYSTEMS REGISTERED: 10

FACILITY TYPE: Fuel user/Non-retail

STCM ACCOUNT: 50644

ACCOUNT OWNER: DLAC/WRI LLC

Mary Jean Van, Director
Division of Waste Management
Department of Environmental Protection



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

4WD-RCRA

NOV 30 2004

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Steve Jenkins, President
Water Recovery, Incorporated
1819 Albert Street
Jacksonville, FL 32202

SUBJ: Notice of Acceptability Pursuant to the CERCLA Off-Site Rule
Water Recovery, Incorporated
Duval County

Dear Mr. Jenkins:

The U.S. Environmental Protection Agency, Region 4 (EPA) has made an affirmative determination of acceptability for the receipt of CERCLA Off-Site waste at the Water Recovery Incorporated (WRI) facility located at 1819 Albert Street, Jacksonville, Florida. WRI is permitted by the Florida Department of Environmental Protection (FDEP) as a Used Oil Processor (79677-002-HO). WRI is also permitted by the Jacksonville Electrical Authority (JEA) as an industrial pretreatment facility (IUPD #099) to treat industrial wastewater before it is discharged to the sewer system of the City of Jacksonville.

The CERCLA Off-Site wastes to which this Notice of Acceptability applies are defined as those wastes generated as a result of activities authorized pursuant to, or funded by, the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). The receipt of these CERCLA wastes by facilities is regulated by the Off-Site Rule found at 40 C.F.R. § 300.440; and at 58 FR 182 pages 49200 - 49218, September 22, 1993.

The Off-Site Rule establishes the criteria and procedures for determining if facilities are acceptable for the offsite receipt of CERCLA waste, and outlines the actions affected by the standard. The Off-Site Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA shall determine if there are relevant releases and/or relevant violations at the facility. EPA believes that affirmative determinations of "compliance" and "control of releases" are necessary before a facility may be deemed acceptable for the receipt of CERCLA wastes.

Pursuant to 40 C.F.R. § 300.440(a)(4) of the Off-Site Rule, EPA has completed its assessment of the WRI facility. Based on recent telephone conversations between EPA, and FDEP and JEA inspectors, this facility does not currently have any relevant violations or relevant

releases as those terms are defined in the Off-Site Rule. Therefore, effective upon receipt of this letter WRI is acceptable to receive non-hazardous CERCLA Off-Site wastewaters at their Jacksonville facility.

EPA would like to make it clear that this affirmative determination of acceptability does not, and can not, grant any facility the right or authority to exceed its permit provisions; receive any waste not allowed by its permit; or violate any local, state or federal law, rule, regulation or ordinance. Specifically, this determination does not supersede, limit, conflict with or set aside the requirements of any environmental program.

Should any new information affecting this determination develop, EPA reserves its right to revisit this decision. Please note that the CERCLA Off-Site status for a facility is dynamic in nature and is subject to change. EPA reserves its right to rescind this Notice of Acceptability pursuant to the Off-Site Rule if necessary. If you have any questions concerning this matter, please contact Jack Cowart, of my staff, at (404) 562-8591 or cowart.jack@epa.gov.

Sincerely yours,



Winston A. Smith

Director

Waste Management Division

cc: Ashwin Patel, FDEP
Dan Parnell, JEA

**ACCIDENTAL DISCHARGE
And
SLUG CONTROL PLAN
(ADSCP)**

Prepared by:

**WATER RECOVERY, INC.
Jacksonville, FL**

April 2004

WATER RECOVERY, INCORPORATED

1819 Albert Street
Jacksonville, Florida 32202

SPILL PREVENTION, CONTROL AND COUNTERMEASURE PLAN WITH CONTINGENCY PLANNING AND EMERGENCY PROCEDURES

MANAGEMENT PROCEDURE 4600

REVISION: 2

Prepared By:

Signature

Date

Richard Breitmoser, P.E.
Plant Engineer
Water Recovery, Inc.



11/5/04

Approved By:

Signature

Date

Mark Owens, P.E.
Plant Manager
Water Recovery, Inc.





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

MARK OWENS
WATER RECOVERY, INC
1819 Albert St.
Jacksonville, FL 32202

June 20, 2005

*I spoke to Rick Neves from
FDEP on 7/11/06 about this
he said that they would be
done + mailed by the end of*

BE IT KNOWN THAT

WATER RECOVERY, INC
1819 Albert St
Jacksonville, FL 32202

*the week. Please call
him for confirmation @
(850) 245-8755*

IS HEREBY REGISTERED AS A USED OIL

Transfer Facility, Processor, Marketer, Filter Transfer facility, Filter
Processor

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C)

The Department of Environmental Protection hereby issues

Registration Number **FLR000069062** on June 20, 2005

This registration will expire on 06/30/2006

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

Richard C. Neves
Environmental Specialist
Hazardous Waste Management

"More Protection, Less Process"

Printed on recycled paper.


Contents
WRI Qualifications Package
(Revised April 2006)

1. WRI – General Information Flyer
2. WRI - Certificate of Insurance
3. WRI - Occupational License
4. JEA - Discharge Permit (wastewater)
5. JEA – Recent Inspection Results
6. FDEP – Used Oil Processing Permit
7. FDEP – Used Oil Registration/EPA Identification Number
8. FDEP – Tank Registration
9. CERCLA – Off-Site Rule Acceptability
10. WRI – Accidental Discharge and Slug Control Plan
11. WRI – Spill Prevention Control and Countermeasures Plan

WPI Plot Plan

10-16-03 MW

FE 19



T. E. SANDLIN & ASSOCIATES

P. O. BOX 2534 • ORANGE PARK, FLORIDA 32067-2534 • (904) 215-9645

RECEIVED
JUL 26 2006

July 25, 2006

OFFICE OF THE
PROPERTY APPRAISER

Sandra Rose, CFE
Auditor
Duval County Property Appraiser
231 E. Forsyth Street
Jacksonville, FL. 32202


Ref: Water Recovery, Inc. Acct: 824157 0000

Dear Sandra:

Enclosed is the amended return for the above caption that includes DR-405, asset list as of 12/31/2005, historic data asset list for property 1998 and older, site plan and WRI qualifications/permit package. All for the purpose of supporting the request of pollution control devices for AD Valorem Tax assessment.

Thank you for your assistance in this matter.

Sincerely,



Thomas E. Sandlin, Sr.
Agent

2006

HONORABLE JIM OVERTON
DUVAL COUNTY PROPERTY APPRAISER
231 E. FORSYTH ST RM 270
JACKSONVILLE, FL 32202-3373

Tangible Personal Property Tax Return
Confidential §§193.074 F.S.
As Required by §§193.052 & 193.062 F.S. Return to
County Property Appraiser By April 1 to Avoid Penalties
State of Florida, County of **DUVAL**

Business Name (DBA - Doing Business As) and
Mailing Address

TPP NO. 824157 0000 USD1 5556
LOC ADDR: 1819 ALBERT ST
APPR AREA: 4-00-0-000-00

WATER RECOVERY, INC.
P. O. BOX 330569
ATLANTIC BEACH, FL. 32233-0569

Federal Employer Ident. No

--	--	--	--	--	--	--	--	--	--

Social Security Number

--	--	--	--	--	--	--	--	--	--

NAICS/SIC

--	--	--	--	--	--	--	--	--	--

If name and address is incorrect make necessary corrections

This return subject to audit with all records kept by you.

Incomplete entries are subject to penalties.

1. Please give name and telephone number of Owner or Person in charge of this Business.

Name MARK OWEN Telephone 475-9320Corporate Name Same

2. Actual Physical Location of Property for Which this Return is Filed (Street Address - Not P.O. Box)

1819 ALBERT ST.

3. Is your business or farm located within the incorporated limits of a City? Yes ___ No ___

What City? _____

4. Do You File a Tangible Personal Property Tax Return Under Any Other Name? Yes ___ No ___

Please Show name Exactly as it Appeared on Your most recent Personal Property Tax Bill or

Other Current Tax Return. _____

5. Date you began business in this county: _____ Fiscal year: _____

5a. Although my fiscal year ended prior to December 31 of the past calendar year, this return reflects property additions and deletions through December 31. Yes ___ No ___

6. Describe Type or Nature of Your Business: _____

7. Trade Level (Check as many as apply) Retail ☐ Wholesale ☐ Manufacturing ☐Professional ☐ Service ☐ Agriculture ☐ Leasing/Rental ☐ Other ☐

8. Did you file a Tangible Personal Property Return in this county last Year? Yes ___ No ___

If so, under what name and where? _____

9. Former owner of the Business: _____

9a. If Business sold, to whom? _____

Date Sold _____

Personal Property Summary

THIS IS A SUMMARY SCHEDULE ONLY. The Schedules on the REVERSE SIDE must be completed in detail and TOTALS entered below. ATTACH ITEMIZED LIST or DEPRECIATION SCHEDULE showing Original Cost & Date of Acquisition.

Taxpayer's Estimate of
Fair Market ValueOriginal
Installed
CostAppraiser's
Use only

10. Office Furniture & Office Machines & Library

11. EDP Equipment, Computers, Word Processors

12. Store, Bar & Lounge, and Restaurant Furniture & Equipment, Etc.

13. Machinery and Manufacturing Equipment

14. Farm, Grove, and Dairy Equipment

15. Professional, Medical, Dental & Laboratory Equipment

16. Hotel, Motel, & Apartment Complex

16a. Rental Units - Stove, Refrig., Furniture, Drapes & Appliances

17. Mobile Home Attachments (Carport, Utility Bldg., Cabana, Porch, Etc.)

18. Service Station & Bulk Plant Equipment - Underground Tanks, Lifts, Tools

19. Signs - Billboard, Pole, Wall, Portable, Directional, Etc.

20. Leasehold improvements must be grouped by type, year of installation and description

21. Pollution Control Equipment

22. Equipment owned by you but rented, leased or held by others

23. Supplies - Not Held for Resale

24. Other - Please Specify (Tool Set)

TOTAL PERSONAL PROPERTY

Under penalties of perjury, I declare that I have read the foregoing tax return and the accompanying schedules and statements and that the facts stated in them are true. If prepared by someone other than the taxpayer, the preparer signing this return certifies that this declaration is based on all information of which he/she has any knowledge.

DATE 7/25/06 TITLE AGENTSIGNED Letter of AuthoritySIGNED Thomas J. Sandlin (PREPARER)

ADDRESS _____

PHONE NO. 610-1222

PREPARER'S I.D. # _____

LESS EXEMPTION: () WIDOW () WIDOWER () BLIND
() TOTAL DISABILITY () OTHER

Taxable value

Deputy

Penalty

Please sign and date your return, send the original to the county appraiser's office by April 1, unsigned returns cannot be accepted by the appraiser's office.

Notice: If you are entitled to a widow's, widower's or disability exemption on personal property (not already claimed on real estate) consult appraiser.

Schedules on Reverse Side must be completed in Full.

DR-405
R. 11/01

Acct: 824157-0000

**WATER RECOVERY, INC.
2006 DELETIONS**

1819 Albert St.

LINE 13: MACH AND MANF. EQUIP(HVY. CONSR.)

10 YEAR LIFE

1986	Pressure Washer	\$ 3,213.00	20%	\$ 642.60
		\$ 3,213.00		\$ 642.60

LINE 13: MACH AND MANF. EQUIP (Lab. Equip.)

8 YEAR LIFE

2001	Perkin Elmer Mdl. P-400 W/Equip.	\$ 30,285.00	49%	\$ 14,975.93
	TOTAL	\$ 30,285.00		\$ 14,975.93

LINE 18: Bulk Plant Equip.

15 Year Life

1994	(3) Pump Model T4A60 B 4'	\$ 18,855.00	39%	\$ 7,423.21
1986	Bulk Storage Tank	\$ 97,101.00	20%	\$ 19,420.20
	TOTAL	\$ 115,956.00		\$ 26,843.41

GRAND TOTAL	\$ 149,454.00		\$ 42,461.95
-------------	---------------	--	--------------

Acct: 824157-0000

WATER RECOVERY, INC.

2006

1819 Albert Street

ACQUISITION DATE	ORIGINAL COST	DEPRE % GOOD	ASS'D VALUE
------------------	------------------	-----------------	----------------

Line 10: Off. Furn. & Fixt.**10 YEAR LIFE**

2001	\$ 1,535.00	67%	\$ 1,023.85
1990	\$ 4,099.00	20%	\$ 819.80
TOTAL	\$ 5,634.00		\$ 1,843.65

LINE 11: EDP EQUIP**4 YEAR LIFE**

2002	\$ 1,121.00	18%	\$ 201.78
2001	\$ 7,500.00	12%	\$ 900.00
TOTAL	\$ 8,621.00		\$ 1,101.78

LINE 13: MACH AND MANF. EQUIP. 2100**10 YEAR LIFE**

2005	\$ 47,267.00	92%	\$ 43,485.64
2004	\$ 24,579.00	91%	\$ 22,298.07
2003	\$ 8,340.00	85%	\$ 7,099.01
2002	\$ 47,359.00	76%	\$ 36,172.80
2001	\$ 400,417.00	67%	\$ 267,078.14
1994	\$ 129,470.00	20%	\$ 25,894.00
	\$ 657,432.00		\$ 402,027.66

LINE 13: MACH AND MANF. EQUIP (Lab. Equip.) 2105**8 YEAR LIFE**

2005	\$ 50,177.00	90%	\$ 45,159.30
2003	\$ 27,181.00	75%	\$ 20,396.62
2001	\$ 1,858.00	49%	\$ 918.78
2000	\$ 5,200.00	38%	\$ 1,990.56
TOTAL	\$ 84,416.00		\$ 68,465.26

LINE 17: Utility Bldg (Lab.)**10 YEAR LIFE**

2003	\$ 2,750.00	85%	\$ 2,340.80
1993	\$ 15,062.00	20%	\$ 3,012.40
TOTAL	\$ 17,812.00		\$ 5,353.20

LINE 18: Bulk Plant Equip. 2100**15 Year life**

2005	\$ 137,131.00	95%	\$ 130,274.45
2003	\$ 1,888.00	95%	\$ 1,795.47
2001	\$ 608,201.00	84%	\$ 510,584.74
1994	\$ 53,798.00	39%	\$ 21,180.27
1987	\$ 131,701.00	20%	\$ 26,340.20
1986	\$ 220,313.00	20%	\$ 44,062.60
TOTAL	\$ 1,153,030.00		\$ 734,237.73

Acct: 824157-0000

WATER RECOVERY, INC.

2006

1819 Albert Street

ACQUISITION DATE	ORIGINAL COST	DEPRE % GOOD	ASS'D VALUE
------------------	------------------	-----------------	----------------

Line 19: Signs

10 Year Life

2005	\$ 1,872.00	92%	\$ 1,722.24
2001	\$ 1,252.00	67%	\$ 835.08
TOTAL	\$ 3,124.00		\$ 2,557.32

Line 23: Supplies

100%

2006	\$ 2,500.00		\$ 2,500.00
------	-------------	--	-------------

Line 24: Other (Tool Set)


5 Year Life

2001	\$ 1,545.00	26%	\$ 408.65
	\$ 1,545.00		\$ 408.65

GRAND TOTAL	\$ 1,934,114.00		\$ 1,218,495.26
--------------------	------------------------	--	------------------------

WATER RECOVERY, INC.


Industrial Wastewater Treatment Used Oil Processing



Waste Disposal Made Safe and Simple

Water Recovery, Inc. (WRI) specializes in eliminating both the liability and the headache from industrial waste disposal. Our state-of-the-art industrial wastewater and used oil recovery facility opened in July of 2001. The facility is designed and built to satisfy the stringent new standards promulgated for the Centralized Waste Treatment (CWT) Industry. WRI is permitted by the Jacksonville Electric Authority for

Industrial wastewater (including landfill leachate) and the Florida Department of Environmental Protection for Used Oil Processing and Petroleum Contact Water (PCW). The facility includes over 700,000 gallons of storage capacity and is permitted to process up to 300,000 gal/per day. Our friendly professional staff will provide regulatory support including paperwork and profiling. WRI also has close relationships with all the major transporters in Jacksonville and can provide fast, reliable transportation service for all of your waste hauling needs.



Water Recovery, Inc.

1819 Albert Street
Jacksonville
FL 32202

Phone: (904) 475-9320
Fax: (904) 475-9449
www.wrijax.com

- Professional staff includes professional engineers and an on-site chemist
- Regulatory compliance/technical support
- Large volume off-load pumps (3 stations) for fast truck turn-around
- Reliable and responsive transportation
- Conveniently located in downtown Jacksonville with nearby interstate access
- Efficient plant + capable staff = competitive pricing

EnviroTech Southeast, Inc.
Tangible Personal Property Tax Return
1998

Note: Taxpayer used depreciated book value as fair market value

Line	Description of Item	Age	Year Purchased	Taxpayer's		Taxpayer's			Original Installed Cost
				Estimate of Fair Market Value	Good	Estimate of Condition	Avg	Poor	
Line 13:									
3/10	Auto Sampler (Blakenship)	13/10	6,196.00	7	1990	X			2,000.00
"	Ingersol Rand 150 CFM Air Comp	13/10	2,000.00	4	1993	X			2,000.00
"	Piping and Valves	13/10	46,195.32	3	1994	X			62,883.00
"	East Unloading Pad Sump Pit	13/10	3,237.86	2	1994	X			3,847.00
"	Heater-Inter Medican 2 MBTU/Medium/Inst	13/10	21,606.75	2	1994	X			29,463.87
4/14	Boiler upgrade - part of heater system	13/10	6,358.76	1	1997	X			10,130.00
13/10	Seperator Sump Pit	13/10	6,476.12	3	1994	X			7,500.00
3/15	Bulk Storage Tank	13/15	630.54	11	1986			X	2,000.00
"	Bulk Storage Tank	13/15	10,499.80	11	1986			X	38,651.36
"	Bulk Storage Tank	13/15	1,031.21	11	1986			X	1,000.00
"	Bulk Storage Tank (104)	13/15	131,897.77	11	1986			X	131,897.77
"	12,000 Gal. Tank 600D 2Ea	13/15	2,166.98	7	1990		X		10,000.00
"	20,000 Gal. Vertical Tank - Oil	13/15	8,455.11	10	1987		X		38,651.36
"	20,000 Gal. Vertical/Ht Exchg/Upgrade Tank - Oil	13/15	11,900.16	10	1987	X			54,398.97
"	20,000 Gal. Vertical Tank - Oil	13/15	8,455.11	10	1987		X		38,651.36
"	Tank - Oil	13/15	3,886.40	3	1994	X			5,205.00
"	Tank - Oil	13/15	3,886.40	3	1994	X			5,205.00
"	Tank - Oil	13/15	8,099.22	3	1994	X			10,847.00
"	Tank - Oil	13/15	8,099.22	3	1994	X			10,847.00
"	Tank - Oil	13/15	8,099.22	3	1994	X			10,847.00
"	Tank - Oil	13/15	8,099.22	3	1994	X			10,847.00
"	Horizontal Riveted Tank (divided) - Water	13/15	1,319.82	11	1986			X	1,319.82
"	Horizontal Riveted Tank - Water	13/15	1,319.82	11	1986			X	1,319.82
"	Horizontal Riveted Tank (divided) - Water	13/15	1,319.82	11	1986			X	1,319.82
"	Horizontal Riveted Tank - Water	13/15	1,319.82	11	1986			X	1,319.82
"	40,000 Gal. Vertical Tank - Water	13/15	10,499.80	11	1986			X	88,414.99
"	Tank - Water	13/15	9,666.22	3	1994	X			10,000.00
"	Freight on Sem Frac	13/15	256.47	7	1990	X		X	1,000.00
"	Sem Frac Tank	13/15	1,687.50	7	1990	X		X	5,000.00
"	Frac Tank	13/15	568.61	9	1988	X		X	6,000.00
3/15	Pipe Fitting Equip.	13/15	112.00	9	1988	X		X	2,000.00
"	Dual Pod Filter	13/10	2,765.00	11	1986			X	2,000.00
"	Hotsy Steamer	13/10	1,200.00	1	1998	X		X	4,710.00
"	Bobcat	13/10	1,257.21	4	1993	X		X	1,000.00
13/10	Lel Equipment	13/10	3,483.55	4	1993	X		X	3,483.55

Continued

EnviroTech Southeast, Inc.
Tangible Personal Property Tax Return
1998

Note: Taxpayer used depreciated book value as fair market value

Line 13 Continued:

Description of Item	Age	Year Purchased	Taxpayer's Estimate of Fair Market Value	Taxpayer's Estimate of Condition			Original Installed Cost
				Good	Avg	Poor	
13/10 Spill Response Trailer	4	1993	1,065.00	X			6,390.00
" Hose	4	1993	-	X			22,734.66
" 2 M15 Wilden Pump	4	1993	-	X			1,054.40
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			8,225.00
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			6,285.00
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			6,285.00
" Unloading Pump Model T4A60 B 4"	3	1994	2,304.50	X			6,285.00
" Welding Mod 8	3	1994	1,564.00	X			2,320.00
" Separator VTC-200F	3	1994	19,815.30	X			28,998.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	7,273.40	X			10,644.00
" Mixer Model #1105 2/37	3	1994	12,155.26	X			17,788.00
" Bowie 3" pump	2	1995	2,566.20	X			5,400.00
" Bowie 3500 Pump	1	1996	512.40	X			3,074.46
" Model 90 Gear Chem -Chemical Pump	1	1996	375.06	X			750.00
" Devilbiss Compress/motor/tank	1	1996	391.71	X			500.00
" Model 90 Gear Chem -Chemical Pump	1	1996	375.06	X			750.00
" Ex-Cell 3200 PSI Pressure Washer	1	1996	950.30	X			1,425.50
3/54 Lab. Equipment	3	1994	3,871.76	X			10,559.00
			<u>301,400.55</u>				<u>928,574.85</u>

13/10 96' 7,700.00
 95' 5,499.00
 94' 239,274.00
 93' 36,262.00
 90' 6,196.00
 86' 7,763.00

13/15 94' 56,744.00
 90' 8,638.00
 88' 9,585.00
 87' 131,701.00
 86' 414,977.00

13/16 93' 15,089.00
13/15 94' 10,559.00

10/6

Template Book Asset Detail

52-2183567
FYE: 12/31/2005

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
---------	----------------------	-----------------	-----------	------------------	----------------	-------------------------	---------------------------	---------------	----------------	-------------	-------------

Group: Furniture and Fixtures

5	Computer	2/01/01	2,484.53	11/4	0.00	0.00	1,946.23	496.91	2,443.14	41.39 S/L	5.00
44	Dell PC-Harvey Stimms	3/11/02	1,121.37	11/4	0.00	0.00	635.44	224.27	859.71	261.66 S/L	5.00
55	Canopy	2/21/03	2,750.00	17/10	0.00	0.00	1,006.33	550.00	1,558.33	1,191.67 S/L	5.00
	Furniture and Fixtures		6,355.90		0.00 c	0.00	3,590.00	1,271.18	4,861.18	1,494.72	

Group: Lab Equipment

1	Lab equipment	12/15/00	5,200.00	10/3	0.00	0.00	2,123.33	520.00	2,643.33	2,556.67 S/L	10.00
6	Lab Bench & Desk	2/01/01	614.50	10/10	0.00	0.00	331.34	66.63	387.97	226.53 200DB	10.00
7	Lab Bench and Desk	4/01/01	920.89	11	0.00	0.00	345.34	92.09	437.43	483.45 S/L	10.00
8	Lab Equipment	4/01/01	1,858.10	10/3	0.00	0.00	696.79	185.81	882.60	975.50 S/L	10.00
9	Pentair Elmer Model P-400-10P	10/01/01	29,427.41	8-88	0.00	0.00	11,376.96	1,184.48	12,565.44	15,874.97 S/L	10.00
61	Upgrade Lab Equipment	11/07/03	4,970.00	10/3	0.00	0.00	579.83	497.00	1,076.83	3,893.17 S/L	10.00
62	Leecate Tank Project	11/15/03	22,211.26	11	0.00	0.00	2,591.32	2,221.13	4,812.45	17,398.81 S/L	10.00
90	Lab Equipment- Spectro	9/01/05	9,890.00	10/3	0.00 c	0.00	0.00	329.67	329.67	9,560.33 S/L	10.00
91	Lab Equipment- Spectro	9/01/05	39,560.00	11	0.00 c	0.00	0.00	1,318.67	1,318.67	38,241.33 S/L	10.00
114	Lab Vents	12/01/05	256.63	11	0.00 c	0.00	0.00	4.28	4.28	252.35 S/L	5.00
115	Lab Equip - Fabco Ent	12/05/05	469.73	11	0.00 c	0.00	0.00	7.83	7.83	461.90 S/L	5.00
	Lab Equipment		114,378.51		0.00 c	0.00	18,038.91	6,417.59	24,456.50	89,922.01	
	*Less: Dispositions		28,427.41		0.00	0.00	11,370.96	0.00	12,555.44	15,871.97	
	Net Lab Equipment		85,951.10		0.00 c	0.00	6,667.95	6,417.59	11,901.06	74,050.04	

Group: Leasehold Improvements

21	Containment	5/01/01	9,597.04	N/A	0.00	0.00	1,759.45	479.86	2,239.30	7,357.74 S/L	20.00
22	Control Room Ceiling	8/01/01	1,040.00	11	0.00	0.00	177.67	52.00	229.67	810.33 S/L	20.00
23	Electrical System	4/01/01	44,882.00	13/10	0.00	0.00	8,415.38	2,244.10	10,659.48	34,222.52 S/L	20.00
24	Electrical System	6/01/01	35,000.00	11	0.00	0.00	6,270.83	1,750.00	8,020.83	26,979.17 S/L	20.00
25	Electrical System	7/01/01	40,273.52	11	0.00	0.00	7,047.88	2,013.68	9,061.56	31,211.96 S/L	20.00
26	Electrical System	8/01/01	24,413.80	11	0.00	0.00	4,170.69	1,220.69	5,391.38	18,022.42 S/L	20.00
27	Electrical System	9/01/01	32,922.00	11	0.00	0.00	5,487.00	1,646.10	7,133.10	25,788.90 S/L	20.00
28	Engineering/Permitting	9/01/01	4,302.54	11	0.00	0.00	717.10	215.13	932.23	3,370.31 S/L	20.00
29	Mechanical Systems	10/01/01	90,332.00	11	0.00	0.00	14,678.95	4,516.60	19,195.55	71,136.45 S/L	20.00
30	Mechanical Systems	11/01/01	51,610.88	11	0.00	0.00	8,171.68	2,580.53	10,752.21	40,858.47 S/L	20.00
32	Oil Heater Upgrade	9/01/01	11,294.01	11	0.00	0.00	2,023.51	564.70	2,588.21	8,705.80 S/L	20.00
33	Oil Tank Improvements	4/01/01	27,286.20	13/15	0.00	0.00	5,116.54	1,394.41	6,480.95	20,807.25 S/L	20.00
34	Platforms and Stairways	4/01/01	2,817.63	11	0.00	0.00	528.30	140.88	669.18	2,148.45 S/L	20.00
35	Platforms and Stairways	5/01/01	21,894.86	11	0.00	0.00	4,014.01	1,094.73	5,108.74	16,785.91 S/L	20.00
36	Platforms and Stairways	6/01/01	5,576.33	11	0.00	0.00	999.10	278.82	1,277.92	4,298.41 S/L	20.00
37	Platforms and Stairways	7/01/01	12,212.51	11	0.00	0.00	2,137.20	610.63	2,747.83	9,464.68 S/L	20.00
38	Platforms and Stairways	12/01/01	2,559.14	11	0.00	0.00	394.54	127.96	522.50	2,036.64 S/L	20.00
39	Signs	4/01/01	1,251.90	19/10	0.00	0.00	234.75	62.60	297.35	954.55 S/L	20.00

52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
40	Signs	9/01/01	297,464.91	0.00	0.00	49.57	14.87	64.44	233.02 S/L		20.00
41	Stilework	5/01/01	9,568.78	0.00	0.00	1,754.28	478.44	2,232.72	7,336.06 S/L		20.00
42	Stilework	6/01/01	17,891.26	N/A	0.00	3,205.51	894.56	4,100.07	13,791.19 S/L		20.00
43	Stilework	7/01/01	6,664.42	0.00	0.00	1,169.72	334.22	1,503.98	5,160.43 S/L		20.00
53	L.H. Dillon Engineering	6/27/02	4,995.92	N/A	0.00	312.25	124.90	437.15	4,558.77 S/L		40.00
54	Chain Link Fence-L.H.	10/14/02	2,612.00	N/A	0.00	146.93	66.30	212.23	2,399.77 S/L		40.00
60	Asphalt Work	4/01/03	3,828.30	N/A	0.00	334.98	191.42	526.40	3,301.90 S/L		20.00
63	Asphalt Work	7/15/03	4,278.30	N/A	0.00	320.88	213.92	534.80	3,743.50 S/L		20.00
Leasehold improvements			469,424.39	0.00 c	0.00	79,638.75	23,281.04	102,919.79	366,504.60		

Group: Mechanical Equipment

15	DAF Unit	4/01/01	261,404.10	18/15	0.00	0.00	98,026.54	26,140.41	124,166.95	137,237.15 S/L	10.00
16	Officed Pumps	7/01/01	4,664.18	13/10	0.00	0.00	1,632.47	486.42	2,098.89	2,566.27 S/L	10.00
17	Tanks Valve and Control Systems	4/01/01	74,177.23	11	0.00	0.00	27,816.45	7,417.72	35,234.17	38,943.06 S/L	10.00
31	Officed Pumps	4/01/01	3,446.07	11	0.00	0.00	1,292.29	344.61	1,636.90	1,809.17 S/L	10.00
46	Control system upgrade	7/21/02	2,040.00	11	0.00	0.00	986.00	408.00	1,394.00	846.00 S/L	5.00
47	Pump Upgrade	8/20/02	2,061.89	11	0.00	0.00	962.22	412.38	1,374.60	687.29 S/L	5.00
48	Diaphragm Pump-O/S Planter	9/09/02	1,146.16	11	0.00	0.00	534.57	229.23	764.10	382.06 S/L	5.00
49	Sludge Tank Cover	11/08/02	546.31	11	0.00	0.00	236.73	109.26	345.99	200.32 S/L	5.00
50	2 Wheeled Drip Pans	11/08/02	1,294.80	11	0.00	0.00	561.08	258.96	820.04	474.76 S/L	5.00
51	Sludge Press Chute	11/14/02	3,210.00	11	0.00	0.00	1,391.00	642.00	2,033.00	1,177.00 S/L	5.00
57	Steel cage	2/10/03	1,052.82	11	0.00	0.00	403.58	210.56	614.14	438.68 S/L	5.00
58	Heaters	2/03/03	1,143.23	11	0.00	0.00	436.24	228.65	666.89	476.34 S/L	5.00
59	Pump	5/01/03	1,368.22	11	0.00	0.00	456.07	273.64	729.71	638.51 S/L	5.00
64	Pump	7/15/03	2,657.25	11	0.00	0.00	797.18	531.45	1,328.63	1,328.62 S/L	5.00
65	Various Mechanical Equipment	7/15/03	2,191.13	11	0.00	0.00	667.34	438.23	1,095.57	1,095.56 S/L	5.00
79	Overflow protection System	3/31/05	2,512.93	11	0.00 c	0.00	0.00	376.94	376.94	2,135.99 S/L	5.00
80	US Filterpolymer Blender	3/31/05	7,045.08	11	0.00 c	0.00	0.00	1,056.76	1,056.76	5,988.32 S/L	5.00
81	Trailer Mounted Vacuum System	3/10/05	7,500.00	11	0.00 c	0.00	0.00	1,250.00	1,250.00	6,250.00 S/L	5.00
83	Overflow Protection System	4/01/05	881.15	11	0.00 c	0.00	0.00	132.17	132.17	748.98 S/L	5.00
84	Overflow Protection System	4/09/05	925.55	11	0.00 c	0.00	0.00	138.83	138.83	786.72 S/L	5.00
85	Overflow Protection System	4/19/05	925.55	11	0.00 c	0.00	0.00	123.41	123.41	802.14 S/L	5.00
86	Overflow Protection System	5/14/05	1,851.10	11	0.00 c	0.00	0.00	246.81	246.81	1,604.29 S/L	5.00
87	Capz Piping Improvement	6/30/05	2,221.19	11	0.00 c	0.00	0.00	222.12	222.12	1,999.07 S/L	5.00
88	TLR Mounted Vac System	5/26/05	14,000.00	11	0.00 c	0.00	0.00	1,633.33	1,633.33	12,366.67 S/L	5.00
92	Auto Equipment - Remediation Vacuu	7/14/05	662.65	11	0.00 c	0.00	0.00	47.33	47.33	615.32 S/L	7.00
112	Mech Equip - Barnes Industrial Plastik	12/01/05	208.26	11	0.00 c	0.00	0.00	3.47	3.47	204.79 S/L	5.00
113	Mech Equip - Fabco Enterprises	12/05/05	668.75	11	0.00 c	0.00	0.00	11.15	11.15	657.60 S/L	5.00
Mechanical Equipment			401,805.58	0.00 c	0.00	136,192.06	43,363.84	179,545.80	222,259.66		

Group: Shop Equipment

18	5 Diaphragm Pumps	6/01/01	742.58	0.00	0.00	266.10	74.26	340.36	402.22 S/L		10.00
----	-------------------	---------	--------	------	------	--------	-------	--------	------------	--	-------

52-2183567
 FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
19	5 Diaphragm Pumps	7/01/01	3,097.86	13110 0.00	0.00	1,084.26	309.79	1,394.05	1,703.81 S/L		10.00
20	Tool Set	7/01/01	1,545.32	8415 0.00	0.00	540.86	154.53	695.39	849.93 S/L		10.00
52	Pressure Washer	7/28/02	3,212.68	9410 0.00	0.00	1,552.86	642.54	2,195.41	1,047.34 S/L		5.00
89	Shop Equip- GasAlertMax Confined S	7/01/05	1,365.00	13110 0.00 c	0.00	0.00	68.25	68.25	1,296.75 S/L		10.00
	Shop Equipment		9,963.44	0.00 c	0.00	3,444.02	1,249.37	4,693.39	5,270.05		

Group: Tank Equipment

10	New Water Tanks	3/01/01	159,114.45	13115 0.00	0.00	60,993.89	15,911.45	76,905.34	82,209.11 S/L		10.00
11	New Water Tanks	4/01/01	29,689.32	11 0.00	0.00	11,125.99	2,968.93	14,092.92	15,578.40 S/L		10.00
12	New Water Tanks	5/01/01	18,430.98	11 0.00	0.00	6,758.03	1,843.10	8,601.13	9,829.86 S/L		10.00
13	New Water Tanks	6/01/01	73,180.76	11 0.00	0.00	26,215.95	7,316.08	33,532.03	39,628.73 S/L		10.00
14	New Water Tanks	7/01/01	12,245.16	11 0.00	0.00	4,285.82	1,224.52	5,510.34	6,734.82 S/L		10.00
45	Header Upgrade	7/22/02	37,059.66	13110 0.00	0.00	17,912.17	7,411.93	25,324.10	11,735.66 S/L		5.00
56	Ladder Platform	3/06/03	1,885.89	13115 0.00	0.00	691.50	372.18	1,068.68	817.21 S/L		5.00
66	Lecceate Tank Project	2/24/04	443.37	13110 0.00	0.00	73.90	88.67	162.57	280.80 S/L		5.00
67	Masthead	3/31/04	398.68	11 0.00	0.00	59.80	78.74	139.54	289.14 S/L		5.00
68	Power Pump	3/31/04	3,072.98	11 0.00	0.00	460.95	614.60	1,075.55	1,997.43 S/L		5.00
69	Laceate Tank Upgrade	4/30/04	3,996.01	11 0.00	0.00	532.80	799.20	1,332.00	2,664.01 S/L		5.00
70	Laceate Tank Upgrade	5/31/04	3,075.85	11 0.00	0.00	358.85	615.17	974.02	2,101.83 S/L		5.00
71	Laceate Tank Upgrade	6/30/04	1,578.79	11 0.00	0.00	157.88	315.76	473.64	1,105.15 S/L		5.00
72	Tank Equipment Upgrade	7/31/04	5,653.45	11 0.00	0.00	471.12	1,130.69	1,601.81	4,051.64 S/L		5.00
73	Tank Equipment	12/17/04	2,250.00	11 0.00	0.00	0.00	372.00	450.00	1,800.00 S/L		5.00
74	Tank Equipment	11/30/04	1,860.00	11 0.00	0.00	31.00	372.00	403.00	1,457.00 S/L		5.00
75	EQ Tank Project	10/05/04	2,250.00	11 0.00	0.00	112.50	450.00	562.50	1,687.50 S/L		5.00
76	Equalization Tank Work	3/01/05	3,000.00	11 0.00 c	0.00	0.00	500.00	500.00	2,500.00 S/L		5.00
77	Hudson Pump-DAF Pump	3/31/05	2,014.81	11 0.00 c	0.00	0.00	302.22	302.22	1,712.59 S/L		5.00
78	Beatings & Drives DAF	3/31/05	1,483.59	11 0.00 c	0.00	0.00	222.54	222.54	1,261.05 S/L		5.00
82	Equalization Tank	6/30/05	94,893.05	13115 0.00 c	0.00	0.00	4,744.65	4,744.65	90,148.40 S/L		10.00
93	Ber Grating - FABCO	7/06/05	1,501.21	11 0.00 c	0.00	0.00	150.12	150.12	1,351.09 S/L		5.00
94	Tank Equipment - W&O Supply	7/13/05	4,145.76	11 0.00 c	0.00	0.00	414.56	414.56	3,731.18 S/L		5.00
95	Tank Equipment - FABCO	7/15/05	749.00	11 0.00 c	0.00	0.00	74.90	74.90	674.10 S/L		5.00
96	Tank Equipment - FABCO	7/15/05	856.00	11 0.00 c	0.00	0.00	85.60	85.60	770.40 S/L		5.00
97	Tank Equipment - W&O Supply	7/26/05	314.73	11 0.00 c	0.00	0.00	26.23	26.23	288.50 S/L		5.00
98	Tank Equipment - FABCO	8/05/05	428.00	11 0.00 c	0.00	0.00	36.67	36.67	391.33 S/L		5.00
99	Tank Equipment - FABCO	8/08/05	650.56	11 0.00 c	0.00	0.00	54.21	54.21	596.35 S/L		5.00
100	Tank Equipment - W&O Supply	8/24/05	204.47	11 0.00 c	0.00	0.00	13.63	13.63	190.84 S/L		5.00
101	Tank Equipment - W&O Supply	8/30/05	152.41	11 0.00 c	0.00	0.00	10.16	10.16	142.25 S/L		5.00
102	Tank Equipment - W&O Supply	9/07/05	139.10	11 0.00 c	0.00	0.00	9.27	9.27	129.83 S/L		5.00
103	Tank Equipment - A-Jex	9/12/05	44.01	11 0.00 c	0.00	0.00	2.93	2.93	41.08 S/L		5.00
104	Tank Equipment - FABCO	9/14/05	11,632.80	11 0.00 c	0.00	0.00	775.52	775.52	10,857.28 S/L		5.00
105	Tank Equipment - Barnes	9/14/05	1,976.91	11 0.00 c	0.00	0.00	131.79	131.79	1,845.12 S/L		5.00
106	Tank Equipment - Barnes	9/14/05	299.40	11 0.00 c	0.00	0.00	19.96	19.96	279.44 S/L		5.00
107	Tank Equipment - A-Jex	9/15/05	62.72	11 0.00 c	0.00	0.00	4.18	4.18	58.54 S/L		5.00

52-2183567
FYE: 12/31/2005

Template Book Asset Detail

Asset *	Property Description	Date In Service	Book Cost	Book Sec 179 Exp	Book Sal Value	Book Prior Depreciation	Book Current Depreciation	Book End Depr	Book Net Value	Book Method	Book Period
108	Tank Equipment - W&O Supply	9/19/05	162,221	18/15	0.00 c	0.00	0.00	8.11	8.11	154.11 S/L	5.00
109	Tank Equipment - W&O Supply	9/19/05	246,191	11	0.00 c	0.00	0.00	12.31	12.31	233.88 S/L	5.00
110	Tank Equipment - FABCO	9/30/05	2,022.30	11	0.00 c	0.00	0.00	101.12	101.12	1,921.18 S/L	5.00
111	Tank Equipment - TSC	9/30/05	10,876.95	11	0.00 c	0.00	0.00	543.85	543.85	10,333.10 S/L	5.00
116	Tank Equipment - Doherty Brothers	10/01/05	350.00	11	0.00 c	0.00	0.00	17.50	17.50	332.50 S/L	5.00
117	Tank Equipment - Gen Sign Serv	11/14/05	936.25	19/10	0.00 c	1,487,711	31.21	31.21	905.04 S/L	5.00	
118	Tank Equipment	11/17/05	1,487.71	18/15	0.00 c	0.00	24.80	24.80	1,462.91 S/L	5.00	
119	Tank Equipment - Gen Sign Service	12/14/05	936.25	19/10	0.00 c	1,487,711	15.60	15.60	920.65 S/L	5.00	
	Tank Equipment		497,711.76	0.00 c	0.00	130,242.15	50,289.68	180,541.83	317,169.93		
	Grand Total		1,499,639.58	0.00 c	0.00	371,145.89	125,872.70	497,018.59	1,002,620.99		
	Less: Dispositions		28,427.41	0.00	0.00	11,370.96	0.00	12,555.44	15,871.97		
	Net Grand Total		1,471,212.17	0.00 c	0.00	359,774.93	125,872.70	484,463.15	986,749.02		

ACORD**CERTIFICATE OF LIABILITY INSURANCE**DATE (MM/DD/YY)
02/14/06**PRODUCER**Aon Risk Services, Inc. of Florida
13901 Sutton Park Drive South
Suite 360 - Building C
Jacksonville FL 32224 USA

PHONE: (904) 724-2001

FAX: (904) 223-1155

INSUREDWater Recovery, Inc.
P O Box 330569
Jacksonville FL 32233-2613 USATHIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY
AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS
CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE
COVERAGE AFFORDED BY THE POLICIES BELOW.**INSURERS AFFORDING COVERAGE**

INSURER A: Indian Harbor Insurance Company

INSURER B: Zurich American Ins Co

INSURER C: Commerce & Industry Ins Co

INSURER D: Greenwich Insurance Company

INSURER E:

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING
ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY
PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES.
AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSE LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE(MM/DD/YY)	POLICY EXPIRATION DATE(MM/DD/YY)	LIMITS
D	GENERAL LIABILITY ☒ COMMERCIAL GENERAL LIABILITY CLAIMS MADE ☒ OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: ☐ POLICY ☐ PRO- JECT ☐ LOC	GEC000860805 General Liability	02/15/06	02/15/07	EACH OCCURRENCE \$1,000,000 FIRE DAMAGE(Any one fire) \$100,000 MED EXP (Any one person) \$5,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000
B	AUTOMOBILE LIABILITY ☒ ANY AUTO ☐ ALL OWNED AUTOS ☐ SCHEDULED AUTOS ☒ HIRED AUTOS ☒ NON OWNED AUTOS ☒ includes MCS-90	BAP9046516	01/18/06	01/18/07	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)
	GARAGE LIABILITY ☐ ANY AUTO				AUTO ONLY - EA ACCIDENT OTHER THAN EA ACC AUTO ONLY: AGG
	EXCESS LIABILITY ☐ OCCUR ☐ CLAIMS MADE ☐ DEDUCTIBLE ☐ RETENTION				EACH OCCURRENCE AGGREGATE
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	WC2955599 Workers Comp / USL&H incl.	01/18/06	01/18/07	☒ WC STATU- TORY LIMITS ☐ OTH- ER EL. EACH ACCIDENT \$1,000,000 EL. DISEASE-POLICY LIMIT \$1,000,000 EL. DISEASE-EA EMPLOYEE \$1,000,000
A	OTHER ☒ Pollution/Env Imp	PEC000860901	02/15/04	02/15/07	Aggregate Limit \$2,000,000 Per Claim Limit \$1,000,000

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

CERTIFICATE HOLDERWater Recovery Inc.
Attn: Mark Owens
1819 Albert Street
Jacksonville FL 32202 USA**CANCELLATION**SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION
DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL
30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT,
BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY
OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE



2005-2006 **OCCUPATIONAL LICENSE TAX**

MIKE HOGAN

OFFICE OF THE TAX COLLECTOR

CITY OF JACKSONVILLE / COUNTY OF DUVAL, FLORIDA

231 EAST FORSYTH STREET ROOM 130, JACKSONVILLE, FL 32202 PHONE: (904)630-2080 FAX: (904)630-1432

Note: A penalty is imposed for failure to keep this license exhibited conspicuously at your establishment or place of business.

This license is furnished in pursuance of chapter 770-772 City ordinance codes.

WATER RECOVERY INC
MICHAEL M DOHERTY
1819 ALBERT ST
JACKSONVILLE, FL 32202-1103

06

ACCOUNT NUMBER: 176407-0000-1

LOCATION ADDRESS: 1819 ALBERT ST
32202-1103

DESCRIPTION: PUBLIC SERVICE OR REPAIR, NOT SPEC

County License Code: 770.323-079
Municipal License Code: 772.326

County Tax: \$33.75
Municipal Tax: \$66.25
Total Tax Paid: \$100.00

VALID FROM OCTOBER 1, 2005 TO SEPTEMBER 30, 2006

RCPT #: 001T001416 DATE: 9/30/2005 AMT: \$100.00

ATTENTION

*****The Following Construction Contractors Require Additional Licensure*****

**ALARM
RESIDENTIAL
ELECTRICAL
MECHANICAL
GENERAL
UNDERGROUND UTILITY
REFRIGERATION**

**POOL
BUILDING
SHEET METAL
PLUMBING
CARPENTRY
HEATING**

**ALUMINUM/VINYL
ROOFING
SOLAR
IRRIGATION
WATER TREATMENT
AIR CONDITIONING**

This is an occupational license tax only. It does not permit the licensee to violate any existing regulatory or zoning laws of the County or City. Nor does it exempt the licensee from any other license or permit required by law. This is not a certification of the licensee's qualification.

Mike Hogan
TAX COLLECTOR

THIS BECOMES A RECEIPT AFTER VALIDATION



Industrial Pretreatment

CATEGORICAL

INDUSTRIAL USER DISCHARGE PERMIT #099

In accordance with the provisions of JEA's *Industrial Pretreatment Regulation*:

Water Recovery, Inc.

(hereinafter referred to as "Permittee"), located at

1819 Albert Street

is hereby authorized to discharge industrial wastewater from the above location into the District I (Buckman) Publicly Owned Treatment Works (POTW), in accordance with the conditions set forth in this permit. Compliance with this permit does not relieve Permittee of its obligation to comply with any or all applicable pretreatment regulations, standards or requirements under local, State and Federal laws, including any such regulations, standards, requirements, or laws that may become effective during the term of this permit. Noncompliance with any term or condition of this permit shall constitute a violation of JEA's *Industrial Pretreatment Regulation* and may subject Permittee to enforcement action pursuant thereto.

This permit shall become effective on: July 09, 2005.

This permit shall expire at midnight on: July 01, 2008.

The deadline to apply for permit reissuance is: March 01, 2008.

A handwritten signature in black ink, appearing to read "D. P. Parnell", is written over a horizontal line.

Daniel P. Parnell, Manager
Industrial Pretreatment

21 West Church Street
Jacksonville, Florida 32202-3139

Regular Mail



April 07, 2005

Mark Owens, PE
Plant Manager
Water Recovery, Inc. (WRI)
1819 Albert St.
Jacksonville, FL 32202

E L E C T R I C

RE: ANNUAL INSPECTION

W A T E R

Dear Mr. Owens:

S E W E R

As you are aware the JEA Industrial Pretreatment Department performed an annual pretreatment inspection at WRI on April 01, 2005.

The purpose of this inspection was to examine the facility and review records for compliance with Industrial User Discharge Permit (IUDP) # 099. The Florida Department of Environmental Protection (FDEP) requires JEA to perform annual pretreatment inspections.

During the inspection I did not observe any apparent permit violations. In addition, I would like to mention that you have done a good job screening wastestream(s), and maintaining operation of the pretreatment plant as evidenced by your recent good compliance record.

The JEA Industrial Pretreatment Department staff would like to thank you, as well as other facility employees for assisting during the inspection. If you have any questions regarding this matter, please contact me at (904) 665-4522.

Sincerely,

A handwritten signature in cursive script that reads "Randy Hilton".

Randy Hilton
Environmental Scientist Senior
Industrial Pretreatment

cc: iuf/ip



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

PERMITTEE:

Water Recovery, Inc.
1819 Albert Street
Jacksonville, Florida 32202

Attn.: Mr. Mark Owens, Plant Manager

L.D. Number: FLR 000 069 062

Permit/Cert Number: 79677-HO-06

Date of Issue: April 25, 2006

Expiration Date: October 11, 2010

County: Duval

Lat/Long: 30° 19' 45" N/81° 37' 25" W

Project: Used Oil Processing Facility

This permit renewal is issued under the provisions of Chapter 403, Florida Statutes, and Florida Administrative Code Rule(s) 62-4, 62-701, 62-710, 62-730, 62-740 and 40 Code of Federal Regulations (CFR) Part 279. The above named Permittee is hereby authorized to perform the work or operate the facility shown on the application and approved drawing(s), plans, and other documents attached hereto or on file with the Department and made a part hereof and specifically described as follows:

To operate a Used Oil Processing Facility consisting of a tank storage and processing area and a container storage area, hereinafter referred to as "Facility" (Attachment A).

The tank storage and processing area consists of ten (10) aboveground storage tanks and a heater unit, which may be used to store or process used oil, oily water, petroleum contact water (PCW), sludges/solids, and water. Tanks 1-P, 2-P, 3-P, 4-P, 5-P, 6-P, 7-P, 8-P, 9-P, 10-P and the Heater are located within secondary containment on the north side of the facility. Tanks 1-P, 2-P and 3-P have a capacity of 23,232 gallons each. Tank 4-P has a capacity of 21,445 gallons; Tank 5-P has a capacity of 20,778 gallons; Tank 6-P has a capacity of 25,806 gallons; Tank 7-P and 8-P have a capacity of 21,446 gallons each; Tank 9-P has a capacity of 20,833 gallons; and Tank 10-P has a capacity of 10,000 gallons. Stormwater Tank 1SW, with a capacity of 30,000 gallons, is located within the secondary containment in the used oil processing area. Tank 7-P has been designated for the storage of PCW. The total capacity for all used oil storage and processing tanks at the facility is 211,450 gallons. The tank system has the ability to transfer the used oil, PCW, and waste water to and from any of the tanks.

The facility's secondary containment system consists of a concrete slab bounded by concrete block walls and two (east and west) driveway berms. The secondary containment is capable of containing a volume of 40,359 gallons, which is greater than 110% of the volume of the largest tank in the secondary containment area. The facility has the capacity to store up to 30 55-gallon drums containing used oil or used oil filters in the concrete secondary containment system of the oil processing area located on the north side of the facility. This area may also be used for the storage of a roll-off container for the accumulation of used oil processing solid wastes, residues and sludges.

The facility is located at 1819 Albert Street, Jacksonville, Duval County, Florida. Operation of the facility will be in accordance with the permit applications and additional information submitted by the facility.

"More Protection, Less Process"

Printed on recycled paper.


PERMITTEE:
Water Recovery, Inc.
1819 Albert Street
Jacksonville, FL 32202

I.D. Number: FLR 000 069 062
Permit/Cert Number: 79677-HO-06
Expiration Date: October 11, 2010

The following documents were used in preparation of this Permit:

1. Permit renewal application dated September 12, 2005 and additional information dated September 22, 2005.
2. Permit Application dated May 15, 2000 and additional information submitted on June 29, 2000 and the permit modification submitted on January 24, 2002.

This permit replaces the permit No. 79677-HO-005, issued to the previous owner, Envirotech Southeast, Inc.



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

June 20, 2005

MARK OWENS
WATER RECOVERY, INC
1819 Albert St.
Jacksonville, FL 32202

BE IT KNOWN THAT

WATER RECOVERY, INC
1819 Albert St
Jacksonville, FL 32202

IS HEREBY REGISTERED AS A USED OIL

Transfer Facility, Processor, Marketer, Filter Transfer facility, Filter
Processor

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C)

The Department of Environmental Protection hereby issues
Registration Number **FLR000069062** on June 20, 2005

This registration will expire on 06/30/2006

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

Richard C. Neves
Environmental Specialist
Hazardous Waste Management

"More Protection, Less Process"

Printed on recycled paper.



STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGULATION PROGRAM

2005-2006

FACILITY ID: 8506799
WATER RECOVERY INC
1819 ALBERT ST
JACKSONVILLE FL 32202 DUVAL COUNTY

****2005-2006 Storage Tank Registration Placard Enclosed ****

DLAC/WRI LLC

PO BOX 330569
ATLANTIC BEACH FL 32233-

STCM ACCOUNT: 50644

PLACARD NO: 233665
PLACARD ISSUED: 05/27/2005
REGISTRATION PAID: \$ 250

TANK SYSTEMS REGISTERED: 10

STORAGE TANK FACILITY ACCOUNT OWNER MUST MAINTAIN THE TOP STUB FOR YOUR RECORDS

This placard certifies that the owner & facility named has complied with the registration requirements for petroleum &/or hazardous substance storage tanks regulated by the FL Department of Environmental Protection. The placard must be placed out of the weather and in plain view of storage tank compliance inspectors entering the facility.

SECONDARY CONTAINMENT INSTALLATION DEADLINES

12-31-2009: Single-wall USTs & UST small diameter piping in contact with the soil must have secondary containment.
01-01-2010: Single-wall field erected ASTs & AST single-wall bulk product piping in contact with the soil must have secondary containment unless deferred by an API 570 Integrity Assessment.

The Department has never issued an extension to an upgrade deadline since the storage tank rules were adopted in 1984. If you have questions about these or other deadlines - or need general technical assistance - consult Rule 62-761, F.A.C., or contact a storage tank inspector from the DEP district office, or from the local storage tank program office for your county.

DEPARTMENT OF ENVIRONMENTAL PROTECTION IS ON THE INTERNET

The Web address for DEP is <http://www.dep.state.fl.us>.

You can access the site for Storage Tank Regulation directly by using: <http://www.dep.state.fl.us/waste/categories/tanks>.

Look under the HIGHLIGHTS section to find links to storage tank rules, forms, database reports and other program information.

EMAIL registration-related questions and comments to: TankRegistration@dep.state.fl.us - or telephone (850) 245-8839.

Registration staff members will assist you with your questions and will respond to you by phone or reply to your email address.

**The Storage Tank Registration placard below must be posted at the facility.
It must be placed out of the weather and in plain view of inspectors entering the facility.**



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STORAGE TANK REGISTRATION PLACARD
2005-2006

FACILITY ID: 8506799

PLACARD NO: 233665

PLACARD ISSUED: 05/27/2005
PLACARD EXPIRES: 06/30/2006

FACILITY: WATER RECOVERY INC

1819 ALBERT ST

JACKSONVILLE FL 32202-1103

DUVAL COUNTY

TANK SYSTEMS REGISTERED: 10

FACILITY TYPE: Fuel user/Non-retail

STCM ACCOUNT: 50644

ACCOUNT OWNER: DLAC/WRI LLC

Mary Jean Yon, Director
Division of Waste Management
Department of Environmental Protection



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

4WD-RCRA

NOV 3 0 2004

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. Steve Jenkins, President
Water Recovery, Incorporated
1819 Albert Street
Jacksonville, FL 32202

SUBJ: Notice of Acceptability Pursuant to the CERCLA Off-Site Rule
Water Recovery, Incorporated
Duval County

Dear Mr. Jenkins:

The U.S. Environmental Protection Agency, Region 4 (EPA) has made an affirmative determination of acceptability for the receipt of CERCLA Off-Site waste at the Water Recovery Incorporated (WRI) facility located at 1819 Albert Street, Jacksonville, Florida. WRI is permitted by the Florida Department of Environmental Protection (FDEP) as a Used Oil Processor (79677-002-HO). WRI is also permitted by the Jacksonville Electrical Authority (JEA) as an industrial pretreatment facility (IUPD #099) to treat industrial wastewater before it is discharged to the sewer system of the City of Jacksonville.

The CERCLA Off-Site wastes to which this Notice of Acceptability applies are defined as those wastes generated as a result of activities authorized pursuant to, or funded by, the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). The receipt of these CERCLA wastes by facilities is regulated by the Off-Site Rule found at 40 C.F.R. § 300.440; and at 58 FR 182 pages 49200 - 49218, September 22, 1993.

The Off-Site Rule establishes the criteria and procedures for determining if facilities are acceptable for the offsite receipt of CERCLA waste, and outlines the actions affected by the standard. The Off-Site Rule requires that prior to a facility's initial receipt of CERCLA waste, EPA shall determine if there are relevant releases and/or relevant violations at the facility. EPA believes that affirmative determinations of "compliance" and "control of releases" are necessary before a facility may be deemed acceptable for the receipt of CERCLA wastes.

Pursuant to 40 C.F.R. § 300.440(a)(4) of the Off-Site Rule, EPA has completed its assessment of the WRI facility. Based on recent telephone conversations between EPA, and FDEP and JEA inspectors, this facility does not currently have any relevant violations or relevant

releases as those terms are defined in the Off-Site Rule. Therefore, effective upon receipt of this letter WRI is acceptable to receive non-hazardous CERCLA Off-Site wastewaters at their Jacksonville facility.

EPA would like to make it clear that this affirmative determination of acceptability does not, and can not, grant any facility the right or authority to exceed its permit provisions; receive any waste not allowed by its permit; or violate any local, state or federal law, rule, regulation or ordinance. Specifically, this determination does not supersede, limit, conflict with or set aside the requirements of any environmental program.

Should any new information affecting this determination develop, EPA reserves its right to revisit this decision. Please note that the CERCLA Off-Site status for a facility is dynamic in nature and is subject to change. EPA reserves its right to rescind this Notice of Acceptability pursuant to the Off-Site Rule if necessary. If you have any questions concerning this matter, please contact Jack Cowart, of my staff, at (404) 562-8591 or cowart.jack@epa.gov.

Sincerely yours,



Winston A. Smith

Director

Waste Management Division

cc: Ashwin Patel, FDEP
Dan Parnell, JEA

**ACCIDENTAL DISCHARGE
And
SLUG CONTROL PLAN
(ADSCP)**

Prepared by:

WATER RECOVERY, INC.
Jacksonville, FL

April 2004

WATER RECOVERY, INCORPORATED

1819 Albert Street
Jacksonville, Florida 32202

SPILL PREVENTION, CONTROL AND COUNTERMEASURE PLAN WITH CONTINGENCY PLANNING AND EMERGENCY PROCEDURES

MANAGEMENT PROCEDURE 4600

REVISION: 2

Prepared By:

Signature

Date

Richard Breitmoser, P.E.
Plant Engineer
Water Recovery, Inc.



11/5/04

Approved By:

Signature

Date

Mark Owens, P.E.
Plant Manager
Water Recovery, Inc.





Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

MARK OWENS
WATER RECOVERY, INC
1819 Albert St.
Jacksonville, FL 32202

June 20, 2005

*I spoke to Rick Neves for
FDEP on 7/11/06 about this
he said that they would be
done + mailed by the end of*

*BE IT KNOWN THAT the week. Please call
him for confirmation @
(850) 245-8755*

WATER RECOVERY, INC
1819 Albert St
Jacksonville, FL 32202

IS HEREBY REGISTERED AS A USED OIL

Transfer Facility, Processor, Marketer, Filter Transfer facility, Filter
Processor

pursuant to Chapter 62-710, Florida Administrative Code (F.A.C)

The Department of Environmental Protection hereby issues
Registration Number **FLR000069062** on June 20, 2005

This registration will expire on 06/30/2006

This certificate documents receipt of your annual registration
and annual report. It shall be displayed in a prominent place
at your facility. This certificate and your cancelled check
are your receipts.

Richard C. Neves
Environmental Specialist
Hazardous Waste Management

"More Protection, Less Process"

Printed on recycled paper.

Contents
WRI Qualifications Package
(Revised April 2006)

1. WRI – General Information Flyer
2. WRI - Certificate of Insurance
3. WRI - Occupational License
4. JEA - Discharge Permit (wastewater)
5. JEA – Recent Inspection Results
6. FDEP – Used Oil Processing Permit
7. FDEP – Used Oil Registration/EPA Identification Number
8. FDEP – Tank Registration
9. CERCLA – Off-Site Rule Acceptability
10. WRI – Accidental Discharge and Slug Control Plan
11. WRI – Spill Prevention Control and Countermeasures Plan