

DEPARTMENT OF
ENVIRONMENTAL PROTECTION

MAY 20 2008

SITING COORDINATION

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

PC	RB	System#	Comp	Description	Dept	DMA Barcode#	Est Life	GL Life	Capital Project	AcqYr	WorkOrder	Internal Acq. Value	DMA Phys. Location	DMA Condition	DMA ImageDate	DMA Image#
x		1		Colorimeter Clarifier	7420	01-098	5	185.167.0000.131	XC955252	1995		6,367.00	Clarifier	2.5	5/15/2007	100-0038
x	x	4		REPAIR ASB OUTFALL	7420	None	15	185.167.0000.126	7F920051	1984	M&E PERM MTCE 15 YR	243,135.00	ASB Lagoon	2.5		N/A
x		221		Ejector Steam Control Valve - A Line	5110	11-094	5	185.167.0000.131	XC955074	1995	M&E EQ REPL 5 YR AF 1	9,304.00	Evap Level 4	2.5	4/26/2007	100-0017
x		222		Ejector Steam Control Valve - B Line	5110	11-095	5	185.167.0000.131	XC955073	1995	M&E EQ REPL 5 YR AF 1	10,647.00	Evap Level 4	2.5	4/26/2007	100-0018
x	x	226		HCE to/from Lagoon	5110	11-300C	3	185.167.0000.135	XC945491	1984	REBUILDS/REPLACEME	3,093.00	Lagoons	2.5	4/24/2007	100-0003
x		238		SSL Product Tank Refractometer	5110	11-849	5	185.167.0000.131	XC935316	1994	M&E EQ REPL 5 YR AF 1	28,593.00	Evap Level 1	2.5	4/27/2007	100-0064
x	x	247		Resize Evap Condensate Control Valves	5110	None	10	185.167.0000.142	6F960034	1987	M&E 10 YR 1/97-12/97	58,181.00	Evap Level 1	2.5		N/A
x	x	287		Separator/Chip Cyclone	2210	11902	5	185.167.0000.143	XC975016	1997	M&E 05 YR 1/97-12/97	22,242.00	Digesters-5	2.5	5/11/2007	100-0026
x	x	298		Oxygen Analyzer	5110	12-115	5	185.167.0000.131	6F960034	1995	M&E EQ REPL 5 YR AF 1	39,547.00	RecBlr Level 4	2.5	4/19/2007	100-0006
x		299		RECOVERY BATTERY BACK UP ID FAN	5110	21833-UPS	3	185.167.0000.135	XC945393	1994	REBUILDS/REPLACEME	1,042.00	MCC Level 1	2.5	4/20/2007	100-0008
x	x	302		Carbon Monoxide Analyzer	5110	12-409	5	185.167.0000.131	6F940061	1995	M&E EQ REPL 5 YR AF 1	33,736.00	RecBlr Level 4	2.5	4/19/2007	100-0007
x		303		Fuel Oil Flowmeter 12-D600A	5110	12-D600A	3	185.167.0000.135	XC945560	1995	REBUILDS/REPLACEME	11,491.00	RecBlr Level 3	2.5	4/27/2007	100-0008
x		304		Fuel Oil Flowmeter 12-D600B	5110	12-D600B	3	185.167.0000.135	XC945561	1995	REBUILDS/REPLACEME	13,600.00	RecBlr Level 3	2.5	4/27/2007	100-0007
x		438		EVAPORATOR LIQUOR FLOW FLEXIBILITY	5110	None	10	185.167.0000.142	6F960035	1987	M&E 10 YR 1/97-12/97	138,083.00	Evap Level 1	2.5		N/A
x		496		INSTALLATION OF SPLIT E/P PIPING	3110	None	10	185.167.0000.138	7F960043	1986	M&E 10 YR 1/96-12/96	128,886.00	Bleach Annex	2		N/A
x		575		Colorimeter #3 SSPS	7420	15-863	10	185.167.0000.127	XC955005	1995	M&E PERM MTCE 10 YR	11,377.00	RecBlr Level 1	2.5	5/8/2007	100-0005
x		593		Colorimeter	7420	15-812	10	185.167.0000.127	XC955006	1995	M&E PERM MTCE 10 YR	10,554.00	CLO2 Plant	3	5/16/2007	100-0025
x	x	598		RPLC PROCESS SEWERS @ 1 SSPS	7420	19021	15	185.167.0000.126	PAR940043	1995	M&E PERM MTCE 15 YR	3,852.00	CLO2 Plant	2.5	5/15/2007	100-0012
x	x	770		Sewer Line Serving 2d Floor	5000	None	10	185.167.0000.142	XC965050	1997	M&E 10 YR 1/97-12/97	5,982.00	Old Turbine Bldg	2.5		N/A
x		849		Install New Sewer Lift Station For Unbleached Maint	2210	18902	5	185.167.0000.131	XC945201	1994	M&E EQ REPL 5 YR AF 1	8,255.00	Acid Plant-Shop	2.5	5/16/2007	100-0032
x	x	853		REPLACE LAST SECT OF LINE "C" SEWR	7420	19021	15	185.167.0000.141	6F970018	1987	M&E 15 YR 1/97-12/97	108,007.88	CLO2 Plant	2.5	5/15/2007	100-0012
x	x	854		SSPS#1 Pump	7420	19021	15	185.167.0000.126	7F940043	1994	M&E PERM MTCE 15 YR	113,450.00	CLO2 Plant	2.5	5/15/2007	100-0012
x	x	858		REBUILD #3 SOLID SEWER PMP STATION	7420	19025	10	185.167.0000.142	7F970023	1997	M&E 10 YR 1/97-12/97	33,855.00	Environmental	2	5/10/2007	100-0002
x	x	880		Milk Of Lime Pump	7420	19035	5	185.167.0000.131	XC955010	1995	M&E EQ REPL 5 YR AF 1	19,035.00	Environmental	1.5	5/10/2007	100-0009
x	x	882		Clarifier Pump	7420	19046	5	185.167.0000.143	XC975051	1997	M&E 05 YR 1/97-12/97	15,714.00	Clarifier	2.5	5/17/2007	100-0015
x	x	884		Aerator ASB Lagoon	7420	19107		185.167.0000.142	6F960090		M&E 10 YR 1/97-12/97	78,489.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	x	885		CHANGE OUT AERATOR	7420	19103	5	185.167.0000.139	XC955221	1996	M&E 05 YR 1/96-12/96	11,247.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		887		Aerator ASB Lagoon	7420	19121		185.167.0000.138	6F960073		M&E 10 YR 1/96-12/96	90,475.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		889		Aerator ASB Lagoon	7420	19172	10	185.167.0000.138	PAR960090	1997	M&E 10 YR 1/96-12/96	23,330.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		870		Aeration Pontoon	7420	19107	5	185.167.0000.143	XC975033	1997	M&E 05 YR 1/97-12/97	9,417.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		871		Floc Tank & Agitator	7420	19109	15	185.167.0000.141		1987	M&E 15 YR 1/97-12/97	97,500.00	Screw Press Area	2.5	4/27/2007	3151
x		872		Rotary Screen	7420	19110	15	185.167.0000.141		1987	M&E 15 YR 1/97-12/97	97,500.00	Screw Press Area	2.5	4/27/2007	3152
x		873		Screw Press	7420	19111	15	185.167.0000.141		1987	M&E 15 YR 1/97-12/97	97,500.00	Sludge Press Area	2.5	4/27/2007	3153
x	x	876		REPLACE CENTERWELL BEARING RGM 1686	7420	19120	10	185.167.0000.142	XC965060	1987	M&E 10 YR 1/97-12/97	26,980.00	Clarifier	2.5	5/10/2007	100-0014
x	x	884		Concrete Slab Sludge Press	7420	None	5	185.167.0000.131	XC955271	1995	M&E EQ REPL 5 YR AF 1	8,049.00	Sludge Press Area	2.5		N/A
x	x	890		REPLACE FEEDER CABLE & MTR AER	7420	None	3	185.167.0000.131	XC945034	1994	REBUILDS/REPLACEME	5,192.00	ASB Lagoon	2		N/A
x	x	892		Tank 5000 Gal Phosphoric Acid	7420	19302	10	185.167.0000.129	XC935203	1994	M&E P&P (MTRS) 10 YR	18,568.00	Environmental Bldg	2.5	4/27/2007	3170
x		893		LIME TANK MOD	7420	19305	10	185.167.0000.127	XC935527	1994	M&E PERM MTCE 10 YR	10,985.00	Site 26	2	5/10/2007	100-0007
x		895		Sludge Press Conveyor	7420	19111	15	185.167.0000.141		1997	M&E 15 YR 1/97-12/97	97,500.00	Sludge Press Area	2.5	4/27/2007	3154
x		899		INSTALL CLOSED CIRCUIT TV SYSTEM	7420	None	5	185.167.0000.143	XC975108	1998	M&E 3 YR 1/98-12/98	7,702.00	Sludge Press Area	2		N/A
x		901		5 Acres By 12' Deep Lagoon	7420	None	10	185.167.0000.127	XC955044	1995	M&E EQ REPL 5 YR AF 1	20,493.00	Environmental	2		N/A
x		902		Westvaco Air Purification Sys	7420	19914	5	185.167.0000.131	6F940068	1995	M&E PERM MTCE 10 YR	38,150.00	Environmental Lab	3	5/10/2007	100-0017
x	x	925		SSL Recovery Feed Pump Base	5110	21001	10	185.167.0000.147	XC975005	1998	M&E 10 YR 1/98-12/98	27,179.00	East End Storage	2.5	4/13/2007	100-0037
x		926		SSL Recovery Feed Pump Exp Joints	5110	21002	10	185.167.0000.147	XC975038	1998	M&E 10 YR 1/98-12/98	6,404.00	East End Storage	2.5	4/13/2007	100-0038
x	x	927		SSL Recovery Feed Pump Base	5110	21002	10	185.167.0000.147	XC975006	1998	M&E 10 YR 1/98-12/98	16,952.00	East End Storage	2.5	4/13/2007	100-0038
x	x	932		Vacuum Evaporator Circ Pump	5110	21010	5	185.167.0000.131	XC955001	1995	M&E EQ REPL 5 YR AF 1	19,068.00	Vac Evap Level 1	2.5	4/13/2007	100-0058
x	x	934		Heat Recovery Pump Separator Pipe	5110	21014	10	185.167.0000.142	XC975014	1997	M&E 10 YR 1/97-12/97	6,536.00	Scrubber Level 1	2	4/13/2007	100-0046
x	x	950		SSL to Stripper Pump #2	5110	21042	5	185.167.0000.131	XC935232	1994	M&E EQ REPL 5 YR AF 1	18,818.00	East End Storage	2.5	4/13/2007	100-0035
x		967		Evap 1A, 2A, 3A Wash Cycle Automation	5110	21110	10	185.167.0000.142	4F970028	1987	M&E 10 YR 1/97-12/97	151,089.00	Evap Level 1	2.5	4/16/2007	100-0033
x	x	971		Evap Seal Water Pump (E)	5110	21092	5	185.167.0000.131	XC945454	1994	M&E EQ REPL 5 YR AF 1	9,221.00	Evap Level 1	2.5	4/13/2007	100-0014
x		972		Evap Seal Water Pump (W)	5110	21093	5	185.167.0000.131	XC945317	1994	M&E EQ REPL 5 YR AF 1	17,345.00	Evap Level 1	2.5	4/13/2007	100-0013
x	x	973		Replace 50% of Rec Blr Gener Tube	5110	21100	15	185.167.0000.137	6F950007	1997	M&E 15 YR 1/96-12/96	1,296.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	976		Replace Windbox Panels	5110	21100	15	185.167.0000.141	6F970033	1997	M&E 15 YR 1/97-12/97	32,650.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	979		Recovery Elevator Car	5110	21101	10	185.167.0000.127	6F950025	1995	M&E PERM MTCE 10 YR	20,535.00	RecBlr Level 1	2.5	4/13/2007	100-0123
x		981		Recovery Boiler Scrubber FRP Structural Refurb	5110	21106	10	185.167.0000.147	PAR980024	1998	M&E 10 YR 1/98-12/98	72,136.00	Scrubber Level 2	2.5	4/13/2007	100-0118
x		984		ID Fan Turbine	5110	21109	3	185.167.0000.135	XC945180	1994	REBUILDS/REPLACEME	15,161.00	RecBlr Level 2	2.5	4/20/2007	100-0015
x	x	987		Baker Filters Foundation	5110	21123	15	185.167.0000.126	6F930059	1994	M&E PERM MTCE 15 YR	44,238.00	Scrubber Level 1	2.5	4/13/2007	100-0115
x	x	988		HCE Cooling Tower Return Piping	5110	21134	15	185.167.0000.137	6F960037	1996	M&E 15 YR 1/96-12/96	72,417.74	Cooling Towers	2.5	4/13/2007	100-0182
x	x	999		Evaporator 1A Effect Lid	5110	21205	15	185.167.0000.126	XC935265	1995	M&E PERM MTCE 15 YR	14,952.00	Evap Level 3	2.5	4/13/2007	100-0062
x	x	1008		Evaporator 4A Effect Heating Elements	5110	21208	15	185.167.0000.126	6F930047	1995	M&E PERM MTCE 15 YR	400,274.00	Evap Level 2	2.5	4/13/2007	100-0065
x	x	1012		Evaporator 5A Effect Heating Elements	5110	21209	15	185.167.0000.137	6F960011	1996	M&E 15 YR 1/96-12/96	497,055.00	Evap Level 2	2.5	4/13/2007	100-0066
x		1015		Evaporators 1B & 2B Wash Cycle Automation	5110	None	10	185.167.0000.142	6F960089	1997	M&E 10 YR 1/97-12/97	40,139.00	Evap Level 2	2.5		N/A
x	x	1019		Lower Absorption Recycle Heat Exchanger	5110	21228	5	185.167.0000.131	XC955057	1995	M&E EQ REPL 5 YR AF 1	30,681.00	Scrubber Level 1	1.5	4/19/2007	100-0015
x		1033		Recovery Storage Feed Tank	5110	21311	15	185.167.0000.126	6F930054	1994	M&E PERM MTCE 15 YR	188,730.00	East End Storage	2.5	4/13/2007	100-0041
x	x	1037		Lower Absorber Holdup Tank Lining	5110	21323	10	185.167.0000.147	XC985005	1998	M&E 10 YR 1/98-12/98	14,248.00	Scrubber Level 1	2.5	4/13/2007	100-0107

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

x		1038	1	Elevate SSL Level Tank T-7A	5110	21331	10	185.167.0000.142	6F970039	1997	M&E 10 YR 1/97-12/97	14,939.50	Evap Level 2	2.5	4/13/2007	100-0085
x		1038	2	Elevate SSL Level Tank T-8A	5110	21332	10	185.167.0000.142	6F970039	1997	M&E 10 YR 1/97-12/97	14,939.50	Evap Level 2	2.5	4/13/2007	100-0087
x	x	1040	1	Inter Condenser	5110	21343	10	185.167.0000.142	6F970010	1997	M&E 10 YR 1/97-12/97	26,800.50	Vac Evap Level 4	2.5	4/13/2007	100-0099
x	x	1040	2	After Condenser	5110	21344	10	185.167.0000.142	6F970010	1997	M&E 10 YR 1/97-12/97	26,800.50	Vac Evap Level 4	2.5	4/13/2007	100-0098
x	x	1042		SCAH Flash Tank Frames	5110	21360	15	185.167.0000.128	6F950035	1995	M&E PERM MTCE 15 YR	68,680.00	RecBlr Level 2A	1.5	4/16/2007	100-0012
x		1043		Hot Well Defoamer	5110	21374	5	185.167.0000.131	XC945469	1994	M&E EQ REPL 5 YR AF 1	6,728.00	Vac Evap Level 1	2.5	4/16/2007	100-0004
x	x	1047		Replace ID Fan Housing	5110	21601	15	185.167.0000.137	6F960004	1996	M&E 15 YR 1/96-12/96	241,329.00	RecBlr Level 2	2.5	4/13/2007	100-0122
x	x	1060		Control Room Air Handler	5110	21902	5	185.167.0000.139	XC955235	1996	M&E 05 YR 1/96-12/96	8,917.00	RecBlr Level 4	2.5	4/16/2007	100-0034
x	x	1063		REPLACE HCE LINE FROM MILL	5110	None	15	185.167.0000.141	XC965121	1997	M&E 15 YR 1/97-12/97	15,309.00	Evap Level 1	2.5		N/A
x	x	1070		Air Line to Recovery	5110	None	15	185.167.0000.146	XC975056	1998	M&E 15 YR 1/98-12/98	12,921.00	Recovery Yard (N)	2.5		N/A
x	x	1073		Rebuild Pipe Bridge #4 Turbine & Recovery Boiler	5110	None	15	185.167.0000.137	6F960025	1996	M&E 15 YR 1/98-12/98	58,199.00	RecBlr Level 2	2.5	5/10/2007	100-0017
x	x	1074		Recovery Non-Return Valve	5110	12-0120	5	185.167.0000.143	XC975043	1997	M&E 05 YR 1/97-12/97	6,590.00	RecBlr Level 8	2.5	4/20/2007	100-0019
x		1084		HCE Lagoon Floating Dock	5110	None	5	185.167.0000.143	XC975049	1997	M&E 05 YR 1/97-12/97	23,119.00	Lagoons	2.5	5/9/2007	100-0002B
x	x	1091		HCE Storage Tank	5110	22301	10	185.167.0000.142	6F970015	1997	M&E 10 YR 1/97-12/97	134,664.00	Recovery Yard (S)	2.5	4/16/2007	100-0031
x		1093		Spare Reducer For Filter HCE Liquor Drive	5110	22100	10	185.167.0000.142	XC965076	1997	M&E 10 YR 1/97-12/97	5,161.00	Scrubber Level 2	2.5	4/16/2007	100-0025
x		1152		Recovery 9th Floor Hoist	5110	21849-2	5	185.167.0000.131	XC955052	1995	M&E EQ REPL 5 YR AF 1	10,370.00	RecBlr Level 9	2.5	4/20/2007	100-0004
x		1179		Glass Crusher Recycle	7420	74206	5	185.167.0000.131	XC945445	1994	M&E EQ REPL 5 YR AF 1	1,940.00	Viscosity Lab	2	5/17/2007	100-0001
x	x	1183	1	Aerator ASB Lagoon	7420	19174	5	185.167.0000.127	6F940074	1995	M&E PERM MTCE 10 YR	32,115.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	x	1183	2	Aerator ASB Lagoon	7420	19175	5	185.167.0000.127	6F940074	1995	M&E PERM MTCE 10 YR	32,115.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		1185		UPGRD ENV MONITORING & CRTL INSTR	7420	None	10	185.167.0000.127	4F950019	1995	M&E PERM MTCE 10 YR	125,452.00	Environmental Bldg	2.5		N/A
x		1187		UPGRADE ENVIRONMENTAL CONTROLS	7420	74276	10	185.167.0000.138	6F950019	1996	M&E 10 YR 1/98-12/96	10,717.00	Environmental	3	5/17/2007	100-0025
x		1190		PURCHINST DIVERSION CURTAIN-LAGN	7420	None	5	185.167.0000.131	XC955045	1995	M&E EQ REPL 5 YR AF 1	10,177.00	Outfall	2.5		N/A
x		1191		Carbide Lime Tank	7420	19303	5	185.167.0000.139	4F940060	1996	M&E 05 YR 1/98-12/96	292,816.00	Carbide Lime	2	5/10/2007	100-0010
x		1193		Environmental DCS	7420	74276	5	185.167.0000.139	6F960076	1996	M&E 05 YR 1/98-12/96	70,039.00	Environmental	3	5/17/2007	100-0025
x	x	1207		Replace Sidewall Tube	5110	21100	15	185.167.0000.128	6F910022	1993	M&E P&P (EX MTRS) 15	520,869.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	1211		Replace Superheater Tube	5110	21100	15	185.167.0000.128	6F930046	1993	M&E P&P (EX MTRS) 15	104,016.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x		1282		SO2 Scrubber Effluent Pump	2210	10039	25	185.167.0000.114	71483	1975	M&E 25 YR 4/27/68-12/31	12,489.00	Acid Plant-SW	2.5	3/27/2007	100-0151
x		1335		Pump 5-A Effect Circulation & Transfer	5110	21024	15		XC90502	1991	M&E P&P (EX MTRS) 15	18,744.00	Evap Level 1	2.5	4/13/2007	100-0006
x		1450		MEE Hot Well Pump	5110	21062	25	185.167.0000.114		1977	M&E 25 YR 4/27/68-12/31	137,276.00	Vac Evap Level 1	2	4/13/2007	100-0042
x		1475		Ejector H-1A	5110	21139	25	185.167.0000.114		1977	M&E 25 YR 4/27/68-12/31	38,209.00	Vac Evap Level 4	2.5	4/16/2007	100-0022
x		1483		Condensate Level Tank T-1B	5110	21335	25			1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0104
x		1492		Pump 4-A Effect Circulation & Transfer	5110	21018	25			1977	M&E 25 YR 4/27/68-12/31	61,740.00	Evap Level 1	2.5	4/13/2007	100-0005
x		1493		HCE Pump	5110	21029	25			1977	M&E 25 YR 4/27/68-12/31	16,982.00	Evap Level 1	2.5	4/16/2007	100-0037
x		1498		HCE Hot Well	5110	21320	25	185.167.0000.114		1978	M&E 25 YR 4/27/68-12/31	40,785.00	Vac Evap Level 1	2.5	4/16/2007	100-0002
x		1499		SSL Stripper Feed Heater E-5A	5110	21202	25			1977	M&E 25 YR 4/27/68-12/31	49,530.00	MeOH Level 2	2.5	4/13/2007	100-0102
x		1513		Condensate Level Tank T-3B	5110	21337	25			1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0083
x		1515		Milk Of Lime Storage Tank	7420	19305	25			1980	M&E 25 YR 4/27/68-12/31	43,418.00	Site 26	2	5/10/2007	100-0007
x		1532	1	Condensate Flash Tank T-5B	5110	21339	25			1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0082
x		1532	2	Condensate Level Tank T-5A	5110	21329	25			1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0077
x		1532	3	Condensate Receiver Tank T-8A	5110	21330	25			1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0078
x		1533		Condensate Pump	5110	21033	25			1977	M&E 25 YR 4/27/68-12/31	35,691.00	Evap Level 1	2.5	4/13/2007	100-0027
x		1537		Pump-Sewage Lift	7420	19002	25			1953	ME 25 YR PRIOR TO 195	15,308.00	CLO2 Plant	2.5	4/27/2007	100-0102
x		1552		VACUUM EVAPORATOR	5110	21104	25	185.167.0000.114		1979	M&E 25 YR 4/27/68-12/31	2,137,507.00	Vac Evap Level 2	2.5	4/13/2007	100-0121
x		1561		HCE Pump	5110	21030	25	185.167.0000.114		1977	M&E 25 YR 4/27/68-12/31	12,808.00	Evap Level 1	2.5	4/27/2007	100-0063
x		1586		CLARIFIER	7420	19120	25			1980	M&E 25 YR 4/27/68-12/31	914,445.00	Clarifier	2.5	5/10/2007	100-0014
x		1587		Clarifier Water Reclaim Pump	7420	19067	15		7F89029	1990	M&E POLL CNTRL 15 YR	72,162.00	Clarifier	2	5/15/2007	100-0037
x		1596		Recovery Scrubber Quench Pump	5110	21087	25	185.167.0000.114		1979	M&E 25 YR 4/27/68-12/31		Scrubber Level 1	2.5	4/16/2007	100-0014
x		1604		Condensate Pump	5110	21035	25			1977	M&E 25 YR 4/27/68-12/31	14,672.00	Evap Level 1	2.5	4/27/2007	100-0065
x		1606		HCE Evaporator Cooling Tower Pump	5110	21059	25			1977	M&E 25 YR 4/27/68-12/31	142,597.00	Cooling Towers	2.5	4/13/2007	100-0117
x		1611		Recovery Scrubber Quench Pump	5110	21086	25	185.167.0000.114		1979	M&E 25 YR 4/27/68-12/31	26,775.66	Scrubber Level 1	2.5	4/13/2007	100-0043
x		1613		Pump 1-A Effect Circulation & Transfer	5110	21015	25			1977	M&E 25 YR 4/27/68-12/31	72,682.00	Evap Level 1	2.5	4/13/2007	100-0001
x		1615		Condensate Pump	5110	21074	25			1977	M&E 25 YR 4/27/68-12/31	35,933.00	West End Storage	2.5	4/13/2007	100-0052
x		1633		Evaporator 3A Effect	5110	21207	25	185.167.0000.114		1977	M&E 25 YR 4/27/68-12/31	948,228.00	Evap Level 2	2.5	4/13/2007	100-0064
x		1647		Hydromatic Sump Pump for Elevator Pit	5110	21060	25			1977	M&E 25 YR 4/27/68-12/31	11,321.00	RecBlr Level 1	2.5		N/A
x		1682		Upper Absorption Circulation Pump	5110	21050	25			1977	M&E 25 YR 4/27/68-12/31	45,638.00	Scrubber Level 1	2.5	4/13/2007	100-0112
x		1696		Vent System For Lagoon Transformer	7420	19807	5	185.167.0000.131	XC915055	1992	M&E EQ REPL 5 YR AF 1	30,243.00	ASB Lagoon-MCC	2	5/10/2007	100-0012
x		1700		Pump Sludge Pond to Flume	7420	19066	15	185.167.0000.128		1987	M&E P&P (EX MTRS) 15	24,552.00	Environmental Bldg	2.5	4/27/2007	3173
x		1745		SSL Cooling Tower ME Fan Drive	5110	21603	25			1977	M&E 25 YR 4/27/68-12/31	10,613.00	Cooling Towers	2.5	5/9/2007	100-0163
x		1754		SSL Cooling Tower ME	5110	21135	25			1977	M&E 25 YR 4/27/68-12/31	1,102,574.00	Cooling Towers	2.5	4/13/2007	100-0163
x		1760		Ejector H-1B	5110	21137	25			1975	M&E 25 YR 4/27/68-12/31	33,963.00	Vac Evap Level 4	2.5	4/16/2007	100-0021
x		1763		Recovery Transformer	5110	21800	25			1977	M&E 25 YR 4/27/68-12/31	21,227.00	Xfmr Rm Level 1	2.5	4/20/2007	100-0010
x		1764		SSL Cooling Tower ME Fan	5110	21603	25			1977	M&E 25 YR 4/27/68-12/31	48,767.00	Cooling Towers	2.5	5/9/2007	100-0163
x		1822		HCE Cooling Tower Fan Drive	5110	21604	25			1977	M&E 25 YR 4/27/68-12/31	10,613.00	Cooling Towers	2.5	5/9/2007	100-0162
x		1824		Aerator ASB Lagoon	7420	19103	25	185.167.0000.114		1980	M&E 25 YR 4/27/68-12/31	99,673.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		1825		Surface Condenser S-1B	5110	21140	15	185.167.0000.128	6F89086	1990	M&E P&P (EX MTRS) 15	486,663.00	Evap Level 3	2.5	4/13/2007	100-0094
x		1841		Surface Condenser S-1A	5110	21141	15		6F89085	1990	M&E P&P (EX MTRS) 15	526,534.00	Evap Level 3	2.5	4/13/2007	100-0095
x		1846		Aerator ASB Lagoon	7420	19133	25	185.167.0000.114		1977	M&E 25 YR 4/27/68-12/31	93,971.00	ASB Lagoon	2.5	5/10/2007	100-0166

**Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment**

x		1867		Vac Evap Condenser #2	5110	21112	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	191,750.00	Vac Evap Level 3	2.5	4/13/2007	100-0089	
x		1869		Vac Evap Condenser #1	5110	21111	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	11,304.00	Vac Evap Level 3	2.5	4/13/2007	100-0088	
x		1872		Ejector E-2B	5110	21129	25		1977	M&E 25 YR 4/27/68-12/31	38,209.00	Evap Level 3	2.5	4/16/2007	100-0010	
x		1915		Aerator ASB Lagoon	7420	19126	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	93,971.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x		1919		Aerator ASB Lagoon	7420	19101	10	185.167.0000.142	PAR 980090	1997	M&E 10 YR 1/97-12/97	34,053.00	ASB Lagoon	2.5	5/10/2007	100-0166
x		1926	1	HCE Cooling Tower	5110	21134	25	185.167.0000.129	1977	M&E 25 YR 4/27/68-12/31	1,000,000.00	Cooling Towers	2.5	4/13/2007	100-0162	
x		1926	2	Cooling Tower Water Booster Pump	5110	21070	25	185.167.0000.129	1977	M&E 25 YR 4/27/68-12/31	20,000.00	Scrubber Level 1	2.5	4/13/2007	100-0111	
x		1926	3	HCE Cooling Tower Fan	5110	21604	25	185.167.0000.129	1977	M&E 25 YR 4/27/68-12/31	41,917.00	Cooling Towers	2.5	5/9/2007	100-0162	
x		1926	4	HCE Cooling Tower Fan	5110	21605	25	185.167.0000.129	1977	M&E 25 YR 4/27/68-12/31	41,917.00	Cooling Towers	2.5	5/9/2007	100-0162	
x		1932		After Condenser S-2A	5110	21227	25		1975	M&E 25 YR 4/27/68-12/31	127,833.00	Evap Level 3	2.5	4/13/2007	100-0097	
x		1966		Aerator ASB Lagoon	7420	19173	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	70,748.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x		1970		Vac Evap Condenser #4	5110	21114	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	183,879.00	Vac Evap Level 3	2.5	4/13/2007	100-0093	
x		1972		Ejector E-1A	5110	21125	25		1977	M&E 25 YR 4/27/68-12/31	38,209.00	Evap Level 4	2.5	4/16/2007	100-0008	
x		1980		Ejector E-1B	5110	21128	25	185.167.0000.114	1979	M&E 25 YR 4/27/68-12/31	44,273.00	Evap Level 4	2.5	4/16/2007	100-0009	
x		1981		Vac Evap Condenser #3	5110	21113	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	176,750.00	Vac Evap Level 3	2.5	4/13/2007	100-0091	
x		1987		Upper Absorber Holdup Tank	5110	21342	15	185.167.0000.117	1984	M&E 25 YR AFTER 12/31.	72,845.00	Scrubber Level 1	2.5	4/13/2007	100-0106	
x		1998		SSL Cooling Tower ME Fan	5110	21602	25		1977	M&E 25 YR 4/27/68-12/31	43,453.00	Cooling Towers	2.5	5/9/2007	100-0163	
x		2008		Surge Pot under 1B ASL Evap	5110	21145	25		1975	M&E 25 YR 4/27/68-12/31	2,516.00	Evap Level 1	2.5	4/28/2007	100-0019	
x		2009		Aerator ASB Lagoon	7420	19122	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	59,790.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x		2021		A-Line Evap Condenser Condensate Pump	5110	21036	15		1984	M&E 25 YR AFTER 12/31.	23,040.00	Evap Level 1	2.5	4/13/2007	100-0009	
x		2025		WEAK HCE STORAGE TANK	5110	22304	25	185.167.0000.114	XC935336	1975	M&E 25 YR 4/27/68-12/31	280,945.00	East End Storage	2.5	4/13/2007	100-0039
x		2029		MCC 13-1 MAIN BREAKER	5110	21809	25		1975	M&E 25 YR 4/27/68-12/31	16,925.00	MCC Level 1	2.5	5/8/2007	100-0008	
x		2052		Ejector at Inlet Condenser	5110	21119	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	34,760.00	Vac Evap Level 4	2.5	4/16/2007	100-0007	
x		2070		Bunker C	5110	None	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	100,646.00	Recovery Yard (S)	2	5/9/2007	100-0161	
x		2073		RECOVERY FUEL OIL LINE	5110	None	15		6F9102	1991	M&E P&P (EX MTRS) 15`	94,967.00	Recovery Yard (S)	2.5	5/10/2007	100-0019
x		2074		HCE Preheater	5110	22204	25		1977	M&E 25 YR 4/27/68-12/31	13,133.00	RecBlr Level 1	2.5	4/16/2007	100-0001	
x		2075		Vac Evap Condenser #5	5110	21115	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	70,757.00	Vac Evap Level 3	2.5	4/13/2007	100-0092	
x	x	2085		Replace Brinks Mist Filter Cabinet Bottom	5110	21236	15	185.167.0000.141	PAR 970012	1997	M&E 15 YR 1/97-12/97	367,829.00	Scrubber Level 4	2.5	4/13/2007	100-0172
x		2087		Aerator ASB Lagoon	7420	19134	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	70,853.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x		2092		RECOVERY BOILER STACK	5110	21105	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	53,821.00	RecBlr Level 10	2.5	4/13/2007	100-0176	
x		2097	1	60# Desuperheater Stations (6) / Piping	5110	None	10	185.167.0000.129	4F920014	1993	M&E P&P (MTRS) 10 YR	201,449.08	RecBlr Level All	2.5		N/A
x		2097	2	Desuperheater Pump (E)	5110	21089	10	185.167.0000.129	4F920014	1993	M&E P&P (MTRS) 10 YR	36,406.46	RecBlr Level 1	2.5	4/13/2007	100-0126
x		2097	3	Desuperheater Pump (W)	5110	21090	10	185.167.0000.129	4F920014	1993	M&E P&P (MTRS) 10 YR	36,406.46	RecBlr Level 1	2.5	4/13/2007	100-0127
x		2100		900-600 Steam Valve	5110	None	5	185.167.0000.131	XC925058	1992	M&E EQ REPL 5 YR AF 1	4,678.00	RecBlr Level 2	2.5	4/19/2007	100-0008
x		2103		EMERGENCY FIRE WATER TANK	5110	21365	25		1975	M&E 25 YR 4/27/68-12/31	32,384.00	RecBlr Level 4A	2.5	4/13/2007	100-0173	
x		2108		MEE Cooling Tower Pump	5110	21058	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	347,237.00	Cooling Towers	2.5	4/13/2007	100-0119	
x		2128		HCE Cooling Tower Fan Drive	5110	21805	25		1977	M&E 25 YR 4/27/68-12/31	10,613.00	Cooling Towers	2.5	5/9/2007	100-0162	
x	x	2132		Raw Water to Quench Tank Pump	5110	21088	15		XC895059	1990	M&E P&P (EX MTRS) 15`	4,293.00	Scrubber Level 1	2.5	4/16/2007	100-0015
x		2133		Aerator ASB Lagoon	7420	19127	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	42,402.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x		2185		Recovery Transformer	5110	21806	25		1977	M&E 25 YR 4/27/68-12/31	21,227.00	Xfmr Rm Level 1	2.5	4/20/2007	100-0011	
x		2229		Low Tem Incubator For BOD Compliance	7420	None	5	185.167.0000.131	XC925285	1993	M&E EQ REPL 5 YR AF 1	2,685.00	Environmental	2.5		N/A
x		2230		Air Conditioner	7420	16993	5	185.167.0000.131	XC925198	1993	M&E EQ REPL 5 YR AF 1	6,890.00	ASB Lagoon	2.5	5/15/2007	100-0039
x		2251		Storm Water Collection System Diking	7420	None	15	185.167.0000.128	PAR920055	1993	M&E P&P (EX MTRS) 15`	334,965.00	Mill-Plant Wide	2		N/A
x		2252		ASB LAGOON AERATION IMPROVEMENTS	7420	None	15	185.167.0000.130	PAR920054	1993	M&E POLL.CNTRL 15 YR	550,076.00	ASB Lagoon	2.5		N/A
x		2292		HCE LAGOON-ORIG 1939	7420	None	25	185.167.0000.114	OTHER	1953	ME 25 YR PRIOR TO 195	27,612.00	HCE Lagoon	2.5		N/A
x		2306		MCC 11-1 MAIN BREAKER	5110	21807	25	185.167.0000.114	1975	M&E 25 YR 4/27/68-12/31	16,925.00	MCC Level 1	2.5	5/8/2007	100-0006	
x		2315	1	Pumping Station #3 Sampler	7420	15-862	5	185.167.0000.131	XC935065	1993	M&E EQ REPL 5 YR AF 1	1,322.00	RecBlr Level 1	2.5	5/8/2007	100-0004
x		2315	2	Pumping Station #8 Sampler	5310	15-849	5	185.167.0000.131	XC935065	1993	M&E EQ REPL 5 YR AF 1	1,322.00	SSPS #8	2.5	5/8/2007	100-0012
x		2389		Ambient Monitoring Station (Air Monitoring)	5310	17010	5		7F-90-04	1991	M&E EQ REPL 5 YR AF 1	71,846.00	Well #14 On-Site	3		N/A
x	x	2447		REPLC ASB EFFLUENT CURTAIN-19913	7420	None	15	185.167.0000.128	6F920062	1992	M&E P&P (EX MTRS) 15`	44,562.00	Ash Lagoon	2.5		N/A
x		2448		ADDITIONAL ASB EFFLUENT FLOW CURTAIN	7420	None	15	185.167.0000.128	7F92015	1993	M&E P&P (EX MTRS) 15`	39,190.00	Ash Lagoon	2.5		N/A
x	x	2464		Repl ME Evaporator Hogging Jets Discharge Pipe	5110	21139	15	185.167.0000.128	XC935045	1993	M&E P&P (EX MTRS) 15`	14,015.00	Vac Evap Level 4	2.5	4/16/2007	100-0022
x		2466		Install HCE Line To Rear Of Lagoon	5110	None	10	185.167.0000.133	XC935171	1993	M&E INSTR LOOPS 10 YI	25,627.00	Lagoons	2.5	5/10/2007	100-0014
x		2493		HCE Total Product Flowmeter	5110	11-FX-762	5	185.167.0000.131	XC925248	1993	M&E EQ REPL 5 YR AF 1	9,802.00	Evap Level 1	2.5	5/10/2007	100-0016
x		2503		Ejector for Condenser Vacuum	5110	21121	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	34,760.00	Vac Evap Level 4	2.5	4/20/2007	100-0014	
x		2521		Pump-#1 Solid Sewer Station	3110	19022	15		6F-91-03	1991	M&E P&P (EX MTRS) 15`	132,391.00	CLO2 Plant	2.5	3/27/2007	100-0100
x		2523		SSL Surge Tank T-8A	5110	21332	25		1977	M&E 25 YR 4/27/68-12/31	7,546.00	Evap Level 2	2.5	4/13/2007	100-0087	
x		2537		Acid Plant Lime Scrubber	2210	10126	25	185.167.0000.114	OTHER	1976	M&E 25 YR 4/27/68-12/31	152,833.00	Acid Plant-1	1.5	4/24/2007	100-0084

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

x	2578	2	Aerator ASB Lagoon	7420	19129	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	52,727.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x	2579		Lower Absorber Circulation Pump	5110	21013	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	35,878.00	Scrubber Level 1	2.5	4/13/2007	100-0108	
x	2581		SSL Preheater	5110	21200	25		1975	M&E 25 YR 4/27/68-12/31	42,611.00	Evap Level 1	2.5	4/16/2007	100-0040	
x	2582		Evaporator 3B Effect	5110	21221	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	1,196,672.00	Evap Level 2	2.5	4/13/2007	100-0071	
x	2585		Sewage Lift Pump	7420	19001	25		1953	ME 25 YR PRIOR TO 195	32,911.00	Water Plant	1.5	5/10/2007	100-0001	
x	2600		Condensate Level Tank T-3A	5110	21327	25		1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0074	
x	2615		Pump 3-A Effect Circulation & Transfer	5110	21017	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	74,294.00	Evap Level 1	2.5	4/13/2007	100-0004	
x	2623		Boiler Feed Turbine	5110	21108	25		1977	M&E 25 YR 4/27/68-12/31	140,363.00	RecBlr Level 1	2.5	4/20/2007	100-0012	
x	2624		Evaporator 4A Effect	5110	21208	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	493,785.00	Evap Level 2	2.5	4/13/2007	100-0065	
x	2626		HCE Flash Tank T-7B	5110	21341	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	15,340.00	Evap Level 2	2.5	4/13/2007	100-0086	
x	2629		Condensate Level Tank T-4B	5110	21338	25		1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0081	
x	2633		Evaporator 2A Effect	5110	21206	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	942,851.00	Evap Level 2	2.5	4/13/2007	100-0063	
x	2634		Flue Gas Duct	5110	None	15		1990	M&E POLL.CNTRL 15 YR	174,777.00	RecBlr Level 3	2.5	5/10/2007	100-0022	
x	2635		SSL Level Tank T-7A	5110	21331	25		1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0085	
x	2643		Evaporator 5B Effect	5110	21225	25		1975	M&E 25 YR 4/27/68-12/31	879,753.00	Evap Level 2	2.5	4/13/2007	100-0069	
x	2692		Vacuum Evaporator Product Pump	5110	21061	25		1977	M&E 25 YR 4/27/68-12/31	15,920.00	Vac Evap Level 1	2.5	4/16/2007	100-0024	
x	2701		Pump Back Flush, High Pressure	7420	19042	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	98,853.00	Environmental Bldg	2.5	4/27/2007	3173	
x	2800		Condensate Level Tank T-2B	5110	21338	25		1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0084	
x	2815		Fuel Oil Pump	5110	21004	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	Recovery Yard (N)	2.5	4/16/2007	100-0028	
x	2824		Pump 4-B Effect Circulation & Transfer	5110	21025	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	70,931.00	Evap Level 1	2.5	4/13/2007	100-0021	
x	2830		Aerator ASB Lagoon	7420	19160	15	185.167.0000.128	1987	M&E P&P (EX MTRS) 15	109,329.00	ASB Lagoon	2.5	5/10/2007	100-0166	
x	2833		Pump 6-A Effect Circulation & Transfer	5110	21020	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	74,294.00	Evap Level 1	2.5	4/13/2007	100-0007	
x	2841	x	Evaporator 5A Effect Tube Sheets	5110	21209	15	185.167.0000.128	1993	M&E P&P (EX MTRS) 15	417,181.00	Evap Level 2	2.5	4/13/2007	100-0066	
x	2842		Evaporator 5A Effect	5110	21209	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	1,016,784.00	Evap Level 2	2.5	4/13/2007	100-0066	
x	2868		Condensate Level Tank T-1A	5110	21325	25		1981	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0105	
x	2884		Evaporator 6B Effect	5110	22203	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	1,248,376.00	Evap Level 2	2.5	4/13/2007	100-0068	
x	2926		Boiler Feed Water Pump (N)	5110	21039	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	284,462.00	RecBlr Level 1	2.5	4/13/2007	100-0132	
x	2937		Station #3	7420	19025	25	185.167.0000.114	1982	M&E 25 YR 4/27/68-12/31	46,801.00	Environmental	2	5/10/2007	100-0002	
x	2939	x	Evaporator 4B Effect Tubesheets	5110	22201	15	185.167.0000.128	PAR8910009	1992	M&E P&P (EX MTRS) 15	6,093.00	Evap Level 2	2.5	4/13/2007	100-0070
x	2941	1	Recovery Boiler Improvements	5110	21100	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	543,054.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	2941	2	Recovery Boiler Sootblower IK-1	5110	21650	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	4/13/2007	100-0158
x	2941	3	Recovery Boiler Sootblower IK-10	5110	21659	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 6	2.5	4/13/2007	100-0152
x	2941	4	Recovery Boiler Sootblower IK-11	5110	21660	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 6	2.5	4/13/2007	100-0145
x	2941	5	Recovery Boiler Sootblower IK-12	5110	21661	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 5	2.5	4/13/2007	100-0148
x	2941	6	Recovery Boiler Sootblower IK-13	5110	21662	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 2	2.5	4/13/2007	100-0138
x	2941	7	Recovery Boiler Sootblower IK-14	5110	21663	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 4	2.5	4/13/2007	100-0142
x	2941	8	Recovery Boiler Sootblower IK-15	5110	21664	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 4	2.5	4/13/2007	100-0143
x	2941	9	Recovery Boiler Sootblower IK-16	5110	21665	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 3	2.5	4/13/2007	100-0171
x	2941	10	Recovery Boiler Sootblower IK-17	5110	21666	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 3	2.5	4/13/2007	100-0170
x	2941	11	Recovery Boiler Sootblower IK-18	5110	21667	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 1A	2.5	4/13/2007	100-0174
x	2941	12	Recovery Boiler Sootblower IK-19	5110	21668	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 2	2.5	4/13/2007	100-0140
x	2941	13	Recovery Boiler Sootblower IK-2	5110	21651	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	4/13/2007	100-0157
x	2941	14	Recovery Boiler Sootblower IK-20	5110	21669	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 2	2.5	4/13/2007	100-0137
x	2941	15	Recovery Boiler Sootblower IK-21	5110	21670	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 2	2.5	4/13/2007	100-0139
x	2941	16	Recovery Boiler Sootblower IK-22	5110	21671	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 5	2.5	4/13/2007	100-0144
x	2941	17	Recovery Boiler Sootblower IK-23	5110	21674	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	5/9/2007	100-0011
x	2941	18	Recovery Boiler Sootblower IK-24	5110	21675	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 6	2.5	5/9/2007	100-0010
x	2941	19	Recovery Boiler Sootblower IK-3	5110	21652	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	4/13/2007	100-0158
x	2941	20	Recovery Boiler Sootblower IK-4	5110	21653	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	4/13/2007	100-0159
x	2941	21	Recovery Boiler Sootblower IK-5	5110	21654	15	185.167.0000.128	6F89071	1990	M&E P&P (EX MTRS) 15	14,000.00	RecBlr Level 7	2.5	4/13/2007	100-0160
x	2941	22	Recovery Boiler Sootblower IK-6	5110	21655	15	185.167.00								

**Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment**

x	2968	#10 SSPS Pump	7420	19051	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	101,163.00	Finishing-O/S	2.5	5/10/2007	100-0020
x	2973	#10 SSPS Pump	7420	19050	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	49,267.00	Finishing-O/S	2.5	5/10/2007	100-0019
x	2984	Condensate Flash Tank T-2A	5110	21328	25		1981	M&E 25 YR 4/27/68-12/31	2,830.00	Evap Level 2	2.5	4/13/2007	100-0075
x	2986	HCE Weak Storage-Boiler Scrubber Pump	5110	22002	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	26,534.00	East End Storage	2.5	4/27/2007	100-0062
x	2996	HCE Evaporator Feed Tank	5110	22300	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	183,288.00	West End Storage	2.5	4/13/2007	100-0054
x	3004	#10 SSPS Vertical Pump	7420	19049	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	68,555.00	Finishing-O/S	2.5	5/10/2007	100-0021
x	3008	BAR SCREEN FOR PUMPING STATION	7420	19140	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	87,835.00	CLO2 Plant	3	3/27/2007	100-0101
x	3010	REPLACE ROLLERS AQUA DRV	7420	19140	15			M&E POLL.CNTRL 15 YR	9,795.00	CLO2 Plant	3	3/27/2007	100-0101
x	3012	Weak SSL Storage Tank	5110	21317	15	185.167.0000.128	6F-91-00	M&E P&P (EX MTRS) 15'	513,294.00	East End Storage	2.5	4/13/2007	100-0033
x	3013	Meds To SSL Storage Tank Adjust To Pump	5110	21317	15	185.167.0000.128	XC925193	M&E P&P (EX MTRS) 15'	9,279.00	East End Storage	2.5	4/13/2007	100-0033
x	3020	Pump 2-A Effect Circulation & Transfer	5110	21016	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	74,294.00	Evap Level 1	2.5	4/13/2007	100-0003
x	3033	Bisulfate Pump to Baker Filters	5110	21051	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	17,590.00	Scrubber Level 1	2.5	4/13/2007	100-0109
x	3036	Station #3 Pump	7420	19028	25	185.167.0000.117	1982	M&E 25 YR AFTER 12/31.	214,306.00	Environmental	2	5/10/2007	100-0003
x	3040	Lime Slaker	7420	19145	10	185.167.0000.142	PAR 970014	M&E 10 YR 1/97-12/97	137,089.00	Site 26	2.5	5/15/2007	100-0036
x	3041	HCE FILTER SURGE PUMP	5110	22006	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	26,534.00	Scrubber Level 1	2.5	4/13/2007	100-0050
x	3042	HCE Unloading Pump	5110	22003	25		1977	M&E 25 YR 4/27/68-12/31	21,227.00	Recovery Yard (S)	2.5	4/16/2007	100-0030
x	3043	Repl Cast Iron Sluice Gate-Outfall	7420	None	15	185.167.0000.128	XC915201	M&E P&P (EX MTRS) 15'	14,555.00	Lagoon Outfall	2.5		N/A
x	3048	Induced Draft (ID) Fan	5110	21801	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	289,225.00	RecBlr Level 2	2.5	4/13/2007	100-0122
x	3050	VISUAL MONITORING SYSTEM	5110	21601.2	5	185.167.0000.131	XC905116	M&E EQ REPL 5 YR AF 1	9,980.00	RecBlr Level 2	2.5	5/7/2007	100-0022
x	3061	Condensate Pump	5110	21047	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	22,558.00	RecBlr Level 1	2.5	4/13/2007	100-0124
x	3072	Screw Type Sludge Press	7420	19111	15	185.167.0000.141	PAR980042	M&E 15 YR 1/97-12/97	763,239.00	Sludge Press Area	2.5	4/27/2007	3153
x	3074	MCC 12-1 MAIN BREAKER	5110	21808	25	185.167.0000.114	1975	M&E 25 YR 4/27/68-12/31	16,925.00	MCC Level 1	2.5	5/8/2007	100-0007
x	3075	MEE Hot Well	5110	21302	25	185.167.0000.114	1975	M&E 25 YR 4/27/68-12/31	40,267.00	Vac Evap Level 1	2.5	4/16/2007	100-0003
x	3091	Auxiliary Lube Oil Pump (ID Fan)	5110	21084	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	RecBlr Level 2	2.5	4/16/2007	100-0017
x	3119	SO2 SCRUBBER PUMP	2210	10002	15	185.167.0000.128	XC905106	M&E P&P (EX MTRS) 15'	11,764.00	Acid Plant-1	2	3/27/2007	100-0138
x	3121	Pump 6B Effect Circulation & Transfer	5110	21026	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	21,694.00	Evap Level 1	2.5	4/13/2007	100-0025
x	3160	Polymer Pulsafeeder Pump	7420	19036	15	185.167.0000.128	XC925222	M&E P&P (EX MTRS) 15'	5,167.00	Screw Press Area	2	5/8/2007	3202
x	3176	HCE Lagoon-Weak Storage Pump	5110	22004	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	18,524.00	Lagoons	2.5	4/20/2007	100-0022
x	3191	Reb ASB Lagoon Dikes	7420	None	15	185.167.0000.128	7F920050	M&E P&P (EX MTRS) 15'	705,899.00	ASB Lagoon	2		N/A
x	3204	1 Pump Sludge for Clarifier w/ Bridge Repairs	7420	19039	15	185.167.0000.128	7F930021	M&E P&P (EX MTRS) 15'	133,253.00	Clarifier	2	5/8/2007	3191
x	3204	2 Pump Sludge for Clarifier w/ Bridge Repairs	7420	19040	15	185.167.0000.128	7F930021	M&E P&P (EX MTRS) 15'	133,253.00	Clarifier	2	5/8/2007	3192
x	3213	Polymer Tank	7420	19310	25	185.167.0000.114	1980	M&E 25 YR 4/27/68-12/31	45,205.00	Screw Press Area	2	5/8/2007	3201
x	3260	Condensate Pump	5110	21037	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	Evap Level 1	2.5	4/13/2007	100-0017
x	3263	Evaporator 1A Effect	5110	21205	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	435,510.00	Evap Level 2	2.5	4/13/2007	100-0062
x	3266	Evaporator 1B Effect	5110	21211	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	427,846.00	Evap Level 2	2.5	4/13/2007	100-0073
x	3268	Ejector E-3A	5110	21127	10		XC-88-50	M&E P&P (MTRS) 10 YR	8,234.00	Evap Level 4	2.5	4/16/2007	100-0019
x	3277	Baker Filter A	5110	21123	10	185.167.0000.129	6F-89-09	M&E P&P (MTRS) 10 YR	53,633.00	Scrubber Level 1	2.5	4/13/2007	100-0115
x	3278	DA Storage Tank	5110	21304	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	172,575.00	RecBlr Level 8	2.5	4/13/2007	100-0169
x	3288	Pump 2-B Effect Circulation & Transfer	5110	21022	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	74,294.00	Evap Level 1	2.5	4/13/2007	100-0018
x	3291	Recovery Elevator	5110	21101	10	185.167.0000.129	6F-84-07	M&E P&P (MTRS) 10 YR	20,230.00	RecBlr Level 1	2.5	4/13/2007	100-0123
x	3295	Boilout & Emergency Transfer Pump	5110	21071	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	Evap Level 1	2.5	4/13/2007	100-0019
x	3301	Condensate Receiver	5110	21321	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	40,267.00	RecBlr Level 2	2.5	4/13/2007	100-0175
x	3310	Evaporator 6A Effect	5110	21210	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	448,087.00	Evap Level 2	2.5	4/13/2007	100-0067
x	3317	Fuel Oil Heater	5110	21214	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	3,538.00	RecBlr Level 1	2	4/13/2007	100-0131
x	3319	SSL Stripper Feed Heater E-5B	5110	21203	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	22,273.00	MeOH Level 2	2.5	4/13/2007	100-0103
x	3322	SSL LAGOON-ORIG 1939	7420	None	25	185.167.0000.111	OTHER	ME 25 YR PRIOR TO 195	50,044.00	SSL Lagoon	2		N/A
x	3348	Ejector for Condenser Vacuum	5110	21122	25	185.167.0000.114	1953	M&E 25 YR 4/27/68-12/31	34,255.00	Vac Evap Level 4	2.5	4/20/2007	100-0013
x	3349	Recovery Storage Feed Tank	5110	21303	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	694,275.00	East End Storage	2.5	4/13/2007	100-0040
x	3363	Replace FD Fan Damper Drive And Linkage	5110	21600	15	185.167.0000.128	XC935310	M&E P&P (EX MTRS) 15'	8,977.00	RecBlr Level 1	2.5	4/16/2007	100-0006
x	3364	Forced Draft (FD) Fan	5110	21600	25	185.167.0000.114	1993	M&E 25 YR 4/27/68-12/31	381,029.00	RecBlr Level 1	2.5	4/16/2007	100-0006
x	3386	Fuel Oil Heater	5110	21213	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	13,538.00	RecBlr Level 1	2	4/13/2007	100-0130
x	3390	Auxiliary Lube Oil Pump (Elec F.W.)	5110	21082	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	RecBlr Level 1	2.5	4/24/2007	100-0007
x	3425	Ejector E-2A	5110	21126	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	38,209.00	Evap Level 3	2.5	4/16/2007	100-0011
x	3427	Cooler Hold Up Pump	5110	21007	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	2,830.00	Scrubber Level 1	2.5	4/13/2007	100-0045
x	3433	Boiler Feed Water Pump (S)	5110	21040	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	242,275.00	RecBlr Level 1	2.5	4/13/2007	100-0133
x	3435	1 Recovery Boiler Scrubber	5110	21106	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	208,559.66	Scrubber Level 2	2.5	4/13/2007	100-0118
x	3435	2 Brinks Mist Filter	5110	21236	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	208,559.67	Scrubber Level 4	2.5	4/13/2007	100-0172
x	3435	3 Quench Tank	5110	21366	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	208,559.67	Scrubber Level 1	2.5	4/16/2007	100-0016
x	3436	Baker Filter B	5110	21124	10	185.167.0000.129	6F-89-09	M&E P&P (MTRS) 10 YR	53,633.00	Scrubber Level 1	2.5	4/13/2007	100-0115
x	3448	Condensate Pump	5110	21046	25	185.167.0000.114	1979	M&E 25 YR 4/27/68-12/31	77,939.00	RecBlr Level 1	2.5	4/13/2007	100-0125
x	3462	Direct Contact Evaporator	5110	21103	15	185.167.0000.128	7F-91-02	M&E P&P (EX MTRS) 15'	60,143.00	Scrubber Level 1	2.5	4/13/2007	100-0118
x	3484	Intermittent Blow Down Tank	5110	21308	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	26,845.00	RecBlr Level 1	2.5	4/13/2007	100-0136
x	3580	Deaerator	5110	21107	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	146,923.00	RecBlr Level 9	2.5	4/16/2007	100-0032
x	3589	Evaporator 2B Effect	5110	21212	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	898,238.00	Evap Level 2	2.5	4/13/2007	100-0072
x	3590	Ejector E-3B	5110	21130	10	185.167.0000.129	XC-88-50	M&E P&P (MTRS) 10 YR	7,844.00	Evap Level 4	2.5	4/16/2007	100-0018
x	3627	Condensate Pump	5110	21038	15	185.167.0000.128	1986	M&E P&P (EX MTRS) 15'	63,210.00	Evap Level 1	2.5	4/13/2007	100-0008
x	3638	Condensate Receiver Tank T-6B	5110	21340	25	185.167.0000.114	1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0080

**Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment**

x	3649	Fuel Oil Pump	5110	21003	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	16,982.00	Recovery Yard (N)	2.5	4/16/2007	100-0027
x	3651	Condensate Pump	5110	21034	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	24,914.00	Evap Level 1	2.5	4/13/2007	100-0028
x	3662	Pump 1-B Effect Circulation & Transfer	5110	21021	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	74,294.00	Evap Level 1	2.5	4/13/2007	100-0016
x	3690	Condensate Tank	5110	21301	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	337,481.00	West End Storage	2.5	4/13/2007	100-0053
x	3715	Auxiliary Lube Oil Pump (Stm F.W.)	5110	21083	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	18,982.00	RecBlr Level 1	2.5	4/16/2007	100-0023
x	3730	Condensate Level Tank T-4A	5110	21328	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	7,670.00	Evap Level 2	2.5	4/13/2007	100-0076
x	3791	Pump 5-B Effect Circulation & Transfer	5110	21023	25	185,167,000.114	1979	M&E 25 YR 4/27/68-12/31	57,587.00	Evap Level 1	2.5	4/13/2007	100-0024
x	3799	SSL Pump	5110	21028	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	21,227.00	Evap Level 1	2.5	4/13/2007	100-0011
x	3835	Containment Curbs Sulphur Unload-RR Tracks	2000	Acid-Bldg	10	185,167,000.133	1993	M&E INSTR LOOPS 10 Yr	3,865.00	Acid Plant-Sulf Unld	2.5		N/A
x	3913	1 Aerator ASB Lagoon	7420	19182	15	185,167,000.128	1992	M&E P&P (EX MTRS) 15'	26,611.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	3913	2 Aerator ASB Lagoon	7420	19183	15	185,167,000.128	1992	M&E P&P (EX MTRS) 15'	26,611.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	3913	3 Aerator ASB Lagoon	7420	19184	15	185,167,000.128	1992	M&E P&P (EX MTRS) 15'	26,611.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	3913	4 Aerator ASB Lagoon	7420	19185	15	185,167,000.128	1992	M&E P&P (EX MTRS) 15'	26,611.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	3913	5 Aerator ASB Lagoon	7420	19186	15	185,167,000.128	1992	M&E P&P (EX MTRS) 15'	26,611.00	ASB Lagoon	2.5	5/10/2007	100-0166
x	3936	Chlorine Vent Scrubber Blower	3120	12654	10	185,167,000.133	1993	M&E INSTR LOOPS 10 Yr	8,006.00	Bleach Plant-Roof	3.5	4/27/2007	100-0086
x	3955	ENV CONTAINMENT SULFUR UNL STATION	2210	None	10	185,167,000.129	1993	M&E P&P (MTRS) 10 YR	25,366.00	Acid Plant-Sulf Unld	2.5		N/A
x	4053	Replace Five Duct Exp. Joints-Rec Blr	5110	21100	15	185,167,000.141	1997	M&E 15 YR 1/97-12/97	232,776.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	4080	Concrete Slab Sludge Press	7420	None	5	185,167,000.139	1996	M&E 05 YR 1/96-12/96	682.00	Sludge Press Area	1.5		N/A
x	4073	Utility Oil Storage Facility	5110	None	15	185,167,000.128	1994	M&E P&P (EX MTRS) 15'	13,883.00	Recovery Yard (N)	2.5	4/24/2007	100-0002A
x	4080	Replace Recovery Boiler Economizer Hopper	5110	21100	15	185,167,000.141	1997	M&E 15 YR 1/97-12/97	53,641.00	RecBlr Level 4	2.5	4/16/2007	100-0005
x	4980	Flow - 60# Steam to E5A	5110	11-0212	25	185,167,000.114	1978	M&E 25 YR 4/27/68-12/31	13,714.00	MeOH Level 2	2	5/7/2007	100-0006
x	4981	Flow - 150# Steam to E5B	5110	11-0213	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	12,896.00	MeOH Level 2	2	5/7/2007	100-0005
x	4992	B-Line Sour Condensate to Sewer Flowmeter	5110	11-0307	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	12,896.00	Evap Level 1	2.5	4/27/2007	100-0012
x	4998	SSL to A Effect Evaporators	5110	11-0500	25		1981	M&E 25 YR 4/27/68-12/31	7,887.00	Evap Level 1	2	5/7/2007	100-0001
x	5002	Flow - Steam to A Line	5110	11-0503	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	12,896.00	Evap Level 2	2	5/7/2007	100-0003
x	5032	Density - SSL Product SN 18065	5110	11-555	15	185,167,000.117	1984	M&E 25 YR AFTER 12/31	9,202.00	Evap Level 1	2	5/7/2007	100-0017
x	5055	SSL to B Effect Evaporators	5110	11-0600	15	185,167,000.128	1986	M&E P&P (EX MTRS) 15'	12,548.00	Evap Level 1	2	5/7/2007	100-0002
x	5057	Flow - Steam to B Line	5110	11-0603	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	5,445.00	Evap Level 2	2	5/7/2007	100-0004
x	5124	Flowmeter - Sour Condensate Line A	5110	11-0705	25	185,167,000.114	1976	M&E 25 YR 4/27/68-12/31	10,825.00	Evap Level 1	2.5	4/27/2007	100-0003
x	5131	SSL Product Liquor Flowmeter	5110	11-0712	5	185,167,000.131	1993	M&E EQ REPL 5 YR AF 1	4,057.00	Evap Level 1	2.5	4/27/2007	100-0001
x	5133	Press - Vacuum B Line Evaporators	5110	11-0751	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	11,272.00	Evap Level 3	2	5/7/2007	100-0008
x	5135	Flowmeter - Sour Condensate Line B	5110	11-0752	25	185,167,000.114	1975	M&E 25 YR 4/27/68-12/31	10,274.00	Evap Level 1	2.5	4/27/2007	100-0004
x	5243	Flow - Ammonia to Upper Absorption	5110	12-308	25	185,167,000.117	1983	M&E 25 YR AFTER 12/31	12,848.00	Scrubber Level 1	2	5/7/2007	100-0015
x	5284	Recovery SO2 Analyzer Addl	5110	12-0403	15	185,167,000.117	1984	M&E 25 YR AFTER 12/31	17,280.00	RecBlr Level 9	3	4/27/2007	100-0066
x	5285	Recovery SO2 Analyzer Addl	5110	12-0403	15		1984	M&E 25 YR AFTER 12/31	17,280.00	RecBlr Level 9	3	4/27/2007	100-0066
x	5408	50% Caustic Recovery Flowmeter	5110	12-0277	25	185,167,000.114	1979	M&E 25 YR 4/27/68-12/31	14,942.00	Scrubber Level 1	2.5	4/27/2007	100-0005
x	5677	Recovery DCS	5110	21110	15	185,167,000.126	1995	M&E PERM MTCE 15 YR	706,283.00	RecBlr Level 4	2.5	4/16/2007	100-0033
x	5756	Cooling Tower Piping Replacement	5110	21134	25	185,167,000.111	1992	M&E P&P (EX MTRS) 15'	334,934.98	Cooling Towers	2.5	4/13/2007	100-0162
x	5783	Lower Absorber Holdup Tank	5110	21323	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	27,146.00	Scrubber Level 1	2.5	4/13/2007	100-0107
x	5785	SSL Recovery Feed Pump	5110	21002	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	16,387.00	East End Storage	2.5	4/13/2007	100-0038
x	5788	SSL Recovery Feed Pump	5110	21001	25	185,167,000.114	1977	M&E 25 YR 4/27/68-12/31	15,385.00	East End Storage	2.5	4/13/2007	100-0037
x	5819	Recovery Transformer	5110	21803	15	185,167,000.146	1997	W.O. 59618	53,183.00	Xfmr Rm Level 1	2.5	4/20/2007	100-0009
x	5820	Evaporator 6B Effect Heating Elements	5110	22203	10	185,167,000.147	1998	W.O. 59777	471,970.53	Evap Level 2	2.5	4/13/2007	100-0068
x	5827	SSL Lagoon Pump Monorail	5110	21080	10	185,167,000.147	1998	W.O. 64438	26,023.27	Lagoons	3	4/20/2007	100-0021
x	5831	Pumping Station #3 Flowmeter	5110	15-927	3	185,167,000.149	1998	67631	9,012.79	Recovery Yard (S)	2.5	5/10/2007	100-0013
x	5833	Evaporator 3-B Safety Relief Valve	5110	None	5	185,167,000.148	1998	W.O. 67682	13,755.00	Evap Level 3	2.5	4/19/2007	100-0004
x	5856	Evaporator 1B Safety Relief Valve	5110	None	15	185,167,000.148	1998	72335	11,813.56	Evap Level 3	2.5	4/19/2007	100-0001
x	5857	Evaporator 1B Safety Relief Valve	5110	None	15	185,167,000.148	1998	72336	12,313.53	Evap Level 3	2.5	4/19/2007	100-0001
x	5858	Evaporator 3-A Safety Relief Valve	5110	None	15	185,167,000.148	1998	72337	12,313.53	Evap Level 3	2.5	4/19/2007	100-0003
x	5905	Baker Filters Backwash Water Flowmeter	5110	12FT0098	3	185,167,000.149	1998	70089	13,858.88	Scrubber Level 1	2.5	4/19/2007	100-0016
x	5906	REPLACE HANDRAILS AND PAINT TOP OF LIME SILO	7420	19305	5	185,167,000.148	1998	70222	11,016.38	Site 28	2	5/10/2007	100-0007
x	5914	Data Collector/Vibration Measurement	5110	21979-1	5	185,167,000.148	1998	70947	10,535.18	Maintenance Shop	2.5	4/27/2007	100-0013
x	5931	Recovery SO2 Analyzer	5110	12-0403	5	185,167,000.148	1998	67515	5,843.34	RecBlr Level 9	3	4/27/2007	100-0066
x	5937	HCE Cooling Tower Fire Main Header	5110	21134	10	185,167,000.147	1998	76348	11,970.84	Cooling Towers	2.5	4/13/2007	100-0162
x	5938	SSL Cooling Tower ME Fire Main Header	5110	21135	10	185,167,000.147	1998	76349	14,383.63	Cooling Towers	2.5	4/13/2007	100-0163
x	5947	1 Aerator ASB Lagoon	7420	19123	10	185,167,000.147	1998	70745	37,990.92	ASB Lagoon	2.5	5/10/2007	100-0166
x	5947	2 Aerator ASB Lagoon	7420	19124	10	185,167,000.147	1998	70745	37,990.93	ASB Lagoon	2.5	5/10/2007	100-0166
x	5954	RECOVERY DCS INSTALLATION	5110	21110	10	185,167,000.147	1998	48212	1,314,946.28	RecBlr Level 4	2.5	4/16/2007	100-0033
x	5956	REPLACE RECOVERY BOILER ECONOMIZER HOPPER	5110	21100	15	185,167,000.141	1997	54532	9,539.42	RecBlr Level 4	2.5	4/16/2007	100-0005
x	5969	REPLACE 16 PRIMARY SUPERHEATER PLATENS, RECOVERY	5110	21100	15	185,167,000.146	1998	62857	454,809.38	RecBlr Level 4	2.5	4/16/2007	100-0005
x	5970	REPLACE LOWER FURNACE BAFFLE TUBES, RECOVERY BO	5110	21100	10	185,167,000.147	1998	63866	313,244.06	RecBlr Level 4	2.5	4/16/2007	100-0005
x	5976	Pump 4-A Effect Casing	5110	21018	10	185,167,000.147	1998	68381	29,637.94	Evap Level 1	2.5	4/13/2007	100-0005
x	5977	REBUILD ASB OUTFALL 002	7420	None	10	185,167,000.147	1998	66775	18,797.50	Outfall 002	2.5		N/A
x	6095	Pump 3-B Effect Circulation & Transfer	5110	21019	5	185,167,000.148	1998	57756	14,129.70	Evap Level 1	2.5	4/13/2007	100-0020
x	6099	Fuel Oil Heater PA	5110	21213	5	185,167,000.148	1998	57756	5,651.88	RecBlr Level 1	2	4/13/2007	100-0130
x	6102	RECOVERY BOILER BURNER MGMT SYSTEM-PA	5110	21850	5	185,167,000.148	1997	57756	14,129.70	RecBlr Level 4	2.5	4/27/2007	100-0009
x	6104	Vac Evap Circ Heat Exchanger (MeOH)	5110	21230	5	185,167,000.148	1997	57756	21,420.00	Vac Evap Level 1	2.5	4/16/2007	100-0026

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

x		6105		Vac Evap Circ Heat Exchanger (MeOH)	5110	21231	5	185.167.0000.148	PAR970055	1997	57756	21,420.00	Vac Evap Level 1	2.5	4/16/2007	100-0028
x		6127	1	Aerator ASB Lagoon	7420	19131	10	185.167.0000.151	6F990021	1999		37,763.04	ASB Lagoon	2.5	5/10/2007	100-0168
x		6127	2	Aerator ASB Lagoon	7420	19132	10	185.167.0000.151	6F990021	1999		37,763.05	ASB Lagoon	2.5	5/10/2007	100-0168
x	x	6128		REPLACE PRIMARY FURNACE WALL TUBES RECOVERY BOIL	5110	21100	10	185.167.0000.151	6F970074	1999	62150	289,813.54	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6147		Pump 4-A Effect Casing Addl	5110	21018	10	185.167.0000.147	XC985036	1999		1,807.87	Evap Level 1	2.5	4/13/2007	100-0005
x	x	6150		SSL Cooling Tower ME Fan Drive	5110	21602	3	185.167.0000.153	XC985012	1999		15,767.27	Cooling Towers	2.5	5/9/2007	100-0163
x	x	6151		HCE Cooling Tower Pump Motor Rewind	5110	21059	10	185.167.0000.152	XC985054	1999		15,243.66	Cooling Towers	2.5	4/13/2007	100-0117
x	x	6161		Evaporator 6B Effect Heating Elements	5110	22203	10	185.167.0000.151	6F980056	1999	72441	408,411.73	Evap Level 2	2.5	4/13/2007	100-0068
x	x	6164		Fuel Oil Tank	5110	16315	15	185.167.0000.150	6F980070	1999		374,871.52	Recovery Yard (S)	2.5	4/13/2007	100-0161
x	x	6165		Evaporator 2B Effect Heating Elements	5110	21212	10	185.167.0000.151	6F990009	1999		353,557.38	Evap Level 2	2.5	4/13/2007	100-0072
x	x	6172		Replace Brinks Mist Filter Tubersheet Stiffener Bat Rubber	5110	21236	10	185.167.0000.151	6F990034	1999		213,876.86	Scrubber Level 4	2.5	4/13/2007	100-0172
x	x	6182		MODIFY SO2 VENT GAS SYSTEM	2210	10126	10	185.167.0000.151	7F990016	1999		67,199.81	Acid Plant-1	1.5	4/24/2007	100-0084
x	x	6187		REPLACE RECOVERY SCREEN TUBES	5110	21100	10	185.167.0000.151	6F990022	2000		156,847.80	RecBlr Level 4	2.5	4/16/2007	100-0005
x		6189		Lime Silo Dust Collector	7420	19901	10	185.167.0000.151	7F990013	2000		7,786.34	Site 26	2.5	5/15/2007	100-0035
x		6202		Westinghouse Transformer	7420	19807	5	185.167.0000.155	XC005033	2000	95401	51,233.50	ASB Lagoon-MCC	2	5/10/2007	100-0012
x		6203		MCC Upgrade	5110	21849-1	5	185.167.0000.156	XC005035	2000	95575	16,140.71	MCC Level 1	2.5	4/20/2007	100-0007
x	x	6217		REPLACE 26" CLEAN STEAM FEED TO 1B EVAPORATOR	5110	21211	10	185.167.0000.151	XC985163	2000	74961	5,231.18	Evap Level 1	2.5	4/13/2007	100-0073
x	x	6218		Replace 28" Clean Steam Feed to 1A Evaporator	5110	21205	10	185.167.0000.151	XC985164	2000	74957	3,960.00	Evap Level 1	2.5	4/13/2007	100-0062
x		6221		Condensate Pump	5110	21031	5	185.167.0000.156	XC005063	2000	99015	56,345.29	Evap Level 1	2.5	4/13/2007	100-0010
x	x	6229		Replace Rec Boiler Area Structural Steel	5110	21100	10	185.167.0000.155	XC995128	2000	89430	122,859.53	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x		6230		Transformer 500 KVA	7420	19800	10	185.167.0000.155	XC005067	2000	98875	35,516.21	Environmental Bldg	2.5	4/27/2007	3174
x		6243		Vertical Pump on #3SSPS	5110	21899-1	3	185.167.0000.157	XC995070	2000	85258	15,633.17	RecBlr Level 1	2.5	4/24/2007	100-0006
x	x	6244		RPLC 1 AERATOR	7420	19127	10	185.167.0000.151	XC995072	2000	87187	5,197.80	ASB Lagoon	2.5	5/10/2007	100-0166
x	x	6258		Aerator ASB Lagoon Refurb	7420	19173	10	185.167.0000.151	XC995108	2000	89279	12,090.22	ASB Lagoon	2.5	5/10/2007	100-0166
x		6268		UPGRADE LAGOON DREDGE PUMP & INSTALL DISC LINES	7420	None	5	185.167.0000.156	XC995137	2000	90069	16,800.36	Environmental	3		N/A
x	x	6273		Pump 4-B Effect Circulation & Transfer Base	5110	21025	10	185.167.0000.154	XC995148	2000	86607	17,334.02	Evap Level 1	2.5	4/13/2007	100-0021
x	x	6285		After Condenser S-2B	5110	21226	10	185.167.0000.150	XC995089	2000	88276	75,755.92	Evap Level 3	2.5	4/13/2007	100-0086
x		6290		A-Line Barometric Condenser	5110	21141	5	185.167.0000.156	6F00018	2000	97064	203,048.56	Evap Level 3	2.5	4/13/2007	100-0095
x		6323	1	AMMONIA DISCHARGE REDUCTION-PHASE I, SUP#1	5110	21106	10	185.167.0000.156	7F96083	2000	51861	1,254,678.64	Scrubber Level 2	2.5	4/13/2007	100-0118
x		6323	2	Brinks Collection Tank	5110	21350	10	185.167.0000.156	7F96083	2000	51861	66,738.23	Scrubber Level 1	2.5	4/13/2007	100-0114
x		6323	3	Brinks/Baker Filter Drain Water to SSL Pond Pump	5110	21078	10	185.167.0000.156	7F96083	2000	51861	13,347.65	Scrubber Level 1	3	4/13/2007	100-0113
x		6349		ID Fan Trolley Hoist	5110	21601.1	5	185.167.0000.160	XC005039	2001	95607	14,582.54	RecBlr Level 2	2	5/7/2007	100-0024
x		6351		INSTL LAGOON CURTAIN	7420	None	5	185.167.0000.160	XC005045	2001	96513	38,843.85	ASB Lagoon	2		N/A
x	x	6362		HCE Filter Surge Tank	5110	22305	5	185.167.0000.160	XC015010	2001	102950	17,681.15	Scrubber Level 1	2.5	4/13/2007	100-0049
x	x	6392		Evaporator 2B Effect Heating Elements Addl	5110	21212	10	185.167.0000.151	6F990009	2001	80556	128,128.27	Evap Level 2	2.5	4/13/2007	100-0072
x	x	6426		Recovery MCC AC Unit	5110	AC101	5	185.167.0000.160	XC005103	2001	102027	20,143.97	MCC Level 1	2.5	4/20/2007	100-0006
x	x	6437		RBLD/UPGRD #3 PUMP STATION PUMPS	7420	19025	5	185.167.0000.160	XC015020	2001	103774	64,935.91	Environmental	2	5/10/2007	100-0002
x		6468		INSTL 2ND DREDGE PUMP IN ASB	7420	None	10	185.167.0000.159	7F00034	2001	101891	77,921.12	Environmental	2		N/A
x		6477		INCRS ASB AERATION CAPACITY	7420	None	10	185.167.0000.159	6F990038	2001	99280	70,163.22	ASB Lagoon	2.5		N/A
x	x	6493		Replace Rake Assembly & Feedtube in Air Heaters	5110	21100	10	185.167.0000.159	XC005040	2001	95297	34,064.19	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6496		Replace Rec Boiler Area Structural Steel	5110	21100	10	185.167.0000.155	XC995128	2001	89430	1,152.64	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6510		New Sewer Line PB under Main Plant Road	5120	None	15	185.167.0000.158	7F01003	2001	103634	232,155.00	Main Plant Road PB	2.5		N/A
x		6512		Pipeline From Clearwater To Pump Station #3	7420	None	10	185.167.0000.159	7F00013	2001	95711	101,894.85	Environmental	2		N/A
x		6534	1	Aerator ASB Lagoon	7420	19130	5	185.167.0000.164	6F01020	2002	111439	34,908.15	ASB Lagoon	2.5	5/10/2007	100-0166
x		6534	2	Aerator ASB Lagoon	7420	19135	5	185.167.0000.164	6F01020	2002	111439	34,908.15	ASB Lagoon	2.5	5/10/2007	100-0166
x		6536		Cooler Holdup Heat Exchanger E-8	5110	21218	10	185.167.0000.163	7F01031	2002	113049	84,202.26	Scrubber Level 1	2.5	4/16/2007	100-0039
x		6539		Clear Sewar To Outfall Piping 001	7420	None	15	185.167.0000.162	7F01011	2002	109286	202,962.67	Outfall 001	2.5		N/A
x		6540	1	MEE VENT GAS CLUSTER RULE MACT HAP CMLPNC, SUPL.1	5110	21102	10	185.167.0000.163	7F99037	2002	88280	1,137,167.71	MeOH Level 1	3	4/13/2007	100-0028
x		6540	2	Methanol Condenser (Refurbished SO2 Stripper)	5110	21102	10	185.167.0000.163	7F99037	2002	88280	45,000.00	MeOH Level 1	3	4/13/2007	100-0028
x		6540	3	Methanol Condenser ASB Pump	5110	21005	10	185.167.0000.163	7F99037	2002	88280	20,000.00	Lagoons	3	4/24/2007	100-0005
x		6545		Scrubber Internal Repairs	2210	10126	15	185.167.0000.162	7F99019	2002	83124	688,056.74	Acid Plant-1	1.5	4/24/2007	100-0084
x		6553		4" Line From #4 Washer Effluent To P.B. Scrubber	3120	12170	10	185.167.0000.163	XC025035	2002	115867	12,260.44	Bleach Plant-3	2.5	5/11/2007	100-0011
x	x	6554		Replace ID Fan Expansion Joint Shields and Skin	5110	21601	10	185.167.0000.163	XC025026	2002	114383	39,306.27	RecBlr Level 2	2.5	4/13/2007	100-0122
x	x	6566		REPLACE EXPANSION JOINT ON FD FAN OPERATING FLOOR	5110	21600	5	185.167.0000.164	XC025024	2002	113299	23,112.77	RecBlr Level 1	2.5	4/16/2007	100-0006
x		6568		INSTALL POLY PIPE FROM DREDGE PUMP TO #3 PUMP STA	7420	None	5	185.167.0000.164	XC015069	2002	112701	16,360.95	Environmental	2.5		N/A
x		6569		INSTALL NEW AREA VELOCITY FLOWMETER IN CLARIFIER	7420	19120	5	185.167.0000.164	XC015072	2002	113046	15,761.99	Clarifier	2.5	5/10/2007	100-0014
x		6605		ID Fan Sootblower Cleaners	5110	21601	5	185.167.0000.168	XC015065	2003	112149	31,788.20	RecBlr Level 2	2.5	4/13/2007	100-0122
x	x	6606		ID Fan Spare Turbine Rotor Rebuild	5110	21109	5	185.167.0000.188	XC025082	2003	116528	36,768.00	RecBlr Level 2	2.5	4/20/2007	100-0015
x	x	6620		SSL Recovery Feed Pump Guards	5110	21001	10	185.167.0000.167	XC025087	2003	119747	36,586.59	East End Storage	2.5	4/13/2007	100-0037
x	x	6629		Contaminated Condensate Flash Drum	5110	21349	5	185.167.0000.168	XC035001	2003	121919	21,230.59	Evap Level 1	2.5	4/24/2007	100-0001
x	x	6638		HCE Evaporator Cooling Tower Pump & Motor Base	5110	21059	5	185.167.0000.168	XC035020	2003	125644	44,396.17	Cooling Towers	2.5	4/13/2007	100-0117
x		6649	1	Pre-Condenser Condensate Tank (MeOH)	5110	21353	5	185.167.0000.168	6F-02-032	2003	121091	37,535.23	MeOH Level 1	2.5	4/19/2007	100-0009
x		6649	2	Pre-Condenser Condensate Pump (MeOH)	5110	21085	5	185.167.0000.168	6F-02-032	2003	121091	25,023.48	MeOH Level 1	2.5	4/13/2007	100-0032
x		6649	3	Vac Evap MeOH Condenser Heat Reclaim	5110	21104	5	185.167.0000.168	6F-02-032	2003	121091	250,234.85	Vac Evap Level 1	2.5	4/13/2007	100-0121
x	x	6660		Replace ID Fan Wheel	5110	21601	5	185.167.0000.168	6F-03-013	2003	126862	113,813.24	RecBlr Level 2	2.5	4/13/2007	100-0122
x		6661		Deaerator Upgrade	5110	21107	3	185.167.0000.169	6F-03-017	2003	126158	55,614.76	RecBlr Level 9	2.5	4/16/2007	100-0032
x	x	6671		REPLACE UPPER EXPANSION JOINT 7TH FLOOR RECOVERY	5110	21100	5	185.167.0000.168	XC025092	2003	121261	37,355.97	RecBlr Level 7	2.5	4/16/2007	100-0005

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

x	x	6672	REPLACE LOWER EXPANSION JOINT 7TH FLOOR RECOVER	5110	21100	5	185.167.0000.168	XC025083	2003	121295	39,560.29	RecBlr Level 7	2.5	4/16/2007	100-0005
x	x	6673	REPLACE EXPANSION JOINT 5TH FLOOR RECOVERY	5110	21100	5	185.167.0000.168	XC025094	2003	121299	26,742.64	RecBlr Level 5	2.5	4/16/2007	100-0005
x	x	6677	Clear Sewer Collection Piping Addl Cost	5310	None	3	185.167.0000.169	XC025087	2003	117851, 118606, 118232	37,340.20	Water Pit	2.5		N/A
x	x	6680	Clear Sewer Collection Piping	5310	None	10	185.167.0000.167	6F-02-002	2003	113127	132,598.41	Water Pit	2.5		N/A
x	x	6682	Recovery Boiler Particulate Monitor	5110	21855	5	185.167.0000.168	7F-02-013	2003	121090	189,259.36	RecBlr Level 9	3	4/20/2007	100-0003
x	x	6685	REPLACE WEST HALF OF RECOVERY GENERATING BANK - 1	5110	21100	10	185.167.0000.167	6F-02-027	2003	120440	1,164,506.51	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6686	REPLACE WEST HALF OF RECOVERY GENERATING TUBE B	5110	21100	5	185.167.0000.168	6F-02-027	2003	120440	1,600,418.04	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6696	1 Aerator ASB Lagoon	7420	19187	5	185.167.0000.168	6F-03-016	2003	127745	32,138.14	ASB Lagoon	2.5	5/10/2007	100-0166
x	x	6696	2 Aerator ASB Lagoon	7420	19188	5	185.167.0000.168	6F-03-016	2003	127745	32,138.14	ASB Lagoon	2.5	5/10/2007	100-0166
x	x	6710	REPLACE HCE LAGOON RECIRCULATION LINE	7420	None	10	185.167.0000.167	6F-03-035	2003	134949	29,164.35	HCE Lagoon	3		N/A
x	x	6719	Lime Slaker Platform	7420	19145	10	185.167.0000.167	XC035044	2003	131357	45,384.59	Site 26	2.5	5/15/2007	100-0036
x	x	6729	REBUILD RECOVERY BOILER PRESSURE PARTS	5110	21100	10	185.167.0000.171	6F030028	2004	133034	1,151,328.98	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6730	REBUILD RECOVERY BOILER PRESSURE PARTS	5110	21100	5	185.167.0000.172	6F030028	2004	133034	1,060,826.62	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6735	Pump 6B Effect Mech Seals	5110	21026	5	185.167.0000.172	6F04002	2004	138184	62,062.56	Evap Level 1	2.5	4/13/2007	100-0025
x	x	6736	REPLACE NON-CONDENSABLE PIPING TO MEOH SYSTEM	5110	21005	5	185.167.0000.172	6F04003	2004	138289	75,093.58	MeOH Level 1	3	4/24/2007	100-0005
x	x	6737	1 Aerator ASB Lagoon	7420	19180	5	185.167.0000.172	6F03038	2004	135379	32,659.91	ASB Lagoon	3	5/10/2007	100-0166
x	x	6737	2 Aerator ASB Lagoon	7420	19181	5	185.167.0000.172	6F03038	2004	135379	32,659.91	ASB Lagoon	3	5/10/2007	100-0166
x	x	6742	Evaporator 3B Effect Condensate Header	5110	21221	5	185.167.0000.172	6F-04-009	2004	139155	56,893.50	Evap Level 1	2.5	4/13/2007	100-0071
x	x	6743	SSL Cooling Tower Header 90° Elbow Header	5110	21135	5	185.167.0000.172	XC045012	2004	134167	18,390.49	Cooling Towers	2.5	4/13/2007	100-0163
x	x	6744	60-30# Steam Reducer Valve	5110	None	5	185.167.0000.172	XC 045009	2004	138453	20,040.88	RecBlr Level 2	2.5	5/10/2007	100-0021
x	x	6747	Rebuild Cooling Tower Pump and Line with Belzona	5110	21059	5	185.167.0000.172	XC 035083	2004	131836	20,519.77	Cooling Towers	2.5	4/13/2007	100-0117
x	x	6748	Aqua Guard At #1 SSPS	7420	19140	5	185.167.0000.172	XC 035068	2004	128558	21,463.54	CLO2 Plant	3	3/27/2007	100-0101
x	x	6749	Cinder Screen	7420	19136	5	185.167.0000.172	XC 035051	2004	133848	38,234.61	Environmental	2.5	5/10/2007	100-0015
x	x	6757	ID Fan Sootblower Cleaners	5110	21601	5	185.167.0000.168	XC015065	2004	112149	110.12	RecBlr Level 2	2.5	4/13/2007	100-0122
x	x	6761	ID Fan Expansion Joint (Horseshoe)	5110	21601	3	185.167.0000.173	XC 035060	2004	129955	48,214.58	RecBlr Level 2	2.5	4/13/2007	100-0122
x	x	6762	Replace Outlet Breaching Expansion Joint	5110	21100	3	185.167.0000.173	XC 035065	2004	134910	40,740.78	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6763	Boiler Feed Water Pump (N) Gear Box	5110	21039	3	185.167.0000.173	XC 045013	2004	136432	30,403.99	RecBlr Level 1	2.5	4/13/2007	100-0132
x	x	6768	Install New 6" S/S Weak HCE Line	5110	22304	3	185.167.0000.173	XC 045024	2004	137861	39,061.67	East End Storage	2.5	4/13/2007	100-0039
x	x	6771	Rebuild (3) Recovery Boiler Burners	5110	21100	3	185.167.0000.173	XC 035062	2004	134888	20,648.60	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6773	Install Recovery Boiler Valve Access Platform/Ladder Cages	5110	21100	10	185.167.0000.171	XC 045054	2004	136716	18,390.00	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6793	REBUILD RECOVERY BOILER PRESSURE PARTS	5110	21100	10	185.167.0000.171	6F03028	2004	133034	363,603.43	RecBlr Level 4-9	2.5	4/16/2007	100-0005
x	x	6795	Sump Pump - Dewatering Drainage Pit	2110	18021	10	185.167.0000.171	XC035039	2004	129627	30,278.72	Woodyard Hogger	3	5/4/2007	100-0039
x	x	6802	Sewer Run-Off Drain Piping	5310	None	10	185.167.0000.171	XC045030	2004	140262	23,348.49	Water Pit	2.5		N/A
x	x	6806	REPLACE SECTIONS OF DUCT ON FD FAN RECOVERY	5110	21600	5	185.167.0000.172	XC035068	2004	132057	33,330.56	RecBlr Level 1	2.5	4/16/2007	100-0006
x	x	6811	INSTALL 16 GAUGE SS LNR - HORTZL DUCT	5110	21100	5	185.167.0000.172	XC45005	2004	137592	47,600.00	RecBlr Level 3	2.5	4/16/2007	100-0005
x	x	6819	HCE Cooling Tower Pump Motor Recondition	5110	21059	3	185.167.0000.173	XC035072	2004	135057	-	Cooling Towers	2.5	4/13/2007	100-0117
x	x	6822	Evaporator 1A Safety Relief Valve	5110	None	3	185.167.0000.173	XC045029	2004	138464	30,804.00	Evap Level 3	2.5	4/19/2007	100-0002
x	x	6829	SSL to Stripper Pump #1	5110	21006	10	185.167.0000.175	XC045042	2005	141338	55,908.81	East End Storage	3	4/13/2007	100-0034
x	x	6832	Scrubber Absorption Heat Exchanger E-10	5110	21216	15	185.167.0000.174	6F-04017	2005	143377	65,377.87	Scrubber Level 1	2.5	4/16/2007	100-0038
x	x	6833	SSL Product Receiver T-9	5110	21333	15	185.167.0000.174	XC045097	2005	148474	26,891.86	Evap Level 2	2.5	4/13/2007	100-0079
x	x	6840	Pump 5-B Effect Circulation & Transfer Motor	5110	21023	10	185.167.0000.175	XC055011	2005	149286	19,462.68	Evap Level 1	2.5	4/13/2007	100-0024
x	x	6845	Condensate Pump Discharge Piping	5110	21065	5	185.167.0000.176	6F040035	2005	146244	63,060.88	MeOH Level 1	2.5	4/13/2007	100-0032
x	x	6846	Recovery Boiler Quench Ring Integrity Restoration	5110	21106	5	185.167.0000.176	6F040036	2005	140193	98,580.92	Scrubber Level 2	2.5	4/13/2007	100-0118
x	x	6854	Replace Mud Drum Blowdown Valves at Recovery	5110	21100	10	185.167.0000.175	XC055022	2005	142940	21,368.74	RecBlr Level 5	2.5	4/16/2007	100-0005
x	x	6867	1 Aerator ASB Lagoon	7420	19177	5	185.167.0000.176	6F040032	2005	147778	35,003.58	ASB Lagoon	3	5/10/2007	100-0166
x	x	6867	2 Aerator ASB Lagoon	7420	19178	5	185.167.0000.176	6F040032	2005	147778	35,003.58	ASB Lagoon	3	5/10/2007	100-0166
x	x	6870	Evaporator 5B Effect Heating Elements	5110	21225	10	185.167.0000.175	6F040014	2005	142748	491,168.20	Evap Level 2	2.5	4/13/2007	100-0069
x	x	6874	Replace Brinks Mist Filter Elements Compartment #4	5110	21238	5	185.167.0000.176				152,813.53	Scrubber Level 4	2.5	4/13/2007	100-0172
x	x	6875	MEE Cooling Tower Pump Piping	5110	21058	15	185.167.0000.174	6F040026	2005	146250	67,085.41	Cooling Towers	2.5	4/13/2007	100-0119
x	x	6878	Containment For Methanol Tank	3210	20320	15	185.167.0000.174	6F040040	2005	147937	77,829.99	CLO2 Plant	3.5	3/27/2007	100-0089
x	x	6885	INSTALL HCE SOAP RECOVERY SYSTEM	5110	22300	10	185.167.0000.175	7F030045	2005	136027	45,661.25	West End Storage	2.5	4/13/2007	100-0054
x	x	6886	CLARIFIER UTILITY BRIDGE REBUILD	7420	19120	5	185.167.0000.176	6F045051	2005	141737	25,616.65	Clarifier	2.5	5/10/2007	100-0014
x	x	6893	RAISE ME HOTWELL TILE WALL	5110	21320	10	185.167.0000.175	XC055007	2005	147164	32,020.30	Vac Evap Level 1	2.5	4/16/2007	100-0002
x	x	6896	REPLACE RECOVERY BOILER 6 PACK @ IK#1	5110	21100	5	185.167.0000.176	XC055017	2005	149754	39,468.71	RecBlr Level 7	2.5	4/16/2007	100-0005
x	x	6908	Pump Clear Sewer Discharge	7420	19027	10	185.167.0000.175	XC055065	2005	154753	24,830.50	Environmental Bldg	3	4/27/2007	3177
x	x	6909	HCE Hot Well Pump Casing	5110	21011	10	185.167.0000.175	XC055067	2005	155371	51,559.40	Vac Evap Level 1	2.5	4/13/2007	100-0059
x	x	6910	Quench H2O Line to MeOH Heat Exchanger	5110	21366	5	185.167.0000.176	XC055071	2005	158564	51,876.81	Scrubber Level 1	2.5	4/16/2007	100-0016
x	x	6914	CLARIFIER UTILITY BRIDGE REBUILD	7420	19120	10	185.167.0000.175	XC045080	2005	147626	52,656.00	Clarifier	3	5/10/2007	100-0014
x	x	6919	SSL Heater E6	5110	21232	10	185.167.0000.179	4F-05-007	2006		273,666.90	MeOH Level 3	2.5	4/13/2007	100-0101
x	x	6937	Chip Cyclone Modification	2210	11902	5	185.167.0000.180	XC055057	2006		846.02	Digesters-5	2.5	5/11/2007	100-0026
x	x	6944	1 Quench Ring Water Conservation	5110	21106	10	185.167.0000.179	PAR 40031	2006	147315	222,593.01	Scrubber Level 2	2.5	4/13/2007	100-0118
x	x	6944	2 ASB Water to Quench Pump	5110	21045	10	185.167.0000.179	PAR 40031	2006	147315	20,000.00	Lagoons	3.5	4/24/2007	100-0004
x	x	6944	3 Booster Pump ASB Water to Quench	5110	21048	10	185.167.0000.179	PAR 40031	2006	147315	20,000.00	Scrubber Level 1	3	4/16/2007	100-0013
x	x	6945	Heat Recovery Pump Discharge Line	5110	21014	10	185.167.0000.179	PAR 50004	2006	148970	59,292.50	Scrubber Level 1	2	4/13/2007	100-0048
x	x	6946	Rebuild Recovery Boiler Sidewall & Air Heater	5110	21100	10	185.167.0000.179	PAR 50029	2006	156958	1,096,714.52	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6947	Weld Overlay Reboiler 2nd Furnace Wall	5110	21100	10	185.167.0000.179	PAR 50034	2006	157542	168,507.10	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	6948	Replace Recovery Boiler	5110	21100	10	185.167.0000.179	PAR 50035	2006	157541	164,762.34	RecBlr Level 4	2.5	4/16/2007	100-0005

Rayonier Fernandina Beach Pulp Mill
2008 Personal Property Tax Return
Pollution Control Equipment

x	x	6949	Replace Vacuum Evaporator East Water Box	5110	21104	10	185.167.0000.179	PAR 60001	2008	159483	49,761.66	Vac Evap Level 2	2.5	4/13/2007	100-0121
x	x	6950	Replace Recovery Boiler Ash Hopper Throat Tubes	5110	21100	10	185.167.0000.179	PAR 60006	2008	162156	239,387.53	RecBlr Level 4	2.5	4/16/2007	100-0005
x		6956	HCE to Loading Station 1 Flowmeter	5110	11-764A	5	185.167.0000.180	XC 65026	2008	163528	24,453.04	Recovery Yard (S)	3.5	5/10/2007	100-0012
x	x	6961	Vac Evap Condenser #3 Nozzles	5110	21113	3	185.167.0000.181	XC 65020	2008	151912	31,008.43	Vac Evap Level 3	2.5	4/13/2007	100-0091
x	x	6964	Replace Recovery Boiler Horseshoe Exp Joint	5110	21100	5	185.167.0000.181	XC 65016	2008	159482	47,427.10	RecBlr Level 4	2.5	4/16/2007	100-0005
x		6981	1 HCE Heavy Liquor Tank	5110	21347	10	185.167.0000.179	PAR 50042	2008	159665	291,000.00	Recovery Yard (S)	3.5	4/19/2007	100-0011
x		6981	2 HCE Truck Loading Pump	5110	21095	10	185.167.0000.179	PAR 50042	2008	159665	15,555.04	Recovery Yard (S)	3.5	4/19/2007	100-0012
x		6982	Upgrade recovery boiler DCS hardware	5110	21110	10	185.167.0000.179	PAR 60017	2008	165087	59,110.80	RecBlr Level 4	2.5	4/16/2007	100-0033
x	x	6983	HCE Cooling Tower Rebuild	5110	21134	10	185.167.0000.179	PAR 60020	2008	165596	568,552.21	Cooling Towers	2.5	4/13/2007	100-0162
x	x	6991	Recovery Boiler Sootblower IK-SL1	5110	21672	10	185.167.0000.179	XC 55079	2008	158040	38,203.03	RecBlr Level 6	3	4/20/2007	100-0005
x	x	6992	Replace feeder cable for lagoon transformer	7420	19803	10	185.167.0000.179	XC 65001	2008	160507	42,659.73	ASB Lagoon-MCC	2	5/10/2007	100-0013
x	x	6993	Westinghouse Transformer	7420	19806	10	185.167.0000.179	XC 65002	2008	160582	39,816.88	ASB Lagoon-MCC	3	5/15/2007	100-0040
x		6994	Piping/Ditches Knot Pile Storm Water Drainage	2110	None	5	185.167.0000.180	PAR 60007	2008	162245	120,311.21	Woodyard	2.5		N/A
x	x	6996	1 Aerator-ASB Lagoon	7420	19105	5	185.167.0000.180	PAR 50039	2008	159623	36,819.59	ASB Lagoon	3	5/10/2007	100-0166
x	x	6996	2 Aerator ASB Lagoon	7420	19128	5	185.167.0000.180	PAR 50039	2008	159623	36,819.61	ASB Lagoon	3	5/10/2007	100-0166
x	x	6996	3 Aerator-ASB Lagoon	7420	19159	5	185.167.0000.180	PAR 50039	2008	159623	36,819.61	ASB Lagoon	3	5/10/2007	100-0166
x	x	6996	4 Aerator-ASB Lagoon	7420	19176	5	185.167.0000.180	PAR 50039	2008	159623	36,819.61	ASB Lagoon	3	5/10/2007	100-0166
x	x	6997	Vent Gas Scrubber	2210	10116	5	185.167.0000.180	XC 55101	2008	159169	34,967.95	Acid Plant-Roof	2.5	4/24/2007	100-0087
x	x	7010	Inspect / repair lower section steam coil	5110	21100	5	185.167.0000.180	XC 65017	2008	161595	38,692.21	RecBlr Level 4	2.5	4/16/2007	100-0005
x	x	7019	Rebuild critical area - process sewer line	3110	None	3	185.167.0000.181	XC 65012	2008	160969	37,455.17	Bleach Plant	4		N/A
x	x	7023	Riverside Heat Exch Integrity Restoration	5110	21230	3	185.167.0000.181	XC 65006	2008	156668	32,374.53	Vac Evap Level 1	2.5	4/16/2007	100-0026
x		7029	Flowmeters (4) on Evap Condensate Headers	5110	None	5	185.167.0000.180	XC 65037	2008	166234	22,626.67	Evap Level 1	3	5/10/2007	100-0018
x		7030	2 Power Boiler #6 - precipitator, opacity meter, CEMS, stack flow meter, and scrubber	5120	None	25	185.167.0000.183	Par 50013	2008	152157	8,781,497.46	Boiler #6			
x		7044	Extend Pip-Rec Condensate Vent	5110		10	185.167.0000.185	XC 65041	2007	167277	35,195.22				
x			UPGRADE #4 TG 60# ATMOSPHERE RELIEF VALVES	5210		3	185.167.0000.184	XC 75015	2007		39,849.88				
x		7050	Upgrade 6B Evap Circul Transf			15	185.167.0000.186	PAR 70009	2007		65,729.64				
x		7051	Ambient SO2 Meters Replacement			5	185.167.0000.183	PAR 60035	2007		67,936.76				
x		7053	VE Cooling Tower Rebuild Ph 2			10	185.167.0000.185	PAR 60034	2007		221,861.24				
x			Install condensation tank	5110		5	185.167.0000.183	XC 65034	2007		34,170.66				
x			Replace structural support - Recb Horseshoe	5110		5	185.167.0000.183	XC 75023	2007		34,957.15				
x			Rebuild / restore reliability ID Fan	5110		5	185.167.0000.183	PAR 70003	2007		122,680.56				
x			Recovery ash hopper	5110		5	185.167.0000.183	PAR 70001	2007		237,938.93				
x			Replace VE cooling Tower motor	5110		3	185.167.0000.184	XC 75016	2007		20,234.40				
x			Replace Metal 2nd STG rotor ID	5110		3	185.167.0000.184	PAR 70012	2007		111,493.37				
x			Replace filtrate pip 12009 dischg	3120		10	185.167.0000.185	XC 75027	2007		21,168.69				
x			Repic pump casing 5B evap pump	5110		10		XC 75006	2007		28,392.01				
x			Repic stack lights on recovery	5110		10	185.167.0000.185	XC 65064	2007		27,943.41				
x			Replace gas duct expansion joints	5110		10	185.167.0000.185	PAR 70011	2007		81,183.31				
x			Pulp machine whitewater recycle	4110		10	185.167.0000.185	PAR 70019	2007		100,065.91				
x			Rebuild recovery boiler pressure	5110		10	185.167.0000.185	PAR 60021	2007		1,210,040.55				
x			Install 3 HCE Evaporators	5110		15	185.167.0000.186	PAR 50038	2007		3,078,511.89				
x			Replace FG SO2 vent gas pipe - Unbl.	2210		5	185.167.0000.183	PAR 70062	2008	167211	80,951.04				
x		900017	Pump Lime Feed	7420	19009	5	185.169.0000.118	970016	1997	MINI CMP 5 YR 1/97-12/9	\$ 7,085.00	2.5	4/27/2007	3178	
x		900075	ENVIRONMENTAL AUTOMATION	7420	74276	5	185.169.0000.118	4F97016	1997	52679	\$ 2,850.90	3	5/17/2007	100-0025	

78,252,064.95