



# PUTNAM COUNTY PROPERTY APPRAISER

P.O. BOX 1920 • 312 OAK STREET • PALATKA, FLORIDA 32178-1920  
PALATKA: 386/329-0286 • FAX: 386/329-0447 • TOLL FREE: 1-800-826-1437  
CRESCENT CITY: 386/698-4284 • INTERLACHEN: 386/684-3383  
Website: [www.putnam-fl.com/app](http://www.putnam-fl.com/app) • Email: [appraiser@putnam-fl.com](mailto:appraiser@putnam-fl.com)

LARRY PRITCHETT, C.F.A.  
Property Appraiser

TIMOTHY E. PARKER, C.F.E.  
Chief Deputy

MARSHA DENTON, C.F.E.  
Administrative Assistant

DEPARTMENT OF  
ENVIRONMENTAL PROTECTION  
OCT 06 2008  
SITING COORDINATION

October 2, 2008

Michael P. Halpin, P.E.  
Department of Environmental Protection  
Twin Towers Office Building  
2600 Blair Stone Rd.  
Tallahassee, FL 32399

RE: Georgia Pacific Corp

Dear Mr. Halpin:

Enclosed you will find the Return of Pollution Control Devices for the above referenced account in our county.

Would you please review this information and advise me as to what qualifies for assessment as pollution control devices under Section 193.621, Florida Statutes. If you need any additional information, let me know. Thank you for your assistance.

Sincerely,

Justin Edwards, CFE  
Office Operations Supervisor

## OUR COMMITMENT TO YOU...

*We in Putnam County are a team of public employees who provide services to help meet the needs of our citizens. We are committed to continuous improvement and greater participation by everyone. We will deliver our services in a meaningful, respectful, and courteous manner. We will do this now and in the future to preserve and enhance the quality of life in our community.*



## Return of Pollution Control Devices For Ad Valorem Tax Purposes

Florida Statutes Chapter 193.621

To the Property Appraiser Larry Pritchett  
Putnam County, Florida, \_\_\_\_\_

Return is hereby made for the assessment of the following described property under Florida Statutes as pollution control devices.

### Description of Property

Pollution Control Equipment  
(see Attached)

### Description of Facility

Paper mill

Name and address of owner:

Georgia-Pacific ~~Corporation~~ Consumer Products LLC  
Tax Department  
P. O. Box 105681  
Atlanta, GA 30348-5681

The undersigned taxpayer hereby agrees to furnish such other reasonable information as the Appraiser may request in regard to the assessment requested herein.

[Signature]  
Taxpayer's Signature

This form must be filed with the County Property Appraiser before April 1<sup>st</sup>.

ORIGINAL TO BE RETAINED BY PROPERTY APPRAISER

COPY TO BE GIVEN TO TAXPAYER



# Georgia-Pacific Corporation

Georgia-Pacific Corporation  
c/o Tax Department  
133 Peachtree Street NE (30303)  
P.O. Box 105681  
Atlanta, GA 30348-5681  
Telephone (404) 652-2670

---

| Item      | Base Description                                 | InService Date | Fin Cost       |
|-----------|--------------------------------------------------|----------------|----------------|
| 0045-7022 | OVERDUTIED SWITCHGEAR PHASE III - P B PRECIPATOR | 01/01/2007     | \$6,000.00     |
| 0045-8542 | PRIMARY CLARIFIER REPLACEMENT                    | 01/01/2007     | \$85,384.81    |
| 0045-9476 | #4 CB PRECIPITATOR OVERHAUL                      | 01/01/2007     | (\$785.66)     |
| 0045-9477 | #5 PB PRECIPITATOR OVERHAUL                      | 01/01/2007     | (\$785.66)     |
| 0045-9485 | RECOVERY BOILER PRECIPITATOR CHLORIDE PURGE SYST | 09/15/2007     | \$23,000.00    |
| 0046-3211 | BROWN STOCK WASHING & O2 DELIG                   | 01/01/2007     | \$3,266,609.39 |
| 0046-3218 | OXIDATION POND BERM REINFORCEMENT                | 09/01/2007     | \$106,734.50   |
| 0046-3222 | PRIMARY CLARIFIER SCREENING SYSTEM               | 07/31/2007     | \$186,635.47   |
| 0046-3225 | PRIMARY CLARIFIER WASTEWATER DIVERSION           | 07/31/2007     | \$107,961.68   |
| 0046-3233 | KRAFT WATER SAVINGS                              | 01/01/2007     | \$192,800.54   |
| 0009-9695 | WASHDOWN STATION PAD AND COVERING                | 04/27/1994     | \$54,036.14    |
| 0009-9696 | EQUIPMENT FOR WASHDOWN STATION                   | 04/27/1994     | \$16,836.90    |



September 3, 2008

Mr. Hamilton S. Oven, P.E.  
Department of Environmental Protection  
Marjory Stoneman Douglas building  
3900 Commonwealth Blvd.  
Tallahassee, FL 32399-3000

Re: Property Owner: Georgia-Pacific Consumer Products LLC  
Acct. #: 821328  
Pulp & Paper Mill

Dear Mr. Oven,

Enclosed is a copy of the letter sent last year. The 2007 asset additions below are associated with 2006 additions approved in the prior year (also listed below). You qualified the 2006 assets as pollution control equipment in using the documentation enclosed with the letter (copy enclosed) sent in 2007. Two of these are actually negative adjustments to the assets capitalized in 2006.

| Item      | Base Description               | InService Date | Fin Cost       |
|-----------|--------------------------------|----------------|----------------|
| 0045-8542 | PRIMARY CLARIFIER REPLACEMENT  | 01/01/2007     | \$85,384.81    |
| 0045-9476 | #4 CB PRECIPITATOR OVERHAUL    | 01/01/2007     | (\$785.66)     |
| 0045-9477 | #5 PB PRECIPITATOR OVERHAUL    | 01/01/2007     | (\$785.66)     |
| 0046-3211 | BROWN STOCK WASHING & O2 DELIG | 01/01/2007     | \$3,266,609.39 |
| 0046-3233 | KRAFT WATER SAVINGS            | 01/01/2007     | \$192,800.54   |

### 2006 Additions approved Prior Year:

| <u>Item</u>           | <u>Cost</u>  | <u>Acq Date</u> | <u>Description</u>                  |
|-----------------------|--------------|-----------------|-------------------------------------|
| 258-2712006200603-002 | \$14,088,894 | 30-Nov-06       | PRIMARY CLARIFIER REPLACEMENT       |
| 258-2722006200603-003 | \$1,087,410  | 30-Nov-06       | #4 CB & #5 PB PRECIPITATOR OVERHAUL |
| 258-2772006200601-010 | \$19,262,005 | 1-Mar-06        | BROWN STOCK WASHING - O2 DELIG SYS  |
| 258-2952006200602-002 | \$7,920,714  | 20-Dec-06       | KRAFT WATER SAVINGS                 |

Documentation sent last year regarding 2006 additions with the enclosed cover letter but not this year:

- The 2007 asset addition BROWN STOCK WASHING - O2 DELIG SYS asset is associated with the same project as the assets listed as 2006 additions and is covered by the Administrative Order NO. 039-NE - ORDER ESTABLISHING COMPLIANCE.
- Enclosed are two permit documents from the DEP related to the #4 CB & #5 PB PRECIPITATOR OVERHAUL.
- Also enclosed is the CONSENT ORDER OGC Number: 05-0443 for the PRIMARY CLARIFIER REPLACEMENT asset.



Georgia-Pacific

Georgia-Pacific  
c/o Tax Department  
133 Peachtree Street NE (30303)  
P.O. Box 105681  
Atlanta, GA 30348-5681  
Telephone (404) 652-2870  
Fax (404) 654-8641

---


Below is a list of 2007 asset additions that we are still working on documentation from a PE to support them as pollution control.

| Item      | Base Description                                 | InService Date | Fin Cost     |
|-----------|--------------------------------------------------|----------------|--------------|
| 0045-7022 | OVERDUTIED SWITCHGEAR PHASE III - P B PRECIPATOR | 01/01/2007     | \$6,000.00   |
| 0045-9485 | RECOVERY BOILER PRECIPITATOR CHLORIDE PURGE SYST | 09/15/2007     | \$23,000.00  |
| 0046-3222 | PRIMARY CLARIFIER SCREENING SYSTEM               | 07/31/2007     | \$186,635.47 |
| 0046-3225 | PRIMARY CLARIFIER WASTEWATER DIVERSION           | 07/31/2007     | \$107,961.68 |

I had hoped to send all the documentation together for all asset additions, but since we were still waiting on the letter from the PE for the assets above, which were not associated with 2006 projects previously approved. I thought maybe letting you review the 2007 asset additions, which were associated with 2006 projects you previously approved may help expedite the process.

Please give me a call if you have any questions.

Sincerely,



Brian A. Perry  
Regional Tax Manager  
BAP/wab

Cc: Putnam County Property Appraiser  
Attn: Justin Edwards, CFE  
P. O. Box 1920  
Palatka, FL 32178-1920

Jim Ford  
Georgia Pacific Corp. FL180-1