

ATTACHMENTS

ATTACHMENT A: Maps per Section A. Condition I.

BOUNDARY SURVEY ONLY
SECTIONS 1, 2, 11 AND 12, TOWNSHIP 33 SOUTH, RANGE 35 EAST
OKEECHOBEE COUNTY, FLORIDA

LEGAL DESCRIPTION:

A PORTION OF SECTIONS 1, 2, 11 AND 12, TOWNSHIP 33 SOUTH, RANGE 35 EAST, OKEECHOBEE COUNTY, FLORIDA BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHEAST CORNER OF SAID SECTION 2, ALSO BEING THE NORTHWEST CORNER OF SAID SECTION 1, TOWNSHIP 33 SOUTH, RANGE 35 EAST, OKEECHOBEE COUNTY, FLORIDA, AND ALSO BEING THE SOUTHEAST CORNER OF SECTION 35, AND THE SOUTHWEST CORNER OF SECTION 36, TOWNSHIP 32 SOUTH, RANGE 35 EAST, INDIAN RIVER COUNTY, FLORIDA, BEING MARKED BY A 4"x4" CONCRETE MONUMENT WITH ALUMINUM DISC STAMPED "CARTER ASSOC. LB 205 PRM"; RUN NORTH 89°34'00" EAST ALONG THE NORTH LINE OF SAID SECTION 1, SAID NORTH LINE OF SECTION 1 BEING THE COUNTY LINE BETWEEN INDIAN RIVER COUNTY AND OKEECHOBEE COUNTY AND THE COMMON TOWNSHIP LINE OF TOWNSHIP 32 SOUTH AND TOWNSHIP 33 SOUTH, A DISTANCE OF 4,010.02 FEET TO THE NORTHEAST CORNER OF SAID SECTION 1 BEING MARKED BY A 4"x4" CONCRETE MONUMENT WITH ALUMINUM DISC STAMPED "CARTER ASSOC. LB 205 PRM"; THENCE RUN SOUTH 00°34'34" EAST ALONG THE EAST LINE OF SAID SECTION 1 AND COMMON RANGE LINE OF RANGE 35 EAST AND RANGE 36 EAST, A DISTANCE OF 3,797.35 FEET TO THE NORTHWEST CORNER OF SECTION 7, TOWNSHIP 33 SOUTH, RANGE 36 EAST, BEING MARKED BY A 4"x4" CONCRETE MONUMENT WITH ALUMINUM DISC STAMPED "CARTER ASSOC. LB 205 PRM"; THENCE CONTINUE ON SAID COMMON RANGE LINE, SOUTH 00°24'50" EAST, A DISTANCE OF 1,700.34 FEET TO THE SOUTHEAST CORNER OF SAID SECTION 1, ALSO BEING THE NORTHEAST CORNER OF SAID SECTION 12, TOWNSHIP 33 SOUTH, RANGE 35 EAST, BEING MARKED BY A 4"x4" CONCRETE MONUMENT WITH ALUMINUM DISC STAMPED "CARTER ASSOC. LB 205 PRM"; THENCE CONTINUE ALONG SAID COMMON RANGE LINE, SOUTH 00°24'50" EAST, A DISTANCE OF 528.76 FEET; THENCE LEAVING SAID COMMON RANGE LINE RUN S45°51'00"W, A DISTANCE OF 237.75 FEET; THENCE RUN S41°04'08"W, A DISTANCE OF 180.92 FEET; THENCE RUN S82°32'45"W, A DISTANCE OF 445.22 FEET; THENCE RUN S43°15'51"W, A DISTANCE OF 32.97 FEET; THENCE RUN S12°41'58"W, A DISTANCE OF 125.84 FEET; THENCE RUN S38°39'36"W, A DISTANCE OF 49.09 FEET; THENCE RUN S56°18'36"W, A DISTANCE OF 106.41 FEET; THENCE RUN S38°39'35"W, A DISTANCE OF 40.14 FEET; THENCE RUN S15°27'07"W, A DISTANCE OF 217.63 FEET; THENCE RUN S36°20'27"W, A DISTANCE OF 11.29 FEET; THENCE RUN S55°58'54"W, A DISTANCE OF 163.02 FEET; THENCE RUN S46°23'52"W, A DISTANCE OF 46.14 FEET; THENCE RUN S17°29'32"W, A DISTANCE OF 128.53 FEET; THENCE RUN S17°29'32"W, A DISTANCE OF 172.15 FEET; THENCE RUN S48°27'26"W, A DISTANCE OF 138.92 FEET; THENCE RUN S54°03'28"W, A DISTANCE OF 196.86 FEET; THENCE RUN S26°33'54"W, A DISTANCE OF 12.27 FEET; THENCE RUN S05°19'55"E, A DISTANCE OF 49.81 FEET; THENCE RUN S03°31'16"W, A DISTANCE OF 48.65 FEET; THENCE RUN S27°00'47"W, A DISTANCE OF 44.99 FEET; THENCE RUN S52°47'31"W, A DISTANCE OF 96.91 FEET; THENCE RUN N85°13'00"W, A DISTANCE OF 92.41 FEET; THENCE RUN S88°27'06"W, A DISTANCE OF 64.26 FEET; THENCE RUN S81°57'57"W, A DISTANCE OF 29.64 FEET; THENCE RUN S08°02'09"E, A DISTANCE OF 6.95 FEET; THENCE RUN S81°58'00"W, A DISTANCE OF 28.00 FEET; THENCE RUN N08°02'01"W, A DISTANCE OF 467.08 FEET; THENCE RUN N13°05'30"E, A DISTANCE OF 149.15 FEET; THENCE RUN N28°53'30"E, A DISTANCE OF 729.15 FEET; THENCE RUN N28°39'36"E, A DISTANCE OF 252.58 FEET; THENCE RUN N40°36'02"E, A DISTANCE OF 12.00 FEET; THENCE RUN N26°38'11"E, A DISTANCE OF 297.55 FEET; THENCE RUN N19°22'11"E, A DISTANCE OF 235.56 FEET; THENCE RUN N00°00'00"E, A DISTANCE OF 41.67 FEET; THENCE RUN N15°15'18"W, A DISTANCE OF 39.59 FEET; THENCE RUN N29°31'17"W, A DISTANCE OF 662.38 FEET; THENCE RUN N28°41'08"W, A DISTANCE OF 781.87 FEET; THENCE RUN S76°45'01"W, A DISTANCE OF 2469.08 FEET; THENCE RUN S12°52'31"E, A DISTANCE OF 517.11 FEET; THENCE RUN N76°22'53"E, A DISTANCE OF 896.04 FEET; THENCE RUN S13°27'19"E, A DISTANCE OF 488.71 FEET; THENCE RUN N76°32'41"E, A DISTANCE OF 50.00 FEET; THENCE RUN S13°27'19"E, A DISTANCE OF 200.00 FEET; THENCE RUN S76°32'41"E, A DISTANCE OF 200.00 FEET; THENCE RUN N13°27'19"W, A DISTANCE OF 200.00 FEET; THENCE RUN N76°32'41"E, A DISTANCE OF 50.00 FEET; THENCE RUN N13°27'19"W, A DISTANCE OF 388.42 FEET; THENCE RUN S76°22'53"W, A DISTANCE OF 797.05 FEET; THENCE RUN S12°52'31"E, A DISTANCE OF 91.19 FEET; THENCE RUN S77°07'29"W, A DISTANCE OF 914.54 FEET; THENCE RUN S12°52'31"E, A DISTANCE OF 50.00 FEET; THENCE RUN S77°07'29"W, A DISTANCE OF 200.00 FEET; THENCE RUN N12°52'31"W, A DISTANCE OF 200.00 FEET; THENCE RUN N77°07'29"E, A DISTANCE OF 200.00 FEET; THENCE RUN S12°52'31"E, A DISTANCE OF 50.00 FEET; THENCE RUN N77°07'29"E, A DISTANCE OF 814.54 FEET; THENCE RUN N12°52'31"W, A DISTANCE OF 607.66 FEET; THENCE RUN S76°45'01"W, A DISTANCE OF 1562.69 FEET; THENCE RUN N42°16'25"W, A DISTANCE OF 1798.09 FEET; THENCE RUN N02°22'52"W, A DISTANCE OF 3964.73 FEET TO THE NORTH LINE OF AFORESAID SECTION 2, TOWNSHIP 33 SOUTH, RANGE 35 EAST ALSO BEING THE AFORESAID OKEECHOBEE AND INDIAN RIVER COUNTY LINE AND COMMON TOWNSHIP LINE OF TOWNSHIP 32 SOUTH AND TOWNSHIP 33 SOUTH; THENCE RUN N89°34'00"E ALONG SAID LINE, A DISTANCE OF 3071.93 FEET TO THE POINT OF BEGINNING.

THE ABOVE DESCRIBED PARCEL LYING AND BEING IN OKEECHOBEE COUNTY, FLORIDA, CONTAINING 853.91 ACRES, MORE OR LESS.

SUBJECT TO ALL EASEMENTS, RESERVATIONS, RESTRICTIONS AND RIGHTS OF WAY OF RECORD.



REFERENCES:

- SKETCH OF INFORMATION ONLY BY CARTER ASSOCIATES, INC. PROJECT No. 90-7535, DATED 11-7-1990, FIELD BOOK 439, PAGE 62, DRAWING No. 13503-C.
- PLAN TITLED "ALTA/ASCM LAND TITLE SURVEY SECTIONS 1, 2, 11, 12 AND 13 TOWNSHIP 33 SOUTH, RANGE 35 EAST, OKEECHOBEE COUNTY, FLORIDA, PREPARED BY CARTER ASSOCIATES, INC. PROJECT NUMBER 11-2795, DRAWING NUMBER 19062-C, FIELD BOOK 660, PAGE 48+ AND 763 PAGE 1, DATED MAY 2011 WITH LATEST REVISION JUNE 29, 2011.
- PLAN TITLED "BOUNDARY, TOPOGRAPHIC AND TREE LOCATION SURVEY, PREPARED BY CARTER ASSOCIATES, INC. PROJECT NUMBER 05-7485, DRAWING NUMBER 18106 C, FIELD BOOK 693, PAGE 7+, DATED FEBRUARY 6, 2006, LATEST REVISION AUGUST 5, 2008.
- INDIAN RIVER COUNTY TAX ASSESSORS MAPS
- FLORIDA DEPARTMENT OF TRANSPORTATION RIGHT-OF-WAY MAPS FOR STATE ROAD 60.
- SECTION 88060-2529, AS APPROVED 9-24-97.
- BOUNDARY SURVEY PREPARED BY JOHNSTON SURVEYING
- SPECIFIC PURPOSE SURVEY BY CARTER ASSOCIATES, INC., PROJ. #638-91, DATED 04/93.
- BOUNDARY SURVEY BY CARTER ASSOCIATES, INC., PROJ. #02-507S, DWG. #16656-C, DATED 05/04/99.
- BOUNDARY SURVEY BY CARTER ASSOCIATES, INC., PROJ. #99-326S, DWG. #15441-C, DATED 04/01/99.
- BOUNDARY SURVEY BY CARTER ASSOCIATES, INC., PROJ. #98-468, DWG. #15267-C, DATED 08/16/98.
- BOUNDARY SURVEY BY CARTER ASSOCIATES, INC., DWG. #9011-C1, DATED 03/02/83.
- SURVEY BY CARTER ASSOCIATES, INC., FOR "VARA", DWG. #12060-C, DATED 12/30/87.
- BOUNDARY SURVEY BY LLOYD & ASSOCIATES FOR "MANNARINO, JOB #85-288, DATED 06/20/88.
- PLAN TITLED "BOUNDARY SURVEY ONLY SECTIONS 1, 2, 11 AND 12, TOWNSHIP 33 SOUTH, RANGE 35 EAST OKEECHOBEE COUNTY, FLORIDA" PROJECT NUMBER 14-577 S2, DRAWING NUMBER 19869 C1, DATED APRIL 2015 LATEST REVISION DATED JANUARY 1, 2018, PREPARED BY CARTER ASSOCIATES, INC.
- PLAN TITLED "BOUNDARY SURVEY PART OF SECTION 1 AND 12 T. 33S, R. 35E OKEECHOBEE COUNTY, FLORIDA CONSERVATION EASEMENT" PROJECT NUMBER 16-456S, DRAWING NUMBER 20341-C DATED SEPTEMBER 7, 2016. PREPARED BY CARTER ASSOCIATES, INC.

CERTIFICATION:
FLORIDA POWER AND LIGHT COMPANY

SURVEYOR'S GENERAL NOTES AND REPORT:

- UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER, THIS DRAWING, SKETCH, PLAT OR MAP IS FOR INFORMATIONAL PURPOSES ONLY AND IS NOT VALID.
- THE LAST DAY OF FIELD WORK PERFORMED FOR THE INITIAL SURVEY EFFORT WAS JANUARY 7, 2020. SUBSEQUENT ADDITIONS, DELETIONS AND/OR UPDATES, IF ANY, ARE REFLECTED IN THE DRAWING REVISIONS.
- BEARINGS AND OR COORDINATES SHOWN HEREON ARE BASED UPON THE NORTH AMERICAN DATUM OF 1983, ADJUSTMENT OF 1989, AND ARE PROJECTED IN THE FLORIDA STATE PLANE COORDINATE SYSTEM, FLORIDA EAST ZONE (901) AND ARE REFERENCED TO THE ESTABLISHED AND MONUMENTED LINE SHOWN HEREON LABELED AS THE BEARING BASIS.
- UNLESS A DIFFERENCE IS SHOWN, OBSERVED AND RECORD DIMENSIONS ARE THE SAME. ALL DIMENSIONS SHOWN HEREON ARE DISPLAYED IN U.S. SURVEY FEET AND DECIMAL PARTS THEREOF.
- THE BOUNDARY DETERMINATION AND DELINEATION SHOWN ON THIS MAP OF SURVEY WAS BASED UPON THE PROFESSIONAL OPINION OF THE REGISTERED SURVEYOR PURSUANT TO NORMAL PRINCIPALS AND PRACTICES OF LAND SURVEYING AND IS NOT INTENDED TO IMPLY OR DETERMINE OWNERSHIP. THIS SURVEY DOES NOT INTEND TO DELINEATE LOCAL AREAS OF CONCERN OR ANY OTHER JURISDICTIONAL DETERMINATION. ALL EXISTING IMPROVEMENTS ON SITE WERE NOT OBSERVED OR RECORDED AS REQUESTED BY THE CLIENT.
- THIS SURVEY HAS BEEN PREPARED FOR THE EXCLUSIVE BENEFIT AND USE OF THE PERSONS AND/OR ENTITIES NAMED HEREON FOR THE PURPOSES IDENTIFIED HEREON ONLY. UNLESS OTHERWISE STATED, CERTIFICATION OF THIS SURVEY MAP APPLIES ONLY TO THE STANDARDS OF PRACTICE SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J17 FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTION 472.027, FLORIDA STATUTES. THE CERTIFICATION IN NO WAY CONSTITUTES NEITHER GUARANTY NOR WARRANTY TO ANY OTHER INFORMATION NOT SHOWN HEREON. ADDITIONS, DELETIONS OR REVISIONS TO THIS DRAWING BY OTHERS ARE NOT PERMITTED AND THIS SURVEY MAY NOT BE TRANSFERRED WITHOUT THE EXPRESSED WRITTEN PERMISSION OF THE SIGNING SURVEYOR. THIS SURVEY IS NOT VALID FOR ANY OTHER PURPOSE OTHER THAN INTENDED BY THE SIGNING SURVEYOR.
- THE LEGAL DESCRIPTION WAS DEVELOPED BY THE PROFESSIONAL SURVEYOR AND MAPPER, AS REQUESTED AND MATTERS OF PUBLIC RECORD WERE OBTAINED FROM PAST PRIOR SURVEYS BY CARTER ASSOCIATES, INC. THIS PROPERTY(S) WAS NOT ABSTRACTED OR RESEARCHED BY THIS OFFICE FOR ENCUMBRANCES OF RECORD. THE HEREON DESCRIBED PROPERTY IS SUBJECT TO RESTRICTIONS, RESERVATIONS, EASEMENTS, EASEMENTS AND RIGHTS-OF-WAY OF RECORD, IF ANY. MATTERS OF RECORD NOT BROUGHT TO THE SURVEYORS ATTENTION BY THE CLIENT, THEIR AGENT OR AS DISCLOSED BY A FURNISHED TITLE INSURANCE POLICY WERE NOT INCLUDED. NO INVESTIGATION WAS MADE BY THIS OFFICE INTO THE VALIDITY OF ANY EASEMENTS CITED IN THE LEGAL DESCRIPTION OR FOR ANY ENCUMBRANCES NOT OF RECORD IN THE INFORMATION FURNISHED BY THE CLIENT. NO TITLE COMMITMENT OR ABSTRACT WAS FURNISHED FOR THE PREPARATION OF THIS SURVEY. THERE MAY BE ADDITIONAL RECORD INSTRUMENTS PERTAINING TO THIS BOUNDARY SURVEY WHICH WERE NOT FURNISHED AND RECORD INSTRUMENTS WHICH ARE SHOWN THAT HAVE NOT BEEN VERIFIED.
- THIS SURVEY MEETS THE REQUIREMENTS AS STATED IN THE STANDARDS OF PRACTICE (5J-17) FLORIDA ADMINISTRATIVE CODE AND MEETS THE NATIONAL SOCIETY OF PROFESSIONAL SURVEYORS (NSPS) RECOMMENDED CLASSIFICATION FOR RURAL PROPERTY SURVEYS HAVING AN ACCEPTABLE RELATIVE POSITIONAL ACCURACY OF 0.26 FEET (79 MM) PLUS 200 FPM.
- WITH EXCEPTION TO WHAT HAS BEEN FIELD LOCATED AND SHOWN ON THIS SURVEY, THE SURVEYOR MAKES NO GUARANTEES THAT THE UNDERGROUND UTILITIES SHOWN HEREON COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. SUBSURFACE AND/OR AERIAL ENCROACHMENTS, IF ANY, WERE NOT LOCATED AND/OR DEPICTED ON THIS SURVEY UNLESS NOTED OR IDENTIFIED.
- THE HEREON DESCRIBED PROPERTY APPEARS TO LIE WITHIN FLOOD ZONES X, AREA OF MINIMAL FLOOD HAZARD AND FLOOD ZONE A SPECIAL FLOOD HAZARD AREAS, NO BASE FLOOD ELEVATION DETERMINED, AS SHOWN ON FLOOD INSURANCE RATE MAP (FIRM) NUMBER 12093C0100C, COMMUNITY NUMBER 120177, PANEL 0100, SUFFIX C MAP EFFECTIVE DATE JULY 16, 2015.
- THE AERIAL SHOWN HEREON WAS PROVIDED BY PICKETT AND ASSOCIATES, INC. FLIGHT DATE JANUARY 15, 2020, PA# 175751- FOR FPL OKEECHOBEE. WELL-IDENTIFIED FEATURES HAVE BEEN MEASURED TO AN ESTIMATED HORIZONTAL POSITIONAL ACCURACY OF 3.3", AS PER FLORIDA STANDARDS OF PRACTICE. COLOR DIGITAL IMAGERY WAS ACQUIRED AT AVERAGE ALTITUDES OF 6,000'. THE METRIC PRECISION DIGITAL CAMERA HAD A FOCAL LENGTH OF 70.3mm. TARGETED GROUND CONTROL SUPPLIED BY CARTER ASSOCIATES, INC. WAS USED TO CONTROL THE RAW IMAGERY. A DEM WAS CREATED BY LIDAR AND PHOTOGRAMMETRIC METHODS AND USED IN THE RECTIFICATION PROCESS.
- THIS SURVEY CONSISTS OF THREE (3) SHEETS AND SHALL NOT BE CONSIDERED COMPLETE AND OR VALID UNLESS ALL SHEETS ARE PRESENT.

SURVEYOR'S GLOBAL POSITIONING SYSTEM (G.P.S.) NOTES:

- G.P.S. SURVEY METHOD: REAL TIME KINEMATIC (RTK)
- G.P.S. RECEIVER TYPE: DUAL FREQUENCY LEICA GS 14 / CS 20 GPS/GLONASS/GALILEO GNSS (GLOBAL NAVIGATION SATELLITE SYSTEM) SBAS, CODE AND PHASE (L1, L2 & L3) THE HORIZONTAL AND VERTICAL TARGET ACCURACY FOR THIS EQUIPMENT IS: HORIZONTAL: 8MM + 1PPM (RMS) VERTICAL: 15MM + 1PPM (RMS)
- HORIZONTAL POSITIONS OF LOCAL SITE CONTROL WERE ESTABLISHED BY GPS RTK OBSERVATIONS UTILIZING THE FDOT FPRN "MAX" OR "NEAR" NETWORK CORRECTIONS. LOCAL GPS SITE CONTROL VALUES ARE NETWORK CORRECTED (ADJUSTED) POSITIONS.
- G.P.S. SURVEY MEASUREMENTS WERE PROCESSED AND ADJUSTED USING LEICA INFINITY, VERSION 3.3.1 APPLYING THE GEOID 18B MODEL.
- HORIZONTAL POSITIONS OF SITE CONTROL WERE ESTABLISHED BY GPS RTK OBSERVATIONS UTILIZING THE FDOT FPRN "MAX" NETWORK CORRECTION. LOCAL SITE CONTROL VALUES ARE NETWORK CORRECTED (ADJUSTED) POSITIONS.

LEGEND			
	WATER METER		DIAMETER
	ANCHOR & GUY WIRE		EDGE OF PAVEMENT
	SIGN		RIGHT OF WAY
	DRAINAGE CATCH BASIN		CONCRETE
	SANITARY SEWER MANHOLE		L.P. LIQUID PROPANE
	DRAINAGE MANHOLE		SWALE
	OVERHEAD ELECTRIC		P.O.B. POINT OF BEGINNING
	WATER VALVE		P.O.C. POINT OF COMMENCEMENT
	FIRE HYDRANT		ORB OFFICIAL RECORD BOOK
	UTILITY POLE		PAGE
	OBSERVED DATA		F.P. & L.CO. FLORIDA POWER AND LIGHT COMPANY
	PLAT DATA		TOWNSHIP
	CALCULATED DATA		RANGE
	DEED DATA		P.O.T. POINT OF TERMINUS
	EXISTING WELL		PRM PERMANENT REFERENCE MONUMENT
	TELEPHONE/CATV RISER		I.R.CO., FL. INDIAN RIVER COUNTY, FLORIDA
	SANITARY CLEAN-OUT		I.R.F.W.C.D. INDIAN RIVER FARMS WATER CONTROL DISTRICT
	YARD LIGHT		I.R.F.C.S.D. INDIAN RIVER FARMS COMPANY SUBDIVISION
	ELECTRICAL RISER		S.L.CO., FL. ST. LUCIE COUNTY, FLORIDA
	CONCRETE BLOCK STRUCTURE		SET 1/2" DIAMETER X 18" LONG REBAR/CAP STAMPED "CARTER ASSOC."
	MAIL RECEPTACLE		SET 1/2" DIAMETER X 18" LONG REBAR/CAP STAMPED "WT.COR. LB.205"
	ELECTRICAL METER		FOUND 1/2" DIAMETER REBAR/CAP STAMPED "CARTER ASSOC."
	P.O.T. POINT OF TERMINUS		FOUND 4"x4" CONCRETE MONUMENT/DISK STAMPED "PRM CARTER ASSOC. LB 205"
	PUBLIC RECORDS OKEECHOBEE COUNTY FLORIDA		
	OKEECHOBEE CLEAN ENERGY CENTER		

FLORIDA POWER AND LIGHT COMPANY
STATE ROAD 60 HIGHWAY
VERO BEACH, FLORIDA 32966

TEL:

FAX:

CAI Serving Florida Since 1911
CARTER ASSOCIATES, INC.
CONSULTING ENGINEERS AND LAND SURVEYORS
1708 21st STREET, VERO BEACH, FL 32960
TEL: (772) 562-4191 FAX: (772) 562-7180


COPYRIGHT © 2020 Carter Associates, Inc. This document and associated electronic files are the property of Carter Associates, Inc. and are intended for use only on the specific project for which they were originally issued. This document and associated electronic files may not be reproduced, copied, revised, modified, or changed in any way without the written permission of Carter Associates, Inc.

DAVID E. LUETHUE, P.S.M.
FLORIDA LICENSE No. 5728
CARTER ASSOCIATES, INC.
SIGNATURE DATE
COA 205 / LB 205

DATE : 01/08/2020
PROJ.# : 16-456 S2
DRAWN BY: DJM
APPD. BY : DEL
PLOT BY : Frank Cucurese
FILE NAME: 16-456-S2.dwg
REF.# : 14-577S2;16-456S;19-068S
F.B. & PG. : 900WB/1

BOUNDARY SURVEY
PART OF SECTIONS 1, 2, 11 AND 12
TOWNSHIP 33 SOUTH, RANGE 35 EAST
OKEECHOBEE COUNTY, FLORIDA
OKEECHOBEE CLEAN ENERGY CENTER

SHEET
1 of 3
Dwg. #: 21553-C



Feb. 21, 20, 11:04 AM				
				
				
				
				
				
	NO.	REVISION	BY	DATE

FLORIDA POWER AND LIGHT COMPANY
STATE ROAD 60 HIGHWAY
VERO BEACH, FLORIDA 32966

TEL: FAX:

CAI Serving Florida
Since 1911 **CARTER ASSOCIATES, INC.**
CONSULTING ENGINEERS AND LAND SURVEYORS
1708 21st STREET, VERO BEACH, FL 32960
TEL: (772) 562-4191 FAX: (772) 562-7180

Copyright © 2020 Carter Associates, Inc. - This document and associated electronic files are the property of Carter Associates, Inc. and are intended for use only on the specific project for which they were originally issued. This document and associated electronic files may not be reproduced, copied, revised, modified, or changed in any way without the written permission of Carter Associates, Inc.



THIS SURVEY CONSISTS OF 3 SHEETS.
ONE IS NOT VALID WITHOUT THE OTHER(S)

DATE : 01/08/2020
PROJ. # : 16-456 S2
DRAWN BY: DJM
APPD. BY : DEL
PLOT BY : Frank Cuccurese
FILE NAME: 16-456-S2.dwg
REF. # : 14-577S2;16-456S;19-068;
F.B. & PG. : 900WB/1


O.C.E.C. BOUNDARY SURVEY
PART OF SECTIONS 1, 2, 11 AND 12
TOWNSHIP 33 SOUTH, RANGE 35 EAST
OKEECHOBEE COUNTY, FLORIDA
OVERALL

SHEET
2 of 3

Dwg. #: 21553-C



DETAIL 'A'
SCALE: 1" = 200'



DETAIL 'B'
SCALE: 1" = 200'

NO.	REVISION	BY	DATE

FLORIDA POWER AND LIGHT COMPANY
STATE ROAD 60 HIGHWAY
VERO BEACH, FLORIDA 32966

CARTER ASSOCIATES, INC.
CONSULTING ENGINEERS AND LAND SURVEYORS
1708 21st STREET, VERO BEACH, FL 32960
TEL: (772) 562-4191 FAX: (772) 562-7180

THIS SURVEY CONSISTS OF 3 SHEETS.
ONE IS NOT VALID WITHOUT THE OTHER(S).

O.C.E.C. BOUNDARY SURVEY
PART OF SECTIONS 1, 2, 11 AND 12
TOWNSHIP 33 SOUTH, RANGE 35 EAST
OKEECHOBEE COUNTY, FLORIDA
DETAILS

SHEET
3 of 3
Dwg. #: 21553-C