

ATTACHMENT C
PAYMENT AND DELIVERABLE SCHEDULE

DESCRIPTION		Fixed-Price	Lump Sum Unit Rate	APPROVAL PERIOD ⁽⁵⁾	DELIVERABLES	PAYMENT BASIS ⁽⁸⁾
A. OPERATION AND MAINTENANCE						
OPERATION AND MAINTENANCE, Years 1-2		\$6,552,794	NA		Operation and Maintenance activities are to be reported in the "Piney Point Operation and Maintenance Status Report" (Monthly Status Report) to be submitted with the monthly Operation and Maintenance Invoices. The format for the Monthly Status Report shall provide sufficient detail and summary information for the Department Contract Manager to determine the extent to which contract requirements are being met. The specific format will be mutually agreed upon by the Contractor and the Department.	Monthly invoice line items shall be provided as follows: 1. During the first contract month only for Operation & Maintenance(O&M), an invoice line item shall include the price for "O&M Activities and Mobilization" based on the agreed upon lump sum allocation of \$ 375,000. 2. During the second month, and on a monthly basis thereafter, the lump sum O&M amounts shall be invoiced as "Site Operation & Maintenance Activities" based on the agreed upon O&M Monthly Lump Sum Allocation Values shown below for this Scope of Services. The invoice line item should reference the corresponding year and month for services. O&M Monthly Lump Sum Allocation Values, not to exceed: - Contract Year 1, Months 2-12 shall be \$ 268,600 / month - Contract Year 2, Months 1-12 shall be \$ 268,600 / month - Contract Year 3, Months 1-12 shall be \$ 149,950 / month - Contract Year 4, Months 1-12 shall be \$ 100,000 / month - Contract Year 5, Months 1-12 shall be \$ 79,939 / month Retainage: None, unless otherwise specified in Change Order after contract execution.
OPERATION AND MAINTENANCE, Years 3-5		\$3,958,663	NA			
A1	Site Operation and Maintenance (Including Process Water and Runoff Management Inspections, Site Security, Mowing, Repairs, and Post-Closure Care & Maintenance)				Activity to be included on the Monthly Status Report.	
A2	Utilities (Power, excluding power used in process water consumption, Water, Domestic Wastewater, Refuse Collection, etc.)				Include KWH consumption in the Monthly Status Report.	
A3	Safety Training and Safety Compliance				1. Incident Reports to be included in the Monthly Status Report and verbal notifications provided to DEP Contract Manager as needed. 2. A copy of an Employee Training Log shall be provided monthly showing the required training for employees performing services under this contract, and either the planned or actual dates of corresponding employee training.	
A4	Groundwater Monitoring Plan Implementation				Reporting according to Discharge Monitoring Reports (DMRs) per Administrative Agreement, National Pollutant Discharge Elimination System (NPDES) permit, or other Department issued orders as may be effective, issued, or amended during contract period for the subject site/facilities.	
A5	Surface Water Monitoring Plan Implementation				Reporting according to DMRs per Administrative Agreement, NPDES permit, or other Department issued orders as may be effective, issued, or amended during contract period for the subject site/facilities.	
A6	Project Coordination, Direction & Reporting				Include activity summary information in the Monthly Status Report including Monthly Site Meeting minutes between DEP contract manager, Receiver, Engineer, and Contractor's team.	
A7	Liability Insurance Coverage (Including Pollution Liability)				Copy of effective Insurance Policy showing policy type, coverage limits, and policy term.	

Task A, Total Lump Sum: \$10,511,457

DESCRIPTION		Fixed-Price	Lump Sum Unit Rate	APPROVAL PERIOD ⁽⁵⁾	DELIVERABLES	PAYMENT BASIS ⁽⁸⁾
B. PROCESS WATER CONSUMPTION						
B1	Years 1-2, Up to 712.5 Mgal Consumption	\$ 7,624,007	\$ 10.70 / 1,000 gal.		Weekly Water Report spreadsheet including, but not limited to: - daily rainfall, pond water levels, and water volumes for each consumption method (i.e., Double-lime, RO, Spray Evaporation, or Spray Irrigation), - daily measured ammonia nitrogen and estimated total nitrogen concentrations at Outfall 003, - calculated daily total discharge load in lbs. for total nitrogen and ammonia nitrogen at Outfall 003, and - the total discharge volume at Outfall 003, the 15-day rolling average and 30-day rolling average ammonia nitrogen and total nitrogen load (in lbs.) at Outfall 003. The Weekly Water Report shall reflect the weekly period from Tuesday - Monday of a given week and be submitted to the Department within 48 hours of the end of the weekly period. The content and format for the Weekly Water Report shall be as agreed upon by the Department Contract Manager.	Monthly Invoice line items shall be provided as follows: 1. Each monthly invoice shall specify the total water consumption for each day in the period based on: - measured water consumption volumes (by final disposal / discharge method) for double lime, RO permeate, and/or spray irrigation discharges in accordance with Note ⁽¹⁾ , and - spray evaporation consumption based on the reported Operation Factor for the period, and the agreed upon monthly adjusted baseline evaporative loss design rates in Note ⁽²⁾ . Retainage: None, unless otherwise specified in Change Order after contract execution.
	Years 3-5, Greater than 712.5 Mgal Consumption up to 950 Mgal Consumption	\$ 2,021,268	\$ 8.51 / 1,000 gal.			
	Water consumption shall continue under contract terms for process water consumption; however, volumes greater than 950 Mgal are not billable beyond the lump sum amount, except as specified for Tasks B2 and B3. At the end of Years 1-2 from the effective start date for this task, any remaining lump sum balance of the Years 1-2 fixed-price, if any, will be paid upon satisfactory completion of Years 1-2 process water consumption tasks as outlined in this contract. At the end of Years 3-5 from the effective start date for this task, any remaining lump sum balance of the Years 3-5 fixed-price, if any, will be paid upon satisfactory completion of Years 3-5 process water consumption tasks as outlined in this contract.	\$ 0.00	\$ 0.00 / 1,000 gal.			
	Spray Evaporation Consumption Adjustment	See B1	See B1			2. An additional invoice line item shall be added to reflect any invoiced amount or credit to be applied for an anticipated semi-annual "Spray Evaporation Consumption Adjustment" that will be determined based on semi-annual water balance modeling results provided by the Engineer. The water balance modeling results, or an alternative method proposed by the Engineer where mutually agreed upon, will be used to determine the spray evaporation consumption taking into consideration the measured or estimated water inputs/outputs and changes in water inventory.
B2	Year 1, Additional 10.6 Mgal / inch rainfall above 55 inches Year 2, Additional 7.1 Mgal / inch rainfall above 55 inches Year 3, Additional 4.1 Mgal / inch rainfall above 55 inches	NA	\$ 12.40 / 1,000 gal. \$ 13.02 / 1,000 gal. \$ 14.66 / 1,000 gal.			3. Pursuant to the Contract terms, an additional invoice line item shall be added at the end of Years 1, 2, and 3 to reflect any additional "Contract Allowance for Rainfall greater than 55 inches/year."
B3	Year 1, Debited 10.6 Mgal / inch rainfall less than 50 inches Year 2, Debited 7.1 Mgal / inch rainfall less than 50 inches Year 3, Debited 4.1 Mgal / inch rainfall less than 50 inches	NA	\$ 5.63 / 1,000 gal. \$ 5.63 / 1,000 gal. \$ 1.66 / 1,000 gal.			4. Pursuant to the Contract terms, an additional invoice line item shall be added at the end of Years 1, 2, and 3 to reflect any "Contract Deduction for Rainfall less than 50 inches/year."
B4	Years 1-2, Allowance for variation in drainable pore water volume and rate	\$211,500	NA			5. A monthly invoice line item shall include a uniformly allocated "Pore Water Allowance" cost based on the lump sum amount for the indicated period. Accordingly, Years 1-2 shall be invoiced for a total not to exceed \$211,500, or \$8,812.50 / month and Years 3-5 shall be invoiced for a total not to exceed \$70,500, or \$1,985.34 / month.
	Years 3-5, Allowance for variation in drainable pore water volume and rate	\$70,500	NA			

Task B, Total Lump Sum: \$9,927,275 ⁽³⁾

DESCRIPTION		Fixed-Price	Lump Sum Unit Rate	APPROVAL PERIOD ⁽⁵⁾	DELIVERABLES	PAYMENT BASIS ⁽⁸⁾
C. CLOSURE CONSTRUCTION ACTIVITIES					Monthly submittals with Closure Construction Invoice: - Weekly construction meeting minutes, prepared by Engineer - Copies of agenda/minutes from ad hoc construction coordination and update meetings - Percent completion of each phase of each activity and work element - Conditional acceptance by Engineer of each phase/work element for invoicing of closure construction activities. See Note ⁽⁴⁾ . End of Construction Phase: - Engineer's certification of completion of construction for each activity - As Built drawings for each activity	Invoice based on Percent Complete, approved by Third Party Engineer, of the lump sum amount for each construction phase and each work segment. Retainage: 25% of each submitted invoice amount, except as specified below for seeding activities, to be released following Engineer's conditional acceptance of a given phase/work segment. Upon completion, submittals shall include a copy of the Engineer's Completion of Construction Certification and As-built Drawings provided by the Contractor. Retainage - seeding subtasks/activities: 40%, with the retainage to be released six months after seeding activity resulting in successful establishment of grassed cover following approval of Engineer.
	RESERVOIR SLOPE COVER (All 4 Ponds)					
C1	Reservoir Slope Cover (All 4 Ponds)	\$6,454,324	⁽⁴⁾	10		
	PHASE III - NGS-S COMPARTMENT					
C2a	NGS-S Reservoir (2005)	\$4,719,097	⁽⁴⁾	10		
C2b	NGS-S Cap Area (2005)	\$742,309	⁽⁴⁾	10		
C2c	OGS Cap Areas (2005)	\$732,150	⁽⁴⁾	10		
C2d	NGS-N Relief Ditch (2005)	\$547,056	⁽⁴⁾	10		
C2e	Re-Closure of NGS-N Relief Ditch if Used for Disposal of Plant Scale (at FDEP's Option)	\$1,413,000	⁽⁴⁾	10		
	STACK SLOPES AND DITCHES					
C3a	Phase I Slopes - OGS (2005)	\$2,790,147	⁽⁴⁾	10		
C3b	Phase II Slopes - NGS (2006)	\$2,747,917	⁽⁴⁾	10		
	COOLING/SLUDGE PONDS & DITCHES					
C4a	NCP Closure	\$3,787,926	⁽⁴⁾	10		
C4b	SCP Closure	\$7,076,574	⁽⁴⁾	10		

Task C, Total Lump Sum: \$31,010,500

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

DESCRIPTION		Fixed-Price	Lump Sum Unit Rate	APPROVAL PERIOD ⁽⁵⁾	DELIVERABLES	PAYMENT BASIS ⁽⁸⁾
	MISCELLANEOUS BILLABLE ITEMS					
E2	Transport Plant Scale to Stack (25,000 cy)	\$250,000	\$ 10.00 / cy	10	Documentation showing percent complete approval from Engineer for scale placement.	Invoice line items to be included on Construction Invoice based on percent task completion as approved by Engineer.
F5	Miscellaneous Lump Sum Costs other than Fluctuation and Plant Scale Costs	\$956,000	NA		Record keeping as required by state law.	Invoice as a separate lump sum line item as "Miscellaneous Lump Sum Costs other than Fluctuation and Plant Scale Costs." This separate invoice item shall be included on the monthly Operation and Maintenance invoices based the contract fixed-price amount, uniformly allocated over the expected 5 year term of the contract.
	Fluctuation in Electric Power Costs - Operation and Maintenance			10	Documentation showing the applicable power usage (in KWH), and the change in unit power cost from Florida Power and Light (FPL) for most favored commercial customers in the Tampa Bay area after considering an escalation corresponding to 3% per year from the FPL base rate charged for such customers in December 2004.	An additional invoice line item shall be added to reflect an invoiced amount (invoice debit or credit) to be applied for the annual "Fluctuation in Electric Power Costs" that shall be determined as outlined in Note ⁽⁶⁾ for electric power costs applicable to Operation and Maintenance activities and electric power costs associated with Process Water Consumption. The line item and amount (invoice credit or debit) shall be invoiced in the monthly invoice for the end of Contract Years 2, 3, 4, and 5.
	Fluctuation in Liner Resin Costs			10	Documentation showing the neat liner quantities for 40-mil, 60-mil, and 80-mil liner determined by the Engineer for planned construction activities in Contract Years 1, 2, and 3, and Liner Resin unit price quotes and unit conversions as outlined in Note ⁽⁷⁾ . The documentation shall show the change in actual liner resin unit cost for Contract Years 1, 2, and 3 after considering an escalation corresponding to 3% per year from the November 2004 Base Liner Resin Unit Cost established as outlined in Note ⁽⁷⁾ .	Documentation showing the neat liner quantities for 40-mil, 60-mil, and 80-mil liner determined by the Engineer from detailed construction drawings for planned construction activities in Contract Years 1, 2, and 3, and supporting documentation for determination of the "lowest adjusted price" (expressed in dollars per square feet) as outlined in Note ⁽⁷⁾ .

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

Notes:

- (1) For days where the calculated 30-day rolling average ammonia nitrogen discharge is greater than 20 lbs./day and less than or equal to 50 lbs./day, the "billable consumption volume" for discharges to Bishop Harbor will be adjusted to reflect 90% of the actual corresponding volume (i.e., equivalent to 0.9 times the lump sum unit price for <= 50 lbs./day ammonia nitrogen). For days where the calculated 30-day rolling average ammonia nitrogen discharge is greater than 50 lbs./day, the "billable consumption volume" for discharges to Bishop Harbor shall be shown as zero. For days where the calculated 30-day rolling average ammonia nitrogen discharge is less or equal to 20 lbs./day, the "billable consumption volume" for discharges to Bishop Harbor shall be the water treatment volume.
- (2) Monthly Adjusted Baseline Evaporative Loss Design Rates are provided below based on 24-hour/day, 7-days/week operation with an Operating Factor of 0.80. The average Net Spray Consumption (in MGD) for the values from January through December is 0.200 MGD.

Month	Average Pond Evaporation (in)	Average Net Spray Consumption (MGD)
Jan	2.48	0.116
Feb	2.62	0.135
Mar	3.88	0.181
Apr	5.42	0.261
May	6.26	0.292
Jun	6.13	0.295

Month	Average Pond Evaporation (in)	Average Net Spray Consumption (MGD)
Jul	5.70	0.267
Aug	5.23	0.244
Sep	4.52	0.218
Oct	3.43	0.160
Nov	2.47	0.119
Dec	2.34	0.109

- (3) Total Lump Sum for Process Water Consumption subject to adjustment for items B2 and B3 as governed by contract terms.
- (4) Closure Construction Activities subject to schedule subdivision and future updates by Engineer, including subdivision into mutually agreed upon releasable work segments for progress monitoring and payment purposes. Please see Attachment C, Table 1, Closure Task Breakdown, Piney Point ITN 2005002C for current subdivision of Closure Construction Activities.
- (5) The Approval Period shall be five (5) working days to inspect and approve the invoiced services for payment, unless another period of working days is specified herein.
- (6) The adjustment to pricing, if any, for fluctuations in electric power costs will be made based upon the posted unit price (in \$ per KWH) as charged by Florida Power and Light to its most favored commercial customers in the Tampa Bay area, compared to the adjusted unit price charged by Florida Power and Light to the same customers in December 2004 but after considering an escalation corresponding to 3% inflation per year. The change in unit power cost, relative to the escalated base unit price, in December 2005, December 2006, December 2007 and December 2008 will be used for making the adjustment (either debit or credit) for electric power costs during contract years 2, 3, 4 and 5, assuming a theoretical power usage of 11.3 Million KWH (Year 2), 3.8 Million KWH (Year 3), 2.6 Million KWH (Year 4) and 2.0 Million KWH (Year 5), respectively, during each of the corresponding four contract years.
- (7) The adjustments to pricing, if any, for fluctuations in Liner Resin prices will be made based upon the neat liner quantities determined by the Engineer from detailed design drawings (without any adjustment for liner overlaps, liner buried in anchor trenches, increased liner area due to sloping surfaces, liner for repair patches, waste, etc.) for planned liner installation activities during each calendar year. The adjustment (either debit or credit) will be based upon the lower of either:
- 1) The lowest documented change in liner sheet unit price from at least two liner manufacturers (expressed in dollars per square feet) for orders placed in November 2004 escalated by 3% inflation per year, compared to orders placed in February 2005 and in December 2005 and December 2006, respectively, for planned construction activities in each of the first three contract years; or
- 2) The lowest documented change in Liner Resin unit price from at least two liner manufacturers or resin suppliers for orders placed in November 2004 compared to orders placed in February 2005 and in December 2005 and December 2006, respectively, for planned construction activities in each of the first three contract years. The change in actual liner resin unit price (expressed in dollars per pound of resin), after accounting for 3% escalation per year from the November 2004 BAFO unit price of \$0.64/lb. shall be multiplied by 0.237 lb/ft2, 0.347 lb/ft2 and 0.442 lb/ft2 for 40-mil, 60-mil and 80-mil liner, respectively. The lowest adjusted price as determined above (expressed in dollars per square feet) shall be multiplied by the neat liner quantity from detailed design drawings (expressed in square feet) times a factor of 1.10 adopted herein to accommodate additional liner buried in anchor trenches, liner overlaps, waste, etc.
- (8) Lump Sum Unit rates or monthly allocations of the fixed cost amounts are rounded to the nearest cent or dollar as shown. In all cases, the final monthly invoice for a given period shall reflect the necessary amount so that the indicated fixed-price is not exceeded. There shall be no adjustment to the lump sum pricing presented in Attachment C for any fluctuations in Contractor's costs, including lime costs, fuel costs or any other utility or commodity cost during the term of the contract, except as specifically provided for herein, including Notes ⁽⁶⁾ and ⁽⁷⁾.

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK