

Florida Fish and Wildlife Conservation Commission
Division of Habitat and Species Conservation
Land Conservation and Planning
Florida Keys Ecosystem Florida Forever Project Analysis
December 2024



This document contains the Florida Fish and Wildlife Conservation Commission's (FWC) Geographic Information System (GIS) data analysis of the area yet to be acquired within the **Florida Keys Ecosystem** Florida Forever project. This analysis was performed to provide FWC and others with important fish and wildlife resource information to be used in evaluating and ranking Florida Forever projects. The data selected for analysis are those considered by FWC to spatially reflect important fish and wildlife habitat and life history requirements.

In addition, FWC has completed a field review and associated assessment report for this project/proposal that is incorporated within the Acquisition and Restoration Council Florida Forever Project Evaluation Report. This report is available upon request.

GIS Data


The FWC utilizes the Florida Cooperative Land Cover (CLC) GIS data layer for identification and mapping of land cover. The CLC is a cooperative effort between the FWC and the Florida Natural Areas Inventory (FNAI) to develop ecologically-based statewide land cover from existing sources and expert review of aerial photography. Land cover acreage estimates found in this document are based on GIS analysis of these data.

The FWC Florida Landscape Assessment Model (FLAM)¹ is a GIS model that determines the landscape value based on natural resources and fish and wildlife habitat. The FLAM ranks habitat from a 0-10; a rank of 10 being of greatest value.

Important fish and wildlife resource GIS data were queried using Environmental Resource Analysis GIS computer software. These data include the following GIS layers:

- FWC-FNAI Florida Cooperative Land Cover
- FWC Strategic Habitat Conservation Areas – Priority and Species
- Critical Lands and Waters Identification Project (CLIP) – Priority 1 and 2 – Terrestrial and Water
- CLIP – Landscape, Biodiversity, and Floodplain Resources
- Panther Location
- Panther Mortality
- Florida Panther Priority Habitat (Primary, Secondary, and Dispersal)
- Black Bear Range
- Rare Fish Locations/ Imperiled Waters
- Southern Bald Eagle Nest
- FWC Imperiled Species Richness

- FNAI Element Occurrences
- FNAI Suitable Habitat that Supports Species Known to Occur in the Vicinity
- Florida Department of Environmental Protection Surface Water Classification
- U.S. Fish and Wildlife Service (USFWS) - National Wetlands Inventory
- USFWS Critical Habitat
- Florida Geological Survey Springs
- Outstanding Florida Waters
- Areas of Critical State Concern



**Florida Keys Ecosystem
Florida Forever Project**
Monroe County
5,406 Remaining Acres



0 10 20 30 40 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
Monroe County
5,406 Remaining Acres





0 0.75 1.5 2.25 3 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery

 Florida Keys Ecosystem Boundary







Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Florida Landscape Assessment Model





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Keylargo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Florida Landscape Assessment Model





**Florida Keys Ecosystem
Florida Forever Project
Monroe County
5,406 Remaining Acres**



0 0.75 1.5 2.25 3 Miles


Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

- Florida Keys Ecosystem Boundary
- County Boundaries
- Conservation Lands
- Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
Monroe County
5,406 Remaining Acres



Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Key Largo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Florida Landscape Assessment Model





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
Monroe County
5,406 Remaining Acres




Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Keylargo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Florida Landscape Assessment Model





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Key Largo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Florida Landscape Assessment Model





**Florida Keys Ecosystem
Florida Forever Project**
Monroe County
5,406 Remaining Acres




Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects




Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Key Largo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignum vitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Florida Landscape Assessment Model







Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




Aerial Imagery

 Florida Keys Ecosystem Boundary






Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Keylargo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	




Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



Florida Landscape Assessment Model





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres





0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery



Florida Keys Ecosystem Boundary





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Key Largo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignum vitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model





**Florida Keys Ecosystem
Florida Forever Project**
Monroe County
5,406 Remaining Acres



0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

- Florida Keys Ecosystem Boundary
- County Boundaries
- Conservation Lands
- Florida Forever Projects



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres





0 1 2 3 4 Miles


Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery

 Florida Keys Ecosystem Boundary







Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model





**Florida Keys Ecosystem
Florida Forever Project**
Monroe County
5,406 Remaining Acres



0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  Florida Keys Ecosystem Boundary
-  County Boundaries
-  Conservation Lands
-  Florida Forever Projects



Florida Keys Ecosystem
Florida Forever Project
Monroe County
5,406 Remaining Acres




0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery



Florida Keys Ecosystem Boundary





Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres




0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Soil Types

Bahia Honda fine sand	Pennekamp gravelly muck
Cudjoe marly silt loam	Rock outcrop-Cudjoe complex
Islamorada muck	Rock outcrop-Tavernier complex
Keylargo muck	Saddlebunch marly silt loam
Keyvaca	Udorthents-Urban land complex
Keywest marly silt loam	Water
Lignumvitae marly silt loam	Waters of the Atlantic Ocean
Matecumbe muck	



Florida Keys Ecosystem
Florida Forever Project
 Monroe County
 5,406 Remaining Acres



0 1 2 3 4 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model



FWC Florida Landscape Assessment Model 2023		
	Value	Acres
	0	105.5
	1	0.2
	2	72.4
	3	107.3
	4	240.2
	5	202.5
	6	254.5
	7	845.2
	8	992.3
	9	943.1
	10	1641.4
Mean FLAM value =	7.9	

Comments:

¹ FWC has developed a GIS-based assessment tool that incorporates a wide variety of land cover and wildlife species data. These wildlife species include imperiled species and locally important species. Application of this model assists in the identification and conservation of important wildlife habitats. The FLAM ranks the Florida landscape based upon important natural resources and habitat needs of wildlife as a way to identify ecologically significant lands in the state, and to assess the potential impacts of land development projects on wildlife populations. The FLAM is provided as part of the FWC's continuing technical assistance to various local, regional, state, and federal agencies, and entities interested in wildlife needs and conservation in order to: (1) determine ways to avoid or minimize project impacts by evaluating alternative placements, alignments, and transportation corridors during early planning stages, (2) assess direct, secondary, and cumulative impacts to habitat and wildlife resources, and (3) help identify appropriate parcels for land conservation, and for wetland and upland habitat mitigation.

Environmental Resource Analysis

FWC Land Conservation and Planning

Analysis Shape Type: Polygon

Analysis Timestamp: 11022023 03:30:44

Shape Name: Unnamed polygon centered at -81.026096 °, 24.880512 °

Boundary Area: 5406.19 acres

Buffer Area: 0 acres

Total Area: 5406.19 acres

FWC Wildlife Data and Models

Cooperative Land Cover v3.6

Name - State	Code - State	Name - State	Code - State	Total Area (acres)	Percent of Area
Exotic Plants	7000	Exotic Plants	7000	0.23	0 %
Marine	6000	Surf Zone	6100	28.86	0.53 %
Exotic Plants	7000	Australian Pine	7100	17.10	0.32 %
Low Intensity Urban	1821	Urban Open Land	18211	57.14	1.06 %
Unconsolidated Substrate	9100	Unconsolidated Substrate	9100	9.19	0.17 %
Mangrove Swamp	5250	Mangrove Swamp	5250	2,582.17	47.76 %
Salt Marsh	5240	Salt Marsh	5240	12.94	0.24 %
Scrub Mangrove	5252	Scrub Mangrove	5252	0.11	0 %
Marine	6000	Marine	6000	385.69	7.13 %
Cultural - Estuarine	5300	Estuarine Ditch/Channel	5310	18.90	0.35 %
Low Intensity Urban	1821	Low Structure Density	18212	51.55	0.95 %
Low Intensity Urban	1821	Cemeteries	182134	0.19	0 %
Low Intensity Urban	1821	Urban Open Forested	182111	2.38	0.04 %
Low Intensity Urban	1821	Community rec. facilities	182135	0.00	0 %
Transportation	1840	Transportation	1840	102.49	1.9 %
High Intensity Urban	1822	Residential, High Density > 5 Dwelling Units/AC	18222	3.85	0.07 %
High Intensity Urban	1822	Commercial and Services	18223	15.57	0.29 %
High Intensity Urban	1822	Residential, Med. Density - 2-5 Dwelling Units/AC	18221	50.60	0.94 %
High Intensity Urban	1822	Industrial	18224	0.56	0.01 %
Keys Tidal Rock Barren	52111	Keys Tidal Rock Barren	52111	787.84	14.57 %
High Intensity Urban	1822	Institutional	18225	7.19	0.13 %
Sand Beach (Dry)	1670	Sand Beach (Dry)	1670	3.72	0.07 %
Coastal Uplands	1600	Coastal Berm	1620	30.68	0.57 %
Barren and Outcrop Communities	1700	Keys Cactus Barren	1740	10.45	0.19 %
Communication	1850	Communication	1850	8.16	0.15 %
Rural	1830	Rural Structures	1832	42.38	0.78 %
Rockland Hammock	1130	Thorn Scrub	1131	15.27	0.28 %
Rockland Hammock	1130	Rockland Hammock	1130	912.77	16.88 %
Coastal Scrub	1214	Coastal Scrub	1214	0.54	0.01 %
Shrub and Brushland	1500	Shrub and Brushland	1500	0.49	0.01 %
Pine Rockland	1320	Pine Rockland	1320	3.03	0.06 %
Utilities	1860	Utilities	1860	0.01	0 %
Cultural - Lacustrine	3200	Artificial Impoundment/Reservoir	3220	29.81	0.55 %
Cultural - Lacustrine	3200	Artificial/Farm Pond	3210	0.51	0.01 %
Cultural - Lacustrine	3200	Sewage Treatment Pond	3240	0.01	0 %
Tidal Flat	5220	Tidal Flat	5220	4.27	0.08 %
Estuarine	5000	Estuarine	5000	181.68	3.36 %
Freshwater Forested Wetlands	2200	Mixed Wetland Hardwoods	2233	23.56	0.44 %
Extractive	1870	Sand and Gravel Pits	1872	0.00	0 %
Non-vegetated Wetland	2300	Non-vegetated Wetland	2300	2.17	0.04 %
Cultural - Lacustrine	3200	Cultural - Lacustrine	3200	1.91	0.04 %
Natural Lakes and Ponds	3100	Coastal Rockland Lake	3116	0.22	0 %
TOTAL:				5,406.19	100 %

Critical Lands and Waters Identification Project (CLIP) Priority 1 and 2 - Terrestrial and Waters

CLIP Priority	Total Area (acres)	Percent of Area
All other cells	96.10	1.78 %
CLIP P1 in submerged lands/state waters	892.72	16.51 %
CLIP P1 in terrestrial	4,249.05	78.6 %
CLIP P2 in submerged lands/state waters	4.37	0.08 %
CLIP P2 in terrestrial	1.00	0.02 %
TOTAL:	5,243.24	96.99 %

CLIP- Landscape Category

Priority	Total Area (acres)	Percent of Area
----------	--------------------	-----------------

0	2,508.06	46.39 %					
1	2,133.70	39.47 %					
2	764.43	14.14 %					
TOTAL:	5,406.19	100 %					
CLIP- Biodiversity Category							
Priority	Total Area (acres)	Percent of Area					
0	408.55	7.56 %					
1	126.84	2.35 %					
2	13.98	0.26 %					
3	921.67	17.05 %					
4	896.45	16.58 %					
5	3,038.71	56.21 %					
TOTAL:	5,406.19	100 %					
Priority FWC Strategic Habitat Conservation Areas 2021							
Priority	Total Area (acres)	Percent of Area					
0	1,571.60	29.07 %					
1	1,431.80	26.48 %					
2	1,153.30	21.33 %					
3	1,246.35	23.05 %					
5	3.14	0.06 %					
TOTAL:	5,406.19	100 %					
FWC Strategic Habitat Conservation Areas 2009							
Species 1	Species 2	Species 3	Species 4	Species 5	Species 6	Total Area (acres)	Percent of Area
American crocodile						61.20	1.13 %
American crocodile	Florida key deer					18.03	0.33 %
American crocodile	Florida key deer	Lower Keys marsh rabbit				2.52	0.05 %
American crocodile	Florida key deer	Lower Keys marsh rabbit	Mangrove cuckoo	Silver rice rat	White crowned pigeon	9.89	0.18 %
American crocodile	Florida key deer	Lower Keys marsh rabbit	Mangrove cuckoo	White crowned pigeon		16.11	0.3 %
American crocodile	Florida key deer	Lower Keys marsh rabbit	Silver rice rat			1.17	0.02 %
American crocodile	Florida key deer	Mangrove cuckoo	Silver rice rat	White crowned pigeon		127.58	2.36 %
American crocodile	Florida key deer	Mangrove cuckoo	White crowned pigeon			85.77	1.59 %
American crocodile	Florida key deer	Silver rice rat				106.45	1.97 %
American crocodile	Lower Keys marsh rabbit					15.39	0.28 %
American crocodile	Lower Keys marsh rabbit	Mangrove cuckoo	White crowned pigeon			9.66	0.18 %
American crocodile	Lower Keys marsh rabbit	Silver rice rat				7.50	0.14 %
American crocodile	Mangrove cuckoo	American swallow-tailed kite	White crowned pigeon			13.77	0.25 %
American crocodile	Mangrove cuckoo	Silver rice rat	White crowned pigeon			16.00	0.3 %
American crocodile	Mangrove cuckoo	White crowned pigeon				661.80	12.24 %
American crocodile	Silver rice rat					77.12	1.43 %
American crocodile	White crowned pigeon					60.77	1.12 %
American swallow-tailed kite	White crowned pigeon					25.62	0.47 %
Florida key deer						53.21	0.98 %
Florida key deer	Lower Keys marsh rabbit					9.20	0.17 %
Florida key deer	Lower Keys marsh rabbit	Mangrove cuckoo	Silver rice rat	White crowned pigeon		18.28	0.34 %
Florida key deer	Lower Keys marsh rabbit	Mangrove cuckoo	White crowned pigeon			75.41	1.39 %
Florida key deer	Lower Keys marsh rabbit	Silver rice rat				13.11	0.24 %
Florida key deer	Lower Keys marsh rabbit	White crowned pigeon				3.41	0.06 %
Florida key deer	Mangrove cuckoo	Silver rice rat	White crowned pigeon			84.05	1.55 %
Florida key deer	Mangrove cuckoo	White crowned pigeon				393.79	7.28 %
Florida key deer	Silver rice rat					154.68	2.86 %
Florida key deer	White crowned pigeon					13.81	0.26 %

Lower Keys marsh rabbit			27.73	0.51 %
Lower Keys marsh rabbit	Mangrove cuckoo	White crowned pigeon	4.00	0.07 %
Lower Keys marsh rabbit	Silver rice rat		25.92	0.48 %
Mangrove cuckoo	American swallow-tailed kite	White crowned pigeon	44.68	0.83 %
Mangrove cuckoo	Silver rice rat	White crowned pigeon	1.74	0.03 %
Mangrove cuckoo	White crowned pigeon		841.21	15.56 %
Silver rice rat			109.14	2.02 %
White crowned pigeon			283.52	5.24 %
TOTAL:			3,473.23	64.25 %

Panther location

No Records Found

Panther mortality

No Records Found

Panther Priority Habitat

No Records Found

Bear Range

Bear Range	Total Area (acres)	Percent of Area
Rare	4,632.10	85.68 %
TOTAL:	4,632.10	85.68 %

Rare Fish

No Records Found

Rare Fish Imperiled Waters

COMMON NAME	SCIENTIFIC NAME	Total Area (acres)	Percent of Area
Mangrove rivulus	Kryptolebias marmoratus	5,400.97	99.9 %
River goby	Awaous banana	2,469.22	45.67 %
TOTAL:		7,870.19	145.58 %

Southern bald eagle nest

No Records Found

Imperiled Species Richness

Number of Species	Total Area (acres)	Percent of Area
0	808.74	14.96 %
1	553.13	10.23 %
2	9.09	0.17 %
3	95.20	1.76 %
4	729.02	13.48 %
5	210.41	3.89 %
6	18.83	0.35 %
8	1,354.54	25.06 %
9	1,217.01	22.51 %
10	410.23	7.59 %
TOTAL:	5,406.19	100 %

Florida Natural Areas Inventory Data

Element Occurrences

COMMON NAME	SCIENTIFIC NAME	GLOBAL RANK	STATE RANK	FWC STATUS	FEDERAL STATUS	EO Rank	Last Observation	Total Area (acres)	Percent of Area
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	E	1980-02	2.81	0.05 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	E	1983-02-17	81.91	1.52 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	E	1985-01	142.87	2.64 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	E	1990	11.22	0.21 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	E	1991-07-15	1.25	0.02 %
Amethyst Hairstreak	Chlorostrymon maesites	G4	S1S2	N	N	E	1970 -- 1979	455.21	8.42 %
An Ataenius Beetle	Ataenius wenzelii	G3G5	S2S3	N	N	E	1970-06-24	195.79	3.62 %
Antillean Nighthawk	Chordeiles gundlachii	G4	S2	N	N	E	2020-06-14	1.88	0.03 %
Bahama maidenbush	Heterosavia bahamensis	G4	S2	E	N	F	ZZ	2.81	0.05 %
Big Pine partridge pea	Chamaecrista lineata var. keyensis	G5T2	S2	E	E	B	2005-08-25	0.90	0.02 %
Big Pine partridge pea	Chamaecrista lineata var. keyensis	G5T2	S2	E	E	H	1977-01-05	12.65	0.23 %
Black Skimmer	Rynchops niger	G5	S3	ST	N	E	1991	75.17	1.39 %
Black-crowned Night-heron	Nycticorax nycticorax	G5	S3	N	N	E	1991	75.17	1.39 %
Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1977-06-15	200.17	3.7 %
Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1978-04-11	115.32	2.13 %
Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1978-05-16	156.81	2.9 %

Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1979 pre	6.09	0.11 %
Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1991	83.73	1.55 %
Black-whiskered Vireo	Vireo altiloquus	G5	S3	N	N	E	1992 pre	0.15	0 %
Blodgett's silverbush	Argythamnia argothamnoides	GNR	S2	E	T	E	1998	7.26	0.13 %
Blodgett's silverbush	Argythamnia argothamnoides	GNR	S2	E	T	H	1967-07-02	28.30	0.52 %
Cape Sable thoroughwort	Chromolaena frustrata	G1	S1	E	E	B	2003-04-23	8.25	0.15 %
Christmas berry	Crossopetalum ilicifolium	G3	S3	T	N	E	1987-04-21	2.81	0.05 %
Crenulate Horn	Chondropoma dentatum	G2G3	S2?	N	N	E	1979-08-21	70.12	1.3 %
Crenulate Horn	Chondropoma dentatum	G2G3	S2?	N	N	E	1991-03-14	510.95	9.45 %
Crenulate Horn	Chondropoma dentatum	G2G3	S2?	N	N	E	1991-03-16	455.21	8.42 %
Crenulate Horn	Chondropoma dentatum	G2G3	S2?	N	N	E	1995-12-01	49.21	0.91 %
Crenulate Horn	Chondropoma dentatum	G2G3	S2?	N	N	E	1999-11-17	27.31	0.51 %
Cuban snake-bark	Colubrina cubensis var. floridana	G2G3T1	S1	E	N	E	1991	2.81	0.05 %
cupania	Cupania glabra	G4	S1	E	N	A	2013-03-12	1.38	0.03 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	AB	2004	2.81	0.05 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	D	2005-01-19	0.02	0 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	F	1975-03-29	4.96	0.09 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	H	1982-03-24	72.22	1.34 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G4	S1	E	N	BC	1993-01	1.85	0.03 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	GNRTNR	S1	E	N	BC	2005-10-11	3.29	0.06 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G4G5	S2	E	N	C	2005-01-19	0.02	0 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2G4	S1	E	N	C?	2008-03-19	2.53	0.05 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G4	S1	E	N	CD	1990	1.90	0.04 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2G3	S1	E	N	E	1977-05-29	28.06	0.52 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2G3	S1	E	N	E	1988	478.51	8.85 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2G3	S1	E	N	E	1991	84.14	1.56 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2G4	S1	E	N	E	1991	5.44	0.1 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G4?	S1	E	N	E	1998-04-01	0.90	0.02 %
DATA SENSITIVE ELEMENT OCCURRENCE	DATA SENSITIVE ELEMENT OCCURRENCE	G2G3	S1	E	N	H	1971-11-17	5.82	0.11 %

- contact FNAI for more information	- contact FNAI for more information									
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2T1	S1?	FT	T	E	1997	416.15	7.7 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2T1	S1?	FT	T	E	2000	510.95	9.45 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	N	N	B	1999	2.63	0.05 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	N	N	BC	1999	8.93	0.17 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	BD	2005-02-24	1.28	0.02 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	E	1981-02	77.83	1.44 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	E	1984-02-19	0.03	0 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	E	1991	117.77	2.18 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G3T2	S2	N	N	E	1991	2.74	0.05 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5T4T5	S1S2	N	N	E	1991	3.91	0.07 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5T4T5	S1S2	N	N	E	1992	2.69	0.05 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	NR	1971	168.60	3.12 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	N	N	X?	1977-05-21	26.46	0.49 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	B	2004-11-18	0.02	0 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	C	2005-01-19	0.02	0 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	E	1977	25.86	0.48 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	E	1977-01-05	100.94	1.87 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	E	1978-02-27	0.97	0.02 %	
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G5	S3	T	N	E	1978-04-06	168.95	3.13 %	

- contact FNAI for more information	- contact FNAI for more information									
DATA SENSITIVE ELEMENT OCCURRENCE	DATA SENSITIVE ELEMENT OCCURRENCE	G5	S3	T	N	E	1981-02	77.83	1.44 %	
- contact FNAI for more information	- contact FNAI for more information									
DATA SENSITIVE ELEMENT OCCURRENCE	DATA SENSITIVE ELEMENT OCCURRENCE	G5	S3	T	N	E	1982-02-04	37.39	0.69 %	
- contact FNAI for more information	- contact FNAI for more information									
DATA SENSITIVE ELEMENT OCCURRENCE	DATA SENSITIVE ELEMENT OCCURRENCE	G5	S3	T	N	E	1984-02-19	0.03	0 %	
- contact FNAI for more information	- contact FNAI for more information									
DATA SENSITIVE ELEMENT OCCURRENCE	DATA SENSITIVE ELEMENT OCCURRENCE	G5	S3	T	N	E	1991	56.32	1.04 %	
- contact FNAI for more information	- contact FNAI for more information									
devil's smooth-claw	Pisonia rotundata	G1G3	S1	E	N	H	1981	1.46	0.03 %	
Eastern Diamondback Rattlesnake	Crotalus adamanteus	G3	S3	N	UR	E	1947-01	709.16	13.12 %	
Eastern Diamondback Rattlesnake	Crotalus adamanteus	G3	S3	N	UR	E	1995 pre	179.56	3.32 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1948-12-24	73.09	1.35 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1950-12-26	5.83	0.11 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1952-05-09	745.53	13.79 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1977	103.85	1.92 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1977-06-10	176.50	3.26 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1978-12-07	81.91	1.52 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1982-03-24	79.52	1.47 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1984-02-19	0.03	0 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1985-02-03	142.87	2.64 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1989 pre	319.70	5.91 %	
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	X?	1998	539.73	9.98 %	
false boxwood	Gyminda latifolia	G4	S2	E	N	E	1990	1.85	0.03 %	
false boxwood	Gyminda latifolia	G4	S2	E	N	E	1991	7.82	0.14 %	
false boxwood	Gyminda latifolia	G4	S2	E	N	H	1975-12-31	117.33	2.17 %	
Florida Brown Snake, Lower Keys Population	Storeria victa pop. 1	G5T1Q	S1	ST	N	E	1984-07	0.66	0.01 %	
Florida Brown Snake, Lower Keys Population	Storeria victa pop. 1	G5T1Q	S1	ST	N	E	1989 pre	1,118.79	20.69 %	
Florida Keys Mole Skink	Plestiodon egregius egregius	G5T1	S1	ST	PT	E	1990 pre	172.65	3.19 %	
Florida Keys Mole Skink	Plestiodon egregius egregius	G5T1	S1	ST	PT	E	1991	79.52	1.47 %	
Florida Keys Mole Skink	Plestiodon egregius egregius	G5T1	S1	ST	PT	E	ZZ	45.85	0.85 %	
Florida Keys Mole Skink	Plestiodon egregius egregius	G5T1	S1	ST	PT	H?	1935-01-02	44.61	0.83 %	
Florida Keys Tree Snail	Orthalicus reses nesodryas	G2T2	S2	N	N	E	1981-07-11	194.32	3.59 %	
Florida Prairie Warbler	Setophaga discolor paludicola	G5T3	S3	N	N	E	1977-05-26	142.87	2.64 %	
Florida Prairie Warbler	Setophaga discolor paludicola	G5T3	S3	N	N	E	1977-06-10	176.50	3.26 %	
Florida Prairie Warbler	Setophaga discolor paludicola	G5T3	S3	N	N	E	1991	150.89	2.79 %	
Florida Prairie Warbler	Setophaga discolor paludicola	G5T3	S3	N	N	E	1993-02-13	1.23	0.02 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	AB	2005-01-18	1.20	0.02 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	AB	2010-07-31	0.00	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	B	2004-12-08	0.08	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	B	2010-12-04	0.01	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	BC	2006 -- 2007	4.37	0.08 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	BC	2006-07-25 -- 2007-04-17	0.08	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	BD	2006 -- 2007	31.01	0.57 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	BD	2006-08-23	0.00	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1978-02-27	0.97	0.02 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1978-05-09	17.76	0.33 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1983-07-22	9.31	0.17 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1987-04-21	7.57	0.14 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1991	59.13	1.09 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1991-07-15	1.25	0.02 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	E	1992	2.38	0.04 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	F	1991	0.08	0 %	
Florida thatch palm	Thrinax radiata	G4G5	S2	E	N	X?	1977-05-21	26.46	0.49 %	
Garber's spurge	Chamaesyce garberi	G1	S1	E	T	B?	1964-11-20	0.02	0 %	
Garber's spurge	Chamaesyce garberi	G1	S1	E	T	BD	2007-06	1.78	0.03 %	
Garber's spurge	Chamaesyce garberi	G1	S1	E	T	H	1964-11-20	110.12	2.04 %	
Glossy Ibis	Plegadis falcinellus	G5	S3	N	N	E	1991	67.40	1.25 %	

golden leather fern	Acrostichum aureum	G5	S3	T	N	CD	1991	7.82	0.14 %
golden leather fern	Acrostichum aureum	G5	S3	T	N	H	1981-02	77.83	1.44 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1976-05-14	745.47	13.79 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1976-05-27	358.79	6.64 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1989-03-16	1.15	0.02 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1989-05-02	29.68	0.55 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1990	12.74	0.24 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	E	1991	142.57	2.64 %
Great White Heron	Ardea herodias occidentalis	G5T2	S2	N	N	F	1977-02	80.51	1.49 %
Green Sea Turtle	Chelonia mydas	G3	S2S3	FT	T	BD	2012	0.84	0.02 %
Handsome Flower Scarab Beetle	Rutela formosa	G3G4	S1S2	N	N	E	2013-05-26	713.85	13.2 %
Handsome Flower Scarab Beetle	Rutela formosa	G3G4	S1S2	N	N	H	1880	106.56	1.97 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1970 circa	137.63	2.55 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1978-05-16	156.81	2.9 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1983-02-17	132.37	2.45 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1984-01	198.02	3.66 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1985-02-13	266.41	4.93 %
Key Deer	Odocoileus virginianus clavium	G5T1	S1	FE	E	E	1990	50.87	0.94 %
Key Largo Cotton Mouse	Peromyscus gossypinus allapaticola	G5T1Q	S1	FE	E	BC	1986-05-09	143.69	2.66 %
Key Largo Cotton Mouse	Peromyscus gossypinus allapaticola	G5T1Q	S1	FE	E	NR	1970	1.09	0.02 %
Key Rice Rat	Oryzomys palustris argentatus	G5T2Q	S2	FE	E	H	1981-11-08	0.91	0.02 %
Key Ringneck Snake	Diadophis punctatus acricus	G5T1	S1	ST	PE	BD	1984-07	14.30	0.26 %
Key West Raccoon	Procyon lotor incautus	G5T2Q	S2	N	N	E	1977	103.85	1.92 %
Key West Raccoon	Procyon lotor incautus	G5T2Q	S2	N	N	E	1977-05-26	142.87	2.64 %
Key West Raccoon	Procyon lotor incautus	G5T2Q	S2	N	N	E	1977-06-10	176.50	3.26 %
Key West Raccoon	Procyon lotor incautus	G5T2Q	S2	N	N	E	1978-05-16	156.81	2.9 %
Key West Raccoon	Procyon lotor incautus	G5T2Q	S2	N	N	E	1982-02-11	132.37	2.45 %
Keys Gnaphosid Spider	Cesonia irvingi	GNR	S1	N	N	E	1994 pre	2,920.39	54.02 %
Keys Green June Beetle	Cotinis aliena	G1	S1	N	N	E	1994-07-28	146.80	2.72 %
Keys Mudcloak	Hojeda inaguensis	G3G4	S2	N	N	E	1995-12-01	49.21	0.91 %
Keys Mudcloak	Hojeda inaguensis	G3G4	S2	N	N	E	1999-11-17	33.04	0.61 %
Keys Scaly Cricket	Cycloptilum irregularis	G1G2	S1S2	N	N	E	1964-06-24	417.13	7.72 %
Keys Scaly Cricket	Cycloptilum irregularis	G1G2	S1S2	N	N	E	1965-07-04	110.36	2.04 %
Klots' Skipper	Euphyes pilatka klotsi	G3T2	S2	N	UR	B	2014 fall	890.98	16.48 %
Least Tern	Sternula antillarum	G4	S3	ST	N	B	1987-06-01	148.51	2.75 %
Least Tern	Sternula antillarum	G4	S3	ST	N	C	1987-06-01	0.03	0 %
Least Tern	Sternula antillarum	G4	S3	ST	N	D	1987-06-01	213.50	3.95 %
Least Tern	Sternula antillarum	G4	S3	ST	N	D	1987-06-18	9.02	0.17 %
Least Tern	Sternula antillarum	G4	S3	ST	N	D	1987-07-01	5.92	0.11 %
Least Tern	Sternula antillarum	G4	S3	ST	N	E	1987-06-01	77.60	1.44 %
Least Tern	Sternula antillarum	G4	S3	ST	N	E	1987-06-09	38.95	0.72 %
Least Tern	Sternula antillarum	G4	S3	ST	N	E	1991	145.38	2.69 %
Least Tern	Sternula antillarum	G4	S3	ST	N	E	1992-04	1.43	0.03 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	BD	2005-01-17	0.00	0 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	E	1989-05-02	29.68	0.55 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	E	1991	142.57	2.64 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	E	1992	65.22	1.21 %
locustberry	Byrsonima lucida	G4G5	S3	T	N	A	2011-04-19	0.32	0.01 %
locustberry	Byrsonima lucida	G4G5	S3	T	N	B	2005-01-19	0.01	0 %
locustberry	Byrsonima lucida	G4G5	S3	T	N	BD	2006 -- 2007	0.01	0 %
locustberry	Byrsonima lucida	G4G5	S3	T	N	C	2005-01-18	0.16	0 %
locustberry	Byrsonima lucida	G4G5	S3	T	N	H	1966-08-07	23.65	0.44 %
Loggerhead Sea Turtle	Caretta caretta	G3	S3	FT	T	CD	2012	36.87	0.68 %
Lower Keys Marsh Rabbit	Sylvilagus palustris hefneri	G5T1	S1	FE	E	B	1988	0.54	0.01 %
Lower Keys Marsh Rabbit	Sylvilagus palustris hefneri	G5T1	S1	FE	E	D	1988	1.09	0.02 %
Lower Keys Marsh Rabbit	Sylvilagus palustris hefneri	G5T1	S1	FE	E	X?	1988	1.85	0.03 %
Lyside Sulphur	Kricogonia lyside	G5	S2S3	N	N	E	2004-07-31	0.00	0 %
Malachite	Siproeta stelenes	G5	S2	N	N	E	2012-03-22	0.00	0 %
manchineel	Hippomane mancinella	G5	S2	E	N	BD	2005-01-19	2.83	0.05 %
manchineel	Hippomane mancinella	G5	S2	E	N	D	2005-01-19	0.01	0 %
manchineel	Hippomane mancinella	G5	S2	E	N	E	1978-05-27	74.63	1.38 %
manchineel	Hippomane mancinella	G5	S2	E	N	H	1977-01-05	4.46	0.08 %
Mangrove Clapper Rail	Rallus longirostris insularum	G5T3	S3	N	N	E	1991	75.17	1.39 %
Mangrove Cuckoo	Coccyzus minor	G5	S3	N	N	E	1978-05-09	20.20	0.37 %
Mangrove Gambusia	Gambusia rhizophorae	G3	S3	N	N	E	1983 circa	1.23	0.02 %

Mangrove Gambusia	Gambusia rhizophorae	G3	S3	N	N	H	1969 pre	1,137.08	21.03 %
Mangrove Rivulus	Rivulus marmoratus	G4G5	S3	N	SC	B	1986-03	13.39	0.25 %
Mangrove Rivulus	Rivulus marmoratus	G4G5	S3	N	SC	E	1979-01-18	1,788.31	33.08 %
Mangrove Rivulus	Rivulus marmoratus	G4G5	S3	N	SC	H	1960-03-25	263.23	4.87 %
Mangrove Terrapin	Malaclemys terrapin rhizophororum	G4T2	S2	N	N	H	ZZ	15.80	0.29 %
mangroveberry	Mosiera longipes	G3G4	S2	T	N	BC	1999	0.61	0.01 %
mangroveberry	Mosiera longipes	G3G4	S2	T	N	BC	2005-01-18	0.07	0 %
mangroveberry	Mosiera longipes	G3G4	S2	T	N	D	2004-11-18	0.00	0 %
Martial Scrub-Hairstreak	Strymon martialis	G3G4	S2S3	N	N	C	2011-02-08	0.48	0.01 %
Merlin	Falco columbarius	G5	S2	N	N	E	1991	75.17	1.39 %
Merlin	Falco columbarius	G5	S2	N	N	E	1992-10	2.43	0.05 %
milkbark	Drypetes diversifolia	G4	S2	E	N	B	2005-02-23	3.19	0.06 %
milkbark	Drypetes diversifolia	G4	S2	E	N	BC	2005-01-19	0.02	0 %
milkbark	Drypetes diversifolia	G4	S2	E	N	BC	2005-02-24	1.57	0.03 %
milkbark	Drypetes diversifolia	G4	S2	E	N	E	1984-02-19	0.03	0 %
milkbark	Drypetes diversifolia	G4	S2	E	N	E	1987-04-21	827.50	15.31 %
milkbark	Drypetes diversifolia	G4	S2	E	N	E	1991	38.83	0.72 %
milkbark	Drypetes diversifolia	G4	S2	E	N	E	1992	2.81	0.05 %
milkbark	Drypetes diversifolia	G4	S2	E	N	E	2010-06-20	0.00	0 %
milkbark	Drypetes diversifolia	G4	S2	E	N	U	1997-08-23	10.02	0.19 %
myrtle-of-the-river	Calyptanthus zuzygium	G4	S2	E	N	E	1992	2.81	0.05 %
Osprey	Pandion haliaetus	G5	S3S4	N	N	E	1990	745.47	13.79 %
Osprey	Pandion haliaetus	G5	S3S4	N	N	E	1991	59.10	1.09 %
Osprey	Pandion haliaetus	G5	S3S4	N	N	E	1992	2.08	0.04 %
Osprey	Pandion haliaetus	G5	S3S4	N	N	E	2005-01-17	0.00	0 %
Peregrine Falcon	Falco peregrinus	G4	S2	N	N	E	1992-10	2.43	0.05 %
pineland milkpea	Galactia pinetorum	G2Q	S2	N	N	E	1990-10-14	335.76	6.21 %
Porter's broad-leaved spurge	Chamaesyce porteriana	G2	S2	E	N	BC	2005-05-31	2.81	0.05 %
Porter's broad-leaved spurge	Chamaesyce porteriana	G2	S2	E	N	C	1998-03-06	0.48	0.01 %
pride-of-big-pine	Strumpfia maritima	G4	S1	E	N	C	1988	4.46	0.08 %
pride-of-big-pine	Strumpfia maritima	G4	S1	E	N	CD	2006 -- 2007	2.79	0.05 %
pride-of-big-pine	Strumpfia maritima	G4	S1	E	N	E	1978-05-27	8.75	0.16 %
pride-of-big-pine	Strumpfia maritima	G4	S1	E	N	H?	1988	12.04	0.22 %
princewood	Exostema caribaeum	G5	S2	E	N	C	2005-02-24	0.05	0 %
princewood	Exostema caribaeum	G5	S2	E	N	E	1981-09-09	29.21	0.54 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	A	1984-02-23	0.13	0 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	AC	2003-05-18	38.63	0.71 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	BC	2004-11-18	2.55	0.05 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	1977-06-06	173.76	3.21 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	1979 pre	76.49	1.41 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	1984-03-01	89.93	1.66 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	1985-01-30	0.58	0.01 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	1993-04-19	44.99	0.83 %
Red Rat Snake, Lower Keys Population	Pantherophis guttatus pop. 1	G5T2Q	S2	N	N	E	ZZ	1,495.12	27.66 %
red stopper	Eugenia rhombea	G5	S1	E	N	E	2008	0.00	0 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	1991	145.38	2.69 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	1991-04	94.61	1.75 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	1991-11-01	70.52	1.3 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	1992	71.08	1.31 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	1992-04	148.57	2.75 %
Reddish Egret	Egretta rufescens	G4	S2	ST	N	E	2005-01-18	6.23	0.12 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	B	2005-05-31	0.00	0 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	BC	2004-12-09	0.20	0 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	BC	2013-03-12	0.10	0 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	C?	2005-02-24	0.02	0 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	E	1991	7.82	0.14 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	E	1992	1.79	0.03 %
rhacoma	Crossopetalum rhacoma	G5	S3	T	N	F	1991	0.08	0 %
Rim Rock Crowned Snake	Tantilla oolitica	G1G2	S1S2	ST	PE	C?	2002-10	50.56	0.94 %
Rim Rock Crowned Snake	Tantilla oolitica	G1G2	S1S2	ST	PE	E	1988-05	5.01	0.09 %
Rim Rock Crowned Snake	Tantilla oolitica	G1G2	S1S2	ST	PE	E	1992 -- 1996	0.14	0 %
Rim Rock Crowned Snake	Tantilla oolitica	G1G2	S1S2	ST	PE	NR	1988 summer	80.84	1.5 %
Rim Rock Crowned Snake	Tantilla oolitica	G1G2	S1S2	ST	PE	U	1979-11	108.84	2.01 %
Roseate Spoonbill	Platalea ajaja	G5	S2	ST	N	E	1991	147.12	2.72 %
Roseate Spoonbill	Platalea ajaja	G5	S2	ST	N	E	1992	5.86	0.11 %
Roseate Spoonbill	Platalea ajaja	G5	S2	ST	N	E	1992-04	145.75	2.7 %

Roseate Tern	Sterna dougallii	G4	S1	FT	T	E	1988	3.71	0.07 %
Royal Tern	Thalasseus maximus	G5	S3	N	N	E	1991 fall	0.72	0.01 %
sand flax	Linum arenicola	G1G2	S1S2	E	E	C	2005-06-02	0.14	0 %
sand flax	Linum arenicola	G1G2	S1S2	E	E	CD	2005-06-01	0.01	0 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	E	1979-11-15	13.79	0.26 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	E	1988	1.63	0.03 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	E	1991	2.81	0.05 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	E	2016-03-23	0.02	0 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	NR	1988-12	382.65	7.08 %
sea rosemary	Heliotropium gnaphalodes	G4	S3	E	N	U	2001-02-14	32.09	0.59 %
Shining Ball Scarab Beetle	Ceratocanthus aeneus	G2G3	S2	N	N	H	1966-12-07	195.79	3.62 %
Shining Ball Scarab Beetle	Ceratocanthus aeneus	G2G3	S2	N	N	X?	1970-12-05	110.36	2.04 %
Short-tailed Hawk	Buteo brachyurus	G4G5	S1	N	N	NR	1992-10	2.43	0.05 %
skyblue clustervine	Jacquemontia pentanthos	G4G5	S2	E	N	B?	1999	0.10	0 %
skyblue clustervine	Jacquemontia pentanthos	G4G5	S2	E	N	E	1999	3.27	0.06 %
small-fruited varnishleaf	Dodonaea elaeagnoides	G4Q	S1	E	N	BC	2005-06-13	0.02	0 %
small-fruited varnishleaf	Dodonaea elaeagnoides	G4Q	S1	E	N	F	1999-08-16	77.95	1.44 %
small-fruited varnishleaf	Dodonaea elaeagnoides	G4Q	S1	E	N	NR	1981	118.21	2.19 %
smooth strongbark	Bourreria cassinifolia	G3?	S1	E	N	BD	1979-05-11	162.84	3.01 %
Snowy Egret	Egretta thula	G5	S3	N	N	E	1991	142.57	2.64 %
Snowy Egret	Egretta thula	G5	S3	N	N	E	1992	5.86	0.11 %
Southeastern American Kestrel	Falco sparverius paulus	G5T4	S3	ST	N	E	1977-05-26	142.87	2.64 %
Spottail Goby	Ctenogobius stigmaturus	G2	S2	N	N	H	1960-12	70.14	1.3 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	AC	1980	0.44	0.01 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	AC	1985	81.91	1.52 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	BD	1980	2.81	0.05 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	BD	1982-02-17	1.77	0.03 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	BD	2015-10-31	0.47	0.01 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	BD	2016-06-15	0.01	0 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	CD	1977	0.49	0.01 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	G4G5T1Q	S1	N	N	E	1991-07-15	31.60	0.58 %
Swallow-tailed Kite	Elanoides forficatus	G5	S2	N	N	E	1991	76.49	1.41 %
Tricolored Heron	Egretta tricolor	G5	S4	ST	N	B?	1992	5.86	0.11 %
Tricolored Heron	Egretta tricolor	G5	S4	ST	N	E	1991	142.57	2.64 %
Tricolored Heron	Egretta tricolor	G5	S4	ST	N	E	1992	65.22	1.21 %
West Indies mahogany	Swietenia mahagoni	G3G4	S3	T	N	AB	2005 -- 2007	31.07	0.57 %
West Indies mahogany	Swietenia mahagoni	G3G4	S3	T	N	B	2006 -- 2007	0.41	0.01 %
West Indies mahogany	Swietenia mahagoni	G3G4	S3	T	N	BC	2005-02-23	1.30	0.02 %
West Indies mahogany	Swietenia mahagoni	G3G4	S3	T	N	BD	2006 -- 2007	0.01	0 %
West Indies mahogany	Swietenia mahagoni	G3G4	S3	T	N	H	1984-02-19	0.03	0 %
White Ibis	Eudocimus albus	G5	S4	N	N	E	1991	142.57	2.64 %
white ironwood	Hypelate trifoliata	G4	S1	E	N	BD	2007-04-17	10.95	0.2 %
white passion-flower	Passiflora multiflora	G4	S1	E	N	E	1979 pre	28.06	0.52 %
white passion-flower	Passiflora multiflora	G4	S1	E	N	E	1984-02-19	0.03	0 %
white passion-flower	Passiflora multiflora	G4	S1	E	N	E	1991	33.39	0.62 %
White-crowned Pigeon	Patagioenas leucocephala	G3	S3	ST	N	AB	2004-06-11	275.86	5.1 %
wild cinnamon	Canella winterana	G5?	S2	E	N	AB	2013-03-12	1.51	0.03 %
wild cinnamon	Canella winterana	G5?	S2	E	N	B	2005-02-23	3.19	0.06 %
wild cinnamon	Canella winterana	G5?	S2	E	N	BC	2005-02-24	0.02	0 %
wild cinnamon	Canella winterana	G5?	S2	E	N	CD	2004-12-09	0.01	0 %
wild cinnamon	Canella winterana	G5?	S2	E	N	E	1984-02-19	0.03	0 %
wild cinnamon	Canella winterana	G5?	S2	E	N	E	1991	99.35	1.84 %
wild cinnamon	Canella winterana	G5?	S2	E	N	H	1969-06-12	66.61	1.23 %
yellowwood	Schaefferia frutescens	G5	S2	E	N	E	1991	3.91	0.07 %
ZZ	Basin marsh	G4	S3	N	N	C	1999	2.53	0.05 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1987-06-01	381.27	7.05 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1987-06-09	0.32	0.01 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1987-06-18	9.02	0.17 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1987-06-22	85.26	1.58 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1987-07-01	5.92	0.11 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1988-03-24	11.03	0.2 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1989-03-16	1.15	0.02 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1989-05-02	29.68	0.55 %
ZZ	Bird Rookery	G5	SNRB	N	N	E	1990	12.74	0.24 %
ZZ	Bird Rookery	G5	SNRB	N	N	F	1977-02	80.51	1.49 %
ZZ	Bird Rookery	G5	SNRB	N	N	F	1989-03-16	17.25	0.32 %
ZZ	Coastal berm	G3	S2	N	N	BC	1999	6.60	0.12 %

ZZ	Coastal berm	G3	S2	N	N	CD	1999	3.73	0.07 %
ZZ	Coastal berm	G3	S2	N	N	D	1999	0.48	0.01 %
ZZ	Coastal berm	G3	S2	N	N	E	1999	2.52	0.05 %
ZZ	Coastal rockland lake	G2	S1	N	N	D	1999	0.34	0.01 %
ZZ	Migratory Bird Concentration Area	G3	SNR	N	N	E	1991 fall	37.15	0.69 %
ZZ	Migratory Bird Concentration Area	G3	SNR	N	N	E	1992-10	2.43	0.05 %
ZZ	Rockland hammock	G2	S2	N	N	A	1999	30.80	0.57 %
ZZ	Rockland hammock	G2	S2	N	N	B	1999	6.13	0.11 %
ZZ	Rockland hammock	G2	S2	N	N	B	2004-12-08	1.38	0.03 %
ZZ	Rockland hammock	G2	S2	N	N	B	2004-12-09	54.40	1.01 %
ZZ	Rockland hammock	G2	S2	N	N	B	2005-01-19	0.05	0 %
ZZ	Rockland hammock	G2	S2	N	N	B	2005-02-22	1.51	0.03 %
ZZ	Rockland hammock	G2	S2	N	N	B	2005-03-15	32.52	0.6 %
ZZ	Rockland hammock	G2	S2	N	N	BC	1999	2.81	0.05 %
ZZ	Rockland hammock	G2	S2	N	N	BC	2004-11-18	10.33	0.19 %
ZZ	Rockland hammock	G2	S2	N	N	BC	2005-02-23	3.19	0.06 %
ZZ	Rockland hammock	G2	S2	N	N	C	1999	85.50	1.58 %
ZZ	Rockland hammock	G2	S2	N	N	C	2004-12-05	3.05	0.06 %
ZZ	Rockland hammock	G2	S2	N	N	C	2005-02-24	9.94	0.18 %
ZZ	Rockland hammock	G2	S2	N	N	C	2005-03-14	1.15	0.02 %
ZZ	Rockland hammock	G2	S2	N	N	CD	1999	2.81	0.05 %
ZZ	Rockland hammock	G2	S2	N	N	D	1999	4.02	0.07 %
ZZ	Rockland hammock	G2	S2	N	N	E	1999	133.88	2.48 %
TOTAL:								32,874.74	608.09 %

Suitable Habitat that Supports Species Known to Occur in the Vicinity

COMMON NAME	SCIENTIFIC NAME	Total Area (acres)	Percent of Area
American Crocodile	<i>Crocodylus acutus</i>	3,561.06	65.87 %
Big Pine partridge pea	<i>Chamaecrista lineata</i> var. <i>keyensis</i>	30.75	0.57 %
Blodgett's silverbush	<i>Argythamnia argothamnoides</i>	232.13	4.29 %
Cape Sable thoroughwort	<i>Chromolaena frustrata</i>	28.42	0.53 %
Crenulate Horn	<i>Chondropoma dentatum</i>	311.78	5.77 %
Cuban snake-bark	<i>Colubrina cubensis</i> var. <i>floridana</i>	11.41	0.21 %
devil's smooth-claw	<i>Pisonia rotundata</i>	160.03	2.96 %
Eastern Indigo Snake	<i>Drymarchon couperi</i>	65.70	1.22 %
Eastern Ribbon Snake, Lower Keys Population	<i>Thamnophis sauritus</i> pop. 1	1,199.34	22.18 %
Florida Brown Snake, Lower Keys Population	<i>Storeria victa</i> pop. 1	60.58	1.12 %
Florida Keys Mole Skink	<i>Plestiodon egregius egregius</i>	804.97	14.89 %
Florida Keys Sweat Bee	<i>Lasioglossum surianae</i>	138.73	2.57 %
Florida Keys Tree Snail	<i>Orthalicus reses nesodryas</i>	27.05	0.5 %
Florida Manatee	<i>Trichechus manatus latirostris</i>	5.22	0.1 %
Florida Prairie Warbler	<i>Setophaga discolor paludicola</i>	434.61	8.04 %
Florida royal palm	<i>Roystonea regia</i>	11.67	0.22 %
Florida Tree Snail	<i>Liguus fasciatus maticumbensis</i>	2.63	0.05 %
Garber's spurge	<i>Chamaesyce garberi</i>	956.79	17.7 %
Great White Heron	<i>Ardea herodias occidentalis</i>	677.14	12.53 %
Handsome Flower Scarab Beetle	<i>Rutela formosa</i>	229.21	4.24 %
Key Deer	<i>Odocoileus virginianus clavium</i>	2,073.88	38.36 %
Key Largo Cotton Mouse	<i>Peromyscus gossypinus allapaticola</i>	25.21	0.47 %
Key Largo Woodrat	<i>Neotoma floridana smalli</i>	24.11	0.45 %
Key Rice Rat	<i>Oryzomys palustris argentatus</i>	740.60	13.7 %
Key Ringneck Snake	<i>Diadophis punctatus acricus</i>	75.59	1.4 %
Key Silverside	<i>Menidia conchorum</i>	2,924.77	54.1 %
Key Vaca Raccoon	<i>Procyon lotor auspicatus</i>	19.78	0.37 %
Key West Raccoon	<i>Procyon lotor incautus</i>	1,206.00	22.31 %
Keys Green June Beetle	<i>Cotinis aliena</i>	95.71	1.77 %
Keys Mudcloak	<i>Hojeda inaguensis</i>	80.39	1.49 %
Klots' Skipper	<i>Euphyes pilatka klotsi</i>	0.16	0 %
lignum-vitae	<i>Guaiacum sanctum</i>	99.89	1.85 %
Loggerhead Sea Turtle	<i>Caretta caretta</i>	16.47	0.3 %
Lower Keys Cotton Rat	<i>Sigmodon hispidus exsputus</i>	1,207.96	22.34 %
Lower Keys Marsh Rabbit	<i>Sylvilagus palustris hefneri</i>	351.85	6.51 %
Mangrove Clapper Rail	<i>Rallus longirostris insularum</i>	16.27	0.3 %
Mangrove Terrapin	<i>Malaclemys terrapin rhizophorarum</i>	329.77	6.1 %
mangroveberry	<i>Mosiera longipes</i>	529.58	9.8 %
Martial Scrub-Hairstreak	<i>Strymon martialis</i>	479.62	8.87 %
Olive Tiger Beetle	<i>Cicindela olivacea</i>	3.49	0.06 %
Porter's broad-leaved spurge	<i>Chamaesyce porteriana</i>	204.53	3.78 %
Red Rat Snake, Lower Keys Population	<i>Pantherophis guttatus</i> pop. 1	2,194.51	40.59 %
Rim Rock Crowned Snake	<i>Tantilla oolitica</i>	190.94	3.53 %
Roseate Tern	<i>Sterna dougallii</i>	834.77	15.44 %
sand flax	<i>Linum arenicola</i>	178.90	3.31 %
semaphore pricklypear	<i>Consolea corallicola</i>	220.03	4.07 %
silky bluestem	<i>Schizachyrium sericatum</i>	22.40	0.41 %

Simpson's prickly apple	Harrisia simpsonii	631.92	11.69 %
Smalltooth Sawfish	Pristis pectinata	68.32	1.26 %
smooth strongbark	Bourreria cassinifolia	23.74	0.44 %
Spottail Goby	Ctenogobius stigmaturus	2,357.09	43.6 %
Stock Island Tree Snail	Orthalicus reses reses	2.53	0.05 %
Striped Mud Turtle, Lower Keys Population	Kinosternon baurii pop. 1	1,750.19	32.37 %
three-spined pricklypear	Opuntia triacantha	28.83	0.53 %
tree cactus	Pilosocereus robinii	125.39	2.32 %
Wood Stork	Mycteria americana	6.98	0.13 %
	TOTAL:	28,091.41	519.62 %

USFWS

Critical Habitat

No Records Found

Area of Critical State Concern

Apalachicola

No Records Found

Big Cypress

No Records Found

Green Swamp

No Records Found

Key West

No Records Found

Lower Keys

NAME	Total Area (acres)	Percent of Area
Lower Keys	2,567.51	47.49 %
TOTAL:	2,567.51	47.49 %

Upper Keys

NAME	Total Area (acres)	Percent of Area
Upper Keys	2,034.01	37.62 %
TOTAL:	2,034.01	37.62 %

Florida Ecological Greenways Network

Wildlife Corridor Classification

Priority Level	Total Area (acres)	Percent of Area
1	0.15	0 %
5	507.66	9.39 %
TOTAL:	507.81	9.39 %

Water Resources

FDEP Surface Water Classification

Waterbody Name	Water Type	Water Basin	Classification	Total Area (acres)	Percent of Area
SOUTH KEY LARGO	COASTAL	6006A	3M	730.96	13.52 %
PLANTATION KEY	COASTAL	6009	3M	147.82	2.73 %
LONG KEY	COASTAL	6010	3M	49.86	0.92 %
VACA KEY	COASTAL	6011A	3M	1,150.75	21.29 %
GRASSY KEY	COASTAL	6011C	3M	237.29	4.39 %
BIG PINE KEY	COASTAL	6012A	3M	593.50	10.98 %
BIG TORCH KEY	COASTAL	6012E	3M	449.68	8.32 %
SADDLEBUNCH KEYS	COASTAL	6013A	3M	633.86	11.72 %
SUGARLOAF	COASTAL	6013B	3M	160.61	2.97 %
CUDJOE KEY	COASTAL	6013C	3M	567.31	10.49 %
LITTLE KNOCKEMDOWN KEY	COASTAL	6013D	3M	147.42	2.73 %
US NAVAL AIR STATION KEY WEST	COASTAL	6014C	3M	84.29	1.56 %
DUCK KEY	COASTAL	6016	3M	7.11	0.13 %
UPPER MATECUMBE KEY	COASTAL	6017	3M	47.51	0.88 %
LOWER MATECUMBE KEY	COASTAL	6019	3M	83.35	1.54 %
GULF OF MEXICO (MONROE COUNTY; KEY WEST-CUDJOE KEY)	COASTAL	8074	3M	146.53	2.71 %
GULF OF MEXICO (MONROE COUNTY; BAHIA HONDA-CUDJOE KEY)	COASTAL	8075	3M	45.10	0.83 %
CURRY HAMMOCK STATE PARK	BEACH	8077A	3M	2.88	0.05 %
HARRY HARRIS COUNTY PARK	BEACH	8078A	3M	0.01	0 %
ATLANTIC OCEAN (MONROE COUNTY; CUDJOE KEY-KEY WEST)	COASTAL	8079	3M	103.46	1.91 %
ATLANTIC OCEAN (MONROE COUNTY; MARATHON)	COASTAL	8081	3M	8.85	0.16 %

COCO PLUM BEACH	BEACH	8081A	3M	9.49	0.18 %
SOMBRERO BEACH	BEACH	8081B	3M	39.82	0.74 %
ATLANTIC OCEAN (MONROE COUNTY; MARATHON)	COASTAL	8082	3M	10.95	0.2 %
			TOTAL:	5,458.38	100.97 %
Outstanding Florida Waters					
Name	OFW Type	Total Area (acres)		Percent of Area	
GREAT WHITE HERON NATIONAL WILDLIFE REFU	Other	110.31		2.04 %	
John Pennekamp Coral Reef State Park	Other	37.94		0.7 %	
Curry Hammock (designation undetermined)	Other	0.21		0 %	
Florida Keys	Special	5,406.19		100 %	
		TOTAL:	5,554.66	102.75 %	
Florida Geological Survey Springs					
No Records Found					
National Wetlands Inventory					
Wetland Type	Wetland Code	Total Area (acres)		Percent of Area	
ESTUARINE AND MARINE DEEPWATER	E1AB3L	0.06		0 %	
ESTUARINE AND MARINE DEEPWATER	E1UBL	73.81		1.37 %	
ESTUARINE AND MARINE DEEPWATER	E1ABL	39.03		0.72 %	
ESTUARINE AND MARINE DEEPWATER	E1UBLx	44.34		0.82 %	
ESTUARINE AND MARINE DEEPWATER	E1UBLh	0.19		0 %	
ESTUARINE AND MARINE WETLAND	E2EM1N	109.45		2.02 %	
ESTUARINE AND MARINE WETLAND	E2AB3Mg	3.15		0.06 %	
ESTUARINE AND MARINE WETLAND	E2ABM	30.78		0.57 %	
ESTUARINE AND MARINE WETLAND	E2EM1/USN	17.27		0.32 %	
ESTUARINE AND MARINE WETLAND	E2EM1/SS3N	26.36		0.49 %	
ESTUARINE AND MARINE WETLAND	E2EM1P	5.07		0.09 %	
ESTUARINE AND MARINE WETLAND	E2FO1P	1.86		0.03 %	
ESTUARINE AND MARINE WETLAND	E2FO3N	543.48		10.05 %	
ESTUARINE AND MARINE WETLAND	E2SS3/USP	21.85		0.4 %	
ESTUARINE AND MARINE WETLAND	E2SS3/US2N	55.63		1.03 %	
ESTUARINE AND MARINE WETLAND	E2SS3/EM1N	4.46		0.08 %	
ESTUARINE AND MARINE WETLAND	E2SS3N	1,167.75		21.6 %	
ESTUARINE AND MARINE WETLAND	E2FO3P	816.53		15.1 %	
ESTUARINE AND MARINE WETLAND	E2SS3P	287.33		5.31 %	
ESTUARINE AND MARINE WETLAND	E2US/SS3N	514.06		9.51 %	
ESTUARINE AND MARINE WETLAND	E2US2/SS3P	39.98		0.74 %	
ESTUARINE AND MARINE WETLAND	E2SS3Px	1.25		0.02 %	
ESTUARINE AND MARINE WETLAND	E2US/FO3P	0.12		0 %	
ESTUARINE AND MARINE WETLAND	E2USM	181.01		3.35 %	
ESTUARINE AND MARINE WETLAND	E2USN	129.65		2.4 %	
ESTUARINE AND MARINE WETLAND	E2USP	4.79		0.09 %	
ESTUARINE AND MARINE DEEPWATER	M1UBL	2.46		0.05 %	
ESTUARINE AND MARINE DEEPWATER	M1ABL	117.68		2.18 %	
ESTUARINE AND MARINE WETLAND	M2USM	1.95		0.04 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1S	40.78		0.75 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1Sx	6.14		0.11 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1A	63.48		1.17 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1Ax	0.06		0 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1C	43.41		0.8 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1Cx	10.78		0.2 %	
FRESHWATER FORESTED/SHRUB WETLAND	PFO1F	39.23		0.73 %	
ESTUARINE AND MARINE WETLAND	E2AB3M	5.54		0.1 %	
RIVERINE	R5UBH	0.03		0 %	
FRESHWATER POND	PUBHx	10.64		0.2 %	
ESTUARINE AND MARINE WETLAND	M2ABM	0.17		0 %	
ESTUARINE AND MARINE WETLAND	M2US2N	1.28		0.02 %	
ESTUARINE AND MARINE WETLAND	M2USN	1.39		0.03 %	
ESTUARINE AND MARINE WETLAND	E2SS3/USN	39.08		0.72 %	
ESTUARINE AND MARINE WETLAND	E2EM1/SS3P	5.38		0.1 %	
ESTUARINE AND MARINE WETLAND	E2ABMg	0.73		0.01 %	
ESTUARINE AND MARINE WETLAND	E2FO3/EM1N	1.36		0.03 %	
ESTUARINE AND MARINE WETLAND	M2AB/USM	147.88		2.74 %	
ESTUARINE AND MARINE DEEPWATER	E1UB/ABL	5.32		0.1 %	
ESTUARINE AND MARINE WETLAND	E2FO3/SS3N	268.52		4.97 %	
ESTUARINE AND MARINE DEEPWATER	E2US/AB3Mg	2.54		0.05 %	
ESTUARINE AND MARINE DEEPWATER	M1UB/ABL	0.65		0.01 %	
ESTUARINE AND MARINE WETLAND	E2SS3/EM1P	5.64		0.1 %	
ESTUARINE AND MARINE WETLAND	E2AB/USM	11.55		0.21 %	
ESTUARINE AND MARINE DEEPWATER	M1AB/UBL	1.14		0.02 %	
ESTUARINE AND MARINE DEEPWATER	E1AB/UBL	1.49		0.03 %	
ESTUARINE AND MARINE DEEPWATER	M1UBLx	0.45		0.01 %	
		TOTAL:	4,956.01	91.67 %	
Priority Floodplain Resources					
Priority	Total Area (acres)		Percent of Area		

0	559.20	10.34 %
3	1,024.65	18.95 %
4	504.28	9.33 %
1	1,141.42	21.11 %
2	2,144.23	39.66 %
5	32.21	0.6 %
6	0.22	0 %
TOTAL:	5,406.19	100 %