

**Florida Fish and Wildlife Conservation Commission
Division of Habitat and Species Conservation
Land Conservation and Planning
St Joe Timberland Florida Forever Project Analysis
December 2024**



This document contains the Florida Fish and Wildlife Conservation Commission's (FWC) Geographic Information System (GIS) data analysis of the area yet to be acquired within the **St Joe Timberland** Florida Forever project. This analysis was performed to provide FWC and others with important fish and wildlife resource information to be used in evaluating and ranking Florida Forever projects. The data selected for analysis are those considered by FWC to spatially reflect important fish and wildlife habitat and life history requirements.

In addition, FWC has completed a field review and associated assessment report for this project/proposal that is incorporated within the Acquisition and Restoration Council Florida Forever Project Evaluation Report. This report is available upon request.

GIS Data

The FWC utilizes the Florida Cooperative Land Cover (CLC) GIS data layer for identification and mapping of land cover. The CLC is a cooperative effort between the FWC and the Florida Natural Areas Inventory (FNAI) to develop ecologically-based statewide land cover from existing sources and expert review of aerial photography. Land cover acreage estimates found in this document are based on GIS analysis of these data.

The FWC Florida Landscape Assessment Model (FLAM)¹ is a GIS model that determines the landscape value based on natural resources and fish and wildlife habitat. The FLAM ranks habitat from a 0-10; a rank of 10 being of greatest value.


Important fish and wildlife resource GIS data were queried using Environmental Resource Analysis GIS computer software. These data include the following GIS layers:

- FWC-FNAI Florida Cooperative Land Cover
- FWC Strategic Habitat Conservation Areas – Priority and Species
- Critical Lands and Waters Identification Project (CLIP) – Priority 1 and 2 – Terrestrial and Water
- CLIP – Landscape, Biodiversity, and Floodplain Resources
- Panther Location
- Panther Mortality
- Florida Panther Priority Habitat (Primary, Secondary, and Dispersal)
- Black Bear Range
- Rare Fish Locations/ Imperiled Waters
- Southern Bald Eagle Nest
- FWC Imperiled Species Richness

- FNAI Element Occurrences
- FNAI Suitable Habitat that Supports Species Known to Occur in the Vicinity
- Florida Department of Environmental Protection Surface Water Classification
- U.S. Fish and Wildlife Service (USFWS) - National Wetlands Inventory
- USFWS Critical Habitat
- Florida Geological Survey Springs
- Outstanding Florida Waters
- Areas of Critical State Concern



**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres




0 10 20 30 40 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  St Joe Timberland Boundary
-  County Boundary
-  Conservation Lands
-  Florida Forever Projects



St Joe Timberland Florida Forever Project

Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 2 4 6 8 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  St Joe Timberland Boundary
-  County Boundary
-  Conservation Lands
-  Florida Forever Projects



**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres





0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023


Aerial Imagery




St Joe Timberland Boundary









**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model





**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 2 4 6 8 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  St Joe Timberland Boundary
-  County Boundary
-  Conservation Lands
-  Florida Forever Projects



**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres





0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery



St Joe Timberland Boundary







**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model





**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres




0 2 4 6 8 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Vicinity Map

-  St Joe Timberland Boundary
-  County Boundary
-  Conservation Lands
-  Florida Forever Projects



**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres





0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery



St Joe Timberland Boundary








**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model







**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres






0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Aerial Imagery



St Joe Timberland Boundary







**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres




0 2 4 6 8 Miles
Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model









**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres




Vicinity Map










**St Joe Timberland
Florida Forever Project**
Bay, Franklin, Gadsden
Gulf, Leon, Liberty
Wakulla, Washington Counties
51,665 Remaining Acres



0 4 8 12 16 Miles

Created in ArcGIS 10.8 by the Florida Fish and Wildlife Conservation Commission December 2023

Florida Landscape Assessment Model



FWC Florida Landscape Assessment Model 2023		
	Value	Acres
	0	1563.9
	1	2.1
	2	4.4
	3	46.6
	4	172.6
	5	629.0
	6	14266.5
	7	21257.2
	8	9608.1
	9	3513.1
	10	604.4
Mean FLAM value =	6.8	

Comments:

¹ FWC has developed a GIS-based assessment tool that incorporates a wide variety of land cover and wildlife species data. These wildlife species include imperiled species and locally important species. Application of this model assists in the identification and conservation of important wildlife habitats. The FLAM ranks the Florida landscape based upon important natural resources and habitat needs of wildlife as a way to identify ecologically significant lands in the state, and to assess the potential impacts of land development projects on wildlife populations. The FLAM is provided as part of the FWC's continuing technical assistance to various local, regional, state, and federal agencies, and entities interested in wildlife needs and conservation in order to: (1) determine ways to avoid or minimize project impacts by evaluating alternative placements, alignments, and transportation corridors during early planning stages, (2) assess direct, secondary, and cumulative impacts to habitat and wildlife resources, and (3) help identify appropriate parcels for land conservation, and for wetland and upland habitat mitigation.

Environmental Resource Analysis

FWC Land Conservation and Planning

Analysis Shape Type: Polygon

Analysis Timestamp: 11152023 09:07:00

Shape Name: Unnamed polygon centered at -84.882076 °, 30.178451 °

Boundary Area: 51,665.23 acres

Buffer Area: 0 acres

Total Area: 51,665.23 acres

FWC Wildlife Data and Models

Cooperative Land Cover v3.6

Name - State	Code - State	Name - Site	Code - Site	Total Area (acres)	Percent of Area
Estuarine	5000	Estuarine	5000	23.89	0.05 %
Natural Rivers and Streams	4100	Spring Run Stream	4130	0.00	0 %
Natural Rivers and Streams	4100	Blackwater Stream	4120	0.00	0 %
Low Intensity Urban	1821	Low Structure Density	18212	8.52	0.02 %
Salt Marsh	5240	Salt Marsh	5240	284.12	0.55 %
Tidal Flat	5220	Tidal Flat	5220	5.62	0.01 %
Riverine	4000	Riverine	4000	1.08	0 %
Freshwater Forested Wetlands	2200	Mixed Hardwood-Coniferous Swamps	2240	2,718.14	5.26 %
Other Hardwood Wetlands	2230	Titi Swamp	2234	1.24	0 %
Freshwater Forested Wetlands	2200	Mixed Wetland Hardwoods	2233	1,139.92	2.21 %
Cultural - Lacustrine	3200	Artificial Impoundment/Reservoir	3220	24.89	0.05 %
Lacustrine	3000	Lacustrine	3000	18.08	0.03 %
Non-vegetated Wetland	2300	Non-vegetated Wetland	2300	69.06	0.13 %
High Intensity Urban	1822	Residential, Med. Density - 2-5 Dwelling Units/AC	18221	20.02	0.04 %
Tree Plantations	18333	Coniferous plantation	183332	24,915.05	48.22 %
Freshwater Forested Wetlands	2200	Bottomland Forest	22331	1.32	0 %
Wet Flatwoods	2221	Hydric Pine Flatwoods	22211	2,232.47	4.32 %
Transportation	1840	Transportation	1840	1,564.44	3.03 %
High Intensity Urban	1822	Residential, High Density > 5 Dwelling Units/AC	18222	3.53	0.01 %
Tree Plantations	18333	Wet plantation	1833321	5,523.81	10.69 %
Basin Swamp	22132	Basin Swamp	22132	9.69	0.02 %
Rural	1830	Rural Open Forested	18311	2.82	0.01 %
High Intensity Urban	1822	Institutional	18225	2.42	0 %
High Intensity Urban	1822	Commercial and Services	18223	7.47	0.01 %
Isolated Freshwater Marsh	2121	Basin Marsh	21212	46.17	0.09 %
Prairies and Bogs	2110	Shrub Bog	21121	168.80	0.33 %
Prairies and Bogs	2110	Wiregrass Savanna	21111	9.10	0.02 %
Other Hardwood Wetlands	2230	Other Hardwood Wetlands	2230	1.03	0 %
Mixed Hardwood-Coniferous	1400	Mixed Hardwood-Coniferous	1400	215.48	0.42 %
Palmetto Prairie	1340	Palmetto Prairie	1340	79.64	0.15 %
Scrubby Flatwoods	1312	Scrubby Flatwoods	1312	10.07	0.02 %
Coastal Uplands	1600	Beach Dune	1610	2.85	0.01 %
Shrub and Brushland	1500	Shrub and Brushland	1500	186.42	0.36 %
Successional hardwood forest	1410	Successional hardwood forest	1410	17.08	0.03 %
Mesic Flatwoods	1311	Mesic Flatwoods	1311	406.80	0.79 %
Scrub	1210	Scrub	1210	14.81	0.03 %
Slope Forest	1140	Slope Forest	1140	0.00	0 %
Upland Hardwood Forest	1110	Upland Hardwood Forest	1110	72.15	0.14 %
Sandhill	1240	Sandhill	1240	49.65	0.1 %
Upland Pine	1231	Upland Pine	1231	0.28	0 %
High Pine and Scrub	1200	Upland Coniferous	1230	202.65	0.39 %
Rural	1830	Rural Open	1831	1,474.85	2.85 %
Freshwater Non-Forested Wetlands	2100	Slough	2141	1.76	0 %
Freshwater Non-Forested Wetlands	2100	Floating/Emergent Aquatic Vegetation	2140	83.09	0.16 %
Floodplain Marsh	2123	Floodplain Marsh	2123	279.63	0.54 %
Wet Flatwoods	2221	Wet Flatwoods	2221	92.27	0.18 %
Floodplain Swamp	2215	Floodplain Swamp	2215	2,896.90	5.61 %
Cypress	2211	Cypress	2211	974.21	1.89 %
Marshes	2120	Marshes	2120	107.91	0.21 %
Extractive	1870	Extractive	1870	20.42	0.04 %
Utilities	1860	Utilities	1860	145.15	0.28 %
Rural	1830	Rural Structures	1832	4.25	0.01 %
Prairies and Bogs	2110	Mixed Scrub-Shrub Wetland	2112	4,957.94	9.6 %
Prairies and Bogs	2110	Wet Prairie	2111	536.30	1.04 %

Bare Soil/Clear Cut	1880	Bare Soil/Clear Cut	1880	29.97	0.06 %		
			TOTAL:	51,665.23	100 %		
Critical Lands and Waters Identification Project (CLIP) Priority 1 and 2 - Terrestrial and Waters							
CLIP Priority		Total Area (acres)		Percent of Area			
All other cells		9,965.37		19.29 %			
CLIP P1 in submerged lands/state waters		217.34		0.42 %			
CLIP P1 in terrestrial		30,386.16		58.81 %			
CLIP P2 in submerged lands/state waters		91.89		0.18 %			
CLIP P2 in terrestrial		10,967.80		21.23 %			
TOTAL:		51,628.57		99.93 %			
CLIP- Landscape Category							
Priority		Total Area (acres)		Percent of Area			
0		9.01		0.02 %			
2		404.01		0.78 %			
3		36,048.61		69.77 %			
4		782.64		1.51 %			
5		14,420.96		27.91 %			
TOTAL:		51,665.23		100 %			
CLIP- Biodiversity Category							
Priority		Total Area (acres)		Percent of Area			
0		123.49		0.24 %			
1		54.99		0.11 %			
2		848.08		1.64 %			
3		5,451.14		10.55 %			
4		34,257.15		66.31 %			
5		10,930.39		21.16 %			
TOTAL:		51,665.23		100 %			
Priority FWC Strategic Habitat Conservation Areas 2021							
Priority		Total Area (acres)		Percent of Area			
0		5,104.94		9.88 %			
1		183.62		0.36 %			
2		42,121.58		81.53 %			
3		3,942.82		7.63 %			
4		111.06		0.21 %			
5		201.21		0.39 %			
TOTAL:		51,665.23		100 %			
FWC Strategic Habitat Conservation Areas 2009							
Species 1	Species 2	Species 3	Species 4	Species 5	Species 6	Total Area (acres)	Percent of Area
American swallow-tailed kite						3,728.94	7.22 %
Cooper's hawk						200.76	0.39 %
Cooper's hawk	American swallow-tailed kite					78.72	0.15 %
Cooper's hawk	Gray bat					23.02	0.04 %
Cooper's hawk	Gray bat	American swallow-tailed kite				106.66	0.21 %
Florida black bear						10,455.12	20.24 %
Florida black bear	American swallow-tailed kite					23,923.73	46.31 %
Florida black bear	Cooper's hawk					2,919.61	5.65 %
Florida black bear	Cooper's hawk	American swallow-tailed kite				3,973.41	7.69 %
Florida black bear	Cooper's hawk	Gray bat				1.02	0 %
Florida black bear	Cooper's hawk	Gray bat	American swallow-tailed kite			25.48	0.05 %
Florida black bear	Gray bat	American swallow-tailed kite				1.16	0 %
Gray bat						0.64	0 %
Gray bat	American swallow-tailed kite					27.38	0.05 %
Gulf salt marsh snake						110.73	0.21 %
Gulf salt marsh snake	Scott's seaside sparrow					185.89	0.36 %
Scott's seaside sparrow						9.70	0.02 %
Striped newt						844.93	1.64 %
Striped newt	American swallow-tailed kite					33.88	0.07 %
TOTAL:						46,650.76	90.29 %
Panther location							
No Records Found							
Panther mortality							
No Records Found							
Panther Priority Habitat							

No Records Found				
Bear Range				
Bear Range	Total Area (acres)		Percent of Area	
Common	5,156.26		9.98 %	
Frequent	45,949.04		88.94 %	
Rare	548.94		1.06 %	
TOTAL:	51,654.24		99.98 %	
Rare Fish				
No Records Found				
Rare Fish Imperiled Waters				
COMMON NAME	SCIENTIFIC NAME	Total Area (acres)	Percent of Area	
Alabama shad	Alosa alabamae	1,410.49	2.73 %	
Bandfin shiner	Luxilus zonistius	314.89	0.61 %	
Bluestripe shiner	Cyprinella callitaenia	548.94	1.06 %	
Eastern mudminnow	Umbra pygmaea	320.56	0.62 %	
Grayfin redhorse	Moxostoma sp. cf poecilurum	661.09	1.28 %	
Grayfin Redhorse	Moxostoma sp. cf. M. poecilurum	197.35	0.38 %	
Gulf sturgeon	Acipenser oxyrhynchus desotoi	234.05	0.45 %	
Ironcolor shiner	Notropis chalybaeus	236.15	0.46 %	
Mountain mullet	Agonostomus monticola	317.46	0.61 %	
Shoal bass	Micropterus cataractae	317.44	0.61 %	
Snail bullhead	Ameiurus brunneus	858.43	1.66 %	
Spotted bullhead	Ameiurus serracanthus	983.46	1.9 %	
Suwannee bass	Micropterus notius	3,044.24	5.89 %	
	TOTAL:	9,444.55	18.28 %	
Southern bald eagle nest				
Nest Count	Earliest Survey Year	Latest Survey Year	Total Area (acres)	Percent of Area
1	1998	2016	20.09	0.04 %
1	2001	2016	20.09	0.04 %
1	2007	2009	20.09	0.04 %
1	2008	2009	1.99	0 %
2	1998	2009	4.70	0.01 %
2	2008	2016	36.41	0.07 %
3	2000	2017	43.58	0.08 %
4	1998	2016	6.04	0.01 %
		TOTAL:	152.98	0.3 %
Imperiled Species Richness				
Number of Species	Total Area (acres)		Percent of Area	
0	2,164.53		4.19 %	
1	477.63		0.92 %	
2	559.77		1.08 %	
3	27,121.76		52.5 %	
4	17,166.93		33.23 %	
5	3,083.66		5.97 %	
6	726.18		1.41 %	
7	177.50		0.34 %	
8	187.28		0.36 %	
TOTAL:	51,665.23		100 %	

Florida Natural Areas Inventory Data

Element Occurrences

COMMON NAME	SCIENTIFIC NAME	GLOBAL RANK	STATE RANK	FWC STATUS	FEDERAL STATUS	EO Rank	Last Observation	Total Area (acres)	Percent of Area
A Mayfly	Stenacron floridense	G3G4	S3S4	N	N	E	2005-11-15	94.49	0.18 %
Alligator Snapping Turtle	Macrochelys temminckii	G3	S3	N	PT	AB	2014-10-06	0.20	0 %
alternate-leaf dogwood	Cornus alternifolia	G5	S2	E	N	E	1982-05-14	97.16	0.19 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	AC	2001-06	0.20	0 %
American Alligator	Alligator mississippiensis	G5	S4	FT(S/A)	SAT	B	2013-06-18	0.40	0 %
American Oystercatcher	Haematopus palliatus	G5	S2	ST	N	E	1993	54.20	0.1 %
Atlantic Geoduck	Panopea bitruncata	G3G4	S2S3	N	N	H	1929	184.18	0.36 %
Bald Eagle	Haliaeetus leucocephalus	G5	S3	N	N	E	2002	3.73	0.01 %
Bald Eagle	Haliaeetus leucocephalus	G5	S3	N	N	E	2003	56.11	0.11 %
Bald Eagle	Haliaeetus leucocephalus	G5	S3	N	N	H	1982	17.35	0.03 %
Baltzell's sedge	Carex baltzellii	G3	S3	T	N	E	1990-06-15	491.95	0.95 %
bay star-vine	Schisandra glabra	G3	S2	E	N	BC	2006-04-26	3.34	0.01 %
Black-crested Elimia Snail	Elimia albanyensis	G3Q	S1	N	N	E	2002-06-17	181.62	0.35 %
Black-Headed Pleasing Fungus Beetle	Triplax frontalis	G4G5	S1S2	N	N	E	1994 pre	0.00	0 %
bog tupelo	Nyssa ursina	G3	S3	N	N	B	2005-10-20	0.48	0 %
bog tupelo	Nyssa ursina	G3	S3	N	N	B	2010-05-11	0.02	0 %
Carolina Forest Scarab	Aphotaenius carolinus	G3G5	S1	N	N	E	1987-07-17	0.00	0 %
Coal Skink	Plestiodon anthracinus	G5	S3	N	N	H	1957-05-29	785.64	1.52 %

Coal Skink	Plestiodon anthracinus	G5	S3	N	N	H	1968-07-12	172.24	0.33 %
croomia	Croomia pauciflora	G3	S2	E	N	AB	2006-04-26	4.87	0.01 %
Curtiss' loosestrife	Lythrum curtissii	G2	S2	E	UR	E	2020-07-20	0.81	0 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	AB	2021-04-14	1.53	0 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	AC	1997-04-01	7.01	0.01 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	C	1997-04-01	40.46	0.08 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	CD	1997-04-01	15.03	0.03 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	E	E	D?	1997-04-01	35.39	0.07 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G2	S2	E	T	A	2001-06-06	2.81	0.01 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G1	S1	N	N	AC	1971	0.31	0 %
DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	DATA SENSITIVE ELEMENT OCCURRENCE - contact FNAI for more information	G3	S3	N	N	B?	1971	0.31	0 %
Eastern Diamondback Rattlesnake	Crotalus adamanteus	G3	S3	N	UR	U	1991-05-09	5.08	0.01 %
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	E	1970	5.30	0.01 %
Eastern Indigo Snake	Drymarchon couperi	G3	S2?	FT	T	H?	1968	375.51	0.73 %
fire pink	Silene virginica	G5	S1	E	N	E	1990-05-04	491.95	0.95 %
Florida Black Bear	Ursus americanus floridanus	G5T4	S4	N	N	BC	2022-07-06	50,824.77	98.37 %
Florida Manatee	Trichechus manatus latirostris	G2G3T2	S2S3	N	T	BC	2006	0.01	0 %
Florida merrybells	Uvularia floridana	G3	S2	E	N	E	1975-03-08	94.53	0.18 %
Florida skullcap	Scutellaria floridana	G2	S2	E	T	CD	2004-07-22	0.02	0 %
Florida waxweed	Cuphea aspera	G2	S2	E	N	BC	2003-09-30	2.81	0.01 %
Florida waxweed	Cuphea aspera	G2	S2	E	N	BC	2004-07-21	3.03	0.01 %
Florida waxweed	Cuphea aspera	G2	S2	E	N	BC	2004-07-22	0.17	0 %
Frosted Flatwoods Salamander	Ambystoma cingulatum	G2	S1	FT	T	H?	1971-10-09	20.50	0.04 %
giant water cowbane	Tiedemannia filiformis ssp. greenmanii	G3	S3	E	N	BC	2004-07-13	0.02	0 %
Godfrey's blazing star	Liatris provincialis	G2	S2	E	N	E	1993-09-28	1.62	0 %
Godfrey's butterwort	Pinguicula ionantha	G2	S2	E	T	AB	2010-05-11	0.02	0 %
Gopher Tortoise	Gopherus polyphemus	G3	S3	ST	N	C?	1995-11-29	30.52	0.06 %
Gopher Tortoise	Gopherus polyphemus	G3	S3	ST	N	E	2020-09-30	0.00	0 %
Green Sea Turtle	Chelonia mydas	G3	S2S3	FT	T	AB	2010-01	30.28	0.06 %
Gulf Coast lupine	Lupinus westianus	G3T3	S3	T	N	E	1990 summer	0.88	0 %
Gulf Salt Marsh Snake	Nerodia clarkii clarkii	G4T3	S2	N	N	A	1983	178.83	0.35 %
Gulf Salt Marsh Snake	Nerodia clarkii clarkii	G4T3	S2	N	N	AB	1973-07-06	74.36	0.14 %
Hairy Woodpecker	Dryobates villosus	G5	S3	N	N	E	1983 pre	83.44	0.16 %
incised groove-bur	Agrimonia incisa	G3	S2	T	N	D	1986-11-07	29.96	0.06 %
Inflated Spike	Elliptio purpurella	G2	S2	N	N	AC	2000 pre	0.20	0 %
karst pond xyris	Xyris longisepala	G2G3	S2	E	UR	F	1998	1.68	0 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	E	1989-05-30	153.04	0.3 %
Little Blue Heron	Egretta caerulea	G5	S4	ST	N	E	1989-06-02	5.85	0.01 %
Little Mountain Jumping Spider	Chinattus parvulus	G5	S1	N	N	E	1994 pre	0.00	0 %
Louisiana Waterthrush	Parkesia motacilla	G5	S2	N	N	E	1980?	83.44	0.16 %
mountain laurel	Kalmia latifolia	G5	S3	T	N	E	1983 circa	671.05	1.3 %
nightflowering wild petunia	Ruellia noctiflora	G3?	S2	E	N	BC	2003-06-10	0.02	0 %
nightflowering wild petunia	Ruellia noctiflora	G3?	S2	E	N	BC	2004-07-21	1.23	0 %
nightflowering wild petunia	Ruellia noctiflora	G3?	S2	E	N	BC	2018-06-13	0.65	0 %
nightflowering wild petunia	Ruellia noctiflora	G3?	S2	E	N	E	1988-05-26	25.06	0.05 %
Ochlockonee Moccasins	Medionidus simpsonianus	G1	S1	FE	E	E	2014 summer	0.20	0 %
Panhandle meadowbeauty	Rhexia salicifolia	G3	S3	T	UR	A	2013-10-04	2.12	0 %
Peregrine Falcon	Falco peregrinus	G4	S2	N	N	E	1983	1,482.78	2.87 %

pinewoods aster	Eurybia spinulosa	G1?	S1?	E	N	X?	1988-07-05	137.91	0.27 %
pinewoods aster	Eurybia spinulosa	G1?	S1?	E	N	X?	1988-07-15	2.81	0.01 %
pyramid magnolia	Magnolia pyramidata	G4	S3	E	N	E	1983 circa	202.15	0.39 %
pyramid magnolia	Magnolia pyramidata	G4	S3	E	N	E	1990-06-15	468.90	0.91 %
Quillwort yellow-eyed grass	Xyris isoetifolia	G2	S2	E	N	A	2013-10-08	1.95	0 %
Red-legged Purse-web Spider	Sphodros rufipes	G4	S3	N	N	E	1973	0.00	0 %
Red-Winged Pleasing Fungus Beetle	Tritoma sanguinipennis	G4G5	S1S2	N	N	E	1994 pre	0.00	0 %
Round-tailed Muskrat	Neofiber alleni	G2	S2	N	N	X?	1942-09-09	183.58	0.36 %
Sculptured Pigtoe	Cyclonaias infucata	G3	S2S3	N	N	BD	2014 pre	0.20	0 %
silky camellia	Stewartia malacodendron	G4	S3	E	N	E	1983 circa	671.05	1.3 %
small-flowered meadowbeauty	Rhexia parviflora	G2G3	S2	E	UR	B	2004-07-22	2.33	0 %
small-flowered meadowbeauty	Rhexia parviflora	G2G3	S2	E	UR	X?	1988-07-05	0.81	0 %
Smooth Gopher Tortoise	Onthophagus polyphemus	G2G3T2	S1S2	N	N	H	1961-04-24	0.00	0 %
Onthophagus Beetle	Onthophagus polyphemus	G2G3T2	S1S2	N	N	H	1961-04-24	0.00	0 %
smoothbark St. John's wort	Hypericum lissophloeus	G2	S2	E	UR	A	2013-10-04	2.30	0 %
Snowy Egret	Egretta thula	G5	S3	N	N	E	1988-05-20	5.85	0.01 %
Snowy Egret	Egretta thula	G5	S3	N	N	E	1989-06-02	5.85	0.01 %
Snowy Plover	Charadrius nivosus	G3	S1	ST	N	E	1991-01-14	98.21	0.19 %
Southeastern Fox Squirrel	Sciurus niger niger	G5T5	S3	N	N	BD	1995-11-29	30.52	0.06 %
Suwannee Cooter	Pseudemys concinna suwanniensis	G5T3	S3	N	N	AB	2013-06-18	0.40	0 %
Suwannee Cooter	Pseudemys concinna suwanniensis	G5T3	S3	N	N	AB	2014-05-28	0.20	0 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	A	2006	26.52	0.05 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	A	2021-09-09	19.95	0.04 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	B	2000-10-02	2.81	0.01 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	BC	1988-08-09	2.81	0.01 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	C?	2001-08-02	2.83	0.01 %
telephus spurge	Euphorbia telephioides	G2	S2	E	T	F	2007-07-19	0.02	0 %
thick-leaved water-willow	Justicia crassifolia	G3	S3	E	N	B	1999-04-30	2.81	0.01 %
thick-leaved water-willow	Justicia crassifolia	G3	S3	E	N	BC	2004-06-21	0.02	0 %
thick-leaved water-willow	Justicia crassifolia	G3	S3	E	N	E	1988-06-17	2.81	0.01 %
thread-leaf sundew	Drosera filiformis	G4	S1	E	N	AB	2013-10-08	0.21	0 %
toothed savory	Calamintha dentata	G3	S3	T	N	E	1982-05-02	473.05	0.92 %
Torreyia Trap-door Spider	Cyclocosmia torreyia	GNR	S2	N	N	E	1968-05-23	0.00	0 %
white birds-in-a-nest	Macbridea alba	G2	S2	E	T	F	1988-06-30	26.64	0.05 %
white birds-in-a-nest	Macbridea alba	G2	S2	E	T	F	1993-07-30	2.81	0.01 %
wiregrass gentian	Gentiana pennelliana	G3	S3	E	N	E	1988-12-20	2.81	0.01 %
Workman's Jumping Spider	Phidippus workmani	G4	S2S3	N	N	H	1925-07-18	0.00	0 %
yellow-root	Xanthorhiza simplicissima	G5	S1	E	N	E	1990 pre	0.53	0 %
zigzag silkgrass	Pityopsis flexuosa	G3	S3	E	N	E	1986-09-10	1.30	0 %
ZZ	Sandhill	G3	S2	N	N	C	1995-11-29	30.52	0.06 %
ZZ	Sandhill upland lake	G3	S2	N	N	A	1998 summer-fall	116.36	0.23 %
ZZ	Scrub	G2	S2	N	N	E	2004	4.59	0.01 %
ZZ	Sinkhole lake	G3	S3	N	N	U	1995-11-29	30.52	0.06 %
ZZ	Slope forest	G2?	S1	N	N	BC	2006-04-20	3.54	0.01 %
ZZ	Slope forest	G2?	S1	N	N	BC	2006-04-26	13.92	0.03 %
ZZ	Spring-run stream	G2	S2	N	N	BC	2007-04-17	0.90	0 %
ZZ	Upland hardwood forest	G5	S3	N	N	B	2004	0.31	0 %
TOTAL:								59,516.38	115.2 %

Suitable Habitat that Supports Species Known to Occur in the Vicinity

COMMON NAME	SCIENTIFIC NAME	Total Area (acres)	Percent of Area
A Mayfly	Baetisca becki	165.74	0.32 %
Alabama Shad	Alosa alabamiae	58.08	0.11 %
Alligator Snapping Turtle	Macrochelys temminckii	110.73	0.21 %
Apalachicola dragon-head	Physostegia godfreyi	119.37	0.23 %
Apalachicola Floater	Anodonta heardi	58.08	0.11 %
Apalachicola Kingsnake	Lampropeltis meansi	1,162.90	2.25 %
apalachicola lobelia	Lobelia apalachicolensis	0.44	0 %
Apalachicola wild indigo	Baptisia megacarpa	360.41	0.7 %
Ashe's magnolia	Magnolia ashei	81.29	0.16 %
Baldwyn's spiny-pod	Matelea baldwyniana	265.36	0.51 %
Barbour's Map Turtle	Graptemys barbouri	58.08	0.11 %
bay star-vine	Schisandra glabra	524.68	1.02 %
Black-crested Elimia Snail	Elimia albanyensis	57.82	0.11 %
Bluestripe Shiner	Cyprinella callitaenia	57.82	0.11 %
bog tupelo	Nyssa ursina	2,910.60	5.63 %
Carolina milkvine	Matelea flavidula	244.26	0.47 %
Chapman's rhododendron	Rhododendron chapmanii	8,271.48	16.01 %
croomia	Croomia pauciflora	76.35	0.15 %
Crystal Lake nailwort	Paronychia chartacea var. minima	103.81	0.2 %

Curtiss' loosestrife	Lythrum curtisii	128.47	0.25 %
Dentate Orthotrichian Microcaddisfly	Orthotrichia dentata	0.00	0 %
Fat Threeridge	Amblema neisleri	57.82	0.11 %
Florida Big Bend Cave Amphipod	Crangonyx parhobbsi	6.51	0.01 %
Florida Cave Amphipod	Crangonyx grandimanus	5.49	0.01 %
Florida Longbeak Crayfish	Procambarus youngi	2.04	0 %
Florida Manatee	Trichechus manatus latirostris	436.91	0.85 %
Florida merrybells	Uvularia floridana	93.32	0.18 %
Florida skulldap	Scutellaria floridana	3,641.89	7.05 %
Florida torreyia	Torreya taxifolia	279.48	0.54 %
Florida waxweed	Cuphea aspera	4,512.76	8.73 %
Florida yew	Taxus floridana	2.10	0 %
Fontal Dwarf Crayfish	Cambarellus schmitti	438.95	0.85 %
fringed campion	Silene polypetala	265.46	0.51 %
Frosted Flatwoods Salamander	Ambystoma cingulatum	22.96	0.04 %
Gholson's blazing star	Liatris gholsonii	2.07	0 %
giant water cowbane	Tiedemannia filiformis ssp. greenmanii	887.11	1.72 %
Godfrey's blazing star	Liatris provincialis	329.06	0.64 %
Godfrey's butterwort	Pinguicula ionantha	913.45	1.77 %
Godfrey's goldenaster	Chrysopsis godfreyi	2.47	0 %
Gopher Frog	Lithobates capito	7.48	0.01 %
Gray Bat	Myotis grisescens	548.55	1.06 %
Gulf Coast lupine	Lupinus westianus	38.03	0.07 %
Gulf Sturgeon	Acipenser oxyrinchus desotoi	1,584.78	3.07 %
Henry's spiderlily	Hymenocallis henryae var. henryae	891.40	1.73 %
incised groove-bur	Agrimonia incisa	1.57	0 %
Inflated Spike	Elliptio purpurella	223.55	0.43 %
karst pond xyris	Xyris longisepala	110.01	0.21 %
King's Hairstreak	Satyrium kingi	0.00	0 %
narrow-leaved phoebanthus	Phoebanthus tenuifolius	779.47	1.51 %
narrow-leaved trillium	Trillium lancifolium	70.85	0.14 %
nightflowering wild petunia	Ruellia noctiflora	2,933.79	5.68 %
Ochlockonee Moccasinshell	Medionidus simpsonianus	38.25	0.07 %
Oval Pigtoe	Pleurobema pyriforme	0.00	0 %
pinewoods aster	Eurybia spinulosa	2,770.84	5.36 %
Purple Bankclimber	Elliptioideus sloatianus	57.82	0.11 %
Quillwort yellow-eyed grass	Xyris isoeitifolia	491.32	0.95 %
Red-cockaded Woodpecker	Dryobates borealis	149.94	0.29 %
Sculptured Pigtoe	Quadrula infucata	96.33	0.19 %
Shining Ball Scarab Beetle	Ceratocanthus aeneus	16.57	0.03 %
Shoal Bass	Micropterus cataractae	0.08	0 %
small-flowered meadowbeauty	Rhexia parviflora	1,818.03	3.52 %
Smooth Gopher Tortoise Onthophagus Beetle	Onthophagus polyphemi sparsisetosus	0.01	0 %
smoothbark St. John's wort	Hypericum lissophloeus	330.33	0.64 %
Southern Elktoe	Alasmidonta triangulata	57.98	0.11 %
Southern Hognose Snake	Heterodon simus	83.39	0.16 %
southern milkweed	Asclepias viridula	689.37	1.33 %
Sykora's Hydroptila Caddisfly	Hydroptila sykora	0.04	0 %
telephus spurge	Euphorbia telephoides	4,626.51	8.95 %
thick-leaved water-willow	Justicia crassifolia	6,235.22	12.07 %
West's flax	Linum westii	173.94	0.34 %
white birds-in-a-nest	Macbridea alba	2,358.09	4.56 %
Wingtail Crayfish	Procambarus latipleurum	149.81	0.29 %
wiregrass gentian	Gentiana pennelliana	1,565.85	3.03 %
Wood Stork	Mycteria americana	5,699.13	11.03 %
Woodville Karst Cave Crayfish	Procambarus orcinus	55.60	0.11 %
Workman's Jumping Spider	Phidippus workmani	0.01	0 %
zigzag silkgrass	Pityopsis flexuosa	648.73	1.26 %
	TOTAL:	62,018.26	120.04 %

USFWS

Critical Habitat

No Records Found

Area of Critical State Concern

Apalachicola

No Records Found

Big Cypress

No Records Found

Green Swamp

No Records Found

Key West

No Records Found

Lower Keys

No Records Found

Upper Keys

No Records Found

Florida Ecological Greenways Network**Wildlife Corridor Classification**

Priority Level	Total Area (acres)	Percent of Area
1	15,640.74	30.27 %
2	35,231.86	68.19 %
5	775.77	1.5 %
TOTAL:	51,648.36	99.97 %

Water Resources**FDEP Surface Water Classification**

Waterbody Name	Water Type	Water Basin	Classification	Total Area (acres)	Percent of Area
WAKULLA RIVER	STREAM	1006	3F	875.77	1.7 %
WAKULLA RIVER BETWEEN BRIDGES	STREAM	1006W	3F	2,170.82	4.2 %
ST MARKS RIVER (FRESHWATER SEGMENT)	STREAM	793D	3F	2.11	0 %
MOORE LAKE DRAIN	STREAM	889	3F	34.96	0.07 %
CROOKED RIVER	STREAM	1241	3F	198.39	0.38 %
COW CREEK	STREAM	1246	3F	259.37	0.5 %
BRANDY CREEK	STREAM	1247	3F	598.09	1.16 %
OCHLOCKONEE RIVER	STREAM	1297A	3F	72.81	0.14 %
CYPRESS CREEK	STREAM	1226	3F	6,885.32	13.33 %
SEARCY CREEK	STREAM	1259C	3F	6,093.68	11.79 %
DOUBLE BAYOU	STREAM	1262	3F	1,507.40	2.92 %
HORSESHOE CREEK	STREAM	1272	3F	3,618.85	7 %
DEPOT CREEK	STREAM	1277	3F	20,681.97	40.03 %
COLUMBUS BAYOU	STREAM	1284	3F	1,636.13	3.17 %
APALACHICOLA RIVER	STREAM	375G	3F	235.95	0.46 %
BROTHERS RIVER	STREAM	375I	3F	120.66	0.23 %
UNNAMED BRANCH	STREAM	469	3F	43.27	0.08 %
UNNAMED BRANCH	STREAM	479	3F	43.04	0.08 %
FLAT CREEK	STREAM	487	3F	143.24	0.28 %
CROOKED CREEK	STREAM	504	3F	0.04	0 %
SHORT CREEK	STREAM	577	3F	24.52	0.05 %
GRAHAM BRANCH	STREAM	585	3F	58.87	0.11 %
NEW RIVER (MARINE SEGMENT)	ESTUARY	1034	3M	0.24	0 %
CROOKED RIVER	STREAM	1251	3F	174.71	0.34 %
ALLIGATOR HARBOR	ESTUARY	1256	2	75.46	0.15 %
ST VINCENT SOUND	ESTUARY	1274B1	2	0.34	0 %
DIRECT RUNOFF TO BAY	ESTUARY	1274C	2	553.79	1.07 %
DIRECT RUNOFF TO BAY	ESTUARY	1287	2	1,798.89	3.48 %
DIRECT RUNOFF TO BAY	ESTUARY	1288	2	1,944.95	3.76 %
MONEY BAYOU	ESTUARY	1289	2	402.66	0.78 %
ST JOSEPH BAY	ESTUARY	1267	2	604.74	1.17 %
ECONFINA CREEK	STREAM	553B	1	501.28	0.97 %
WHITE OAK CREEK	STREAM	555B	3F	163.73	0.32 %
GOSHUM BRANCH	STREAM	583	3F	7.73	0.01 %
BRANNING BRANCH	STREAM	648	3F	14.98	0.03 %
THE DEADENINGS DRAIN	STREAM	686A	3F	116.40	0.23 %
SWEETWATER CREEK	STREAM	690	3F	0.06	0 %
			TOTAL:	51,665.23	100 %

Outstanding Florida Waters

Name	OFW Type	Total Area (acres)	Percent of Area
APALACHICOLA NATIONAL ESTUARINE RESEARCH RESERVE	Other	15.92	0.03 %
FLORIDA'S FIRST MAGNITUDE SPRINGS	Other	2.11	0 %
Ochlockonee River	Special	16.84	0.03 %
St. Marks River	Special	2.11	0 %
Wakulla River	Special	158.51	0.31 %
BIG BEND SEAGRASSES AQUATIC PRESERVE	Aquatic Preserve	0.62	0 %
APALACHICOLA BAY AQUATIC PRESERVE	Aquatic Preserve	1.46	0 %
	TOTAL:	197.57	0.38 %

Florida Geological Survey Springs

Name	# Features
WAKULLA SULFUR SPRING #1	1
TOTAL:	1

National Wetlands Inventory			
Wetland Type	Wetland Code	Total Area (acres)	Percent of Area
FRESHWATER EMERGENT WETLAND	PEM1F	370.60	0.72 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1Bd	1,320.44	2.56 %
FRESHWATER EMERGENT WETLAND	PEM1/SS4Cd	696.13	1.35 %
FRESHWATER EMERGENT WETLAND	PEM1/SS4C	469.92	0.91 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/1B	968.51	1.87 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1B	747.91	1.45 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4C	1,141.03	2.21 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1C	438.92	0.85 %
ESTUARINE AND MARINE WETLAND	E2AB3M	0.10	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS3B	1,190.56	2.3 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4B	1,128.26	2.18 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4Bd	3,848.72	7.45 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/2F	2,699.19	5.22 %
FRESHWATER EMERGENT WETLAND	PEM1B	297.27	0.58 %
FRESHWATER EMERGENT WETLAND	PEM1Bd	583.52	1.13 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1Cd	35.94	0.07 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/2F	443.51	0.86 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS3B	97.41	0.19 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4Cd	26.43	0.05 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/EM1Bd	380.28	0.74 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/EM1C	17.19	0.03 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4B	233.65	0.45 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4Bd	387.90	0.75 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4C	33.68	0.07 %
FRESHWATER EMERGENT WETLAND	PEM1/SS4B	1,255.06	2.43 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/3Bd	61.47	0.12 %
FRESHWATER EMERGENT WETLAND	PEM1Fd	21.34	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/2Fd	31.50	0.06 %
ESTUARINE AND MARINE WETLAND	E2EM1N	81.04	0.16 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS3Bd	841.03	1.63 %
ESTUARINE AND MARINE WETLAND	E2USM	1.67	0 %
FRESHWATER EMERGENT WETLAND	PEM1/SS4Bd	1,983.22	3.84 %
ESTUARINE AND MARINE WETLAND	E2EM1P	188.93	0.37 %
FRESHWATER EMERGENT WETLAND	PEM1/FO2F	65.07	0.13 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/4Cd	452.30	0.88 %
FRESHWATER EMERGENT WETLAND	PEM1/FO1C	15.96	0.03 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4Cd	111.55	0.22 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1E	6.34	0.01 %
FRESHWATER EMERGENT WETLAND	PEM1/FO4Cd	111.65	0.22 %
FRESHWATER EMERGENT WETLAND	PEM1/FO4B	216.73	0.42 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/1C	143.75	0.28 %
FRESHWATER EMERGENT WETLAND	PEM1Cd	243.32	0.47 %
FRESHWATER EMERGENT WETLAND	PEM1C	327.32	0.63 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/4C	300.34	0.58 %
ESTUARINE AND MARINE WETLAND	E2SS4P	1.12	0 %
FRESHWATER EMERGENT WETLAND	PEM1/FO4C	221.31	0.43 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/EM1Cd	78.67	0.15 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1C	94.47	0.18 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/EM1B	130.20	0.25 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/3Bd	428.88	0.83 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/1B	111.01	0.21 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/3S	57.29	0.11 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/FO4C	68.39	0.13 %
ESTUARINE AND MARINE WETLAND	E2FO4P	7.70	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS3/1B	8.87	0.02 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/FO4C	168.86	0.33 %
RIVERINE	R2UBHx	0.62	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS3Cd	42.22	0.08 %
FRESHWATER EMERGENT WETLAND	PEM1Fx	16.27	0.03 %
ESTUARINE AND MARINE WETLAND	E2USN	2.30	0 %
FRESHWATER POND	PUBHx	2.82	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/1Bd	476.34	0.92 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1F	29.66	0.06 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO2Fd	46.54	0.09 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/2C	426.12	0.82 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4R	19.84	0.04 %
RIVERINE	R4SBC	4.41	0.01 %
RIVERINE	R5UBH	3.19	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS3/EM1B	48.32	0.09 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/3B	76.73	0.15 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS1C	43.73	0.08 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/2Fd	12.99	0.03 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4Cd	280.81	0.54 %

FRESHWATER EMERGENT WETLAND	PEM1/SS3Cd	27.55	0.05 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS1Bd	110.82	0.21 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1F	8.77	0.02 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4C	1,262.62	2.44 %
ESTUARINE AND MARINE WETLAND	E2USP	3.69	0.01 %
ESTUARINE AND MARINE DEEPWATER	E1UBLx	4.99	0.01 %
FRESHWATER EMERGENT WETLAND	PEM1/FO1B	0.81	0 %
FRESHWATER EMERGENT WETLAND	PEM1Ad	57.82	0.11 %
FRESHWATER EMERGENT WETLAND	PEM1/SS1C	64.01	0.12 %
FRESHWATER EMERGENT WETLAND	PEM1/FO2C	14.04	0.03 %
FRESHWATER POND	PAB4G	0.07	0 %
FRESHWATER EMERGENT WETLAND	PEM1/SS2F	273.30	0.53 %
FRESHWATER POND	PAB4H	5.80	0.01 %
FRESHWATER EMERGENT WETLAND	PEM1/FO4Bd	568.24	1.1 %
FRESHWATER EMERGENT WETLAND	PEM1/SS3Bd	4.30	0.01 %
ESTUARINE AND MARINE WETLAND	E2EM5P	13.95	0.03 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO2/1C	46.54	0.09 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO3/1B	0.00	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1R	1.43	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1A	0.00	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1Bd	41.22	0.08 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4A	3.00	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4B	18.36	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/2Cd	11.48	0.02 %
FRESHWATER EMERGENT WETLAND	PEM1T	3.26	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4A	228.09	0.44 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS3A	43.39	0.08 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1C	50.63	0.1 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/6C	491.38	0.95 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/3C	342.58	0.66 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO3C	71.07	0.14 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO3/6C	125.89	0.24 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/1A	229.83	0.44 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO3B	25.21	0.05 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO6C	190.27	0.37 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO6/SS6Fb	4.29	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO6/4C	616.91	1.19 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO6/3C	19.80	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO6F	1,000.91	1.94 %
FRESHWATER FORESTED/SHRUB WETLAND	PSSF	35.58	0.07 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS6/EM1C	2.96	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/1Cd	19.86	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS6/3C	22.98	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/3A	165.22	0.32 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/1Bd	60.84	0.12 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS3/4C	22.86	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/2C	72.20	0.14 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS1/2Cd	81.48	0.16 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO7/SS3C	19.79	0.04 %
RIVERINE	R2UBH	8.06	0.02 %
FRESHWATER POND	PUBH	20.83	0.04 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS7/EM1C	15.63	0.03 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS7/6C	41.44	0.08 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS6F	1.42	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS/UBF	108.20	0.21 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO3/4B	0.40	0 %
RIVERINE	R5UBFx	3.90	0.01 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1E	1.73	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/3C	161.86	0.31 %
RIVERINE	R1UBV	5.02	0.01 %
RIVERINE	R1UBVx	1.33	0 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/SS3C	237.03	0.46 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/3R	38.29	0.07 %
FRESHWATER FORESTED/SHRUB WETLAND	PSS4/3B	69.68	0.13 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4Bd	179.83	0.35 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO1/4R	31.29	0.06 %
FRESHWATER FORESTED/SHRUB WETLAND	PFO4/EM1A	151.20	0.29 %
ESTUARINE AND MARINE DEEPWATER	E1UBL	4.63	0.01 %
FRESHWATER POND	PUBV	0.66	0 %
ESTUARINE AND MARINE WETLAND	E2SS3P	0.67	0 %
ESTUARINE AND MARINE DEEPWATER	E1AB3L	3.85	0.01 %
	TOTAL:	34,503.37	66.78 %
Priority Floodplain Resources			
Priority	Total Area (acres)	Percent of Area	
2	6,085.78	11.78 %	

3	11,926.52	23.08 %
1	1,625.25	3.15 %
0	8,886.04	17.2 %
4	23,138.21	44.78 %
5	3.43	0.01 %
TOTAL:	51,665.23	100 %