



August 31, 2023

Cindy Mulkey
Deputy Director, Water Resource Management
Siting Coordination Office
Florida Department of Environmental Protection
2600 Blair Stone Road, MS 5500
Tallahassee, FL 32399-2400
Submitted electronically to: sco@floridadep.gov

Re: FPL Sweatt-Whidden 230 kV Transmission Line Project
TLSA Application No. TA22-19
Segment 3: Waterway – Dorr Field Post Certification Submittal

Dear Ms. Mulkey,

Florida Power & Light Company (FPL) respectfully submits the enclosed Post Certification submittal for Segment 3 of the FPL Sweatt – Whidden 230 kV Transmission Line Pursuant to Conditions of Certification, *Section A: General Conditions, Subsection XXI, Procedures for Post Certification Submittals*. This segment of the certified corridor originates at the Waterway Substation and terminates at the Dorr Field Substation. The enclosed Environmental Resource Permit (ERP) form and included attachments address the post-certification conditions listed below.

- Section A, General Conditions:
 - o 1.a. Submittals for Construction Activities – ERP Section A and C
 - o 1.b. Wetland and surface waters map – Attachment 8
- Section B: Specific Condition I – FDEP:
 - o A.2. Transition from Construction Area into adjacent wetlands – within Attachment 6
 - o A.3. Wetlands Mitigation Plan – within Attachment 18
 - o A.4. Erosion and sediment plan – within Attachment 6
 - o A.6. Construction Schedule – within Attachment 6A
 - o A.7 Water Quality Assurance – within Attachment C
 - o A.15 Herbicide Management and Application Plan – Attachment 6A
 - o B Potable Water- Attachment 13 and Figure 13A
- Section B: Specific Condition V - FWC:
 - o A.2. General Listed Species Surveys – within Attachment 12
 - o B.1. Specific Listed Species Surveys- within Attachment 12
 - o C.1. Listed Species Location – within Attachment 12
 - o E.1. Wading Birds - within Attachment 12
 - o F.1. Florida Sandhill Crane- within Attachment 12
 - o G.1. Southeastern American Kestrel- within Attachment 12
 - o H.1. Florida Burrowing Owl- within Attachment 12

FPL looks forward to continuing working with the Department and other agencies during the Post-Certification process. If you have additional questions, please do not hesitate to contact Nick Zweber at (561) 348-4387 or Nick.Zweber@fpl.com.

Best Regards,

Franck Leblanc
Director, FPL, Environmental Services
Franck.L.LebLANC@fpl.com

Enclosures:

Distribution List

Segment 3: Waterway-Dorr Field Post-Certification Filing

FPL Sweatt-Whidden TLSA (TA22-19) Distribution List
Segment 3: Waterway- Dorr Field

Florida Department of Environmental Protection Siting Coordination Office 2600 Blair Stone Road, MS 5500 Tallahassee, Florida 32399-2400 ann.seiler@floridadep.gov and SCO@floridadep.gov South District – Fort Meyers Nolin.Moon@FloridaDEP.gov Office of General Counsel 3900Commonwealth Blvd, MS 35 Tallahassee, Florida 32399-3000 Kelley.Corbari@FloridaDEP.gov	Florida Fish & Wildlife Conservation Commission Josh Cucinella 620 South Meridian Street Tallahassee, Florida 32399-1600 josh.cucinella@myfwc.com, and Laura.DiGruttolo@MyFWC.com conservationplanningservices@myfwc.com Florida Department of Transportation Monica Zhong monica.zhong@dot.state.fl.us
--	---