Attachment 1

Meroplankton Taxonomy Guidelines

Shellfish Larvae (Meroplankton) and Other Plankton
Level of Taxonomy Targeted for CH2M Hill Progress Energy Projects

Group	Lowest Taxonomic Level Targeted	Taxa Included
Commercial or Recreationally Important Species	**Genus and Species**	*Menippe mercenaria*
		Menippe nodifrons
		Farfantepenaeus duorarum
		Farfantepenaeus aztecus
		Litopenaeus setiferus
		Callinectes sapidus
		Callinectes sp.
		Homarus americanus
		Panulirus argus
		Scyllarides nodifer
		Lolliguncula brevis
		Loligo pealeii
		Emerita talpoida
		Albunea sp.
		Limulus polyphemus
		Lepidopa sp.
Caridean Shrimp	**Infraorder (Caridea)**	*Hippolyte*
		Thor
		Lysmata
		Tozeuma
		Palaemonetes
		Alpheus
		Crangon
		Latreutes
		Processa
Sergestid Shrimp	**Superfamily (Sergestoidea)**	*Acetes*
		Lucifer
Stomatopods	**Order (Stomatopoda)**	*Squilla*
Mud/Ghost Shrimp	**Infraorder (Thalassinidea)**	*Callianassa*
		Upogebia
		Naushonia

Group	Lowest Taxonomic Level Targeted	Taxa Included
Hermit Crabs	**Infraorder (Anomura)**	*Clibanarius*
		Pagurus
		Polyonyx
Non-commercial Crabs	**Infraorder (Brachyura)**	*Persephona*
		Libinia
		Cancer
		Ovalipes
		Panopeidae
		Pilumnus
		Sesarma
		Dissodactylus
		Pinnixa
		Pinnotheres
		Ocypode
		Uca
		Zaops
Non-commercial Bivalve Molluscs	**Class (Bivalvia)**	Mytilidae
		Mactridae
		Ostreidae
		Tellinidae
		Arcidae
		Cardiidae
Other Meroplankton	**Phylum Rotifera**	
	Order Amphipoda	
	Order Cumacea	
	Order Isopoda	
	Infraclass Cirripedia	
	Subclass Branchiura	
	Class Polychaeta	

Group	Lowest Taxonomic Level Targeted	Taxa Included
Other Meroplankton (Continued)	Class Oligochaeta	
	Class Gastropoda	
	Class Bivalvia	
	Family Chirnomidae	
	Order Cumacea	
	Phylum Echinodermata	
	Class Ostracoda	
	Order Cumacea	
	Class Insecta	
	Subphylum Tunicata	
	Subclass Opistobranchia	
Other Plankton (Holoplankton)	Subclass Copepoda	
	Order Mysida	
	Phylum Chaetognatha	
	Family Euphausiidae	
	Suborder Cladocera	

Attachment 2

Biological Sampling Schedule

(subject to revision)

DRAFT - Sampling Schedule

Cross Florida Barge Canal

Station	1	2	3	4	5	6	7
Benthic Infauna [a]	10/12/07	10/12/07	10/12/07	10/12/07	10/11/07	10/11/07	10/11/07
	12/6/07	12/6/07	12/6/07	12/6/07	12/6/07	12/6/07	12/6/07
	6/19/08	6/19/08	6/19/08	6/20/08	--	--	--
	9/15/08	9/15/08	9/15/08	9/15/08	--	--	--
Shoreline Macroinvertebrates [b]	11/2/07	11/2/07	11/2/07				
	12/11/07	12/11/07	12/11/07				
Motile Invertebrates [c]	10/29 - 11/7/07	10/29 - 11/7/07	10/29 - 11/7/07	10/29 - 11/7/07			
Fish - beach seine [d] Fish - otter trawl [d]	12/3 - 12/12/07	12/3 - 12/12/07	12/3 - 12/12/07	12/3 - 12/12/07			
Fish - gill net [e]	5/12 - 6/19/08	8/25 - 9/5/08	8/25 - 9/5/08	8/25 - 9/5/08			
Fish - cast net [f] Fish - minnow trap [g]	8/25 - 9/5/08	8/25 - 9/5/08	8/25 - 9/5/08	8/25 - 9/5/08			
Icthyo- and meroplankton [h]	10/18/07	10/18/07	10/18/07	10/18/07			
	12/7/07	12/7/07	12/7/07	12/7/07			
	4/11/08	4/11/08	4/11/08	4/11/08			
	4/21/08	4/21/08	4/21/08	4/21/08			
	5/7/08	5/7/08	5/7/08	5/7/08			
	5/22/08	5/22/08	5/22/08	5/22/08			
	6/4/08	6/4/08	6/4/08	6/4/08			
	6/20/08	6/20/08	6/20/08	6/20/08			
	7/21/08	7/21/08	7/21/08	7/21/08			
	8/6/08	8/6/08	8/6/08	8/6/08			
	9/3/08	9/3/08	9/3/08	9/3/08			
	9/15/08	9/15/08	9/15/08	9/15/08			
	10/14/08	10/14/08	10/14/08	10/14/08			
	11/3/08	11/3/08	11/3/08	11/3/08			

Crystal River Energy Complex

Station	3	4
Benthic Infauna [a]	7/22/08	7/22/08
	11/15/08	11/15/08
Motile Invertebrates [c] Fish - beach seine [d]	4/17 - 5/2/08	4/17 - 5/2/08
Fish - otter trawl [d]	6/10 - 6/13/08	6/10 - 6/13/08
Fish - gill net [e]	8/28 - 9/5/08	8/28 - 9/5/08
Fish - cast net [f] Fish - minnow trap [g]	11/10 - 11/14/08	11/10 - 11/14/08
Icthyo- and meroplankton [h]	4/22/08	4/22/08
	6/19/08	6/19/08
	9/3/08	9/3/08
	11/3/08	11/3/08

Old Withlacoochee River Segment

Station	8	9	10
Benthic Infauna [a]	7/9/08	6/20/08	6/20/08
Motile Invertebrates [c] Fish - beach seine [d] Fish - gill net [e] Fish - cast net [f] Fish - minnow trap [g]	5/27 - 6/20/08	5/27 - 6/20/08	5/27 - 6/20/08

Notes:

a - Petite ponar dredge sample, 3 replicates per station
b - Hand picked intertidal macroinvertebrates, 2 replicates per station
c - Motile macroinvertebrates collected in crab traps (5 per station) and trawls (2 per station)
d - 2 reps per station
e - 3 nets per station
f - 40 casts per station
g - 10 traps per station
h - Plankton net tows, daytime (2 reps) and nightime (2 reps) per station

Attachment 3

Preliminary Draft Biological Sampling Program Data

(subject to revision)

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	1	30-Oct-07	Cast Net	Gray Snapper	Lutjanus griseus	4
Cross Florida Barge Canal	1	30-Oct-07	Cast Net	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	1	30-Oct-07	Cast Net	Pinfish	Lagodon rhomboides	6
Cross Florida Barge Canal	1	30-Oct-07	Cast Net	Red Drum	Sciaenops ocellatus	1
Cross Florida Barge Canal	1	30-Oct-07	Cast Net	Striped Mullet	Mugil cephalus	5
Cross Florida Barge Canal	1	30-Oct-07	Trawl	Bay Anchovy	Anchoa mitchilli	2
Cross Florida Barge Canal	1	30-Oct-07	Trawl	Black Drum	Pogonias cromis	1
Cross Florida Barge Canal	1	30-Oct-07	Trawl	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	1	30-Oct-07	Trawl	Sheepshead	Archosargus probatocephalus	1
Cross Florida Barge Canal	1	30-Oct-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	2
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	Atlantic Needlefish	Strongylura marina	1
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	Pinfish	Lagodon rhomboides	2
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	Scaled Sardine	Harengula jaguana	24
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	14
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	Striped Mullet	Mugil cephalus	2
Cross Florida Barge Canal	1	02-Nov-07	Cast Net	White Mullet	Mugil curema	5
Cross Florida Barge Canal	1	06-Nov-07	Gill Net	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	1	06-Nov-07	Gill Net	Lady Fish	Elops saurus	3
Cross Florida Barge Canal	1	06-Nov-07	Gill Net	Spotfin Mojarra	Eucinostomus argenteus	5
Cross Florida Barge Canal	1	07-Nov-07	Minnow Trap	Blue Crab	Callinectes sapidus	5
Cross Florida Barge Canal	1	07-Nov-07	Minnow Trap	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	1	07-Nov-07	Minnow Trap	Grass shrimp	Palaemonetes pugio	4
Cross Florida Barge Canal	1	07-Nov-07	Minnow Trap	Spotfin Mojarra	Eucinostomus argenteus	14
Cross Florida Barge Canal	1	03-Dec-07	Beach Seine	Atlantic needlefish	Strongylura marina	4
Cross Florida Barge Canal	1	03-Dec-07	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	57
Cross Florida Barge Canal	1	03-Dec-07	Cast Net	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	1	03-Dec-07	Cast Net	Red Drum	Sciaenops ocellatus	1
Cross Florida Barge Canal	1	03-Dec-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	51
Cross Florida Barge Canal	1	03-Dec-07	Cast Net	White Mullet	Mugil curema	3
Cross Florida Barge Canal	1	03-Dec-07	Trawl	Black Drum	Pogonias cromis	3
Cross Florida Barge Canal	1	03-Dec-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	1	04-Dec-07	Minnow Trap	Spotfin Mojarra	Eucinostomus argenteus	3
Cross Florida Barge Canal	1	12-May-08	Cast Net	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	1	15-May-08	Crab Trap	Longnose Gar	Lepisosteus osseus	1
Cross Florida Barge Canal	1	06-Jun-08	Gill Net	Gafftopsail catfish	Bagre marinus	2
Cross Florida Barge Canal	1	06-Jun-08	Gill Net	Lady fish	Elops saurus	5
Cross Florida Barge Canal	1	06-Jun-08	Gill Net	Longnose gar	Lepisosteus osseus	1
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Bay anchovy	Anchoa mitchilli	86
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Blue Crab	Callinectes sapidus	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Gulf Menhaden	Brevoortia patronus	591
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Sheepshead minnow	Cyprinodon variegatus	2
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	1	19-Jun-08	Beach Seine	Striped Anchovy	Anchoa hepsetus	2
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Bay Anchovy	Anchoa mitchilli	18
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Common Snook	Centropomus undecimalis	1
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Sheepshead	Archosargus probatocephalus	2
Cross Florida Barge Canal	2	29-Oct-07	Cast Net	Spot	Leiostomus xanthurus	3
Cross Florida Barge Canal	2	29-Oct-07	Minnow Trap	Frillfin Goby	Bathygobius soporator	1
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Pinfish	Lagodon rhomboides	3
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Red Drum	Sciaenops ocellatus	1
Cross Florida Barge Canal	2	30-Oct-07	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	28
Cross Florida Barge Canal	2	30-Oct-07	Gill Net	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Atlantic Bumper	Chloroscombrus chrysurus	6
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Bay Anchovy	Anchoa mitchilli	336
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Hardhead Catfish	Arius felis	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Least Puffer	Sphoeroides parvus	1
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Pinfish	Lagodon rhomboides	22
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Sand Seatrout	Cynoscion arenarius	6
Cross Florida Barge Canal	2	30-Oct-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	56
Cross Florida Barge Canal	2	31-Oct-07	Cast Net	Gray Snapper	Lutjanus griseus	6
Cross Florida Barge Canal	2	31-Oct-07	Cast Net	Lady Fish	Elops saurus	4
Cross Florida Barge Canal	2	31-Oct-07	Cast Net	Pinfish	Lagodon rhomboides	4
Cross Florida Barge Canal	2	31-Oct-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	7
Cross Florida Barge Canal	2	31-Oct-07	Crab Trap	Blue Crab	Callinectes sapidus	11
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Common Eastern Nassa	Nassarius vibex	2
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Frillfin Goby	Bathygobius soporator	4
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Naked Goby	Gobiosoma bosc	1
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Shrimp	Palaemonetes sp.	5

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Silver Perch	Bairdiella chrysoura	1
Cross Florida Barge Canal	2	31-Oct-07	Minnow Trap	Spotfin Mojarra	Eucinostomus argenteus	3
Cross Florida Barge Canal	2	02-Nov-07	Cast Net	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	2	02-Nov-07	Cast Net	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	2	02-Nov-07	Cast Net	Pinfish	Lagodon rhomboides	2
Cross Florida Barge Canal	2	02-Nov-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	21
Cross Florida Barge Canal	2	02-Nov-07	Cast Net	White Mullet	Mugil curema	2
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Bull Shark	Carcharhinus leucas	6
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Crevalle Jack	Caranx hippos	1
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Gafftopsail Catfish	Bagre marinus	1
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Gizzard Shad	Dorosoma cepedianum	1
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Gulf Menhaden	Brevoortia patronus	3
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Lady Fish	Elops saurus	3
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Sheepshead	Archosargus probatocephalus	1
Cross Florida Barge Canal	2	06-Nov-07	Gill Net	Spotfin Mojarra	Eucinostomus argenteus	36
Cross Florida Barge Canal	2	07-Dec-07	Crab Trap	Blue Crab	Callinectes sapidus	7
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Bay Anchovy	Anchoa mitchilli	2
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Frillfin Goby	Bathygobius soporator	1
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Gray Snapper	Lutjanus griseus	4
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Gulf Menhaden	Brevoortia patronus	1
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Scaled Sardine	Harengula jaguana	18
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	2
Cross Florida Barge Canal	2	11-Dec-07	Beach Seine	Striped Anchovy	Anchoa hepsetus	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Atlantic needlefish	Strongylura marina	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Bull Shark	Carcharhinus leucas	2
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Gulf Menhaden	Brevoortia patronus	5
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Hardhead catfish	Arius felis	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Lady fish	Elops saurus	3
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Pinfish	Lagodon rhomboides	2
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Scaled Sardine	Harengula jaguana	22
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Sheepshead	Archosargus probatocephalus	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Silver Perch	Bairdiella chrysoura	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	7
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Striped Anchovy	Anchoa hepsetus	1
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	Striped Mullet	Mugil cephalus	4
Cross Florida Barge Canal	2	11-Dec-07	Cast Net	White Mullet	Mugil curema	12
Cross Florida Barge Canal	2	11-Dec-07	Gill Net	Common Snook	Centropomus undecimalis	2
Cross Florida Barge Canal	2	11-Dec-07	Gill Net	Crevalle jack	Caranx hippos	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	2	11-Dec-07	Gill Net	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Bay Anchovy	Anchoa mitchilli	481
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Black Drum	Pogonias cromis	6
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Blue Crab	Callinectes sapidus	2
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Gulf Menhaden	Brevoortia patronus	64
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Sand Seatrout	Cynoscion arenarius	1
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Scaled Sardine	Harengula jaguana	1
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Silver Perch	Bairdiella chrysoura	30
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	2
Cross Florida Barge Canal	2	11-Dec-07	Trawl	Striped Anchovy	Anchoa hepsetus	2
Cross Florida Barge Canal	2	12-Dec-07	Minnow Trap	Common Mud Crab	Panopeus herbstii	2
Cross Florida Barge Canal	2	12-Dec-07	Minnow Trap	Frillfin goby	Bathygobius soporator	5
Cross Florida Barge Canal	2	12-Dec-07	Minnow Trap	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	2	13-May-08	Cast Net	Black Drum	Pogonias cromis	3
Cross Florida Barge Canal	2	13-May-08	Cast Net	Common Snook	Centropomus undecimalis	1
Cross Florida Barge Canal	2	13-May-08	Cast Net	Lady fish	Elops saurus	1
Cross Florida Barge Canal	2	13-May-08	Cast Net	Pinfish	Lagodon rhomboides	3
Cross Florida Barge Canal	2	13-May-08	Cast Net	Skilletfish	Gobiesox strumosus	1
Cross Florida Barge Canal	2	13-May-08	Cast Net	Striped Mullet	Mugil cephalus	1
Cross Florida Barge Canal	2	13-May-08	Cast Net	White Mullet	Mugil curema	13
Cross Florida Barge Canal	2	14-May-08	Minnow Trap	Pigfish	Orthopristis chrysoptera	2
Cross Florida Barge Canal	2	14-May-08	Minnow Trap	Shrimp	Palaemonetes sp.	28
Cross Florida Barge Canal	2	14-May-08	Minnow Trap	Silver Perch	Bairdiella chrysoura	74
Cross Florida Barge Canal	2	14-May-08	Minnow Trap	Skilletfish	Gobiesox strumosus	1
Cross Florida Barge Canal	2	15-May-08	Crab Trap	Blue Crab	Callinectes sapidus	7
Cross Florida Barge Canal	2	15-May-08	Trawl	Atlantic croaker	Micropogonias undulatus	1
Cross Florida Barge Canal	2	15-May-08	Trawl	Atlantic Stingray	Dasyatis sabina	1
Cross Florida Barge Canal	2	15-May-08	Trawl	Bay Anchovy	Anchoa mitchilli	12
Cross Florida Barge Canal	2	15-May-08	Trawl	Black Drum	Pogonias cromis	2
Cross Florida Barge Canal	2	15-May-08	Trawl	Blue Crab	Callinectes sapidus	5
Cross Florida Barge Canal	2	15-May-08	Trawl	Gulf Flounder	Paralichthys albigutta	1
Cross Florida Barge Canal	2	15-May-08	Trawl	Hardhead catfish	Arius felis	2
Cross Florida Barge Canal	2	15-May-08	Trawl	Pinfish	Lagodon rhomboides	10
Cross Florida Barge Canal	2	15-May-08	Trawl	Pink Shrimp	Farfantepenaeus duorarum	1
Cross Florida Barge Canal	2	15-May-08	Trawl	Spot	Leiostomus xanthurus	14
Cross Florida Barge Canal	2	15-May-08	Trawl	Yellowfin Menhaden	Brevoortia smithi	1
Cross Florida Barge Canal	2	06-Jun-08	Gill Net	Black Drum	Pogonias cromis	1
Cross Florida Barge Canal	2	06-Jun-08	Gill Net	Gafftopsail catfish	Bagre marinus	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	2	06-Jun-08	Gill Net	Striped Mullet	Mugil cephalus	1
Cross Florida Barge Canal	2	19-Jun-08	Beach Seine	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Atlantic Needlefish	Strongylura marina	3
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Bay Anchovy	Anchoa mitchilli	5
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Herring sp.	Clupeidae	1
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Lady Fish	Elops saurus	3
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Pigfish	Orthopristis chrysoptera	1
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Pinfish	Lagodon rhomboides	13
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Scaled Sardine	Harengula jaguana	1
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	15
Cross Florida Barge Canal	3	31-Oct-07	Cast Net	Striped Anchovy	Anchoa hepsetus	2
Cross Florida Barge Canal	3	31-Oct-07	Crab Trap	Blue Crab	Callinectes sapidus	12
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Atlantic Brief Squid	Lolliguncula brevis	1
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Atlantic Spade Fish	Chaetodipterus faber	1
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Bay Anchovy	Anchoa mitchilli	664
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Lane Snapper	Lutjanus synagris	1
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Silver Perch	Bairdiella chrysoura	6
Cross Florida Barge Canal	3	31-Oct-07	Trawl	Spanish Mackerel	Scomberomorus maculatus	1
Cross Florida Barge Canal	3	01-Nov-07	Cast Net	Gray Snapper	Lutjanus griseus	1
Cross Florida Barge Canal	3	01-Nov-07	Cast Net	Lady Fish	Elops saurus	2
Cross Florida Barge Canal	3	01-Nov-07	Cast Net	Pigfish	Orthopristis chrysoptera	1
Cross Florida Barge Canal	3	01-Nov-07	Cast Net	Pinfish	Lagodon rhomboides	12
Cross Florida Barge Canal	3	01-Nov-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	2
Cross Florida Barge Canal	3	01-Nov-07	Minnow Trap	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	3	01-Nov-07	Minnow Trap	Frillfin Goby	Bathygobius soporator	2
Cross Florida Barge Canal	3	01-Nov-07	Minnow Trap	Naked Goby	Gobiosoma bosc	1
Cross Florida Barge Canal	3	01-Nov-07	Minnow Trap	Shrimp	Palaemonetes sp.	8
Cross Florida Barge Canal	3	01-Nov-07	Minnow Trap	Skilletfish	Gobiesox strumosus	1
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Atlantic Needlefish	Strongylura marina	4
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Bay Anchovy	Anchoa mitchilli	6
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Lady Fish	Elops saurus	2
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Marsh Periwinkle	Littoraria irrorata	1
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Pinfish	Lagodon rhomboides	2
Cross Florida Barge Canal	3	07-Nov-07	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	4
Cross Florida Barge Canal	3	07-Nov-07	Gill Net	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Atlantic Brief Squid	Lolliguncula brevis	8
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Bay Anchovy	Anchoa mitchilli	22

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Black Cheek Tonguefish	Symphurus plagiusa	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Gafftopsail Catfish	Bagre marinus	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Gulf Menhaden	Brevoortia patronus	3
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Hardhead catfish	Arius felis	12
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Lookdown	Selene vomer	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Sand Seatrout	Cynoscion arenarius	13
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Silver Perch	Bairdiella chrysoura	380
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Smooth Butterfly Ray	Gymnura micrura	2
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Southern flounder	Paralichthys lethostigma	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Southern Kingfish	Menticirrhus americanus	1
Cross Florida Barge Canal	3	04-Dec-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	23
Cross Florida Barge Canal	3	07-Dec-07	Crab Trap	Blue Crab	Callinectes sapidus	14
Cross Florida Barge Canal	3	07-Dec-07	Crab Trap	Hardhead catfish	Arius felis	1
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Atlantic croaker	Micropogonias undulatus	2
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Bay Anchovy	Anchoa mitchilli	5
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Common Eastern Nassa	Nassarius vibex	1
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Gray Snapper	Lutjanus griseus	7
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Hardhead catfish	Arius felis	3
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Lady fish	Elops saurus	9
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Pinfish	Lagodon rhomboides	8
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Sand Seatrout	Cynoscion arenarius	2
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Silver Perch	Bairdiella chrysoura	3
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	48
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Striped Anchovy	Anchoa hepsetus	1
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Striped Mullet	Mugil cephalus	7
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	White Mullet	Mugil curema	3
Cross Florida Barge Canal	3	10-Dec-07	Cast Net	Yellowfin Menhaden	Brevoortia smithi	3
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Florida pompano	Trachinotus carolinus	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Gulf Menhaden	Brevoortia patronus	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Hardhead catfish	Arius felis	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Lady Fish	Elops saurus	7
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Longnose Gar	Lepisosteus osseus	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Scaled Sardine	Harengula jaguana	45
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Spanish Mackerel	Scomberomorus maculatus	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Spanish Sardine	Sardinella aurita	1
Cross Florida Barge Canal	3	10-Dec-07	Gill Net	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Atlantic needlefish	Strongylura marina	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Atlantic threadfin	Polydactylus octonemus	2

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Brown Shrimp	Farfantepenaeus aztecus	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Common Mantis Shrimp	Squilla empusa	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Common Mud Crab	Panopeus herbstii	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Florida Blenny	Chasmodes saburrae	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Frillfin Goby	Bathygobius soporator	2
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Scaled Sardine	Harengula jaguana	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Silver Perch	Bairdiella chrysoura	2
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Skilletfish	Gobiesox strumosus	1
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Smooth Porcelain Crab	Petrolisthes politus	3
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Snapping Shrimp	Alpheus heterochaelis	2
Cross Florida Barge Canal	3	11-Dec-07	Beach Seine	Spotfin Mojarra	Eucinostomus argenteus	30
Cross Florida Barge Canal	3	13-May-08	Cast Net	Gray Snapper	Lutjanus griseus	2
Cross Florida Barge Canal	3	13-May-08	Cast Net	Pinfish	Lagodon rhomboides	13
Cross Florida Barge Canal	3	13-May-08	Cast Net	Striped Mullet	Mugil cephalus	17
Cross Florida Barge Canal	3	13-May-08	Cast Net	White Mullet	Mugil curema	10
Cross Florida Barge Canal	3	14-May-08	Trawl	Blue Crab	Callinectes sapidus	3
Cross Florida Barge Canal	3	14-May-08	Trawl	Gulf Toadfish	Opsanus beta	1
Cross Florida Barge Canal	3	14-May-08	Trawl	Pink Shrimp	Farfantepenaeus duorarum	1
Cross Florida Barge Canal	3	14-May-08	Trawl	Silver Perch	Bairdiella chrysoura	4
Cross Florida Barge Canal	3	15-May-08	Crab Trap	Blue Crab	Callinectes sapidus	17
Cross Florida Barge Canal	3	15-May-08	Minnow Trap	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	3	15-May-08	Minnow Trap	Pigfish	Orthopristis chrysoptera	1
Cross Florida Barge Canal	3	15-May-08	Minnow Trap	Pinfish	Lagodon rhomboides	2
Cross Florida Barge Canal	3	15-May-08	Minnow Trap	Shrimp	Palaemonetes sp.	4
Cross Florida Barge Canal	3	15-May-08	Trawl	Blue Crab	Callinectes sapidus	4
Cross Florida Barge Canal	3	15-May-08	Trawl	Pink Shrimp	Farfantepenaeus duorarum	3
Cross Florida Barge Canal	3	15-May-08	Trawl	Sand Seatrout	Cynoscion arenarius	1
Cross Florida Barge Canal	3	15-May-08	Trawl	Silver Perch	Bairdiella chrysoura	2
Cross Florida Barge Canal	3	15-May-08	Trawl	Spot	Leiostomus xanthurus	1
Cross Florida Barge Canal	3	17-Jun-08	Gill Net	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	3	17-Jun-08	Gill Net	Cownose ray	Rhinoptera bonasus	1
Cross Florida Barge Canal	3	17-Jun-08	Gill Net	Gafftopsail catfish	Bagre marinus	1
Cross Florida Barge Canal	3	17-Jun-08	Gill Net	Hardhead catfish	Arius felis	1
Cross Florida Barge Canal	3	17-Jun-08	Gill Net	Harvestfish	Peprilus alepidotus	1
Cross Florida Barge Canal	3	18-Jun-08	Beach Seine	Redfin needlefish	Strongylura notata	4
Cross Florida Barge Canal	4	31-Oct-07	Crab Trap	Black Sea Bass	Centropristis striata	1
Cross Florida Barge Canal	4	31-Oct-07	Crab Trap	Blue Crab	Callinectes sapidus	3

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	4	31-Oct-07	Crab Trap	Gulf Flounder	Paralichthys albigutta	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Bay Anchovy	Anchoa mitchilli	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Decorator Crab	Stenocionops furcata	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Fringed Flounder	Etropus crossotus	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Hardhead Catfish	Arius felis	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Lady Fish	Elops saurus	2
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Pigfish	Orthopristis chrysoptera	1
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Sand Seatrout	Cynoscion arenarius	6
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Silver Perch	Bairdiella chrysoura	204
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Southern Kingfish	Menticirrhus americanus	2
Cross Florida Barge Canal	4	31-Oct-07	Trawl	Spot	Leiostomus xanthurus	13
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Atlantic Thread Herring	Opisthonema oglinum	2
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Bay Anchovy	Anchoa mitchilli	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Black Drum	Pogonias cromis	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Inshore Lizardfish	Synodus foetens	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Northern Puffer	Sphoeroides maculatus	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Scaled Sardine	Harengula jaguana	17
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Southern Stingray	Dasyatis americana	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	4	01-Nov-07	Cast Net	Whitefin Sharksucker	Echeneis neucratoides	1
Cross Florida Barge Canal	4	01-Nov-07	Gill Net	Blue Crab	Callinectes sapidus	1
Cross Florida Barge Canal	4	01-Nov-07	Gill Net	Lady Fish	Elops saurus	1
Cross Florida Barge Canal	4	01-Nov-07	Gill Net	Southern Stingray	Dasyatis americana	1
Cross Florida Barge Canal	4	01-Nov-07	Gill Net	Spanish Mackerel	Scomberomorus maculatus	3
Cross Florida Barge Canal	4	01-Nov-07	Minnow Trap	Grass shrimp	Palaemonetes pugio	1
Cross Florida Barge Canal	4	01-Nov-07	Minnow Trap	Pinfish	Lagodon rhomboides	1
Cross Florida Barge Canal	4	07-Nov-07	Minnow Trap	Frillfin goby	Bathygobius soporator	1
Cross Florida Barge Canal	4	04-Dec-07	Cast Net	Pinfish	Lagodon rhomboides	8
Cross Florida Barge Canal	4	04-Dec-07	Cast Net	Scaled Sardine	Harengula jaguana	4
Cross Florida Barge Canal	4	04-Dec-07	Cast Net	Spotfin Mojarra	Eucinostomus argenteus	23
Cross Florida Barge Canal	4	04-Dec-07	Cast Net	Striped Mullet	Mugil cephalus	24
Cross Florida Barge Canal	4	04-Dec-07	Cast Net	White Mullet	Mugil curema	32
Cross Florida Barge Canal	4	04-Dec-07	Gill Net	Longnose Gar	Lepisosteus osseus	2
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Atlantic croaker	Micropogonias undulatus	1
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Broad flounder	Paralichthys squamilentus	2
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Flat-clawed Hermit Crab	Pagurus pollicaris	1
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Hardhead catfish	Arius felis	31
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Long-clawed Hermit Crab	Pagurus longicarpus	4
Cross Florida Barge Canal	4	04-Dec-07	Trawl	No Common Name	Pagurus annulipes	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Northern searobin	Prionotus carolinus	1
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Pigfish	Orthopristis chrysoptera	3
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Pinfish	Lagodon rhomboides	3
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Sand Seatrout	Cynoscion arenarius	2
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Silver Perch	Bairdiella chrysoura	10
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Southern Kingfish	Menticirrhus americanus	4
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	8
Cross Florida Barge Canal	4	04-Dec-07	Trawl	Spotted Batfish	Ogcocephalus pantostictus	4
Cross Florida Barge Canal	4	06-Dec-07	Minnow Trap	Gulf Toadfish	Opsanus beta	1
Cross Florida Barge Canal	4	07-Dec-07	Crab Trap	Blue Crab	Callinectes sapidus	12
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Ragged Sea Hare	Bursatella leachii	1
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Sand Seatrout	Cynoscion arenarius	2
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Silver Perch	Bairdiella chrysoura	19
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Southern flounder	Paralichthys lethostigma	2
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Spot	Leiostomus xanthurus	3
Cross Florida Barge Canal	4	10-Dec-07	Trawl	Spotfin Mojarra	Eucinostomus argenteus	1
Cross Florida Barge Canal	4	14-May-08	Cast Net	Atlantic needlefish	Strongylura marina	3
Cross Florida Barge Canal	4	14-May-08	Cast Net	Pigfish	Orthopristis chrysoptera	1
Cross Florida Barge Canal	4	14-May-08	Cast Net	Pinfish	Lagodon rhomboides	12
Cross Florida Barge Canal	4	14-May-08	Cast Net	Striped Mullet	Mugil cephalus	7
Cross Florida Barge Canal	4	14-May-08	Cast Net	White Mullet	Mugil curema	8
Cross Florida Barge Canal	4	14-May-08	Trawl	Bay Anchovy	Anchoa mitchilli	6
Cross Florida Barge Canal	4	14-May-08	Trawl	Bighead Searobin	Prionotus tribulus	1
Cross Florida Barge Canal	4	14-May-08	Trawl	Ocellated Flounder	Ancylopsetta quadrocellata	1
Cross Florida Barge Canal	4	14-May-08	Trawl	Silver Perch	Bairdiella chrysoura	1
Cross Florida Barge Canal	4	15-May-08	Crab Trap	Atlantic spade fish	Chaetodipterus faber	2
Cross Florida Barge Canal	4	15-May-08	Crab Trap	Blue Crab	Callinectes sapidus	3
Cross Florida Barge Canal	4	17-Jun-08	Gill Net	Atlantic Stingray	Dasyatis sabina	1
Cross Florida Barge Canal	4	17-Jun-08	Gill Net	Lady fish	Elops saurus	1
Cross Florida Barge Canal	4	17-Jun-08	Gill Net	Spot	Leiostomus xanthurus	1
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Common Mud Crab	Panopeus herbstii	3
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Frillfin Goby	Bathygobius soporator	5
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Oyster toadfish	Opsanus tau	1
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Pigfish	Orthopristis chrysoptera	5
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Shrimp	Palaemonetes sp.	7
Cross Florida Barge Canal	4	18-Jun-08	Minnow Trap	Silver Perch	Bairdiella chrysoura	1
Old Withlacoochee River channel	8	27-May-08	Cast Net	Bay anchovy	Anchoa mitchilli	1
Old Withlacoochee River channel	8	27-May-08	Cast Net	Pinfish	Lagodon rhomboides	1
Old Withlacoochee River channel	8	27-May-08	Cast Net	Scaled sardine	Harengula jaguana	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Old Withlacoochee River channel	8	27-May-08	Cast Net	Tidewater mojarra	Eucinostomus harengulus	3
Old Withlacoochee River channel	8	30-May-08	Gill Net	Blue Crab	Callinectes sapidus	1
Old Withlacoochee River channel	8	20-Jun-08	Beach Seine	Common mojarra	Eucinostomus gula	4
Old Withlacoochee River channel	8	20-Jun-08	Beach Seine	Inland silverside	Menidia beryllina	7
Old Withlacoochee River channel	8	20-Jun-08	Beach Seine	Pinfish	Lagodon rhomboides	1
Old Withlacoochee River channel	9	28-May-08	Cast Net	Sheepshead	Archosargus probatocephalus	1
Old Withlacoochee River channel	9	29-May-08	Cast Net	Bay anchovy	Anchoa mitchilli	2
Old Withlacoochee River channel	9	30-May-08	Crab Trap	Striped Mullet	Mugil cephalus	1
Old Withlacoochee River channel	9	20-Jun-08	Beach Seine	Largemouth bass	Micropterus salmoides	2
Old Withlacoochee River channel	10	28-May-08	Cast Net	Armored catfish	Pterygoplichthys sp.	1
Old Withlacoochee River channel	10	29-May-08	Gill Net	Largemouth bass	Micropterus salmoides	1
Old Withlacoochee River channel	10	30-May-08	Minnow Trap	Bluefin Killifish	Lucania goodei	92
Old Withlacoochee River channel	10	30-May-08	Minnow Trap	Swamp darter	Etheostoma fusiforme	2
Old Withlacoochee River channel	10	18-Jun-08	Beach Seine	Largemouth bass	Micropterus salmoides	16
Old Withlacoochee River channel	10	18-Jun-08	Beach Seine	Brook silverside	Labidesthes sicculus	4
Old Withlacoochee River channel	10	18-Jun-08	Beach Seine	Mosquitofish	Gambusia affinis	1
Old Withlacoochee River channel	10	18-Jun-08	Beach Seine	Sailfin molly	Poecilia latipinna	1
Old Withlacoochee River channel	10	18-Jun-08	Beach Seine	Sunfish	Lepomis sp.	2
Crystal River Energy Complex Discharge Area	3	17-Apr-08	Trawl	Atlantic brief squid	Lolliguncula brevis	1
Crystal River Energy Complex Discharge Area	3	17-Apr-08	Trawl	Hardhead catfish	Arius felis	4
Crystal River Energy Complex Discharge Area	3	17-Apr-08	Trawl	Lane snapper	Lutjanus synagris	2
Crystal River Energy Complex Discharge Area	3	18-Apr-08	Cast Net	Striped mullet	Mugil cephalus	5
Crystal River Energy Complex Discharge Area	3	18-Apr-08	Cast Net	White mullet	Mugil curema	11
Crystal River Energy Complex Discharge Area	3	22-Apr-08	Crab Trap	Crown conch	Melongena corona	2
Crystal River Energy Complex Discharge Area	3	22-Apr-08	Crab Trap	Florida stone crab	Menippe mercenaria	4
Crystal River Energy Complex Discharge Area	3	22-Apr-08	Crab Trap	Sheepshead	Archosargus probatocephalus	2
Crystal River Energy Complex Discharge Area	3	02-May-08	Beach Seine	Gulf killifish	Fundulus grandis	1
Crystal River Energy Complex Discharge Area	3	02-May-08	Beach Seine	Longnose killifish	Fundulus similis	8
Crystal River Energy Complex Discharge Area	3	02-May-08	Beach Seine	Tidewater mojarra	Eucinostomus harengulus	14
Crystal River Energy Complex Discharge Area	3	02-May-08	Gill Net	Atlantic spadefish	Chaetodipterus faber	1
Crystal River Energy Complex Discharge Area	3	02-May-08	Gill Net	Black drum	Pogonias cromis	1
Crystal River Energy Complex Discharge Area	3	02-May-08	Gill Net	Bull shark	Carcharhinus leucas	1
Crystal River Energy Complex Discharge Area	3	02-May-08	Gill Net	Hardhead catfish	Arius felis	1
Crystal River Energy Complex Discharge Area	3	10-Jun-08	Cast Net	Striped mullet	Mugil cephalus	2
Crystal River Energy Complex Discharge Area	3	10-Jun-08	Cast Net	White mullet	Mugil curema	2
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Cast Net	Black drum	Pogonias cromis	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Cast Net	Gray snapper	Lutjanus griseus	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Cast Net	Sheepshead	Archosargus probatocephalus	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Cast Net	Striped mullet	Mugil cephalus	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Gray snapper	Lutjanus griseus	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Iridescent swim crab	Portunus gibbesii	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Mud crab	Panopeidae	6
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Pigfish	Orthopristis chrysoptera	3
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Silver perch	Bairdiella chrysoura	1
Crystal River Energy Complex Discharge Area	3	11-Jun-08	Trawl	Spider crab	Metoporhaphis sp.	1
Crystal River Energy Complex Discharge Area	3	13-Jun-08	Crab Trap	Florida stone crab	Menippe mercenaria	14
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Goldspotted killifish	Floridichthys carpio	14
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Gulf killifish	Fundulus grandis	2
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Leatherjacket	Oligoplites saurus	1
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Longnose killifish	Fundulus similis	37
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Tidewater mojarra	Eucinostomus harengulus	24
Crystal River Energy Complex Discharge Area	3	23-Jul-08	Beach Seine	Tidewater silverside	Menidia peninsulae	7
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Hippolyte shrimp	Hippolyte sp.	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Pigfish	Orthopristis chrysoptera	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Pinfish	Lagodon rhomboides	41
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Plainhead filefish	Monacanthus hispidus	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Polka-dot batfish	Ogcocephalus radiatus	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Right-handed hermit crab	Paguridae	2
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Scrawled cowfish	Lactophrys quadricornis	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Shrimp	Palaemonetes sp.	1
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Silver perch	Bairdiella chrysoura	11
Crystal River Energy Complex Discharge Area	4	17-Apr-08	Trawl	Sphaeromatid isopod	Paracerceis caudata	1
Crystal River Energy Complex Discharge Area	4	18-Apr-08	Cast Net	Atlantic needlefish	Strongylura marina	1
Crystal River Energy Complex Discharge Area	4	18-Apr-08	Cast Net	Sheepshead	Archosargus probatocephalus	1
Crystal River Energy Complex Discharge Area	4	18-Apr-08	Cast Net	Striped burrfish	Chilomycterus schoepfi	1
Crystal River Energy Complex Discharge Area	4	18-Apr-08	Cast Net	Striped mullet	Mugil cephalus	2
Crystal River Energy Complex Discharge Area	4	22-Apr-08	Crab Trap	Atlantic spadefish	Chaetodipterus faber	1
Crystal River Energy Complex Discharge Area	4	22-Apr-08	Crab Trap	Blue crab	Callinectes sapidus	9
Crystal River Energy Complex Discharge Area	4	22-Apr-08	Crab Trap	Florida stone crab	Menippe mercenaria	4
Crystal River Energy Complex Discharge Area	4	01-May-08	Gill Net	Gafftopsail catfish	Bagre marinus	1
Crystal River Energy Complex Discharge Area	4	01-May-08	Gill Net	Hardhead catfish	Arius felis	1
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Gulf toadfish	Opsanus beta	1
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Mud crab	Panopeidae	1
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Pigfish	Orthopristis chrysoptera	3
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Pinfish	Lagodon rhomboides	5
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Pink shrimp	Farfantepenaeus duorarum	1
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Shrimp	Palaemonetes sp.	5
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Silver perch	Bairdiella chrysoura	1

DRAFT - Fish and Motile Invertebrate Collection Data

Site	Station	Date Collected	Equipment Type	Common Name	Scientific Name	Total Number of Specimens
Crystal River Energy Complex Discharge Area	4	02-May-08	Minnow Trap	Triton or trumpet shell	Cymatium sp.	1
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Pigfish	Orthopristis chrysoptera	3
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Pinfish	Lagodon rhomboides	9
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Portly spider crab	Libinia emarginata	1
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Silver perch	Bairdiella chrysoura	14
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Spider crab	Metoporhaphis sp.	2
Crystal River Energy Complex Discharge Area	4	11-Jun-08	Trawl	Spot	Leiostomus xanthurus	3
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Atlantic bumper	Chloroscombrus chrysurus	4
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Blue runner	Caranx crysos	4
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Gray snapper	Lutjanus griseus	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Pigfish	Orthopristis chrysoptera	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Spanish mackerel	Scomberomorus maculatus	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	Striped mullet	Mugil cephalus	3
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Cast Net	White mullet	Mugil curema	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Crab Trap	Atlantic spadefish	Chaetodipterus faber	6
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Crab Trap	Blue crab	Callinectes sapidus	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Crab Trap	Florida stone crab	Menippe mercenaria	7
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Dip Net	Gray snapper	Lutjanus griseus	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Florida blenny	Chasmodes saburrae	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Pigfish	Orthopristis chrysoptera	4
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Pinfish	Lagodon rhomboides	7
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Portunid crab	Portunus sp.	1
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Shrimp	Palaemonetes sp.	31
Crystal River Energy Complex Discharge Area	4	13-Jun-08	Minnow Trap	Silver perch	Bairdiella chrysoura	1

FBC07

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
PORIFERA									
HEXACTINELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PORIFERA (LPIL)	--	--	--	--	--	--	--	--	--
CNIDARIA									
ACTINIARIA (LPIL)	--	--	--	--	--	--	--	--	--
CNIDARIA (LPIL) MEDUSA	--	--	--	--	--	--	--	--	--
HYDROZOA (LPIL)	--	--	--	--	--	--	--	--	--
SCLERACTINIA (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA									
NEMERTEA (LPIL)	--	--	--	--	--	--	2	--	1
NEMERTEA SP. A (LPIL)	--	--	--	--	--	--	--	1	--
NEMERTEA SP. B (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA SP. C (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA SP. D (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - AMPHARETIDAE									
AMPHICTEIS SP.	--	--	--	--	--	--	--	--	--
ISOLDA PULCHELLA	--	--	--	--	--	--	--	--	--
POLYCHAETA - AMPHINOMIDAE									
PARAMPHINOME SP. B VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - CAPITELLIDAE									
CAPITELLIDAE (LPIL)	--	1	--	--	--	--	--	--	--
MEDIOMASTUS AMBISETA	--	--	--	21	47	4	43	--	--
MEDIOMASTUS CALIFORNIENSIS	--	--	--	--	--	--	--	--	--
MEDIOMASTUS SP.	--	--	--	--	--	--	4	--	--
POLYCHAETA - CIRRATULIDAE									
APHELOCHAETA SP.	--	--	--	--	--	--	--	--	--
CHAETOZONE SP.	--	--	--	--	--	--	--	--	--
CIRRATULIDAE (LPIL)	--	--	--	--	--	--	--	--	--
MONTICELLINA DORSOBRANCHIALIS	--	--	--	--	--	--	--	--	--
THARYX SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - DORVILLEIDAE									
DORVILLEA RUDOLPHI	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - GLYCERIDAE									
GLYCERA CF. AMERICANA	--	--	--	--	--	--	--	--	--
GLYCERA SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - EUNICIDAE									
EUNICIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - GONIADIDAE									
GONIADIDES CAROLINAE	--	--	--	--	--	--	--	--	--
POLYCHAETA - HESIONIDAE									
HESIONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PODARKEOPSIS LEVIFUSCINA	--	--	--	--	--	--	--	--	--
POLYCHAETA - LUMBRINERIDAE									
LUMBRINERIS SP.	--	--	--	--	--	--	--	--	--
LUMBRINERIS VERRILLI	--	--	--	--	--	--	--	--	--
POLYCHAETA - MAGELONIDAE									
MAGELONA SP. I VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - MALDANIDAE									
AXIOTHELLA SP.	--	--	--	--	--	--	--	--	--
MALDANIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - NEPHTYIDAE									
NEPHTYS PICTA	--	--	--	--	--	--	--	--	--
POLYCHAETA - SYLLIDAE									
BRANCHIOSYLLIS EXILIS	--	--	--	--	--	--	--	--	--
CF. AUTOLYTUS DENTALINS	--	--	--	--	--	--	--	--	--
CF. BRANCHIOSYLLIS EXILIS	--	--	--	--	--	--	--	--	--
EUSYLLINAE (LPIL)	--	--	--	--	--	--	--	--	--
EXOGONE ARENOSA	--	--	--	--	--	--	--	--	--
EXOGONE LOUREI	--	--	--	--	--	--	--	--	--
EXOGONE PSEUDOLOUREI	--	--	--	--	--	--	--	--	--
EXOGONE SP.	--	--	--	--	--	--	--	--	--
GRUBEOSYLLIS CLAVATA	--	--	--	--	--	--	--	--	--
GRUBEOSYLLIS RUGULOSA	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
HAPLOSYLLIS SPONGICOLA COMPLEX	--	--	--	--	--	--	--	--	--
LANGERHANSIA CORNUTA	--	--	--	--	--	--	--	--	--
LANGERHANSIA FERRUGINA	--	--	--	--	--	--	--	--	--
LANGERHANSIA SP. A	--	--	--	--	--	--	--	--	--
ODONTOSYLLIS SP.	--	--	--	--	--	--	--	--	--
PIONOSYLLIS CF. GESAE	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS ACICULATA	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS CF. BILOBATA	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS PIRIFEROPSIS	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS SP.	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS TAYLORI	--	--	--	--	--	--	--	--	--
STREPTOSYLLIS PETTIBONEAE	--	--	--	--	--	--	--	--	--
SYLLIS HYALINA	--	--	--	--	--	--	--	--	--
SYLLIS SP.	--	--	--	--	--	--	--	--	--
TYPOSYLLIS SP.	--	--	--	--	--	--	--	--	--
XENOSYLLIS CF. SCABRA VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - NEREIDIDAE									
CERATONEREIS IRRITABILIS	--	--	--	--	--	--	--	--	--
CERATONEREIS LONGICIRRATA	--	--	--	--	--	--	--	--	--
NEREIDIDAE (LPIL)	--	--	--	--	--	--	--	--	--
NEREIS MICROMMA	--	--	--	--	--	--	--	--	--
PLATYNEREIS DUMERILII	--	--	--	--	--	--	--	--	--
PLATYNEREIS SP.	--	--	--	--	--	--	--	--	--
STENINONEREIS MARTINI	1	--	3	--	--	--	--	--	--
POLYCHAETA - TEREBELLIDAE									
CF. PISTA SP.	--	--	--	--	--	--	--	--	--
EUPOLYMNIA NEBULOSA	--	--	--	--	--	--	--	--	--
EUPOLYMNIA SP.	--	--	--	--	--	--	--	--	--
LOIMIA MEDUSA	--	--	--	--	--	--	--	--	--
PISTA SP.	--	--	--	--	--	--	--	--	--
STREBLOSOMA HARTMANAE	--	--	--	--	--	--	--	--	--
TEREBELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
TEREBELLIDES CF. STROEMI	--	--	--	--	--	--	--	--	--
POLYCHAETA - ONUPHIDAE									
DIOPATRA CUPREA	--	--	--	--	--	--	--	--	--
KINBERGONUPHIS SP. A VITTOR	--	--	--	--	--	--	--	--	--
MOOREONUPHIS SP.	--	--	--	--	--	--	--	--	--
ONUPHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
RHAMPHOBRACHIUM DIVERSOSETOSUM	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - OWENIIDAE									
GALATHOWENIA OCULATA	--	--	--	--	--	--	--	10	23
OWENIA FUSIFORMIS	--	--	--	--	--	--	--	--	--
POLYCHAETA - ORBINIIDAE									
LEITOSCOLOPLOS FOLIOSUS	--	--	--	--	--	--	20	--	--
LEITOSCOLOPLOS FRAGILIS	--	--	--	--	1	--	1	--	--
LEITOSCOLOPLOS SP.	--	--	--	--	--	--	--	1	--
SCOLOPLOS RUBRA	--	--	--	--	--	--	--	--	--
POLYCHAETA - PARAONIDAE									
ARICIDEA PHILBINAE	--	--	--	--	--	--	--	--	--
ARICIDEA SP.	--	--	--	--	--	--	--	--	--
ARICIDEA SUECICA	--	--	--	--	--	--	--	--	--
ARICIDEA TAYLORI	--	--	--	--	--	--	--	--	--
ARICIDEA WASSI	--	--	--	--	--	--	--	--	--
CIRROPHORUS CF. PERDIDOENSIS	--	--	--	--	--	--	--	--	--
CIRROPHORUS SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - PHYLLODOCIDAE									
PHYLLODOCIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - PILARGIIDAE									
PARANDALIA SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - POLYNOIDAE									
LEPIDONOTUS VARIABILIS	--	--	--	--	--	--	--	--	--
POLYNOIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - SABELLIDAE									
BISPIRA MELANOSTIGMA	--	--	--	--	--	--	--	--	--
CF. MYXICOLA SP.	--	--	--	--	--	--	--	--	--
CF. PSEUDOPOTAMILLA SP.	--	--	--	--	--	--	--	--	--
CHONE SP.	--	--	--	--	--	--	--	--	--
FABRICIINAE (LPIL)	--	--	--	--	--	--	--	--	--
FABRICINUDA TRILOBATA	--	--	--	--	--	--	--	--	--
MEGALOMMA PIGMENTUM	--	--	--	--	--	--	--	--	--
SABELLARIA FLORIDENSIS	--	--	--	--	--	--	--	--	--
SABELLARIA SP.	--	--	--	--	--	--	--	--	--
SABELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SABELLINAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - SPIONIDAE									
DIPOLYDORA SOCIALIS	--	--	--	--	--	--	--	--	--
DIPOLYDORA SP. A	--	--	--	--	--	--	--	--	--
MICROSPIO PIGMENTATA	--	--	--	--	--	--	--	--	--
MINUSPIO MULTIBRANCHIATA	--	--	--	--	--	--	--	--	--
MINUSPIO SP.	--	--	--	--	--	--	--	--	--
PARAPRIONOSPIO SP.	--	--	--	3	4	--	4	--	--
PRIONOSPIO CRISTATA	--	--	--	--	--	--	--	--	--
PRIONOSPIO SP.	--	--	--	--	--	--	--	--	--
SPIO PETTIBONEAE	--	--	--	--	--	--	--	--	--
SPIONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
STREBLOSPIO SP.	--	--	--	293	397	301	38	7	30
POLYCHAETA									
MACROCHAETA SP.	--	--	--	--	--	--	--	--	--
PIROMIS SP.	--	--	--	--	--	--	--	--	--
POECILOCHAETUS JOHNSONI	--	--	--	--	--	--	--	--	--
POLYCHAETA (LPIL)	--	--	--	--	--	--	--	1	--
OLIGOCHAETA - TUBIFICIDAE									
DURIDRILUS TARDUS	--	--	--	--	--	--	--	--	--
TECTIDRILUS SP.	--	--	--	--	--	--	--	2	1
TUBIFICIDAE (LPIL)	--	--	--	--	--	1	19	2	10
OLIGOCHAETA - ENCHYTRAEIDAE									
ENCHYTRAEIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OLIGOCHAETA - MISCELLANEOUS									
OLIGOCHAETA (LPIL)	--	--	--	--	--	--	--	--	--
SIPUNCULA									
PHASCOLION SP.	--	--	--	--	--	--	--	--	--
SIPUNCULA (LPIL)	--	--	--	--	--	--	--	--	--
CRUSTACEA - MYSIDA									
AMERICAMYSIS SP.	--	--	--	--	--	--	--	--	--
HETEROMYSIS SP.	--	--	--	--	--	--	--	--	--
ISOPODA - ANTHURIDAE									
AMAKUSANTHURA SIGNATA	--	--	--	--	--	--	--	--	--
AMAKUSANTHURUS MAGNIFICA	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
CF. AMAKUSANTHURA SIGNATA	--	--	--	--	--	--	--	--	--
CF. AMAKUSANTHURA SP.	--	--	--	--	--	--	--	--	--
ISOPODA - IDOTEIDAE									
EDOTIA TRILOBA	--	--	--	--	--	--	--	--	--
CRUSTACEA - ISOPODA									
CIROLANA PARVA	--	--	--	--	--	--	--	--	--
EXOSPHAEROMA DIMINUTA	--	--	--	--	--	--	--	--	--
AMPHIPODA - AMPELISCIDAE									
AMPELISCA HOLMESI	--	--	--	--	--	--	--	--	--
AMPELISCA SP.	--	--	--	--	--	--	--	--	--
AMPELISCA SP. C	--	--	--	--	--	--	--	--	--
AMPELISCA SP. D	--	--	--	--	--	--	--	--	--
CRUSTACEA - AMPHIPODA									
AMPHIPODA (LPIL)	--	--	--	--	--	--	--	--	--
COLOMASTIX HALICHRONDRIAE	--	--	--	--	--	--	--	--	--
DEUTELLA INCERTA	--	--	--	--	--	--	--	--	--
HORNELLIA SP.	--	--	--	--	--	--	--	--	--
NASAGENEIA BACESCUI	--	--	--	--	--	--	--	--	--
AMPHIPODA - AORIDAE									
AORIDAE (LPIL)	--	--	--	--	--	--	--	--	--
BEMLOS SP.	--	--	--	--	--	--	--	--	--
BEMLOS UNICORNIS	--	--	--	--	--	--	--	--	--
GLOBOSOLEMBOS SMITHI	--	--	--	--	--	--	--	--	--
GLOBOSOLEMBOS SP.	--	--	--	--	--	--	--	--	--
PARAMICRODEUTOPUS MYERSI	--	--	--	--	--	--	--	--	--
AMPHIPODA - COROPHIIDAE									
APOCOROPHIUM LOUISIANUM	--	--	--	--	--	--	--	--	--
APOCOROPHIUM SP.	--	--	--	--	--	--	--	--	--
COROPHIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
MONOCOROPHIUM SP.	--	--	--	--	--	--	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--	--	--	--	--	--	--
AMPHIPODA - GAMMARIDAE									
DULICHIELLA SP.	--	--	--	--	--	--	--	--	--
GAMMARIDAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
AMPHPODA - ISCHYROCERIDAE									
CERAPUS SP.	--	--	--	--	--	--	--	--	--
CERAPUS SP. C	--	--	--	--	--	--	--	--	--
AMPHIPODA - LILLJEBORGIIDAE									
LISTRIELLA BARNARDI	--	--	--	--	--	--	--	--	--
AMPHIPODA - OEDICEROTIDAE									
AMERICHELIDIUM SP.	--	--	--	--	--	--	--	--	--
AMPHIPODA - PHOTIDAE									
PHOTIS SP.	--	--	--	--	--	--	--	--	--
AMPHIPODA - MELITIDAE									
ELASMOPUS SP.	--	--	--	--	--	--	--	--	--
MELITA LONGISETOSA	--	--	--	--	--	--	--	--	--
MELITA SP.	--	--	--	--	--	--	--	--	--
MELITIDAE (LPIL)	--	--	--	--	--	--	--	--	--
AMPHIPODA - PLATYISCHNOPIDAE									
TIBURONELLA VISCANA	--	--	--	--	--	--	--	--	--
CRUSTACEA - DECAPODA									
DECAPODA (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA (MEGALOPA LARVAE)	--	--	--	--	--	--	--	--	--
DECAPODA (ZOEA)	--	1	--	--	--	--	--	--	--
HYPOCONCHA ARCUATA	--	--	--	--	--	--	--	--	--
PALAEMONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PETROLISTHES ARMATUS	--	--	--	--	--	--	--	--	--
PORCELLANIDAE	--	--	--	--	--	--	--	--	--
PROCESSA CF. BERMUDENSIS	--	--	--	--	--	--	--	--	--
PROCESSA SP.	--	--	--	--	--	--	--	--	--
TRAPEZIOPLAX TRIDENTATA	--	--	--	--	--	--	--	--	--
DECAPODA - ALPHEIDAE									
ALPHEIDAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
DECAPODA - OGYRIDIDAE									
OGYRIDES ALPHAEROSTRIS	--	--	--	1	1	--	7	--	--
DECAPODA - PAGURIDAE									
PAGURIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PAGURISTES SP.	--	--	--	--	--	--	--	--	--
DECAPODA - PENAEIDAE									
LUCIFER FAXONI	--	--	--	--	--	--	--	--	--
DECAPODA - PINNOTHERIDAE									
CF. PINNOTHERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - XANTHIDAE									
CF. RHITHROPANOPEUS HARRISII	--	--	--	--	--	--	--	--	--
RHITHROPANOPEUS HARRISII	--	--	--	--	--	--	--	--	--
XANTHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CRUSTACEA - CUMACEA									
CF. CYCLASPIS SP. B RAKOCINSKI	--	--	--	--	--	--	1	--	--
CUMELLA GARRITYI	--	--	--	--	--	--	--	--	--
CYCLASPIS PLATYMERUS	--	--	--	--	--	--	--	--	--
CYCLASPIS SP. C	--	--	--	--	--	--	--	--	--
CYCLASPIS UNICORNIS	--	--	--	--	--	--	--	--	--
CYCLASPIS VARIANS	--	--	--	--	3	1	1	4	1
LEUCON SP. A	--	--	--	--	--	--	11	6	1
OXYUROSTYLIS SMITHI	--	--	--	--	--	--	--	--	--
CRUSTACEA - TANAIDACEA									
LEPTOCHELA CARINATA	--	--	--	--	--	--	--	--	--
LEPTOCHELIA CF. LONGIMANA	--	--	--	--	--	--	--	--	--
LEPTOCHELIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PSEUDOTANAIS SP. B	--	--	--	--	--	--	--	--	--
MOLLUSCA - GASTROPODA									
ASTYRIS LUNATA	--	--	--	--	--	--	--	--	--
CREPIDULA PLANA	--	--	--	--	--	--	--	--	--
GASTROPODA (LPIL)	--	--	--	--	1	--	1	--	--
HYDROBIIDAE (LPIL)	--	--	1	--	--	--	--	--	--
MOLLUSCA (LPIL)	1	--	--	--	--	--	--	--	--
NASSARIUS VIBEX	--	--	--	--	--	--	--	--	2

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
NATICIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OLIVELLA PERPLEXA	--	--	--	--	--	--	--	--	--
PRUNUM LAVALLEANA	--	--	--	--	--	--	--	--	--
RISSOINA CANCELLATA	--	--	--	--	--	--	--	--	--
THALA FLORIDANA	--	--	--	--	--	--	--	--	--
MOLLUSCA - BIVALVIA									
BIVALVIA (LPIL)	--	--	--	--	--	--	3	--	--
BIVALVIA SP. A	--	--	--	--	--	--	--	--	--
CORBULA SP.	--	--	--	--	--	--	--	--	--
CORBULA SWIFTIANA	--	--	--	--	--	--	--	--	--
CRASSINELLA SP.	--	--	--	--	--	--	--	--	--
GLYCYMERUS PECTINATA	--	--	--	--	--	--	--	--	--
LYONSIA HYALINA FLORIDANA	--	--	--	--	--	--	--	--	--
NUCULA CRENULATA	--	--	--	--	--	--	--	--	--
NUCULANA ACUTA	--	--	--	--	--	--	--	--	--
NUCULANA AEGEENSIS	--	--	--	--	--	--	--	--	--
NUCULANA SP.	--	--	--	--	--	--	--	--	--
TELLINA SP.	--	--	--	--	--	--	3	--	--
TELLINIDAE (LPIL)	--	--	--	--	--	--	--	--	--
TRACHYCARDIUM EGMONTIANUM	--	--	--	--	--	--	--	--	--
VENERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA - POLYPLACOPHORA									
POLYPLACOPHORA (LPIL)	--	--	--	--	--	--	--	--	--
OTHER MINOR TAXA									
BRACHIOPODA (LPIL)	--	--	--	--	--	--	--	--	--
CHAETOGNATHA (LPIL)	--	--	--	--	--	--	--	--	--
PHORONIDA (LPIL)	--	--	--	--	--	--	--	--	--
ECHINODERMATA									
AMPHIURIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OPHIUROIDEA (LPIL)	--	--	--	--	--	--	--	--	--
CEPHALOCHORDATA									
BRANCHIOSTOMA SP	--	--	--	--	--	--	--	--	--
TOTAL NUMBER OF ORGANISMS	2	2	4	318	454	307	158	34	69
NUMBER OF TAXA	2	2	2	4	7	4	15	9	8

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
PORIFERA									
HEXACTINELLIDAE (LPIL)	--	--	--	--	1	--	--	--	--
PORIFERA (LPIL)	--	--	--	--	--	--	--	1	--
CNIDARIA									
ACTINIARIA (LPIL)	--	--	5	1	--	--	--	--	--
CNIDARIA (LPIL) MEDUSA	--	--	--	--	--	1	--	--	--
HYDROZOA (LPIL)	--	--	--	--	--	1	--	1	--
SCLERACTINIA (LPIL)	--	--	--	--	--	1	--	--	--
NEMERTEA									
NEMERTEA (LPIL)	1	1	--	1	--	--	4	--	--
NEMERTEA SP. A (LPIL)	--	--	1	--	--	--	--	1	2
NEMERTEA SP. B (LPIL)	--	--	2	--	--	--	--	--	--
NEMERTEA SP. C (LPIL)	--	--	--	5	--	1	--	1	--
NEMERTEA SP. D (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - AMPHARETIDAE									
AMPHICTEIS SP.	--	--	--	--	--	--	--	--	1
ISOLDA PULCHELLA	--	--	--	--	--	--	--	--	--
POLYCHAETA - AMPHINOMIDAE									
PARAMPHINOME SP. B VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - CAPITELLIDAE									
CAPITELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
MEDIOMASTUS AMBISETA	5	9	--	--	--	1	10	2	3
MEDIOMASTUS CALIFORNIENSIS	--	--	48	8	23	1	1	--	--
MEDIOMASTUS SP.	3	6	--	--	--	1	5	--	2
POLYCHAETA - CIRRATULIDAE									
APHELOCHAETA SP.	2	8	--	--	--	12	5	--	18
CHAETOZONE SP.	--	--	--	--	--	1	--	--	--
CIRRATULIDAE (LPIL)	--	--	3	--	--	--	--	--	2
MONTICELLINA DORSOBRANCHIALIS	1	8	17	--	--	--	1	--	1
THARYX SP.	--	--	--	10	--	--	--	--	--
POLYCHAETA - DORVILLEIDAE									
DORVILLEA RUDOLPHI	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - GLYCERIDAE									
GLYCERA CF. AMERICANA	--	--	1	1	--	--	--	--	--
GLYCERA SP.	--	--	--	--	--	--	--	--	2
POLYCHAETA - EUNICIDAE									
EUNICIDAE (LPIL)	--	--	--	--	--	--	7	--	--
POLYCHAETA - GONIADIDAE									
GONIADIDES CAROLINAE	--	--	--	--	--	--	8	--	--
POLYCHAETA - HESIONIDAE									
HESIONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PODARKEOPSIS LEVIFUSCINA	--	--	--	1	--	--	--	--	--
POLYCHAETA - LUMBRINERIDAE									
LUMBRINERIS SP.	11	14	--	16	36	28	13	--	8
LUMBRINERIS VERRILLI	--	--	25	--	24	--	--	--	--
POLYCHAETA - MAGELONIDAE									
MAGELONA SP. I VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - MALDANIDAE									
AXIOTHELLA SP.	--	--	--	--	--	1	--	--	--
MALDANIDAE (LPIL)	--	--	--	--	--	1	--	--	--
POLYCHAETA - NEPHTYIDAE									
NEPHTYS PICTA	--	--	--	--	--	--	--	--	--
POLYCHAETA - SYLLIDAE									
BRANCHIOSYLLIS EXILIS	--	--	--	--	--	--	--	--	--
CF. AUTOLYTUS DENTALINS	--	--	2	--	--	--	--	--	--
CF. BRANCHIOSYLLIS EXILIS	--	--	--	1	--	--	--	--	--
EUSYLLINAE (LPIL)	--	--	--	--	1	--	--	--	--
EXOGONE ARENOSA	--	--	--	--	--	--	--	--	--
EXOGONE LOUREI	--	--	--	--	--	4	--	--	--
EXOGONE PSEUDOLOUREI	--	--	--	--	--	--	--	--	--
EXOGONE SP.	1	--	1	10	9	2	4	1	1
GRUBEOSYLLIS CLAVATA	--	--	--	1	--	1	--	--	--
GRUBEOSYLLIS RUGULOSA	--	--	--	1	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
HAPLOSYLLIS SPONGICOLA COMPLEX	--	--	8	4	--	--	--	--	--
LANGERHANSIA CORNUTA	--	--	--	--	--	--	--	--	--
LANGERHANSIA FERRUGINA	--	--	--	--	2	--	--	--	--
LANGERHANSIA SP. A	--	--	1	--	--	--	--	2	--
ODONTOSYLLIS SP.	--	--	--	--	1	--	--	--	--
PIONOSYLLIS CF. GESAE	--	--	--	--	--	1	--	--	--
SPHAEROSYLLIS ACICULATA	--	--	--	--	--	--	2	--	--
SPHAEROSYLLIS CF. BILOBATA	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS PIRIFEROPSIS	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS SP.	--	--	1	--	--	--	--	--	--
SPHAEROSYLLIS TAYLORI	--	--	1	--	--	--	1	--	--
STREPTOSYLLIS PETTIBONEAE	--	--	--	--	--	--	1	--	--
SYLLIS HYALINA	--	--	--	--	--	--	--	--	--
SYLLIS SP.	--	--	3	--	--	--	--	--	--
TYPOSYLLIS SP.	--	--	--	--	--	--	--	--	--
XENOSYLLIS CF. SCABRA VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - NEREIDIDAE									
CERATONEREIS IRRITABILIS	--	--	--	--	--	--	2	--	--
CERATONEREIS LONGICIRRATA	--	--	--	--	--	--	--	--	--
NEREIDIDAE (LPIL)	--	--	--	--	--	--	--	--	--
NEREIS MICROMMA	--	--	--	11	7	8	--	--	2
PLATYNEREIS DUMERILII	--	--	1	1	--	2	--	--	--
PLATYNEREIS SP.	--	--	--	--	2	--	--	--	--
STENINONEREIS MARTINI	--	--	--	--	--	--	--	--	--
POLYCHAETA - TEREBELLIDAE									
CF. PISTA SP.	--	--	--	1	--	--	--	--	--
EUPOLYMNIA NEBULOSA	--	--	--	--	--	--	1	--	--
EUPOLYMNIA SP.	--	--	--	--	--	--	--	--	--
LOIMIA MEDUSA	--	--	--	2	--	--	--	--	--
PISTA SP.	--	--	9	--	--	--	--	--	--
STREBLOSOMA HARTMANAE	--	--	--	--	--	--	--	--	--
TEREBELLIDAE (LPIL)	1	--	1	2	--	--	--	1	--
TEREBELLIDES CF. STROEMI	--	--	--	--	--	--	--	--	--
POLYCHAETA - ONUPHIDAE									
DIOPATRA CUPREA	--	--	1	--	--	--	--	--	--
KINBERGONUPHIS SP. A VITTOR	--	--	--	1	--	--	--	--	--
MOOREONUPHIS SP.	3	--	--	--	--	--	6	--	--
ONUPHIDAE (LPIL)	--	1	--	--	1	--	--	--	--
RHAMPHOBRACHIUM DIVERSOSETOSUM	--	--	--	1	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - OWENIIDAE									
GALATHOWENIA OCULATA	47	41	17	2	45	2	6	4	2
OWENIA FUSIFORMIS	--	2	--	--	--	--	--	--	--
POLYCHAETA - ORBINIIDAE									
LEITOSCOLOPLOS FOLIOSUS	--	1	--	--	--	--	--	--	1
LEITOSCOLOPLOS FRAGILIS	--	--	--	1	--	--	--	--	--
LEITOSCOLOPLOS SP.	--	--	6	--	--	--	--	--	--
SCOLOPLOS RUBRA	--	--	--	--	--	--	2	--	1
POLYCHAETA - PARAONIDAE									
ARICIDEA PHILBINAE	--	--	--	--	4	1	--	--	--
ARICIDEA SP.	--	--	--	5	--	--	--	--	--
ARICIDEA SUECICA	--	--	--	--	--	--	--	--	--
ARICIDEA TAYLORI	--	1	--	--	--	--	1	1	1
ARICIDEA WASSI	--	--	--	--	--	--	--	--	--
CIRROPHORUS CF. PERDIDOENSIS	--	--	--	--	--	--	--	--	--
CIRROPHORUS SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - PHYLLODOCIDAE									
PHYLLODOCIDAE (LPIL)	--	--	1	--	--	--	--	--	--
POLYCHAETA - PILARGIIDAE									
PARANDALIA SP.	--	--	1	--	--	--	--	--	--
POLYCHAETA - POLYNOIDAE									
LEPIDONOTUS VARIABILIS	--	--	--	--	--	--	--	--	--
POLYNOIDAE (LPIL)	--	--	--	--	1	--	--	--	--
POLYCHAETA - SABELLIDAE									
BISPIRA MELANOSTIGMA	--	--	--	1	--	--	--	--	--
CF. MYXICOLA SP.	--	--	1	--	--	--	--	--	--
CF. PSEUDOPOTAMILLA SP.	--	--	3	--	--	--	--	--	--
CHONE SP.	--	--	--	--	--	2	4	3	--
FABRICIINAE (LPIL)	--	--	--	--	1	--	7	--	1
FABRICINUDA TRILOBATA	5	--	--	--	35	8	12	--	1
MEGALOMMA PIGMENTUM	3	1	4	--	--	--	--	--	1
SABELLARIA FLORIDENSIS	--	--	--	--	1	--	--	--	--
SABELLARIA SP.	--	--	--	1	--	2	--	--	--
SABELLIDAE (LPIL)	--	--	1	--	--	--	--	--	--
SABELLINAE (LPIL)	--	--	--	--	1	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - SPIONIDAE									
DIPOLYDORA SOCIALIS	--	--	1	1	--	3	--	--	--
DIPOLYDORA SP. A	--	--	--	--	1	1	--	--	--
MICROSPIO PIGMENTATA	--	--	--	--	--	--	3	1	--
MINUSPIO MULTIBRANCHIATA	--	--	--	16	--	2	--	--	--
MINUSPIO SP.	--	--	2	19	1	--	--	--	--
PARAPRIONOSPIO SP.	1	1	--	--	--	--	--	--	--
PRIONOSPIO CRISTATA	--	--	--	5	22	18	29	24	25
PRIONOSPIO SP.	--	--	1	1	--	--	--	--	--
SPIO PETTIBONEAE	--	--	--	--	--	2	1	1	2
SPIONIDAE (LPIL)	1	--	--	3	--	--	--	--	--
STREBLOSPIO SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA									
MACROCHAETA SP.	--	--	--	--	--	--	--	--	--
PIROMIS SP.	--	--	8	--	--	--	--	--	--
POECILOCHAETUS JOHNSONI	--	--	--	--	--	--	--	--	--
POLYCHAETA (LPIL)	--	--	--	--	--	--	--	--	--
OLIGOCHAETA - TUBIFICIDAE									
DURIDRILUS TARDUS	--	--	--	--	--	--	1	1	--
TECTIDRILUS SP.	4	4	--	--	--	--	2	--	--
TUBIFICIDAE (LPIL)	3	4	--	1	--	--	2	--	--
OLIGOCHAETA - ENCHYTRAEIDAE									
ENCHYTRAEIDAE (LPIL)	--	--	--	--	--	--	4	--	1
OLIGOCHAETA - MISCELLANEOUS									
OLIGOCHAETA (LPIL)	--	--	2	--	--	--	--	--	--
SIPUNCULA									
PHASCOLION SP.	--	--	--	--	--	--	--	--	2
SIPUNCULA (LPIL)	--	--	--	--	2	--	--	--	--
CRUSTACEA - MYSIDA									
AMERICAMYSIS SP.	--	--	2	--	--	--	--	--	1
HETEROMYSIS SP.	--	--	1	--	--	--	--	--	--
ISOPODA - ANTHURIDAE									
AMAKUSANTHURA SIGNATA	--	--	--	--	1	1	--	--	--
AMAKUSANTHURUS MAGNIFICA	--	--	--	--	--	--	--	1	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
CF. AMAKUSANTHURA SIGNATA	--	--	--	5	--	--	--	--	--
CF. AMAKUSANTHURA SP.	--	--	--	--	--	--	--	--	--
ISOPODA - IDOTEIDAE									
EDOTIA TRILOBA	--	2	--	--	--	--	--	--	--
CRUSTACEA - ISOPODA									
CIROLANA PARVA	--	--	--	--	--	--	--	--	--
EXOSPHAEROMA DIMINUTA	--	--	--	--	1	--	--	--	--
AMPHIPODA - AMPELISCIDAE									
AMPELISCA HOLMESI	1	--	--	--	--	--	--	--	--
AMPELISCA SP.	5	3	2	4	5	2	11	--	12
AMPELISCA SP. C	--	2	--	--	--	--	--	--	3
AMPELISCA SP. D	--	--	--	--	--	--	--	--	1
CRUSTACEA - AMPHIPODA									
AMPHIPODA (LPIL)	--	--	--	3	--	12	--	--	--
COLOMASTIX HALICHRONDRIAE	--	--	--	2	--	--	--	--	--
DEUTELLA INCERTA	--	--	--	--	1	--	--	--	--
HORNELLIA SP.	--	--	--	--	--	--	--	1	1
NASAGENEIA BACESCUI	--	--	17	--	--	--	--	--	--
AMPHIPODA - AORIDAE									
AORIDAE (LPIL)	--	--	7	4	5	1	--	--	--
BEMLOS SP.	--	--	--	--	--	50	--	--	--
BEMLOS UNICORNIS	--	--	9	--	--	--	--	--	--
GLOBOSOLEMBOS SMITHI	--	--	--	1	--	--	1	--	--
GLOBOSOLEMBOS SP.	--	--	--	3	--	--	--	--	--
PARAMICRODEUTOPUS MYERSI	--	--	--	--	--	1	--	--	--
AMPHIPODA - COROPHIIDAE									
APOCOROPHIUM LOUISIANUM	--	--	--	--	--	27	--	--	--
APOCOROPHIUM SP.	2	--	--	--	--	--	--	--	--
COROPHIIDAE (LPIL)	--	--	--	1	--	--	--	--	--
MONOCOROPHIUM SP.	--	--	4	--	4	--	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--	9	--	--	--	--	--
AMPHIPODA - GAMMARIDAE									
DULICHIELLA SP.	--	--	1	--	--	--	--	--	--
GAMMARIDAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
AMPHPODA - ISCHYROCERIDAE									
CERAPUS SP.	--	--	1	--	--	--	--	--	--
CERAPUS SP. C	--	1	--	--	--	--	2	--	--
AMPHIPODA - LILLJEBORGIIDAE									
LISTRIELLA BARNARDI	--	--	--	--	--	--	1	--	1
AMPHIPODA - OEDICEROTIDAE									
AMERICHELIDIUM SP.	--	--	--	--	--	--	--	3	--
AMPHIPODA - PHOTIDAE									
PHOTIS SP.	--	--	--	--	--	--	1	--	--
AMPHIPODA - MELITIDAE									
ELASMOPUS SP.	--	--	--	5	--	3	--	--	--
MELITA LONGISETOSA	--	--	1	--	--	--	--	--	--
MELITA SP.	--	--	8	--	--	--	--	--	--
MELITIDAE (LPIL)	--	--	--	--	--	--	--	--	1
AMPHIPODA - PLATYISCHNOPIDAE									
TIBURONELLA VISCANA	--	--	--	--	--	--	1	--	--
CRUSTACEA - DECAPODA									
DECAPODA (LPIL)	--	--	--	3	--	1	1	1	2
DECAPODA (MEGALOPA LARVAE)	--	--	--	--	--	1	--	--	3
DECAPODA (ZOEA)	--	--	1	--	1	--	--	--	--
HYPOCONCHA ARCUATA	--	--	--	--	--	--	--	--	--
PALAEMONIDAE (LPIL)	--	--	1	--	--	--	--	--	--
PETROLISTHES ARMATUS	--	--	--	--	--	2	--	--	--
PORCELLANIDAE	--	--	2	--	--	--	--	--	--
PROCESSA CF. BERMUDENSIS	--	--	--	1	--	--	--	--	--
PROCESSA SP.	--	--	--	--	--	--	--	--	--
TRAPEZIOPLAX TRIDENTATA	--	--	--	--	--	1	--	--	--
DECAPODA - ALPHEIDAE									
ALPHEIDAE (LPIL)	--	--	2	2	--	1	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
DECAPODA - OGYRIDIDAE									
OGYRIDES ALPHAEROSTRIS	--	--	--	--	--	--	--	--	--
DECAPODA - PAGURIDAE									
PAGURIDAE (LPIL)	--	--	--	1	--	--	--	--	--
PAGURISTES SP.	--	--	--	--	--	3	2	1	2
DECAPODA - PENAEIDAE									
LUCIFER FAXONI	--	--	--	--	2	--	--	--	1
DECAPODA - PINNOTHERIDAE									
CF. PINNOTHERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - XANTHIDAE									
CF. RHITHROPANOPEUS HARRISII	--	--	5	--	--	--	--	--	--
RHITHROPANOPEUS HARRISII	--	--	--	5	--	--	--	--	--
XANTHIDAE (LPIL)	--	--	--	--	1	2	--	--	--
CRUSTACEA - CUMACEA									
CF. CYCLASPIS SP. B RAKOCINSKI	--	--	--	--	--	--	--	--	--
CUMELLA GARRITYI	--	--	--	--	--	--	1	--	--
CYCLASPIS PLATYMERUS	--	--	--	1	--	--	3	--	--
CYCLASPIS SP. C	--	--	--	--	--	--	--	--	1
CYCLASPIS UNICORNIS	--	--	--	--	--	--	--	--	--
CYCLASPIS VARIANS	--	1	--	--	--	--	--	--	--
LEUCON SP. A	--	--	--	--	--	--	--	--	--
OXYUROSTYLIS SMITHI	--	5	3	--	1	--	6	--	--
CRUSTACEA - TANAIDACEA									
LEPTOCHELA CARINATA	--	--	--	--	--	--	--	--	--
LEPTOCHELIA CF. LONGIMANA	--	--	--	--	--	--	--	--	--
LEPTOCHELIIDAE (LPIL)	--	--	--	--	--	1	--	--	--
PSEUDOTANAIS SP. B	--	--	--	1	--	--	--	--	--
MOLLUSCA - GASTROPODA									
ASTYRIS LUNATA	1	--	--	--	--	--	--	--	--
CREPIDULA PLANA	2	--	--	--	--	--	--	--	2
GASTROPODA (LPIL)	--	--	--	--	--	1	--	--	--
HYDROBIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA (LPIL)	--	--	--	--	--	--	--	--	--
NASSARIUS VIBEX	1	1	1	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
NATICIDAE (LPIL)	--	--	--	--	--	--	--	1	--
OLIVELLA PERPLEXA	--	--	--	--	--	--	--	--	--
PRUNUM LAVALLEANA	--	--	--	--	2	--	--	--	--
RISSOINA CANCELLATA	--	--	1	--	--	--	--	--	--
THALA FLORIDANA	--	--	8	--	--	--	--	--	--
MOLLUSCA - BIVALVIA									
BIVALVIA (LPIL)	--	--	2	1	2	--	1	--	--
BIVALVIA SP. A	1	--	--	1	--	--	--	--	--
CORBULA SP.	--	--	--	2	--	--	--	--	--
CORBULA SWIFTIANA	--	--	--	--	--	1	1	--	3
CRASSINELLA SP.	--	--	--	--	--	--	--	--	--
GLYCYMERUS PECTINATA	--	--	--	--	--	--	--	--	--
LYONSIA HYALINA FLORIDANA	--	--	--	--	--	--	3	--	1
NUCULA CRENULATA	--	2	1	--	1	--	--	--	--
NUCULANA ACUTA	--	2	--	--	6	--	5	--	6
NUCULANA AEGEENSIS	--	--	--	--	--	--	--	1	--
NUCULANA SP.	--	--	1	--	--	--	--	--	--
TELLINA SP.	1	--	--	--	--	--	1	--	--
TELLINIDAE (LPIL)	--	--	--	--	--	--	4	--	--
TRACHYCARDIUM EGMONTIANUM	--	--	--	--	--	--	--	--	--
VENERIDAE (LPIL)	--	--	--	--	1	--	--	--	--
MOLLUSCA - POLYPLACOPHORA									
POLYPLACOPHORA (LPIL)	--	--	--	--	--	1	--	--	--
OTHER MINOR TAXA									
BRACHIOPODA (LPIL)	--	--	--	--	--	--	1	--	--
CHAETOGNATHA (LPIL)	--	--	--	--	1	--	1	--	1
PHORONIDA (LPIL)	2	14	3	--	--	--	--	--	--
ECHINODERMATA									
AMPHIURIDAE (LPIL)	--	--	--	--	2	--	--	--	--
OPHIUROIDEA (LPIL)	--	--	1	--	--	--	2	1	2
CEPHALOCHORDATA									
BRANCHIOSTOMA SP	--	--	--	--	--	--	1	--	--
TOTAL NUMBER OF ORGANISMS	108	135	264	190	258	221	195	55	124
NUMBER OF TAXA	25	25	57	52	39	47	50	23	40

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	7 A	7 B	7 C
PORIFERA			
HEXACTINELLIDAE (LPIL)	--	--	--
PORIFERA (LPIL)	1	1	--
CNIDARIA			
ACTINIARIA (LPIL)	--	178	--
CNIDARIA (LPIL) MEDUSA	--	--	--
HYDROZOA (LPIL)	--	--	1
SCLERACTINIA (LPIL)	--	--	1
NEMERTEA			
NEMERTEA (LPIL)	--	5	5
NEMERTEA SP. A (LPIL)	--	1	2
NEMERTEA SP. B (LPIL)	--	--	--
NEMERTEA SP. C (LPIL)	--	2	--
NEMERTEA SP. D (LPIL)	--	--	1
POLYCHAETA - AMPHARETIDAE			
AMPHICTEIS SP.	--	1	--
ISOLDA PULCHELLA	--	--	1
POLYCHAETA - AMPHINOMIDAE			
PARAMPHINOME SP. B VITTOR	--	--	1
POLYCHAETA - CAPITELLIDAE			
CAPITELLIDAE (LPIL)	--	--	--
MEDIOMASTUS AMBISETA	--	--	7
MEDIOMASTUS CALIFORNIENSIS	--	--	18
MEDIOMASTUS SP.	1	--	9
POLYCHAETA - CIRRATULIDAE			
APHELOCHAETA SP.	2	1	4
CHAETOZONE SP.	--	--	--
CIRRATULIDAE (LPIL)	--	--	2
MONTICELLINA DORSOBRANCHIALIS	--	--	5
THARYX SP.	--	--	--
POLYCHAETA - DORVILLEIDAE			
DORVILLEA RUDOLPHI	--	--	1

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - GLYCERIDAE			
GLYCERA CF. AMERICANA	--	--	--
GLYCERA SP.	--	--	--
POLYCHAETA - EUNICIDAE			
EUNICIDAE (LPIL)	--	--	--
POLYCHAETA - GONIADIDAE			
GONIADIDES CAROLINAE	2	4	--
POLYCHAETA - HESIONIDAE			
HESIONIDAE (LPIL)	--	1	--
PODARKEOPSIS LEVIFUSCINA	--	--	--
POLYCHAETA - LUMBRINERIDAE			
LUMBRINERIS SP.	4	--	4
LUMBRINERIS VERRILLI	--	--	--
POLYCHAETA - MAGELONIDAE			
MAGELONA SP. I VITTOR	--	--	1
POLYCHAETA - MALDANIDAE			
AXIOTHELLA SP.	--	--	2
MALDANIDAE (LPIL)	--	1	--
POLYCHAETA - NEPHTYIDAE			
NEPHTYS PICTA	--	--	1
POLYCHAETA - SYLLIDAE			
BRANCHIOSYLLIS EXILIS	--	1	--
CF. AUTOLYTUS DENTALINS	--	--	--
CF. BRANCHIOSYLLIS EXILIS	--	--	--
EUSYLLINAE (LPIL)	--	--	--
EXOGONE ARENOSA	1	1	--
EXOGONE LOUREI	1	13	8
EXOGONE PSEUDOLOUREI	--	1	--
EXOGONE SP.	1	9	8
GRUBEOSYLLIS CLAVATA	--	--	--
GRUBEOSYLLIS RUGULOSA	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION	STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE				
HAPLOSYLLIS SPONGICOLA COMPLEX		--	4	--
LANGERHANSIA CORNUTA		--	--	1
LANGERHANSIA FERRUGINA		--	--	--
LANGERHANSIA SP. A		--	--	1
ODONTOSYLLIS SP.		--	--	--
PIONOSYLLIS CF. GESAE		--	--	--
SPHAEROSYLLIS ACICULATA		1	1	--
SPHAEROSYLLIS CF. BILOBATA		--	3	1
SPHAEROSYLLIS PIRIFEROPSIS		--	3	--
SPHAEROSYLLIS SP.		--	--	--
SPHAEROSYLLIS TAYLORI		--	--	1
STREPTOSYLLIS PETTIBONEAE		--	--	--
SYLLIS HYALINA		--	1	--
SYLLIS SP.		--	--	3
TYPOSYLLIS SP.		--	--	1
XENOSYLLIS CF. SCABRA VITTOR		--	1	--
POLYCHAETA - NEREIDIDAE				
CERATONEREIS IRRITABILIS		--	--	--
CERATONEREIS LONGICIRRATA		1	--	--
NEREIDIDAE (LPIL)		--	--	1
NEREIS MICROMMA		--	--	2
PLATYNEREIS DUMERILII		--	--	--
PLATYNEREIS SP.		--	--	--
STENINONEREIS MARTINI		--	--	--
POLYCHAETA - TEREBELLIDAE				
CF. PISTA SP.		--	--	--
EUPOLYMNIA NEBULOSA		--	1	--
EUPOLYMNIA SP.		2	--	--
LOIMIA MEDUSA		--	--	--
PISTA SP.		--	1	--
STREBLOSOMA HARTMANAE		--	--	1
TEREBELLIDAE (LPIL)		--	--	--
TEREBELLIDES CF. STROEMI		1	--	--
POLYCHAETA - ONUPHIDAE				
DIOPATRA CUPREA		1	--	--
KINBERGONUPHIS SP. A VITTOR		--	--	--
MOOREONUPHIS SP.		--	--	--
ONUPHIDAE (LPIL)		--	--	--
RHAMPHOBRACHIUM DIVERSOSETOSUM		--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - OWENIIDAE			
GALATHOWENIA OCULATA	1	--	--
OWENIA FUSIFORMIS	--	--	--
POLYCHAETA - ORBINIIDAE			
LEITOSCOLOPLOS FOLIOSUS	--	1	--
LEITOSCOLOPLOS FRAGILIS	--	--	--
LEITOSCOLOPLOS SP.	--	--	--
SCOLOPLOS RUBRA	1	--	--
POLYCHAETA - PARAONIDAE			
ARICIDEA PHILBINAE	--	--	--
ARICIDEA SP.	--	--	--
ARICIDEA SUECICA	--	--	2
ARICIDEA TAYLORI	--	--	3
ARICIDEA WASSI	--	--	1
CIRROPHORUS CF. PERDIDOENSIS	--	1	--
CIRROPHORUS SP.	--	--	3
POLYCHAETA - PHYLLODOCIDAE			
PHYLLODOCIDAE (LPIL)	--	--	--
POLYCHAETA - PILARGIIDAE			
PARANDALIA SP.	--	--	--
POLYCHAETA - POLYNOIDAE			
LEPIDONOTUS VARIABILIS	1	--	--
POLYNOIDAE (LPIL)	--	--	--
POLYCHAETA - SABELLIDAE			
BISPIRA MELANOSTIGMA	--	--	--
CF. MYXICOLA SP.	--	--	--
CF. PSEUDOPOTAMILLA SP.	--	--	4
CHONE SP.	7	1	1
FABRICIINAE (LPIL)	--	--	--
FABRICINUDA TRILOBATA	2	--	3
MEGALOMMA PIGMENTUM	--	--	1
SABELLARIA FLORIDENSIS	--	--	--
SABELLARIA SP.	--	--	--
SABELLIDAE (LPIL)	--	--	5
SABELLINAE (LPIL)	--	--	1

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - SPIONIDAE			
DIPOLYDORA SOCIALIS	--	--	--
DIPOLYDORA SP. A	--	--	20
MICROSPIO PIGMENTATA	--	--	--
MINUSPIO MULTIBRANCHIATA	--	--	27
MINUSPIO SP.	--	--	6
PARAPRIONOSPIO SP.	--	--	--
PRIONOSPIO CRISTATA	35	31	21
PRIONOSPIO SP.	--	--	--
SPIO PETTIBONEAE	--	--	--
SPIONIDAE (LPIL)	--	--	--
STREBLOSPIO SP.	--	--	--
POLYCHAETA			
MACROCHAETA SP.	--	--	1
PIROMIS SP.	--	--	--
POECILOCHAETUS JOHNSONI	--	--	1
POLYCHAETA (LPIL)	--	--	--
OLIGOCHAETA - TUBIFICIDAE			
DURIDRILUS TARDUS	--	1	--
TECTIDRILUS SP.	--	--	--
TUBIFICIDAE (LPIL)	--	1	4
OLIGOCHAETA - ENCHYTRAEIDAE			
ENCHYTRAEIDAE (LPIL)	--	1	2
OLIGOCHAETA - MISCELLANEOUS			
OLIGOCHAETA (LPIL)	--	--	--
SIPUNCULA			
PHASCOLION SP.	--	--	1
SIPUNCULA (LPIL)	--	--	4
CRUSTACEA - MYSIDA			
AMERICAMYSIS SP.	2	--	--
HETEROMYSIS SP.	--	--	--
ISOPODA - ANTHURIDAE			
AMAKUSANTHURA SIGNATA	4	--	15
AMAKUSANTHURUS MAGNIFICA	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
CF. AMAKUSANTHURA SIGNATA	--	--	--
CF. AMAKUSANTHURA SP.	--	1	--
ISOPODA - IDOTEIDAE			
EDOTIA TRILOBA	--	--	--
CRUSTACEA - ISOPODA			
CIROLANA PARVA	--	--	1
EXOSPHAEROMA DIMINUTA	--	--	--
AMPHIPODA - AMPELISCIDAE			
AMPELISCA HOLMESI	--	--	--
AMPELISCA SP.	6	--	1
AMPELISCA SP. C	--	--	--
AMPELISCA SP. D	--	--	--
CRUSTACEA - AMPHIPODA			
AMPHIPODA (LPIL)	--	2	--
COLOMASTIX HALICHRONDRIAE	--	--	--
DEUTELLA INCERTA	--	--	--
HORNELLIA SP.	--	--	--
NASAGENEIA BACESCUI	--	--	--
AMPHIPODA - AORIDAE			
AORIDAE (LPIL)	--	5	--
BEMLOS SP.	--	1	--
BEMLOS UNICORNIS	--	--	--
GLOBOSOLEMBOS SMITHI	--	--	--
GLOBOSOLEMBOS SP.	--	--	--
PARAMICRODEUTOPUS MYERSI	--	--	--
AMPHIPODA - COROPHIIDAE			
APOCOROPHIUM LOUISIANUM	--	--	--
APOCOROPHIUM SP.	--	--	--
COROPHIIDAE (LPIL)	--	--	--
MONOCOROPHIUM SP.	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--
AMPHIPODA - GAMMARIDAE			
DULICHIELLA SP.	--	--	--
GAMMARIDAE (LPIL)	--	--	1

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
AMPHPODA - ISCHYROCERIDAE			
CERAPUS SP.	--	--	--
CERAPUS SP. C	--	--	--
AMPHIPODA - LILLJEBORGIIDAE			
LISTRIELLA BARNARDI	--	--	--
AMPHIPODA - OEDICEROTIDAE			
AMERICHELIDIUM SP.	--	--	--
AMPHIPODA - PHOTIDAE			
PHOTIS SP.	--	--	--
AMPHIPODA - MELITIDAE			
ELASMOPUS SP.	--	--	4
MELITA LONGISETOSA	--	--	--
MELITA SP.	--	--	6
MELITIDAE (LPIL)	2	--	1
AMPHIPODA - PLATYISCHNOPIDAE			
TIBURONELLA VISCANA	--	--	--
CRUSTACEA - DECAPODA			
DECAPODA (LPIL)	--	--	1
DECAPODA (MEGALOPA LARVAE)	--	--	3
DECAPODA (ZOEA)	--	--	--
HYPOCONCHA ARCUATA	1	--	--
PALAEMONIDAE (LPIL)	--	--	--
PETROLISTHES ARMATUS	--	--	--
PORCELLANIDAE	--	--	--
PROCESSA CF. BERMUDENSIS	--	--	--
PROCESSA SP.	1	--	--
TRAPEZIOPLAX TRIDENTATA	--	--	--
DECAPODA - ALPHEIDAE			
ALPHEIDAE (LPIL)	--	--	1

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION	STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE				
DECAPODA - OGYRIDIDAE				
OGYRIDES ALPHAEROSTRIS		--	--	--
DECAPODA - PAGURIDAE				
PAGURIDAE (LPIL)		--	--	--
PAGURISTES SP.		5	1	--
DECAPODA - PENAEIDAE				
LUCIFER FAXONI		--	--	--
DECAPODA - PINNOTHERIDAE				
CF. PINNOTHERIDAE (LPIL)		--	--	3
DECAPODA - XANTHIDAE				
CF. RHITHROPANOPEUS HARRISII		--	--	--
RHITHROPANOPEUS HARRISII		--	--	--
XANTHIDAE (LPIL)		--	--	--
CRUSTACEA - CUMACEA				
CF. CYCLASPIS SP. B RAKOCINSKI		--	--	--
CUMELLA GARRITYI		--	--	--
CYCLASPIS PLATYMERUS		--	--	--
CYCLASPIS SP. C		--	--	--
CYCLASPIS UNICORNIS		1	--	--
CYCLASPIS VARIANS		1	--	1
LEUCON SP. A		--	--	--
OXYUROSTYLIS SMITHI		--	--	--
CRUSTACEA - TANAIDACEA				
LEPTOCHELA CARINATA		1	--	--
LEPTOCHELIA CF. LONGIMANA		--	1	--
LEPTOCHELIIDAE (LPIL)		--	1	1
PSEUDOTANAIS SP. B		--	--	--
MOLLUSCA - GASTROPODA				
ASTYRIS LUNATA		--	--	--
CREPIDULA PLANA		3	1	--
GASTROPODA (LPIL)		--	--	--
HYDROBIIDAE (LPIL)		--	--	--
MOLLUSCA (LPIL)		--	--	--
NASSARIUS VIBEX		--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON OCTOBER 11 & 12, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
NATICIDAE (LPIL)	--	--	1
OLIVELLA PERPLEXA	--	--	3
PRUNUM LAVALLEANA	--	--	--
RISSOINA CANCELLATA	--	--	--
THALA FLORIDANA	--	--	--
MOLLUSCA - BIVALVIA			
BIVALVIA (LPIL)	--	3	--
BIVALVIA SP. A	--	--	--
CORBULA SP.	--	--	--
CORBULA SWIFTIANA	--	--	--
CRASSINELLA SP.	1	--	--
GLYCYMERUS PECTINATA	--	1	--
LYONSIA HYALINA FLORIDANA	--	--	--
NUCULA CRENULATA	--	--	6
NUCULANA ACUTA	--	--	1
NUCULANA AEGEENSIS	--	--	--
NUCULANA SP.	--	--	--
TELLINA SP.	--	--	2
TELLINIDAE (LPIL)	--	--	3
TRACHYCARDIUM EGMONTIANUM	1	--	--
VENERIDAE (LPIL)	--	1	--
MOLLUSCA - POLYPLACOPHORA			
POLYPLACOPHORA (LPIL)	--	1	--
OTHER MINOR TAXA			
BRACHIOPODA (LPIL)	--	--	--
CHAETOGNATHA (LPIL)	--	--	1
PHORONIDA (LPIL)	--	--	--
ECHINODERMATA			
AMPHIURIDAE (LPIL)	1	1	1
OPHIUROIDEA (LPIL)	--	1	3
CEPHALOCHORDATA			
BRANCHIOSTOMA SP	--	--	--
TOTAL NUMBER OF ORGANISMS	96	293	265
NUMBER OF TAXA	33	44	71

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
PORIFERA									
PORIFERA (LPIL)	--	--	--	--	--	--	--	--	--
CNIDARIA									
ACTINIARIA (LPIL)	--	--	--	--	--	--	--	--	--
ANTHOZOA (LPIL)	--	--	--	--	--	--	--	--	--
HYDRIDAE (LPIL)	--	--	--	--	--	--	--	--	--
HYDROZOA (LPIL)	--	--	--	--	--	--	--	1	--
SCLERACTINIA (LPIL)	--	--	--	--	--	--	--	--	--
PLATYHELMINTHES - TURBELLARIA									
CF. TURBELLARIA (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA									
NEMERTEA (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA SP. A (LPIL)	--	--	--	--	--	--	--	--	1
NEMERTEA SP. B (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA SP. C (LPIL)	--	--	--	--	--	--	--	--	--
ANNELIDA									
ANNELIDA (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - AMPHARETIDAE									
AMPHARETIDAE (LPIL)	--	--	--	--	--	--	--	--	--
ISOLDA PULCHELLA	--	--	--	--	--	--	--	--	--
MELINNA SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - CAPITELLIDAE									
MEDIOMASTUS AMBISETA	--	1	--	6	44	19	15	12	8
MEDIOMASTUS SP.	--	--	--	6	24	20	25	27	10
POLYCHAETA - CIRRATULIDAE									
APHELOCHAETA SP.	--	--	--	--	--	--	--	--	--
CAULLERIELLA SP.	--	--	--	--	--	--	--	--	--
CHAETOZONE SP.	--	--	--	--	--	--	--	--	--
CIRRATULIDAE (LPIL)	--	1	--	--	--	--	--	--	--
MONTICELLINA DORSOBRANCHIALIS	--	--	--	--	--	--	--	--	--
THARYX OCUTUS	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - GLYCERIDAE									
GLYCERA AMERICANA	--	--	--	--	--	--	--	1	--
GLYCERA SP. C VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - GONIADIDAE									
GLYCINDE SOLITARIA	--	--	--	--	--	--	--	1	--
GONIADIDES CAROLINAE	--	--	--	--	--	--	--	--	--
POLYCHAETA - HESIONIDAE									
PODARKEOPSIS LEVIFUSCINA	--	--	--	--	--	--	--	--	--
POLYCHAETA - LUMBRINERIDAE									
LUMBRINERIS SP.	--	--	--	--	--	--	--	2	1
LUMBRINERIS VERRILLI	--	--	--	--	--	--	--	--	--
POLYCHAETA - MAGELONIDAE									
MAGELONA SP. I VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - MALDANIDAE									
AXIOTHELLA SP.	--	--	--	--	--	--	--	--	--
AXIOTHELLA SP. A VITTOR	--	--	--	--	--	--	--	--	--
CF. AXIOTHELLA SP.	--	--	--	--	--	--	--	--	--
CLYMENELLA TORQUATA	--	--	--	--	--	--	--	--	--
MALDANIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - SYLLIDAE									
AUTOLYTINAE (LPIL)	--	--	--	--	--	--	--	--	--
AUTOLYTUS SP.	--	--	--	--	--	--	--	--	--
AUTOLYTUS SP. A VITTOR	--	--	--	--	--	--	--	--	--
BRANCHIOSYLLIS EXILIS	--	--	--	--	--	--	--	--	--
BRANCHIOSYLLIS OCULATA	--	--	--	--	--	--	--	--	--
CF. PARAPIONOSYLLIS FLORIDANA	--	--	--	--	--	--	--	--	--
EXOGONE PSEUDOLOUREI	1	--	--	--	--	--	--	--	--
EXOGONE SP.	--	--	--	--	--	--	--	--	--
EXOGONINAE (LPIL)	--	--	--	--	--	--	--	--	--
GRUBEOSYLLIS CF. CLAVATA	--	--	--	--	--	--	--	--	--
GRUBEOSYLLIS SP.	--	--	--	--	--	--	--	--	--
HAPLOSYLLIS SPONGICOLA COMPLEX	--	--	--	--	--	--	--	--	--
ODONTOSYLLIS ENOPLA	--	--	--	--	--	--	--	--	--
OPISTHODONTA SP. A VITTOR	--	--	--	--	--	--	--	--	--
PETTIBONEIA BLAKEI	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
PROCERAEA SP.	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS ACICULATA	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS PERKINSI	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS SP.	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS TAYLORI	--	--	--	--	--	--	--	--	--
STREPTOSYLLIS PETTIBONEAE	--	--	--	--	--	--	--	--	--
SYLLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SYLLINAE (LPIL)	--	--	--	--	--	--	--	--	--
SYLLIS GRACILIS	--	--	--	--	--	--	--	--	--
SYLLIS SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - NEREIDIDAE									
NEREIDIDAE (LPIL)	--	--	--	--	--	--	--	--	--
NEREIS MICROMMA	--	--	--	--	--	--	--	--	--
NEREIS SP.	--	--	--	--	--	--	--	--	--
NERIES GRAYI	--	--	--	--	--	--	--	--	--
PLATYNEREIS DUMERILII	--	--	--	--	--	--	--	--	--
STENINONEREIS MARTINI	--	--	1	--	--	--	--	--	--
POLYCHAETA - TEREBELLIDAE									
EUPOLYMNIA SP.	--	--	--	--	--	--	--	--	--
LOIMIA MEDUSA	--	--	--	--	--	--	--	--	--
LYSILLA SP.	--	--	--	--	--	--	--	--	--
TEREBELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - ONUPHIDAE									
CF. MOOREONUMPHIS SP.	--	--	--	--	--	--	--	--	--
DIOPATRA CUPREA	--	--	--	--	--	--	--	--	--
KINBERGONUPHIS SP.	--	--	--	--	--	--	--	--	--
MOOREONUMPHIS PALLIDULA	--	--	--	--	--	--	--	--	--
MOOREONUPHIS SP.	--	--	--	--	--	--	--	--	--
ONUPHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
ONUPHIS SP. A VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - OPHELIIDAE									
ARMANDIA MACULATA	--	--	--	--	--	--	--	--	--
OPHELIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - OWENIIDAE									
GALATHOWENIA OCULATA	--	--	--	--	--	--	--	4	--
OWENIA FUSCIFORMIS	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - ORBINIIDAE									
LEITOSCOLOPLOS FOLIOSUS	--	--	--	--	--	--	23	14	17
LEITOSCOLOPLOS FRAGILIS	--	--	--	--	--	--	6	7	14
LEITOSCOLOPLOS SP.	--	--	--	5	21	12	20	23	21
ORBINIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SCOLOPLOS RUBRA	--	--	--	--	--	--	--	--	--
SCOLOPLOS SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - PARAONIDAE									
ARICIDEA (ACMIRA) CF. SP. A VITTOR	--	--	--	--	--	--	--	--	--
ARICIDEA (ACMIRA) SP. A VITTOR	--	--	--	--	--	--	--	--	--
ARICIDEA FAUVELI	--	--	--	--	--	--	--	--	--
ARICIDEA PHILBINAE	--	--	--	--	2	--	--	--	--
ARICIDEA SP.	--	--	--	--	--	--	--	--	--
ARICIDEA TAYLORI	--	--	--	--	--	--	--	--	--
CIRROPHORUS SP.	--	--	--	--	--	--	--	--	--
PARAONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - PHYLLODOCIDAE									
ETEONE HETEROPODA	--	--	--	--	--	--	--	--	--
PHYLLODOCIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - POLYNOIDAE									
LEPIDONOTUS VARIABILIS	--	--	--	--	--	--	--	--	--
POLYCHAETA - SABELLIDAE									
CHONE SP.	--	--	--	--	--	--	--	--	--
CHONE SP. A VITTOR	--	--	--	--	--	--	--	--	--
FABRICIINAE (LPIL)	--	--	--	--	--	--	--	--	--
FABRICINUDA TRILOBATA	--	--	--	--	--	--	--	--	--
MEGALOMMA PIGMENTUM	--	--	--	--	--	--	--	--	--
NOTAULAX NUDICOLLIS	--	--	--	--	--	--	--	--	--
PSEUDOPOTAMILLA SP.	--	--	--	--	--	--	--	--	--
SABELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SABELLINAE (LPIL)	--	--	--	--	--	--	--	2	--
POLYCHAETA - SIGALIONIDAE									
STHENELAIS SP. A VITTOR	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - SPIONIDAE									
BOCCARDIELLA SP. A VITTOR	--	--	--	--	--	--	--	--	--
CF. DIPOLYDORA SP.	--	--	--	--	--	--	--	--	--
DIPOLYDORA SOCIALIS	--	--	--	--	--	--	--	--	--
MINUSPIO DELTA	--	--	--	--	--	--	--	--	--
MINUSPIO MULTIBRANCHIATA	--	--	--	--	--	--	--	--	--
MINUSPIO SP.	--	--	--	--	--	--	--	--	--
MINUSPIO SP. A VITTOR	--	--	--	--	--	--	--	--	--
PARAPRIONOSPIO SP.	--	--	--	--	4	1	2	--	3
PRIONOSPIO CRISTATA	--	--	--	--	--	--	--	--	--
SPIO PETTIBONEAE	--	--	--	--	--	--	--	--	--
SPIONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SPIOPHANES SP.	--	--	--	--	--	--	--	--	--
STREBLOSPIO SP.	--	3	--	87	57	120	27	18	6
POLYCHAETA									
CF. POTAMETHUS SP.	--	--	--	--	--	--	--	--	--
ONUPHIDAE/EUNICIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PHOLOIDES DORSIPAPILLATUS	--	--	--	--	--	--	--	--	--
POLYCHAETA (LPIL)	--	--	--	--	--	--	--	--	--
SABELLARIA FLORIDENSIS	--	--	--	--	--	--	--	--	--
SABELLARIA SP.	--	--	--	--	--	--	--	--	--
SABELLARIA SP. A VITTOR	--	--	--	--	--	--	--	--	--
SERPULIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OLIGOCHAETA - TUBIFICIDAE									
DURIDRILUS SP.	--	--	--	--	--	--	--	--	--
DURIDRILUS TARDUS	--	--	--	--	--	--	--	--	--
HETERODRILUS SP.	--	--	--	--	--	--	--	--	--
TECTIDRILUS SP.	--	--	--	--	--	--	3	2	--
TUBIFICIDAE (LPIL)	--	--	--	--	--	1	18	22	14
TUBIFICOIDES SP.	--	--	--	--	--	--	--	--	--
OLIGOCHAETA - ENCHYTRAEIDAE									
ENCHYTRAEIDAE (LPIL)	--	--	--	--	--	--	--	--	--
SIPUNCULA									
SIPUNCULA (LPIL)	--	--	--	--	--	--	--	--	--
ISOPODA - ANTHURIDAE									
AMAKUSANTHURA SIGNATA	--	--	--	--	--	--	--	--	--
AMAKUSANTHURA SP.	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
AMAKUSANTHURUS MAGNIFICA	--	--	--	--	--	--	--	--	--
XENANTHURA BREVITELSON	--	--	--	--	--	--	--	--	--
ISOPODA - MUNNIDAE									
UROMUNNA REYNOLDSI	--	--	--	--	--	--	--	--	--
UROMUNNA SP.	--	--	--	--	--	--	--	--	--
CRUSTACEA - ISOPODA									
EXOSPHAEROMA SP.	--	--	--	--	--	--	--	--	--
HETEROSEROLIS MGRAYI	--	--	--	--	--	--	--	--	--
AMPHIPODA - AMPELISCIDAE									
AMPELISCA ABDITA	--	--	--	1	--	--	--	--	--
AMPELISCA SP.	--	--	--	--	--	--	--	--	--
CRUSTACEA - AMPHIPODA									
AMPHIPODA (LPIL)	--	--	--	--	--	--	--	--	--
COLOMASTIX IRCINIAE	--	--	--	--	--	--	--	--	--
COLOMASTIX SP.	--	--	--	--	--	--	--	--	--
ERICHTHONIUS BRASILIENSIS	--	--	--	--	--	--	--	--	--
IPHIMEDIA ZORA	--	--	--	--	--	--	--	--	--
LEUCOTHOE CF. SPINICARPA COMPLEX THOMAS	--	--	--	--	--	--	--	--	--
LEUCOTHOE SPINICARPA COMPLEX THOMAS	--	--	--	--	--	--	--	--	--
METATIRON TRIOCELLATUS	--	--	--	--	--	--	--	--	--
AMPHIPODA - AORIDAE									
AORIDAE (LPIL)	--	--	--	--	--	--	--	--	--
BEMLOS MACKINNEYI	--	--	--	--	--	--	--	--	--
BEMLOS SP.	--	--	--	--	--	--	--	--	--
CF. GLOBOSOLEMBOS SMITHI	--	--	--	--	--	--	--	--	--
GLOBOSOLEMBOS SMITHI	--	--	--	--	--	--	--	--	--
GRANDIDIERELLA BONNIEROIDES	--	--	--	--	--	--	--	--	--
LEMBOS UNIFASCIATUS	--	--	--	--	--	--	--	--	--
AMPHIPODA - COROPHIIDAE									
APOCOROPHIUM LOUISIANUM	--	--	--	--	1	--	--	--	--
APOCOROPHIUM SP.	--	--	--	--	--	--	--	--	--
COROPHIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
LATICOROPHIUM BACONI	--	--	--	--	--	--	--	--	--
MONOCOROPHIUM SP.	--	--	--	--	--	--	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
AMPHPODA - ISCHYROCERIDAE									
CERAPUS SP.	--	--	--	--	--	--	--	--	--
CERAPUS SP. B LECROY	--	--	--	--	--	--	--	--	--
ISCHYROCERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
AMPHIPODA - LILLJEBORGIIDAE									
LISTRIELLA BARNARDI	--	--	--	--	--	--	--	--	--
LISTRIELLA SP.	--	--	--	--	--	--	--	--	--
AMPHIPODA - OEDICEROTIDAE									
OEDICEROTIDAE (LPIL)	--	--	--	--	--	--	--	--	--
AMPHIPODA - MELITIDAE									
MELITA NITIDA	--	--	--	--	--	--	--	1	--
MELITA NITIDA COMPLEX LECROY	--	--	--	--	--	4	--	--	--
MELITIDAE (LPIL)	--	--	--	--	--	--	--	--	--
AMPHIPODA - PHOXOCEPHALIDAE									
METHARPINIA FLORIDANA	--	--	--	--	--	--	--	--	--
AMPHIPODA - PLATYISCHNOPIDAE									
PLATYISCHNOPIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CRUSTACEA - DECAPODA									
BRACHYURA (LPIL)	--	--	--	--	--	--	--	--	--
CARIDEA (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA (LPIL)	--	--	--	--	--	--	--	--	--
DIOGENIDAE (LPIL)	--	--	--	--	--	--	--	--	--
EBALIA CARIOSA	--	--	--	--	--	--	--	--	--
LEPTOCHELA SP.	--	--	--	--	--	--	--	--	--
PALAEMONIDAE (LPIL)	--	--	--	--	--	1	--	--	--
PILUMNUS SP.	--	--	--	--	--	--	--	--	--
XANTHOIDEA (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - ALPHEIDAE									
ALPHEIDAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
DECAPODA - MAJIDAE									
MAJIDAE (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - OGYRIDIDAE									
OGYRIDES ALPHAEROSTRIS	--	--	--	2	2	5	4	--	6
DECAPODA - PAGURIDAE									
PAGURISTES SP.	--	--	--	--	--	--	--	--	--
DECAPODA - PINNOTHERIDAE									
CF PINNIXA SP.	--	--	--	--	--	--	--	--	--
CF. PINNOTHERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PINNIXA SP.	--	--	--	--	--	--	--	--	--
PINNOTHERIDAE (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - PORCELLANIDAE									
PETROLISTHES SP.	--	--	--	--	--	--	--	--	--
DECAPODA - XANTHIDAE									
RHITHROPANOPEUS HARRISII	--	--	--	--	--	--	--	--	--
XANTHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CRUSTACEA - CUMACEA									
CUMACEA (LPIL)	--	--	--	--	1	--	--	1	--
CYCLASPIS PLATYMERUS	--	--	--	--	--	--	--	--	--
CYCLASPIS PUSTALATA	--	--	--	--	--	--	--	--	--
CYCLASPIS SP.	--	--	--	--	--	--	--	--	--
CYCLASPIS VARIANS	--	--	--	--	4	1	8	4	4
LEUCON AMERICANUS	--	--	--	--	--	--	14	8	11
LEUCON SP.	--	--	--	--	--	1	--	--	--
NANNASTACIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OXYUROSTYLIS SMITHI	--	--	--	1	--	1	--	--	--
OXYUROSTYLIS SP.	--	--	--	--	--	--	--	--	--
CRUSTACEA - AMPHIPODA - CAPRELLIDEA									
CAPRELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PARACAPRELLA TENUIS	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
CRUSTACEA - TANAIDACEA									
KALLIAPSEUDES MACSWEENYI	--	--	--	--	--	--	--	--	--
LEPTOCHELIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PSEUDONOTOTANAIS SP.	--	--	--	--	--	--	--	--	--
PSEUDONOTOTANAIS SP. A HEARD	--	--	--	--	--	--	--	--	--
PSEUDONOTOTANAIS SP. B HEARD	--	--	--	--	--	--	--	--	--
CRUSTACEA - SESSILIA									
BALANUS SP.	--	--	--	--	--	--	--	--	--
ARACHNIDA - ACARIFORMES									
ACARIFORMES (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA - GASTROPODA									
ANACHIS OBESA	--	--	--	--	--	--	--	--	--
CAECUM PULCHELLUM	--	--	--	--	--	--	--	--	--
CALYPTREA CENTRALIS	--	--	--	--	--	--	--	--	--
CF. MANGELIA SP.	--	--	--	--	--	--	--	--	--
COLUMBELLIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CREPIDULA PLANA	--	--	--	--	--	--	--	--	--
CREPIDULA SP.	--	--	--	--	--	--	--	--	--
DENTIMARGO AUREOCINCTUS	--	--	--	--	--	--	--	--	--
GASTROPODA (LPIL)	--	--	--	--	--	--	--	--	--
MELANELLA SP.	--	--	--	--	--	--	--	--	--
MITRELLA LUNATA	--	--	--	--	--	--	--	--	--
OLIVELLA PERPLEXA	--	--	--	--	--	--	--	--	--
PARVANACHIS OBESA	--	--	--	--	--	--	--	--	--
PLEUROCERA SP.	--	--	--	--	--	--	--	--	--
RISSOINA CANCELLATA	--	--	--	--	--	--	--	--	--
THALA FLORIDANA	--	--	--	--	--	--	--	--	--
TROCHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
TURBONILLA CONRADI	--	--	--	--	--	--	--	--	--
VERMICULARIA KNORRII	--	--	--	--	--	--	--	--	--
MOLLUSCA - APLACOPHORA APLACOPHORA									
APLACOPHORA (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA - BIVALVIA									
BIVALVIA (LPIL)	--	--	--	--	1	--	--	--	--
CF. CARDIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CF. LYONSIA HYALINA FLORIDANA	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	1 A	1 B	1 C	2 A	2 B	2 C	3 A	3 B	3 C
CONTINUED FROM PREVIOUS PAGE									
CF. MACOMA SP.	--	--	--	--	--	--	--	--	--
CHIONE GRUS	--	--	--	--	--	--	--	--	--
CORBULA SP.	--	--	--	--	--	--	--	--	--
CRASSINELLA SP.	--	--	--	--	--	--	--	--	--
CYRENOIDEA FLORIDANA	--	--	--	--	--	--	--	--	--
LYONSIA HYALINA FLORIDANA	--	--	--	--	--	--	--	--	--
MYTILIDAE (LPIL)	--	--	--	--	--	--	--	--	--
NUCULA CRENULATA	--	--	--	--	--	--	--	--	--
NUCULA SP.	--	--	--	--	--	--	--	--	--
NUCULANA ACUTA	--	--	--	--	--	--	--	1	--
NUCULANA SP.	--	--	--	--	--	--	--	--	--
SPHAERIUM SP.	--	--	--	--	--	--	--	--	--
SPHENIA ANTILLENSIS	--	--	--	--	--	--	--	--	--
TAGELUS SP.	--	--	--	--	--	--	--	--	--
TELLINA SP.	--	--	--	1	--	1	--	--	--
TELLINIDAE (LPIL)	--	--	--	--	--	--	--	--	--
TRACHYCARDIUM EGMONTIANUM	--	--	--	--	--	--	--	--	--
TRANSENNELLA STIMPSONI	--	--	--	--	--	--	--	--	--
MOLLUSCA - POLYPLACOPHORA									
POLYPLACOPHORA (LPIL)	--	--	--	--	--	--	--	--	--
OTHER MINOR TAXA									
BRACHIOPODA (LPIL)	--	--	--	--	--	--	--	--	--
CHAETOGNATHA (LPIL)	--	--	--	--	--	--	--	--	--
GLOTTIDIA SP.	--	--	--	--	--	--	--	--	--
PHORONIDA (LPIL)	--	--	--	--	--	--	--	--	--
ECHINODERMATA									
AMPHIURIDAE (LPIL)	--	--	--	--	--	--	--	--	--
HOLOTHUROIDEA (LPIL)	--	--	--	--	--	--	--	--	--
OPHIACTIS SAVIGNYI	--	--	--	--	--	--	--	--	--
OPHIOTRICHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OPHIUROIDEA (LPIL)	--	--	--	--	--	--	--	--	--
CEPHALOCHORDATA									
BRANCHIOSTOMA SP	--	--	--	--	--	--	--	--	--
CEPHALOCHORDATA (LPIL)	--	--	--	--	--	--	--	--	--
TOTAL NUMBER OF ORGANISMS	1	5	1	109	161	187	165	151	116
NUMBER OF TAXA	1	3	1	8	11	13	12	19	13

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
PORIFERA									
PORIFERA (LPIL)	--	--	--	--	1	--	--	--	--
CNIDARIA									
ACTINIARIA (LPIL)	--	--	--	--	--	--	--	--	--
ANTHOZOA (LPIL)	--	--	--	--	--	--	--	--	--
HYDRIDAE (LPIL)	--	--	--	--	1	--	--	--	--
HYDROZOA (LPIL)	1	--	--	1	--	--	--	--	--
SCLERACTINIA (LPIL)	--	--	--	--	1	--	--	--	--
PLATYHELMINTHES - TURBELLARIA									
CF. TURBELLARIA (LPIL)	--	--	--	1	--	--	--	--	--
NEMERTEA									
NEMERTEA (LPIL)	2	--	--	4	9	2	3	1	--
NEMERTEA SP. A (LPIL)	--	--	--	--	--	--	--	--	--
NEMERTEA SP. B (LPIL)	4	--	4	--	--	--	--	--	--
NEMERTEA SP. C (LPIL)	1	--	--	--	--	--	--	--	--
ANNELIDA									
ANNELIDA (LPIL)	--	--	--	--	--	--	--	1	--
POLYCHAETA - AMPHARETIDAE									
AMPHARETIDAE (LPIL)	--	--	--	--	1	--	--	--	--
ISOLDA PULCHELLA	--	--	--	--	--	--	--	1	2
MELINNA SP.	--	--	--	--	--	--	--	--	--
POLYCHAETA - CAPITELLIDAE									
MEDIOMASTUS AMBISETA	--	--	--	--	--	--	--	--	--
MEDIOMASTUS SP.	16	13	29	19	13	14	1	9	8
POLYCHAETA - CIRRATULIDAE									
APHELOCHAETA SP.	--	--	4	9	2	--	--	--	--
CAULLERIELLA SP.	--	--	--	--	--	--	--	--	--
CHAETOZONE SP.	--	--	--	--	--	--	--	--	1
CIRRATULIDAE (LPIL)	1	1	--	--	--	--	--	--	--
MONTICELLINA DORSOBRANCHIALIS	--	5	20	--	--	3	5	2	2
THARYX OCUTUS	3	--	--	--	--	2	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - GLYCERIDAE									
GLYCERA AMERICANA	--	1	1	--	1	--	--	--	--
GLYCERA SP. C VITTOR	1	--	--	--	--	--	--	--	--
POLYCHAETA - GONIADIDAE									
GLYCINDE SOLITARIA	1	--	--	--	--	1	--	--	--
GONIADIDES CAROLINAE	--	--	--	--	--	--	16	17	11
POLYCHAETA - HESIONIDAE									
PODARKEOPSIS LEVIFUSCINA	--	--	--	--	--	--	--	--	--
POLYCHAETA - LUMBRINERIDAE									
LUMBRINERIS SP.	--	--	--	1	15	--	--	--	--
LUMBRINERIS VERRILLI	6	9	19	8	2	67	3	11	6
POLYCHAETA - MAGELONIDAE									
MAGELONA SP. I VITTOR	--	--	--	--	--	--	--	--	--
POLYCHAETA - MALDANIDAE									
AXIOTHELLA SP.	--	--	1	--	--	34	1	2	2
AXIOTHELLA SP. A VITTOR	1	--	--	--	--	--	--	--	--
CF. AXIOTHELLA SP.	--	--	--	--	1	--	--	--	--
CLYMENELLA TORQUATA	--	--	--	--	--	--	2	--	--
MALDANIDAE (LPIL)	--	--	--	1	--	1	1	--	--
POLYCHAETA - SYLLIDAE									
AUTOLYTINAE (LPIL)	1	--	--	--	--	--	--	--	--
AUTOLYTUS SP.	--	--	--	1	--	--	--	--	--
AUTOLYTUS SP. A VITTOR	--	--	--	--	3	--	--	--	--
BRANCHIOSYLLIS EXILIS	--	--	--	--	--	--	--	--	--
BRANCHIOSYLLIS OCULATA	--	--	--	--	--	--	--	--	--
CF. PARAPIONOSYLLIS FLORIDANA	--	--	--	--	--	1	--	--	--
EXOGONE PSEUDOLOUREI	--	--	--	11	--	--	--	--	--
EXOGONE SP.	--	1	--	10	114	8	6	1	4
EXOGONINAE (LPIL)	2	--	--	--	--	--	--	--	--
GRUBEOSYLLIS CF. CLAVATA	--	--	--	--	7	--	--	--	--
GRUBEOSYLLIS SP.	--	--	--	--	--	--	--	--	2
HAPLOSYLLIS SPONGICOLA COMPLEX	--	--	--	--	279	--	--	--	--
ODONTOSYLLIS ENOPLA	--	--	--	--	2	--	--	--	--
OPISTHODONTA SP. A VITTOR	--	--	--	--	--	--	--	--	--
PETTIBONEIA BLAKEI	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
PROCERAEA SP.	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS ACICULATA	--	--	--	--	--	--	--	--	--
SPHAEROSYLLIS PERKINSI	--	--	--	1	--	--	--	--	--
SPHAEROSYLLIS SP.	--	--	--	--	--	--	2	1	2
SPHAEROSYLLIS TAYLORI	--	--	--	1	--	--	--	--	--
STREPTOSYLLIS PETTIBONEAE	--	--	--	--	--	1	--	1	1
SYLLIDAE (LPIL)	--	--	--	--	--	--	1	--	2
SYLLINAE (LPIL)	--	--	--	--	--	--	--	--	--
SYLLIS GRACILIS	--	--	--	--	1	--	--	--	--
SYLLIS SP.	--	--	--	--	1	--	--	--	--
POLYCHAETA - NEREIDIDAE									
NEREIDIDAE (LPIL)	--	--	--	--	--	--	--	2	--
NEREIS MICROMMA	--	--	--	--	1	6	1	--	--
NEREIS SP.	--	--	--	--	15	--	--	--	--
NERIES GRAYI	--	--	--	1	--	--	--	--	--
PLATYNEREIS DUMERILII	--	--	--	--	--	--	--	2	2
STENINONEREIS MARTINI	--	--	--	--	--	--	--	--	--
POLYCHAETA - TEREBELLIDAE									
EUPOLYMNIA SP.	--	--	--	--	--	1	1	--	--
LOIMIA MEDUSA	--	--	--	--	--	--	--	--	--
LYSILLA SP.	--	--	--	--	--	--	--	--	--
TEREBELLIDAE (LPIL)	9	--	1	--	1	3	--	--	--
POLYCHAETA - ONUPHIDAE									
CF. MOOREONUMPHIS SP.	17	--	--	--	--	--	--	--	--
DIOPATRA CUPREA	1	--	--	--	--	--	--	--	--
KINBERGONUPHIS SP.	1	--	--	--	--	--	--	--	--
MOOREONUMPHIS PALLIDULA	--	2	--	--	--	--	--	--	--
MOOREONUPHIS SP.	--	--	--	--	--	--	--	--	2
ONUPHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
ONUPHIS SP. A VITTOR	--	--	--	--	--	1	--	--	--
POLYCHAETA - OPHELIIDAE									
ARMANDIA MACULATA	--	--	--	--	--	--	--	2	1
OPHELIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
POLYCHAETA - OWENIIDAE									
GALATHOWENIA OCULATA	32	3	76	1	51	12	1	1	--
OWENIA FUSCIFORMIS	--	1	1	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - ORBINIIDAE									
LEITOSCOLOPLOS FOLIOSUS	2	1	--	--	--	--	--	--	--
LEITOSCOLOPLOS FRAGILIS	--	--	--	--	--	--	--	--	--
LEITOSCOLOPLOS SP.	--	--	12	--	1	--	--	1	1
ORBINIIDAE (LPIL)	--	--	--	--	1	--	--	--	--
SCOLOPLOS RUBRA	--	--	--	--	--	--	--	--	--
SCOLOPLOS SP.	--	--	--	--	--	--	1	--	1
POLYCHAETA - PARAONIDAE									
ARICIDEA (ACMIRA) CF. SP. A VITTOR	--	--	--	--	--	--	4	2	--
ARICIDEA (ACMIRA) SP. A VITTOR	--	--	--	--	--	5	--	--	--
ARICIDEA FAUVELI	--	--	1	--	--	--	--	--	--
ARICIDEA PHILBINAE	1	--	--	--	--	11	--	--	--
ARICIDEA SP.	--	--	--	--	2	--	1	--	--
ARICIDEA TAYLORI	--	--	--	--	--	--	--	--	--
CIRROPHORUS SP.	--	--	--	--	--	--	1	--	2
PARAONIDAE (LPIL)	--	--	--	2	--	--	--	--	2
POLYCHAETA - PHYLLODOCIDAE									
ETEONE HETEROPODA	1	--	--	--	1	--	--	--	--
PHYLLODOCIDAE (LPIL)	--	--	--	--	--	--	1	--	1
POLYCHAETA - POLYNOIDAE									
LEPIDONOTUS VARIABILIS	--	--	--	--	--	--	--	--	--
POLYCHAETA - SABELLIDAE									
CHONE SP.	--	--	1	4	1	--	1	4	3
CHONE SP. A VITTOR	2	1	--	--	--	--	--	--	--
FABRICIINAE (LPIL)	5	--	--	--	1	--	--	--	--
FABRICINUDA TRILOBATA	32	--	4	7	52	40	28	15	6
MEGALOMMA PIGMENTUM	1	1	17	--	1	--	--	1	--
NOTAULAX NUDICOLLIS	--	--	--	1	--	--	--	--	--
PSEUDOPOTAMILLA SP.	--	--	--	--	--	--	--	1	--
SABELLIDAE (LPIL)	--	1	2	--	--	--	--	--	--
SABELLINAE (LPIL)	--	--	--	--	1	--	--	--	--
POLYCHAETA - SIGALIONIDAE									
STHENELAIS SP. A VITTOR	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
POLYCHAETA - SPIONIDAE									
BOCCARDIELLA SP. A VITTOR	--	--	--	3	1	1	--	--	--
CF. DIPOLYDORA SP.	1	--	--	--	--	--	--	--	--
DIPOLYDORA SOCIALIS	8	1	11	8	9	7	--	--	--
MINUSPIO DELTA	--	--	--	--	--	--	--	--	--
MINUSPIO MULTIBRANCHIATA	1	--	1	--	--	--	--	--	--
MINUSPIO SP.	--	--	1	4	5	22	2	--	--
MINUSPIO SP. A VITTOR	1	--	--	--	--	--	--	--	--
PARAPRIONOSPIO SP.	--	--	3	--	--	--	--	--	--
PRIONOSPIO CRISTATA	4	--	--	11	11	10	17	22	26
SPIO PETTIBONEAE	--	--	--	--	--	--	--	2	4
SPIONIDAE (LPIL)	--	--	1	--	3	1	2	--	3
SPIOPHANES SP.	--	--	--	--	--	--	1	--	1
STREBLOSPIO SP.	1	--	--	--	--	--	--	--	--
POLYCHAETA									
CF. POTAMETHUS SP.	--	--	--	--	--	--	--	--	--
ONUPHIDAE/EUNICIDAE (LPIL)	--	--	--	--	--	43	1	2	--
PHOLOIDES DORSIPAPILLATUS	--	--	--	--	--	--	--	--	--
POLYCHAETA (LPIL)	--	--	--	1	9	--	--	--	--
SABELLARIA FLORIDENSIS	--	--	--	--	1	--	2	--	--
SABELLARIA SP.	--	--	--	--	--	--	--	--	--
SABELLARIA SP. A VITTOR	--	--	--	--	3	--	1	--	--
SERPULIDAE (LPIL)	--	--	--	--	1	--	--	--	--
OLIGOCHAETA - TUBIFICIDAE									
DURIDRILUS SP.	25	--	7	--	--	--	--	--	--
DURIDRILUS TARDUS	--	--	--	--	--	--	--	--	--
HETERODRILUS SP.	--	--	--	--	--	--	--	--	3
TECTIDRILUS SP.	--	--	--	--	--	--	--	1	--
TUBIFICIDAE (LPIL)	14	5	19	--	--	6	--	3	1
TUBIFICOIDES SP.	--	--	--	--	--	--	--	--	--
OLIGOCHAETA - ENCHYTRAEIDAE									
ENCHYTRAEIDAE (LPIL)	--	--	--	2	--	--	--	3	24
SIPUNCULA									
SIPUNCULA (LPIL)	--	--	--	--	--	--	--	--	--
ISOPODA - ANTHURIDAE									
AMAKUSANTHURA SIGNATA	--	--	--	4	13	--	--	1	--
AMAKUSANTHURA SP.	--	--	--	--	1	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
AMAKUSANTHURUS MAGNIFICA	--	--	--	--	--	--	--	1	--
XENANTHURA BREVITELSON	2	--	--	--	--	--	--	--	1
ISOPODA - MUNNIDAE									
UROMUNNA REYNOLDSI	--	--	--	2	--	--	1	--	--
UROMUNNA SP.	--	--	--	--	3	--	--	--	--
CRUSTACEA - ISOPODA									
EXOSPHAEROMA SP.	--	--	--	--	2	--	--	--	--
HETEROSEROLIS MGRAYI	--	--	--	--	--	--	--	--	--
AMPHIPODA - AMPELISCIDAE									
AMPELISCA ABDITA	--	--	--	--	--	--	--	--	--
AMPELISCA SP.	7	--	5	11	8	3	9	4	4
CRUSTACEA - AMPHIPODA									
AMPHIPODA (LPIL)	--	1	--	25	8	--	7	--	1
COLOMASTIX IRCINIAE	--	--	--	--	1	--	--	--	--
COLOMASTIX SP.	--	--	--	--	--	--	--	--	--
ERICHTHONIUS BRASILIENSIS	--	--	--	4	3	--	--	--	--
IPHIMEDIA ZORA	--	--	--	--	1	--	--	--	--
LEUCOTHOE CF. SPINICARPA COMPLEX THOMAS	--	--	--	--	2	--	--	--	--
LEUCOTHOE SPINICARPA COMPLEX THOMAS	--	--	--	--	--	--	--	--	--
METATIRON TRIOCELLATUS	--	--	--	--	--	1	--	--	--
AMPHIPODA - AORIDAE									
AORIDAE (LPIL)	11	--	--	21	61	1	9	2	2
BEMLOS MACKINNEYI	--	--	--	--	--	--	1	--	--
BEMLOS SP.	--	--	--	1	--	--	--	--	--
CF. GLOBOSOLEMBOS SMITHI	--	--	--	--	--	--	--	--	--
GLOBOSOLEMBOS SMITHI	--	--	--	1	--	--	--	--	--
GRANDIDIERELLA BONNIEROIDES	1	--	--	--	--	--	--	--	--
LEMBOS UNIFASCIATUS	--	--	--	--	--	--	--	--	--
AMPHIPODA - COROPHIIDAE									
APOCOROPHIUM LOUISIANUM	--	--	--	--	--	--	--	--	--
APOCOROPHIUM SP.	--	--	--	--	13	--	1	--	--
COROPHIIDAE (LPIL)	22	1	--	--	8	--	--	--	--
LATICOROPHIUM BACONI	--	--	--	--	--	--	--	--	--
MONOCOROPHIUM SP.	31	--	--	22	--	2	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--	--	12	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
AMPHPODA - ISCHYROCERIDAE									
CERAPUS SP.	--	--	1	--	1	--	--	--	--
CERAPUS SP. B LECROY	--	--	--	--	1	--	--	--	--
ISCHYROCERIDAE (LPIL)	--	--	--	--	--	--	--	--	2
AMPHIPODA - LILLJEBORGIIDAE									
LISTRIELLA BARNARDI	--	--	--	--	--	--	--	1	--
LISTRIELLA SP.	--	--	--	--	--	2	--	--	--
AMPHIPODA - OEDICEROTIDAE									
OEDICEROTIDAE (LPIL)	--	--	--	--	1	--	--	--	--
AMPHIPODA - MELITIDAE									
MELITA NITIDA	--	--	--	--	--	--	--	--	--
MELITA NITIDA COMPLEX LECROY	--	--	--	--	--	--	--	--	--
MELITIDAE (LPIL)	--	--	--	--	1	--	--	--	--
AMPHIPODA - PHOXOCEPHALIDAE									
METHARPINIA FLORIDANA	--	--	--	--	1	--	--	--	--
AMPHIPODA - PLATYISCHNOPIDAE									
PLATYISCHNOPIDAE (LPIL)	--	--	--	--	--	--	--	1	--
CRUSTACEA - DECAPODA									
BRACHYURA (LPIL)	--	--	--	--	--	--	--	--	2
CARIDEA (LPIL)	--	--	--	--	2	--	--	--	--
DECAPODA (LPIL)	--	--	--	--	4	--	--	--	--
DIOGENIDAE (LPIL)	--	--	--	--	--	--	--	--	--
EBALIA CARIOSA	--	--	--	1	--	--	--	--	--
LEPTOCHELA SP.	--	--	--	--	--	--	1	--	--
PALAEMONIDAE (LPIL)	--	--	--	--	--	--	--	--	--
PILUMNUS SP.	--	--	--	--	--	--	--	--	--
XANTHOIDEA (LPIL)	--	--	--	--	--	--	--	--	--
DECAPODA - ALPHEIDAE									
ALPHEIDAE (LPIL)	--	--	--	--	--	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
DECAPODA - MAJIDAE									
MAJIDAE (LPIL)	--	--	--	--	1	--	--	--	--
DECAPODA - OGYRIDIDAE									
OGYRIDES ALPHAEROSTRIS	--	--	--	--	--	--	--	--	--
DECAPODA - PAGURIDAE									
PAGURISTES SP.	--	--	--	1	8	--	--	1	--
DECAPODA - PINNOTHERIDAE									
CF PINNIXA SP.	--	--	--	--	--	--	--	--	1
CF. PINNOTHERIDAE (LPIL)	--	--	--	--	1	--	--	--	--
PINNIXA SP.	--	--	--	--	--	3	1	4	--
PINNOTHERIDAE (LPIL)	--	--	--	--	--	3	--	--	--
DECAPODA - PORCELLANIDAE									
PETROLISTHES SP.	--	--	--	--	1	--	--	--	--
DECAPODA - XANTHIDAE									
RHITHROPANOPEUS HARRISII	1	--	--	--	--	--	--	--	--
XANTHIDAE (LPIL)	--	--	--	1	1	--	--	--	--
CRUSTACEA - CUMACEA									
CUMACEA (LPIL)	--	--	1	--	--	--	--	--	--
CYCLASPIS PLATYMERUS	--	--	--	--	--	--	--	--	1
CYCLASPIS PUSTALATA	--	--	--	--	--	--	--	--	--
CYCLASPIS SP.	--	--	--	--	1	--	--	1	3
CYCLASPIS VARIANS	2	1	6	--	--	--	--	--	--
LEUCON AMERICANUS	--	--	--	--	--	--	--	--	--
LEUCON SP.	--	--	--	--	--	--	--	--	--
NANNASTACIDAE (LPIL)	--	--	--	--	1	--	--	--	--
OXYUROSTYLIS SMITHI	--	--	2	--	2	--	--	--	--
OXYUROSTYLIS SP.	--	--	--	--	--	--	1	1	1
CRUSTACEA - AMPHIPODA - CAPRELLIDEA									
CAPRELLIDAE (LPIL)	1	--	--	--	--	--	--	--	--
PARACAPRELLA TENUIS	--	--	--	--	3	--	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
CRUSTACEA - TANAIDACEA									
KALLIAPSEUDES MACSWEENYI	--	--	2	--	--	--	1	--	--
LEPTOCHELIIDAE (LPIL)	--	--	--	--	15	--	--	--	--
PSEUDONOTOTANAIS SP.	--	--	--	--	--	--	--	--	--
PSEUDONOTOTANAIS SP. A HEARD	--	--	--	--	--	--	--	--	--
PSEUDONOTOTANAIS SP. B HEARD	11	--	--	2	--	--	--	--	--
CRUSTACEA - SESSILIA									
BALANUS SP.	2	--	--	--	--	--	--	--	--
ARACHNIDA - ACARIFORMES									
ACARIFORMES (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA - GASTROPODA									
ANACHIS OBESA	--	--	--	--	--	1	--	--	--
CAECUM PULCHELLUM	--	--	--	--	1	--	--	--	--
CALYPTREA CENTRALIS	--	--	--	--	--	--	--	--	--
CF. MANGELIA SP.	--	--	--	--	--	--	--	--	--
COLUMBELLIDAE (LPIL)	--	--	--	--	1	--	--	--	--
CREPIDULA PLANA	6	1	--	--	2	--	--	--	--
CREPIDULA SP.	1	--	--	--	--	--	--	--	--
DENTIMARGO AUREOCINCTUS	--	--	--	--	--	--	--	--	--
GASTROPODA (LPIL)	--	--	1	--	1	--	--	--	--
MELANELLA SP.	--	--	--	--	--	--	--	--	--
MITRELLA LUNATA	1	--	--	--	--	--	--	--	--
OLIVELLA PERPLEXA	--	--	--	--	--	--	--	--	1
PARVANACHIS OBESA	--	--	--	--	2	--	--	--	--
PLEUROCERA SP.	--	--	--	--	--	--	--	--	--
RISSOINA CANCELLATA	--	--	--	--	4	--	--	--	--
THALA FLORIDANA	--	--	--	--	6	--	--	--	--
TROCHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
TURBONILLA CONRADI	--	--	--	--	1	--	--	--	--
VERMICULARIA KNORRII	--	--	--	--	--	--	--	--	--
MOLLUSCA - APLACOPHORA APLACOPHORA									
APLACOPHORA (LPIL)	--	--	--	--	--	--	--	--	--
MOLLUSCA - BIVALVIA									
BIVALVIA (LPIL)	--	--	--	--	2	--	--	--	--
CF. CARDIIDAE (LPIL)	--	--	--	--	--	--	--	--	--
CF. LYONSIA HYALINA FLORIDANA	--	--	--	--	--	--	--	--	1

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	4 A	4 B	4 C	5 A	5 B	5 C	6 A	6 B	6 C
CONTINUED FROM PREVIOUS PAGE									
CF. MACOMA SP.	--	--	--	--	--	--	--	--	--
CHIONE GRUS	--	--	--	--	--	--	--	--	--
CORBULA SP.	--	--	--	2	2	1	--	--	1
CRASSINELLA SP.	--	--	--	--	--	--	--	--	--
CYRENOIDEA FLORIDANA	--	--	--	--	--	--	--	--	--
LYONSIA HYALINA FLORIDANA	--	--	--	1	2	2	--	--	--
MYTILIDAE (LPIL)	--	--	--	--	--	--	--	--	--
NUCULA CRENULATA	--	--	3	--	--	--	--	--	--
NUCULA SP.	--	1	--	--	--	--	--	--	--
NUCULANA ACUTA	--	--	7	--	1	9	--	--	--
NUCULANA SP.	--	--	--	--	--	--	1	--	5
SPHAERIUM SP.	--	--	--	--	7	--	--	--	--
SPHENIA ANTILLENSIS	--	--	--	--	--	--	1	--	--
TAGELUS SP.	--	--	--	--	--	1	--	3	2
TELLINA SP.	1	--	3	--	1	--	--	--	--
TELLINIDAE (LPIL)	--	--	--	--	--	--	--	--	1
TRACHYCARDIUM EGMONTIANUM	--	--	--	--	3	--	--	--	--
TRANSENNELLA STIMPSONI	--	--	--	--	--	--	--	--	--
MOLLUSCA - POLYPLACOPHORA									
POLYPLACOPHORA (LPIL)	--	--	--	--	6	--	--	--	--
OTHER MINOR TAXA									
BRACHIOPODA (LPIL)	--	--	--	--	--	1	--	--	--
CHAETOGNATHA (LPIL)	--	--	--	--	--	--	--	--	--
GLOTTIDIA SP.	--	--	--	--	--	--	--	1	--
PHORONIDA (LPIL)	--	4	--	--	--	--	--	--	--
ECHINODERMATA									
AMPHIURIDAE (LPIL)	--	--	1	--	--	3	--	1	--
HOLOTHUROIDEA (LPIL)	--	--	--	--	--	1	--	--	--
OPHIACTIS SAVIGNYI	--	--	--	--	--	--	--	--	--
OPHIOTRICHIDAE (LPIL)	--	--	--	--	--	--	--	--	--
OPHIUROIDEA (LPIL)	--	1	--	1	1	--	1	--	1
CEPHALOCHORDATA									
BRANCHIOSTOMA SP	--	--	--	--	--	--	1	--	--
CEPHALOCHORDATA (LPIL)	--	--	--	--	--	--	--	1	--
TOTAL NUMBER OF ORGANISMS	299	56	268	213	850	337	143	134	156
NUMBER OF TAXA	48	22	34	41	88	41	42	41	46

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION	STATION REPLICATE	7 A	7 B	7 C
PORIFERA				
PORIFERA (LPIL)		--	--	--
CNIDARIA				
ACTINIARIA (LPIL)		1	--	--
ANTHOZOA (LPIL)		--	6	--
HYDRIDAE (LPIL)		--	--	--
HYDROZOA (LPIL)		1	--	--
SCLERACTINIA (LPIL)		--	--	--
PLATYHELMINTHES - TURBELLARIA				
CF. TURBELLARIA (LPIL)		--	--	--
NEMERTEA				
NEMERTEA (LPIL)		1	4	1
NEMERTEA SP. A (LPIL)		6	--	--
NEMERTEA SP. B (LPIL)		--	2	--
NEMERTEA SP. C (LPIL)		--	--	--
ANNELIDA				
ANNELIDA (LPIL)		--	--	--
POLYCHAETA - AMPHARETIDAE				
AMPHARETIDAE (LPIL)		--	--	--
ISOLDA PULCHELLA		--	--	--
MELINNA SP.		--	3	--
POLYCHAETA - CAPITELLIDAE				
MEDIOMASTUS AMBISETA		--	1	--
MEDIOMASTUS SP.		10	1	1
POLYCHAETA - CIRRATULIDAE				
APHELOCHAETA SP.		11	--	--
CAULLERIELLA SP.		5	--	--
CHAETOZONE SP.		1	--	--
CIRRATULIDAE (LPIL)		6	3	--
MONTICELLINA DORSOBRANCHIALIS		2	--	--
THARYX OCUTUS		--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - GLYCERIDAE			
GLYCERA AMERICANA	--	--	--
GLYCERA SP. C VITTOR	--	--	--
POLYCHAETA - GONIADIDAE			
GLYCINDE SOLITARIA	--	--	--
GONIADIDES CAROLINAE	--	15	8
POLYCHAETA - HESIONIDAE			
PODARKEOPSIS LEVIFUSCINA	5	--	--
POLYCHAETA - LUMBRINERIDAE			
LUMBRINERIS SP.	17	2	--
LUMBRINERIS VERRILLI	--	2	3
POLYCHAETA - MAGELONIDAE			
MAGELONA SP. I VITTOR	1	--	--
POLYCHAETA - MALDANIDAE			
AXIOTHELLA SP.	46	1	--
AXIOTHELLA SP. A VITTOR	--	--	--
CF. AXIOTHELLA SP.	--	--	--
CLYMENELLA TORQUATA	--	--	--
MALDANIDAE (LPIL)	11	--	--
POLYCHAETA - SYLLIDAE			
AUTOLYTINAE (LPIL)	--	--	--
AUTOLYTUS SP.	--	5	--
AUTOLYTUS SP. A VITTOR	--	--	--
BRANCHIOSYLLIS EXILIS	--	12	--
BRANCHIOSYLLIS OCULATA	--	42	--
CF. PARAPIONOSYLLIS FLORIDANA	--	--	--
EXOGONE PSEUDOLOUREI	--	--	--
EXOGONE SP.	--	32	--
EXOGONINAE (LPIL)	--	3	--
GRUBEOSYLLIS CF. CLAVATA	--	--	--
GRUBEOSYLLIS SP.	--	--	--
HAPLOSYLLIS SPONGICOLA COMPLEX	--	111	--
ODONTOSYLLIS ENOPLA	--	--	--
OPISTHODONTA SP. A VITTOR	--	1	--
PETTIBONEIA BLAKEI	3	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A		7 B		7 C	
CONTINUED FROM PREVIOUS PAGE						
PROCERAEA SP.	--		3		--	
SPHAEROSYLLIS ACICULATA		2	--		--	
SPHAEROSYLLIS PERKINSI	--		--		--	
SPHAEROSYLLIS SP.	--		4			4
SPHAEROSYLLIS TAYLORI	--		--		--	
STREPTOSYLLIS PETTIBONEAE	--		--		--	
SYLLIDAE (LPIL)	--		--		--	
SYLLINAE (LPIL)	--		3			1
SYLLIS GRACILIS	--		--		--	
SYLLIS SP.	--		--		--	
POLYCHAETA - NEREIDIDAE						
NEREIDIDAE (LPIL)		1	--		--	
NEREIS MICROMMA		2	--		--	
NEREIS SP.	--		--		--	
NERIES GRAYI	--		--		--	
PLATYNEREIS DUMERILII	--		--		--	
STENINONEREIS MARTINI	--		--		--	
POLYCHAETA - TEREBELLIDAE						
EUPOLYMNIA SP.	--		1		--	
LOIMIA MEDUSA	--		2		--	
LYSILLA SP.	--		3		--	
TEREBELLIDAE (LPIL)	--		1		--	
POLYCHAETA - ONUPHIDAE						
CF. MOOREONUMPHIS SP.	--		--		--	
DIOPATRA CUPREA	--		--		--	
KINBERGONUPHIS SP.	--		--		--	
MOOREONUMPHIS PALLIDULA	--		--		--	
MOOREONUPHIS SP.	--		--		--	
ONUPHIDAE (LPIL)		1		1	--	
ONUPHIS SP. A VITTOR	--		--		--	
POLYCHAETA - OPHELIIDAE						
ARMANDIA MACULATA		1	--			1
OPHELIIDAE (LPIL)	--		1		--	
POLYCHAETA - OWENIIDAE						
GALATHOWENIA OCULATA	--		2			2
OWENIA FUSCIFORMIS		1	--		--	

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - ORBINIIDAE			
LEITOSCOLOPLOS FOLIOSUS	4	--	--
LEITOSCOLOPLOS FRAGILIS	--	--	--
LEITOSCOLOPLOS SP.	--	1	--
ORBINIIDAE (LPIL)	--	1	--
SCOLOPLOS RUBRA	4	--	--
SCOLOPLOS SP.	--	--	--
POLYCHAETA - PARAONIDAE			
ARICIDEA (ACMIRA) CF. SP. A VITTOR	--	--	--
ARICIDEA (ACMIRA) SP. A VITTOR	--	--	1
ARICIDEA FAUVELI	--	--	--
ARICIDEA PHILBINAE	--	--	--
ARICIDEA SP.	5	--	--
ARICIDEA TAYLORI	4	2	--
CIRROPHORUS SP.	6	4	--
PARAONIDAE (LPIL)	--	--	--
POLYCHAETA - PHYLLODOCIDAE			
ETEONE HETEROPODA	1	--	--
PHYLLODOCIDAE (LPIL)	--	--	1
POLYCHAETA - POLYNOIDAE			
LEPIDONOTUS VARIABILIS	--	1	--
POLYCHAETA - SABELLIDAE			
CHONE SP.	--	10	10
CHONE SP. A VITTOR	--	--	--
FABRICIINAE (LPIL)	--	1	--
FABRICINUDA TRILOBATA	--	4	6
MEGALOMMA PIGMENTUM	1	--	--
NOTAULAX NUDICOLLIS	--	--	--
PSEUDOPOTAMILLA SP.	--	--	--
SABELLIDAE (LPIL)	--	--	--
SABELLINAE (LPIL)	--	2	--
POLYCHAETA - SIGALIONIDAE			
STHENELAIS SP. A VITTOR	1	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
POLYCHAETA - SPIONIDAE			
BOCCARDIELLA SP. A VITTOR	--	--	--
CF. DIPOLYDORA SP.	--	--	--
DIPOLYDORA SOCIALIS	--	35	--
MINUSPIO DELTA	10	--	--
MINUSPIO MULTIBRANCHIATA	--	--	--
MINUSPIO SP.	3	--	--
MINUSPIO SP. A VITTOR	--	--	--
PARAPRIONOSPIO SP.	--	--	--
PRIONOSPIO CRISTATA	9	25	7
SPIO PETTIBONEAE	--	--	--
SPIONIDAE (LPIL)	--	1	--
SPIOPHANES SP.	--	--	--
STREBLOSPIO SP.	--	--	--
POLYCHAETA			
CF. POTAMETHUS SP.	--	5	--
ONUPHIDAE/EUNICIDAE (LPIL)	--	--	--
PHOLOIDES DORSIPAPILLATUS	--	1	--
POLYCHAETA (LPIL)	--	--	--
SABELLARIA FLORIDENSIS	--	2	--
SABELLARIA SP.	--	29	--
SABELLARIA SP. A VITTOR	--	--	--
SERPULIDAE (LPIL)	--	--	--
OLIGOCHAETA - TUBIFICIDAE			
DURIDRILUS SP.	--	--	--
DURIDRILUS TARDUS	--	2	--
HETERODRILUS SP.	--	--	--
TECTIDRILUS SP.	--	--	--
TUBIFICIDAE (LPIL)	25	1	2
TUBIFICOIDES SP.	--	--	1
OLIGOCHAETA - ENCHYTRAEIDAE			
ENCHYTRAEIDAE (LPIL)	--	3	--
SIPUNCULA			
SIPUNCULA (LPIL)	3	--	--
ISOPODA - ANTHURIDAE			
AMAKUSANTHURA SIGNATA	--	19	--
AMAKUSANTHURA SP.	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
AMAKUSANTHURUS MAGNIFICA	--	--	--
XENANTHURA BREVITELSON	--	--	--
ISOPODA - MUNNIDAE			
UROMUNNA REYNOLDSI	--	2	1
UROMUNNA SP.	--	--	--
CRUSTACEA - ISOPODA			
EXOSPHAEROMA SP.	--	--	--
HETEROSEROLIS MGRAYI	--	--	1
AMPHIPODA - AMPELISCIDAE			
AMPELISCA ABDITA	--	--	--
AMPELISCA SP.	1	6	4
CRUSTACEA - AMPHIPODA			
AMPHIPODA (LPIL)	--	7	1
COLOMASTIX IRCINIAE	--	--	--
COLOMASTIX SP.	--	3	--
ERICHTHONIUS BRASILIENSIS	--	--	--
IPHIMEDIA ZORA	--	--	--
LEUCOTHOE CF. SPINICARPA COMPLEX THOMAS	--	--	--
LEUCOTHOE SPINICARPA COMPLEX THOMAS	--	8	--
METATIRON TRIOCELLATUS	--	--	--
AMPHIPODA - AORIDAE			
AORIDAE (LPIL)	--	4	--
BEMLOS MACKINNEYI	--	--	--
BEMLOS SP.	--	--	--
CF. GLOBOSOLEMBOS SMITHI	--	1	--
GLOBOSOLEMBOS SMITHI	--	--	--
GRANDIDIERELLA BONNIEROIDES	--	--	--
LEMBOS UNIFASCIATUS	--	3	--
AMPHIPODA - COROPHIIDAE			
APOCOROPHIUM LOUISIANUM	--	--	--
APOCOROPHIUM SP.	--	--	--
COROPHIIDAE (LPIL)	--	--	--
LATICOROPHIUM BACONI	--	1	--
MONOCOROPHIUM SP.	--	--	--
MONOCOROPHIUM TUBERCULATUM	--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
AMPHPODA - ISCHYROCERIDAE			
CERAPUS SP.	--	--	--
CERAPUS SP. B LECROY	--	--	--
ISCHYROCERIDAE (LPIL)	--	--	--
AMPHIPODA - LILLJEBORGIIDAE			
LISTRIELLA BARNARDI	--	--	--
LISTRIELLA SP.	--	--	--
AMPHIPODA - OEDICEROTIDAE			
OEDICEROTIDAE (LPIL)	--	--	--
AMPHIPODA - MELITIDAE			
MELITA NITIDA	--	--	--
MELITA NITIDA COMPLEX LECROY	--	--	--
MELITIDAE (LPIL)	1	--	--
AMPHIPODA - PHOXOCEPHALIDAE			
METHARPINIA FLORIDANA	--	--	--
AMPHIPODA - PLATYISCHNOPIDAE			
PLATYISCHNOPIDAE (LPIL)	1	--	--
CRUSTACEA - DECAPODA			
BRACHYURA (LPIL)	--	--	--
CARIDEA (LPIL)	--	--	--
DECAPODA (LPIL)	--	1	--
DIOGENIDAE (LPIL)	--	3	2
EBALIA CARIOSA	--	1	--
LEPTOCHELA SP.	--	--	--
PALAEMONIDAE (LPIL)	--	--	--
PILUMNUS SP.	--	3	--
XANTHOIDEA (LPIL)	--	2	--
DECAPODA - ALPHEIDAE			
ALPHEIDAE (LPIL)	--	1	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION	STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE				
DECAPODA - MAJIDAE				
MAJIDAE (LPIL)		--	--	--
DECAPODA - OGYRIDIDAE				
OGYRIDES ALPHAEROSTRIS		--	--	--
DECAPODA - PAGURIDAE				
PAGURISTES SP.		--	--	--
DECAPODA - PINNOTHERIDAE				
CF PINNIXA SP.		--	--	--
CF. PINNOTHERIDAE (LPIL)		--	--	--
PINNIXA SP.		--	--	--
PINNOTHERIDAE (LPIL)		--	--	--
DECAPODA - PORCELLANIDAE				
PETROLISTHES SP.		--	--	--
DECAPODA - XANTHIDAE				
RHITHROPANOPEUS HARRISII		--	--	--
XANTHIDAE (LPIL)		--	--	--
CRUSTACEA - CUMACEA				
CUMACEA (LPIL)		--	1	--
CYCLASPIS PLATYMERUS		--	--	--
CYCLASPIS PUSTALATA		1	--	--
CYCLASPIS SP.		--	--	--
CYCLASPIS VARIANS		--	--	--
LEUCON AMERICANUS		--	--	--
LEUCON SP.		--	--	--
NANNASTACIDAE (LPIL)		--	--	2
OXYUROSTYLIS SMITHI		--	--	--
OXYUROSTYLIS SP.		--	--	--
CRUSTACEA - AMPHIPODA - CAPRELLIDEA				
CAPRELLIDAE (LPIL)		--	--	--
PARACAPRELLA TENUIS		--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION	STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE				
CRUSTACEA - TANAIDACEA				
KALLIAPSEUDES MACSWEENYI		--	--	--
LEPTOCHELIIDAE (LPIL)		--	--	--
PSEUDONOTOTANAIS SP.		--	5	--
PSEUDONOTOTANAIS SP. A HEARD		--	1	--
PSEUDONOTOTANAIS SP. B HEARD		--	--	--
CRUSTACEA - SESSILIA				
BALANUS SP.		--	--	--
ARACHNIDA - ACARIFORMES				
ACARIFORMES (LPIL)		--	1	--
MOLLUSCA - GASTROPODA				
ANACHIS OBESA		--	--	--
CAECUM PULCHELLUM		--	--	--
CALYPTREA CENTRALIS		--	7	1
CF. MANGELIA SP.		--	1	--
COLUMBELLIDAE (LPIL)		--	--	--
CREPIDULA PLANA		--	--	--
CREPIDULA SP.		--	--	--
DENTIMARGO AUREOCINCTUS		--	1	--
GASTROPODA (LPIL)		--	1	--
MELANELLA SP.		--	1	--
MITRELLA LUNATA		--	--	--
OLIVELLA PERPLEXA		--	1	--
PARVANACHIS OBESA		1	--	--
PLEUROCERA SP.		--	3	--
RISSOINA CANCELLATA		--	--	--
THALA FLORIDANA		--	--	--
TROCHIDAE (LPIL)		--	--	1
TURBONILLA CONRADI		--	2	--
VERMICULARIA KNORRII		--	4	--
MOLLUSCA - APLACOPHORA APLACOPHORA				
APLACOPHORA (LPIL)		1	--	--
MOLLUSCA - BIVALVIA				
BIVALVIA (LPIL)		1	--	--
CF. CARDIIDAE (LPIL)		--	4	--
CF. LYONSIA HYALINA FLORIDANA		--	--	--

CROSS FLORIDA BARGE CANAL PETITE PONAR SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 6, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	7 A	7 B	7 C
CONTINUED FROM PREVIOUS PAGE			
CF. MACOMA SP.	--	1	--
CHIONE GRUS	--	4	--
CORBULA SP.	--	1	--
CRASSINELLA SP.	--	2	--
CYRENOIDEA FLORIDANA	--	1	--
LYONSIA HYALINA FLORIDANA	--	2	1
MYTILIDAE (LPIL)	--	1	--
NUCULA CRENULATA	--	7	--
NUCULA SP.	--	--	--
NUCULANA ACUTA	--	--	--
NUCULANA SP.	8	15	--
SPHAERIUM SP.	--	4	--
SPHENIA ANTILLENSIS	--	--	--
TAGELUS SP.	--	--	1
TELLINA SP.	4	1	--
TELLINIDAE (LPIL)	--	--	--
TRACHYCARDIUM EGMONTIANUM	--	1	--
TRANSENNELLA STIMPSONI	--	2	1
MOLLUSCA - POLYPLACOPHORA			
POLYPLACOPHORA (LPIL)	--	2	--
OTHER MINOR TAXA			
BRACHIOPODA (LPIL)	--	--	--
CHAETOGNATHA (LPIL)	--	1	1
GLOTTIDIA SP.	--	--	--
PHORONIDA (LPIL)	--	--	--
ECHINODERMATA			
AMPHIURIDAE (LPIL)	--	1	--
HOLOTHUROIDEA (LPIL)	--	2	--
OPHIACTIS SAVIGNYI	--	1	--
OPHIOTRICHIDAE (LPIL)	--	1	--
OPHIUROIDEA (LPIL)	--	--	--
CEPHALOCHORDATA			
BRANCHIOSTOMA SP	--	1	--
CEPHALOCHORDATA (LPIL)	--	--	--
TOTAL NUMBER OF ORGANISMS	230	546	66
NUMBER OF TAXA	44	97	27

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON NOVEMBER 2, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / SAMPLE ID. SITE-REPLICATE DATE	PE-HP-01D 110207	PE-HP-01E 110207	PE-HP-02D 110207	PE-HP-02E 110207	PE-HP-03D 110207	PE-HP-03E 110207
POLYCHAETA - CAPITELLIDAE						
CAPITELLA CAPITATA	--	--	--	--	--	1
MEDIOMASTUS SP.	--	--	--	--	1	--
POLYCHAETA - NEREIDIDAE						
LAEONEREIS CULVERI	--	1	1	--	--	--
NEANTHES SUCCINEA	1	1	1	--	1	1
PLATYNEREIS DUMERILII	1	1	--	--	--	--
POLYCHAETA - PHYLLODOCIDAE						
PHYLLODOCE SP.	--	--	--	1	1	1
POLYCHAETA - SABELLIDAE						
SABELLIDAE (LPIL)	--	1	--	--	--	--
POLYCHAETA - SPIONIDAE						
BOCCARDIELLA SP.	--	1	--	1	1	--
DIPOLYDORA SOCIALIS	--	--	--	--	1	--
DIPOLYDORA SP.	--	--	--	--	--	1
DIPOLYDORA SP. A	--	--	--	--	1	--
STREBLOSPIO SP.	--	1	--	--	1	1
OLIGOCHAETA - TUBIFICIDAE - NAIDINAE						
PARANAIS LITORALIS	1	--	--	--	--	--
OLIGOCHAETA - TUBIFICIDAE						
MONOPYLEPHORUS RUBRONIVEUS	--	--	1	1	--	1
TUBIFICIDAE (LPIL)	--	1	--	--	1	--
CRUSTACEA - ISOPODA						
CASSIDINIDEA OVALIS	1	1	--	1	--	--
CIROLANA PARVA	1	1	1	1	--	--
LIGIA EXOTICA	--	--	--	--	--	1
CRUSTACEA - AMPHIPODA						
TALITRIDAE (LPIL)	--	1	--	1	--	--

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON NOVEMBER 2, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / SAMPLE ID. SITE-REPLICATE DATE	PE-HP-01D 110207	PE-HP-01E 110207	PE-HP-02D 110207	PE-HP-02E 110207	PE-HP-03D 110207	PE-HP-03E 110207
CONTINUED FROM PREVIOUS PAGE						
AMPHIPODA - COROPHIIDAE						
APOCOROPHIUM LOUISIANUM	1	1	--	1	--	--
AMPHIPODA - MELITIDAE						
MELITA SP.	--	--	--	1	1	1
CRUSTACEA - DECAPODA						
ARMASES CINEREUM	1	1	1	1	1	--
PANOPEUS HERBSTII	--	--	1	1	1	1
PANOPEUS OBESA	--	--	--	--	1	1
PETROLISTHES ARMATUS	--	--	--	--	1	1
SESARMA RETICULATUM	--	--	1	--	--	--
UCA SP.	--	1	1	1	1	1
DECAPODA - XANTHIDAE						
RHITHROPANOPEUS HARRISII	1	1	1	1	1	1
CRUSTACEA - TANAIDACEA						
APSEUDOMORPHA (LPIL)	--	--	--	--	1	--
LEPTOCHELIIDAE (LPIL)	--	--	--	1	1	--
CRUSTACEA - SESSILIA						
BALANUS SP.	--	--	1	1	1	1
CHTHAMALUS FRAGILIS	1	1	1	1	1	1
ARACHNIDA - ACARIFORMES						
ORIBATIDA (LPIL)	--	1	--	--	--	--
INSECTA - DIPTERA - CHIRONOMIDAE						
CLUNIO SP.	--	--	--	--	1	--
DICROTENDIPES LOBUS	1	1	1	1	--	--
INSECTA - COLLEMBOLA						
ANURIDA MARITIMA	1	1	--	1	--	--
MOLLUSCA - GASTROPODA						
HYDROBIIDAE (LPIL)	--	1	--	--	--	--
MELANOIDES TURRICULA	--	1	--	--	--	--

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON NOVEMBER 2, 2007
DATA PROVIDED BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / SAMPLE ID. SITE-REPLICATE DATE	PE-HP-01D 110207	PE-HP-01E 110207	PE-HP-02D 110207	PE-HP-02E 110207	PE-HP-03D 110207	PE-HP-03E 110207
CONTINUED FROM PREVIOUS PAGE						
NERITINA USNEA	1	1	1	1	--	--
MOLLUSCA - BIVALVIA						
ANOMIA SIMPLEX	--	--	--	--	1	--
BRACHIDONTES EXUSTUS	1	1	1	1	1	1
CRASSINELLA SP.	--	--	1	--	--	--
CRASSOSTREA VIRGINICA	--	--	--	--	1	1
GUEKENSIA DEMISSA	--	--	--	1	--	--
ISCHADIUM RECURVUM	--	--	--	1	1	1
MYTILOPSIS LEUCOPHAEATA	1	1	1	1	1	--
SPHENIA ANTILLENSIS	--	--	--	--	1	--
TOTAL NUMBER OF ORGANISMS	14	23	16	22	26	18
NUMBER OF TAXA	14	23	16	22	26	18

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 11, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 D	1 E	2 D	2 E	3 D	3 E
POLYCHAETA - CAPITELLIDAE						
CAPITELLA CAPITATA	--	--	--	--	--	1
MEDIOMASTUS AMBISETA	--	--	--	--	--	1
POLYCHAETA - SYLLIDAE						
SPHAEROSYLLIS SP.	--	--	--	--	--	1
POLYCHAETA - NEREIDIDAE						
NEANTHES SUCCINEA	3	--	2	--	--	--
NEREIDIDAE (LPIL)	--	1	--	--	1	4
POLYCHAETA - SPIONIDAE						
PARAPRIONOSPIO PINNATA	--	--	--	2	--	--
STREBLOSPIO SP.	--	--	--	--	--	4
OLIGOCHAETA - TUBIFICIDAE - NAIDINAE						
PARANAIS LITORALIS	--	--	--	--	--	1
OLIGOCHAETA - TUBIFICIDAE						
TUBIFICIDAE (LPIL)	11	6	--	1	--	1
OLIGOCHAETA - LUMBRICULIDAE						
LUMBRICULIDAE (LPIL)	--	--	--	--	--	1
OLIGOCHAETA - ENCHYTRAEIDAE						
ENCHYTRAEIDAE (LPIL)	1	2	2	--	--	--
SIPUNCULA						
SIPUNCULA (LPIL)	--	--	--	--	--	1
CRUSTACEA - MYSIDA						
AMERICAMYSIS BAHIA	--	1	--	--	--	--
CRUSTACEA - ISOPODA						
CASSIDINIDEA OVALIS	6	6	8	--	--	--
CF. CIROLANA PARVA	1	3	3	--	--	--
LIGIA EXOTICA	--	--	--	--	2	--

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 11, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 D	1 E	2 D	2 E	3 D	3 E
CONTINUED FROM PREVIOUS PAGE						
AMPHIPODA - AORIDAE						
BEMLOS/PLESIOLEMBOS GROUP	--	--	--	--	--	1
AMPHIPODA - COROPHIIDAE						
APOCOROPHIUM LOUISIANUM	15	7	--	--	--	--
COROPHIIDAE (LPIL)	4	--	--	--	--	--
AMPHIPODA - TALITRIDAE						
CHELORCHESTIA FORCEPS	--	1	--	--	--	--
TALITRIDAE (LPIL)	--	10	--	--	--	--
AMPHPODA - ISCHYROCERIDAE						
CF. ISCHYROCERIDAE	--	--	--	--	--	1
AMPHIPODA - MELITIDAE						
MELITA LONGISETOSA	--	--	7	115	--	--
MELITA SP.	--	--	4	35	1	8
MELITIDAE (LPIL)	--	--	--	--	--	1
CRUSTACEA - DECAPODA						
PALAEMONETES PALUDOSUS	2	1	--	--	--	--
UCA SP.	--	--	--	--	--	2
XANTHOIDEA (LPIL)	1	--	--	--	2	6
DECAPODA - PANOPEIDAE						
EURYPANOPEUS DEPRESSUS	--	--	3	26	5	11
PANOPEIDAE (LPIL)	--	3	3	--	1	--
PANOPEUS OBESUS	--	--	--	--	2	1
PANOPEUS SP.	--	--	--	--	6	--
DECAPODA - SESARMIDAE						
SESARMA SP.	--	--	--	7	--	--
SESARMIDAE (LPIL)	--	1	--	--	--	--
DECAPODA - PORCELLANIDAE						
PETROLISTHES ARMATUS	--	--	--	--	--	4
PETROLISTHES SP.	--	--	--	--	6	--

CROSS FLORIDA BARGE CANAL QUALITATIVE SAMPLES
SAMPLES COLLECTED BY CH2MHILL ON DECEMBER 11, 2007
DATA ANALYSIS BY WATER AND AIR RESEARCH INC. GAINESVILLE, FL

RAW DATA

TAXONOMIC CLASSIFICATION / STATION / REPLICATE	1 D	1 E	2 D	2 E	3 D	3 E
CONTINUED FROM PREVIOUS PAGE						
CRUSTACEA - TANAIDACEA						
HARGERIA RAPAX	--	--	--	--	1	1
LEPTOCHELIIDAE (LPIL)	--	--	--	--	4	23
CRUSTACEA - SESSILIA						
BALANOMORPHA (LPIL)	--	--	--	21	--	--
BALANUS SP.	--	--	--	--	7	1
CHTHAMALUS FRAGILIS	28	7	16	11	5	19
CRUSTACEA - CIRRIPEDIA						
LOXOTHYLACUS SP.	--	--	--	--	1	--
INSECTA - DIPTERA - CHIRONOMIDAE						
CHIRONOMIDAE (LPIL)	1	2	--	--	--	--
CLUNIO SP.	--	--	--	--	1	--
DICROTENDIPES LOBUS	3	--	--	--	--	--
INSECTA - DIPTERA - OTHER						
CANACEIDAE (LPIL)	1	--	--	--	--	--
EPHYDRIDAE (LPIL)	--	--	--	--	--	2
INSECTA - COLLEMBOLA						
COLLEMBOLA (LPIL)	--	--	--	--	--	1
HYPOGASTRURIDAE (LPIL)	--	21	--	--	--	--
MOLLUSCA - GASTROPODA						
BOONEA IMPRESSA	--	--	--	--	2	1
HYDROBIIDAE (LPIL)	1	--	--	--	--	--
NERITINA USNEA	4	4	5	19	--	--
PYRGOPHORUS PLATYRACHIS	--	4	--	--	--	--
MOLLUSCA - BIVALVIA						
CF. CORBICULIDAE	--	--	1	--	--	--
CRASSOSTREA VIRGINICA	--	--	--	--	1	--
GEUKENSIA DEMISSA	1	--	2	3	--	--
ISCHADIUM RECURVUM	3	2	5	19	5	--
MYTILIDAE (LPIL)	--	--	--	--	1	--
MYTILOPSIS LEUCOPHAEATA	20	43	9	25	--	--
POLYMESODA CAROLINIANA	2	1	--	--	--	--
TELLINIDAE (LPIL)	--	--	1	--	--	--
TOTAL NUMBER OF ORGANISMS	108	126	71	284	54	98
NUMBER OF TAXA	19	20	15	12	19	25

CH2M Hill IP Data Summary
Event 1
PE-PT-01A-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-01A-DT-101807

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				1	1	JC	Holoplankton		0	1
Copepoda				4	1	JC	Holoplankton		0	4
Blenniidae			IP-1	1	1	MM	Ichthyoplankton	Yolk-sac larvae	0	1
Cirripedia				1	1	JC	Meroplankton		0	1
Palaemonidae	*Palaemonetes sp.*		M-2	37	1	JC	Meroplankton	Zoea	0	37
Panopeidae	*Hexapanopeus sp.*		M-8	3	1	JC	Meroplankton	Zoea	0	3
Panopeidae	*Rhithropanopeus harrisii*		M-1	366	1	JC	Meroplankton	Zoea	0	366
Panopeidae			M-6	2	1	JC	Meroplankton	Megalopae	0	2
Pinnotheridae	*Pinnixa sp.*		M-5	1	1	JC	Meroplankton	Zoea	0	1
Pinnotheridae	*Tumidotheres maculatus*		M-3	3	1	JC	Meroplankton	Zoea	0	3
Sesarmidae	*Armases cinereum*		M-7	3	1	JC	Meroplankton	Zoea	0	3
Sesarmidae	*Armases sp.*		M-4	4	1	JC	Meroplankton	Zoea	0	4
Isopoda				3	1	JC	Pseudoplankton/ Benthos		0	3
									Total	**429**

CH2M Hill IP Data Summary
Event 1
PE-PT-01B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-01B-DT-101807

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				3	1	JC	Holoplankton		0	3
Mysida				1	1	JC	Holoplankton		0	1
Cirripedia				1	1	JC	Meroplankton		0	1
Palaemonidae	*Palaemonetes sp.*		M-6	28	1	JC	Meroplankton	Zoea	0	28
Panopeidae	*Rhithropanopeus harrisii*		M-1	378	1	JC	Meroplankton	Zoea	0	378
Panopeidae			M-5	1	1	JC	Meroplankton	Megalopae	0	1
Pinnotheridae	*Pinnixa cylindrica*		M-3	2	1	JC	Meroplankton	Zoea	0	2
Portunidae	*Callinectes sapidus*		M-2	1	1	JC	Meroplankton	Megalopae	0	1
Sesarmidae	*Armases sp.*		M-4	4	1	JC	Meroplankton	Zoea	0	4
Unidentified shrimp			M-7	1	1	JC	Meroplankton	Zoea	0	1
Isopoda				3	1	JC	Pseudoplankton/ Benthos		0	3
Polychaeta				1	1	JC	Meroplankton		0	1
									Total	**424**

CH2M Hill IP Data Summary
Event 1
PE-PT-02A-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-02A-DT-101807

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				13	1	JC	Holoplankton		0	13
Blenniidae	*Lupinoblennius nicholsi*		IP-2	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae			IP-3	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Luciferidae	*Lucifer faxoni*		M-2	1	1	JC	Meroplankton	Post-larval	0	1
Luciferidae	*Lucifer faxoni*		M-2	7	1	JC	Meroplankton	Adult	0	7
Panopeidae	*Hexapanopeus sp.*		M-5	37	1	JC	Meroplankton	Zoea	0	37
Panopeidae	*Hexapanopeus sp.*		M-5	1	1	JC	Meroplankton	Megalopae	0	1
Panopeidae	*Rhithropanopeus harrisii*		M-1	493	1	JC	Meroplankton	Zoea	0	493
Panopeidae			M-8	1	1	JC	Meroplankton	Megalopae	0	1
Pinnotheridae	*Pinnixa sp.*		M-4	9	1	JC	Meroplankton	Zoea	0	9
Pinnotheridae	*Tumidotheres maculatus*		M-6	1	1	JC	Meroplankton	Zoea	0	1
Porcellanidae	*Polyonyx gibbesi*		M-3	8	1	JC	Meroplankton	Zoea	0	8
Sesarmidae	*Armases cinereum*		M-7	5	1	JC	Meroplankton	Megalopae	0	5
Unidentified shrimp			M-9	12	1	JC	Meroplankton	Zoea	0	12
									Total	**593**

CH2M Hill IP Data Summary
Event 1
PE-PT-02B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-02B-DT-101807

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				2	1	MN	Holoplankton		0	2
Achiridae	*Achirus lineatus*		IP-2	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma robustum*		IP-3	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Hippolytidae	*Thor sp.*		M-7	3	1	MN	Meroplankton	Zoea	0	3
Luciferidae	*Lucifer faxoni*		M-1	5	1	MN	Meroplankton	Adult	0	5
Palaemonidae	*Palaemonetes sp.*		REF	1	1	MN	Meroplankton	Zoea	0	1
Palaemonidae	*Palaemonetes sp.*		REF	1	1	MN	Meroplankton	Post-larval	0	1
Panopeidae	*Eurypanopeus depressus*		REF	6	1	MN	Meroplankton	Zoea	0	6
Panopeidae	*Hexapanopeus angustifrons*		REF	4	1	MN	Meroplankton	Zoea	0	4
Panopeidae	*Hexapanopeus angustifrons*		REF	1	1	MN	Meroplankton	Megalopae	0	1
Panopeidae	*Panopeus sp.*		M-6	3	1	MN	Meroplankton	Megalopae	0	3
Panopeidae	*Rhithropanopeus harrisii*		M-2	268	1	MN	Meroplankton	Zoea	0	268
Pinnotheridae	*Pinnixa sp.*		M-4	13	1	MN	Meroplankton	Zoea	0	13
Pinnotheridae	*Tumidotheres maculatus*		REF	1	1	MN	Meroplankton	Zoea	0	1
Porcellanidae	*Polyonyx gibbesi*		M-5	4	1	MN	Meroplankton	Zoea	0	4
Sesarmidae	*Armases sp.*		M-3	1	1	MN	Meroplankton	Zoea	0	1
Sesarmidae	*Armases sp.*		M-3	5	1	MN	Meroplankton	Megalopae	0	5
Unidentfied shrimp			M-8	11	1	MN	Meroplankton	Post-larval	0	11
Amphipoda				1	1	MN	Pseudoplankton/ Benthos		0	1
Isopoda				2	1	MN	Pseudoplankton/ Benthos		0	2
									Total	**337**

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03A-DT-101807

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				4	1	MN	Holoplankton		0	4
Copepoda				50	1	MN	Holoplankton		0	50
Blenniidae	*Chasmodes saburrae*		IP-1	2	1	MM	Ichthyoplankton	Yolk-sac larvae	0	2
Blenniidae	*Chasmodes saburrae*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma robustum*		IP-2	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Anomura			M-15	1	1	MN	Meroplankton	Post-larval	4	4
Brachyura			M-13	1	1	MN	Meroplankton	Megalopae	4	4
Hippolytidae	*Hippolyte sp.*		M-12	2	1	MN	Meroplankton	Post-larval	4	8
Hippolytidae	*Thor sp.*		M-7	16	1	MN	Meroplankton	Zoea	4	64
Loliginidae	*Lolliguncula brevis*		M-1	1	1	MN	Meroplankton	Juvenile	0	1
Luciferidae	*Lucifer faxoni*		M-2	30	1	MN	Meroplankton	Adult	4	120
Palaemonidae	*Palaemonetes sp.*		M-8	5	1	MN	Meroplankton	Zoea	4	20
Panopeidae	*Hexapanopeus angustifrons*		M-9	2	1	MN	Meroplankton	Megalopae	4	8
Panopeidae	*Panopeus sp.*		M-6	46	1	MN	Meroplankton	Zoea	4	184
Panopeidae	*Panopeus sp.*		M-6	24	1	MN	Meroplankton	Megalopae	4	96
Panopeidae	*Rhithropanopeus harrisii*		M-5	150	1	MN	Meroplankton	Zoea	4	600
Pinnotheridae	*Pinnixa sp.*		M-4	32	1	MN	Meroplankton	Zoea	4	128
Porcellanidae	*Polyonyx gibbesi*		M-3	4	1	MN	Meroplankton	Zoea	4	16
Sesarmidae	*Armases sp.*		M-14	27	1	MN	Meroplankton	Megalopae	4	108
Unidentified shrimp			M-10	10	1	MN	Meroplankton	Post-larval	4	40
Upogebiidae	*Upogebia affinis*		M-11	1	1	MN	Meroplankton	Zoea	4	4
Amphipoda				7	1	MN	Pseudoplankton/ Benthos		0	7
Branchiura				1	1	MN	Pseudoplankton/ Benthos		0	1
Gastropoda				1	1	MN	Meroplankton		0	1
Isopoda				5	1	MN	Pseudoplankton/ Benthos		0	5
Polychaeta				4	1	MN	Meroplankton		0	4
									Total	**1482**

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03B-DT-101807

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				1	1	MN	Holoplankton		0	1
Copepoda				142	1	MN	Holoplankton		0	142
Mysida				1	1	MN	Holoplankton		0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae	*Lupinoblennius nicholsi*		IP-1	2	1	MM	Ichthyoplankton	Yolk-sac larvae	0	2
Blenniidae			IP-2	3	1	MM	Ichthyoplankton	Yolk-sac larvae	0	3
Engraulidae			IP-4	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma robustum*		IP-3	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Perciformes			IP-5	1	1	MM	Ichthyoplankton		0	1
Brachyura			M-12	3	1	MN	Meroplankton	Megalopae	4	12
Cirripedia				5	1	MN	Meroplankton		0	5
Hippolytidae	*Hippolyte sp.*		M-6	2	1	MN	Meroplankton	Zoea	4	8
Hippolytidae	*Hippolyte sp.*		M-6	3	1	MN	Meroplankton	Post-larval	4	12
Hippolytidae	*Lysmata sp.*		M-8	1	1	MN	Meroplankton	Zoea	4	4
Hippolytidae	*Thor sp.*		M-7	14	1	MN	Meroplankton	Zoea	4	56
Luciferidae	*Lucifer faxoni*		M-1	33	1	MN	Meroplankton	Adult	4	132
Ocypodidae	*Uca sp.*		M-9	1	1	MN	Meroplankton	Zoea	4	4
Ocypodidae	*Uca sp.*		M-9	22	1	MN	Meroplankton	Megalopae	4	88
Palaemonidae	*Palaemonetes sp.*		M-3	4	1	MN	Meroplankton	Zoea	4	16
Panopeidae	*Panopeus sp.*		M-11	56	1	MN	Meroplankton	Zoea	4	224
Panopeidae	*Panopeus sp.*		M-11	31	1	MN	Meroplankton	Megalopae	4	124
Panopeidae	*Rhithropanopeus harrisii*		M-5	71	1	MN	Meroplankton	Zoea	4	284
Pinnotheridae	*Pinnixa sp.*		REF	56	1	MN	Meroplankton	Zoea	4	224
Pinnotheridae			REF	1	1	MN	Meroplankton	Zoea	4	4
Porcellanidae	*Polyonyx gibbesi*		M-4	5	1	MN	Meroplankton	Zoea	4	20
Sergestoidea			M-2	4	1	MN	Meroplankton	Zoea	4	16
Unidentified shrimp			M-10	31	1	MN	Meroplankton	Post-larval	4	124
Amphipoda				3	1	MN	Pseudoplankton/ Benthos		0	3
Branchiura				1	1	MN	Pseudoplankton/ Benthos		0	1

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03B-DT-101807

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				4	1	MN	Meroplankton		0	4
Isopoda				1	1	MN	Pseudoplankton/ Benthos		0	1
Ostracoda				5	1	MN	Pseudoplankton/ Benthos		0	5
Polychaeta				3	1	MN	Meroplankton		0	3
									Total	**1529**

Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04A-DT-101807

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				43	1	MN	Holoplankton		0	43
Achiridae	*Achirus lineatus*		IP-2	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	1	1	MM	Ichthyoplankton	Adult	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	3	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	3
Gobiidae	*Gobiosoma bosc*		IP-3	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura			REF	1	1	MN	Meroplankton	Megalopae	4	4
Cirripedia				7	1	MN	Meroplankton		0	7
Hippolytidae	*Hippolyte sp.*		M-4	31	1	MN	Meroplankton	Zoea	4	124
Hippolytidae	*Thor sp.*		M-8	14	1	MN	Meroplankton	Zoea	4	56
Loliginidae	*Lolliguncula brevis*		REF	2	1	MN	Meroplankton	Juvenile	0	2
Luciferidae	*Lucifer faxoni*		M-2	67	1	MN	Meroplankton	Adult	4	268
Panopeidae	*Hexapanopeus angustifrons*		M-12	1	1	MN	Meroplankton	Megalopae	4	4
Panopeidae	*Panopeus sp.*		M-13	65	1	MN	Meroplankton	Zoea	4	260
Panopeidae	*Panopeus sp.*		M-13	4	1	MN	Meroplankton	Megalopae	4	16
Panopeidae	*Rhithropanopeus harrisii*		M-3	29	1	MN	Meroplankton	Zoea	4	116
Pinnotheridae	*Pinnixa sp.*		M-5	127	1	MN	Meroplankton	Zoea	4	508
Pinnotheridae	*Tumidotheres maculatus*		M-6	4	1	MN	Meroplankton	Zoea	4	16
Porcellanidae	*Polyonyx gibbesi*		M-9	8	1	MN	Meroplankton	Zoea	4	32
Sergestoidea			M-10	6	1	MN	Meroplankton	Zoea	4	24
Sesarmidae	*Armases sp.*		M-11	1	1	MN	Meroplankton	Zoea	4	4
Sesarmidae	*Armases sp.*		M-11	8	1	MN	Meroplankton	Megalopae	4	32
Unidentified shrimp			M-7	94	1	MN	Meroplankton	Zoea	4	376
Upogebiidae	*Upogebia affinis*		M-1	3	1	MN	Meroplankton	Zoea	4	12
Upogebiidae	*Upogebia affinis*		M-1	1	1	MN	Meroplankton	Post-larval	4	4
Amphipoda				1	1	MN	Pseudoplankton/ Benthos		0	1
Branchiura				3	1	MN	Pseudoplankton/ Benthos		0	3
Isopoda				1	1	MN	Pseudoplankton/ Benthos		0	1
Polychaeta				7	1	MN	Meroplankton		0	7
									Total	**1926**

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04B-DT-101807

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				11	1	MN	Holoplankton		0	11
Copepoda				92	1	MN	Holoplankton		0	92
Mysida				22	1	MN	Holoplankton		0	22
Engraulidae	*Anchoa mitchilli*		IP-1	23	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	23
Gobiidae	*Gobiosoma bosc*		IP-2	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma robustum*		IP-4	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma sp.*		IP-5	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Microgobius thalassinus*		IP-3	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Brachyura			REF	1	1	MN	Meroplankton	Megalopae	4	4
Brachyura			REF	1	1	MN	Meroplankton	Megalopae	4	4
Cirripedia				6	1	MN	Meroplankton		0	6
Hippolytidae	*Hippolyte sp.*		M-1	2	1	MN	Meroplankton	Zoea	4	8
Hippolytidae	*Hippolyte sp.*		M-1	12	1	MN	Meroplankton	Post-larval	4	48
Hippolytidae	*Thor sp.*		REF	18	1	MN	Meroplankton	Zoea	4	72
Luciferidae	*Lucifer faxoni*		REF	167	1	MN	Meroplankton	Adult	4	668
Paguridae	*Pagurus sp.*		REF	2	1	MN	Meroplankton	Zoea	4	8
Panopeidae	*Panopeus sp.*		M-5	67	1	MN	Meroplankton	Zoea	4	268
Panopeidae	*Panopeus sp.*		M-5	1	1	MN	Meroplankton	Megalopae	4	4
Panopeidae	*Rhithropanopeus harrisii*		REF	9	1	MN	Meroplankton	Zoea	4	36
Pinnotheridae	*Pinnixa sp.*		M-2	115	1	MN	Meroplankton	Zoea	4	460
Pinnotheridae	*Tumidotheres maculatus*		M-3	4	1	MN	Meroplankton	Zoea	4	16
Porcellanidae	*Polyonyx gibbesi*		M-4	3	1	MN	Meroplankton	Zoea	4	12
Portunidae	*Callinectes sapidus*		REF	1	1	MN	Meroplankton	Megalopae	0	1
Sergestoidea			M-7	1	1	MN	Meroplankton	Zoea	4	4
Sesarmidae	*Armases sp.*		M-6	2	1	MN	Meroplankton	Zoea	4	8
Sesarmidae	*Armases sp.*		M-6	6	1	MN	Meroplankton	Megalopae	4	24
Unidentified shrimp			REF	113	1	MN	Meroplankton	Post-larval	4	452
Upogebiidae	*Upogebia affinis*		REF	5	1	MN	Meroplankton	Zoea	4	20
Xanthidae	*Menippe mercenaria*		REF	3	1	MN	Meroplankton	Zoea	0	3

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-DT-101807

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04B-DT-101807

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Loliginidae	*Lolliguncula brevis*		REF	1	1	MN	Other Invertebrates	Juvenile	0	1
Amphipoda				3	1	MN	Pseudoplankton/ Benthos		0	3
Branchiura				1	1	MN	Pseudoplankton/ Benthos		0	1
Cumacea				2	1	MN	Pseudoplankton/ Benthos		0	2
Gastropoda				38	1	MN	Meroplankton		0	38
Isopoda				5	1	MN	Pseudoplankton/ Benthos		0	5
Polychaeta				8	1	MN	Meroplankton		0	8
									Total	**2341**

CH2M Hill IP Data Summary
Event 1
PE-PT-01A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-01A-NT-101907

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Sample not preserved in the field; could not process										
									Total	**0**

CH2M Hill IP Data Summary
Event 1
PE-PT-01B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-01B-NT-101907

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				42	1	MN	Holoplankton		1	42
Mysida				16	1	MN	Holoplankton		1	16
Engraulidae	*Anchoa mitchilli*		IP-1	390	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	390
Gerreidae	*Eucinostomus sp.*		IP-7	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiidae	*Gobiosoma bosc*		IP-8	8	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca complex*		M-4	4	1	MN	Meroplankton	Megalopae	2	8
Caridea			M-3	3	1	MN	Meroplankton	Post-larval	2	6
Palaemonidae	*Palaemonetes sp.*		M-5	13	1	MN	Meroplankton	Zoea	2	26
Palaemonidae	*Palaemonetes sp.*		M-5	2	1	MN	Meroplankton	Post-larval	2	4
Panopeidae			M-1	110	1	MN	Meroplankton	Zoea	2	220
Panopeidae			M-1	18	1	MN	Meroplankton	Megalopae	2	36
Portunidae			M-6	3	1	MN	Meroplankton	Juvenile	2	6
Unidentified crab		Damaged	M-2	6	1	MN	Meroplankton	Zoea	2	12
Unidentified crab		Damaged	M-2	3	1	MN	Meroplankton	Megalopae	2	6
Unidentified shrimp		Damaged	M-2	4	1	MN	Meroplankton	Zoea	2	8
Amphipoda				3	1	MN	Pseudoplankton/ Benthos		1	3
Branchiura				1	1	MN	Pseudoplankton/ Benthos		1	1
Cumacea				6	1	MN	Pseudoplankton/ Benthos		1	6
Gastropoda				1	1	MN	Meroplankton		1	1
Insecta				2	1	MN	Pseudoplankton/ Benthos	Larvae	1	2
Isopoda				13	1	MN	Pseudoplankton/ Benthos		1	13
Polychaeta				1	1	MN	Meroplankton		1	1
									Total	**820**

CH2M Hill IP Data Summary
Event 1
PE-PT-02A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-02A-NT-101907

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				292	1	JC	Holoplankton		4	1168
Mysida				19	1	JC	Holoplankton		4	76
Engraulidae	*Anchoa mitchilli*		IP-1	76	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	76
Gerreidae	*Eucinostomus sp.*		IP-4	7	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	7
Gobiidae	*Gobiosoma bosc*		IP-5	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma sp.*		IP-7	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Microgobius thalassinus*		IP-6	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Uca complex*		M-8	1	1	JC	Meroplankton	Zoea	2	2
Brachyura	*Armases/Uca complex*		M-8	4	1	JC	Meroplankton	Megalopae	2	8
Cirripedia				1	1	JC	Meroplankton		4	4
Hippolytidae	*Latreutes sp.*		M-7	1	1	JC	Meroplankton	Zoea	2	2
Hippolytidae	*Thor spp.*		M-4	3	1	JC	Meroplankton	Zoea	2	6
Luciferidae	*Lucifer faxoni*		M-1	3	1	JC	Meroplankton	Post-larval	2	6
Luciferidae	*Lucifer faxoni*		M-1	23	1	JC	Meroplankton	Adult	2	46
Palaemonidae	*Palaemonetes sp.*		M-5	2	1	JC	Meroplankton	Zoea	2	4
Panopeidae			M-3	324	1	JC	Meroplankton	Zoea	2	648
Panopeidae			M-3	7	1	JC	Meroplankton	Megalopae	2	14
Penaeidae	*Farfantepenaeus sp.*		M-9	3	1	JC	Meroplankton	Post-larval	2	6
Pinnotheridae			M-6	3	1	JC	Meroplankton	Zoea	2	6
Porcellanidae	*Polyonyx gibbesi*		M-2	2	1	JC	Meroplankton	Zoea	2	4
Portunidae			M-10	1	1	JC	Meroplankton	Juvenile	2	2
Amphipoda				4	1	JC	Pseudoplankton/ Benthos		4	16
Cumacea				29	1	JC	Pseudoplankton/ Benthos		4	116
Gastropoda				1	1	JC	Meroplankton		4	4
Isopoda				17	1	JC	Pseudoplankton/ Benthos		1	17
Polychaeta				10	1	JC	Meroplankton		1	10
									Total	**2254**

CH2M Hill IP Data Summary
Event 1
PE-PT-02B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-02B-NT-101907

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				1005	1	JC	Holoplankton		0	1005
Mysida				85	1	JC	Holoplankton		0	85
Blenniidae	*Lupinoblennius nicholsi*		IP-6	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-8	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	79	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	79
Engraulidae	*Anchoa sp.*		IP-3	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Gerreidae	*Eucinostomus sp.*		IP-4	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiidae	*Gobiosoma bosc*		IP-5	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma sp.*		IP-7	3	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	3
Brachyura	Damaged		M-12	10	1	JC	Meroplankton	Megalopae	0	10
Caridea			M-13	11	1	JC	Meroplankton	Zoea	0	11
Caridea			M-13	1	1	JC	Meroplankton	Post-larval	0	1
Cirripedia				14	1	JC	Meroplankton		0	14
Hippolytidae	*Hippolyte sp.*		M-6	3	1	JC	Meroplankton	Zoea	0	3
Hippolytidae	*Thor sp.*		M-7	6	1	JC	Meroplankton	Zoea	0	6
Luciferidae	*Lucifer faxoni*		M-2	8	1	JC	Meroplankton	Post-larval	0	8
Luciferidae	*Lucifer faxoni*		M-2	54	1	JC	Meroplankton	Adult	0	54
Ogyrididae	*Ogyrides alphaerostris*		M-3	1	1	JC	Meroplankton	Adult	0	1
Palaemonidae	*Palaemonetes sp.*		M-5	6	1	JC	Meroplankton	Zoea	0	6
Panopeidae	*Rhithropanopeus harrisii*		M-1	357	1	JC	Meroplankton	Zoea	0	357
Panopeidae			M-10	70	1	JC	Meroplankton	Zoea	0	70
Panopeidae			M-10	11	1	JC	Meroplankton	Megalopae	0	11
Pinnotheridae	*Pinnixa sp.*		M-8	4	1	JC	Meroplankton	Zoea	0	4
Pinnotheridae	*Tumidotheres maculatus*		M-9	3	1	JC	Meroplankton	Zoea	0	3
Porcellanidae	*Polyonyx gibbesi*		M-4	1	1	JC	Meroplankton	Zoea	0	1
Sesarmidae	*Armases sp.*		M-11	1	1	JC	Meroplankton	Zoea	0	1
Unidentified shrimp			M-14	9	1	JC	Meroplankton	Post-larval	0	9
Amphipoda				16	1	JC	Pseudoplankton/ Benthos		0	16
Cumacea				184	1	JC	Pseudoplankton/ Benthos		0	184

CH2M Hill IP Data Summary
Event 1
PE-PT-02B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-02B-NT-101907

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				12	1	JC	Meroplankton		0	12
Isopoda				11	1	JC	Pseudoplankton/ Benthos		0	11
Oligochaeta				1	1	JC	Pseudoplankton/ Benthos		0	1
Ostracoda				5	1	JC	Pseudoplankton/ Benthos		0	5
Polychaeta				6	1	JC	Meroplankton		0	6
									Total	**1993**

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03A-NT-101907

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				184	1	MN	Holoplankton		4	736
Mysida				9	1	MN	Holoplankton		4	36
Blenniidae	*Chasmodes saburrae*		IP-6	2	1	MM	Ichthyoplankton	Yolk-sac larvae	0	2
Blenniidae	*Chasmodes saburrae*		IP-6	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae	*Lupinoblennius nicholsi*		IP-7	1	1	MM	Ichthyoplankton	Yolk-sac larvae	0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-7	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	60	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	60
Gerreidae	*Eucinostomus sp.*		IP-3	6	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Gobiosoma bosc*		IP-4	8	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma sp.*		IP-8	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Microgobius thalassinus*		IP-5	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Anomura			M-14	1	1	MN	Meroplankton	Post-larval	0	1
Brachyura	*Armases/Uca complex*		M-9	144	1	MN	Meroplankton	Megalopae	0	144
Brachyura			M-8	70	1	MN	Meroplankton	Megalopae	0	70
Caridea			REF	1	1	MN	Meroplankton	Post-larval	0	1
Hippolytidae	*Hippolyte sp.*		M-3	2	1	MN	Meroplankton	Zoea	0	2
Hippolytidae	*Hippolyte sp.*		M-3	4	1	MN	Meroplankton	Post-larval	0	4
Hippolytidae	*Thor sp.*		M-4	6	1	MN	Meroplankton	Zoea	0	6
Luciferidae	*Lucifer faxoni*		M-1	91	1	MN	Meroplankton	Adult	0	91
Ogyrididae	*Ogyrides sp.*		M-13	2	1	MN	Meroplankton	Juvenile	0	2
Panopeidae	*Hexapanopeus angustifrons*		M-11	3	1	MN	Meroplankton	Megalopae	0	3
Panopeidae	*Panopeus sp.*		M-7	84	1	MN	Meroplankton	Zoea	0	84
Panopeidae	*Panopeus sp.*		M-7	32	1	MN	Meroplankton	Megalopae	0	32
Panopeidae	*Rhithropanopeus harrisii*		M-10	13	1	MN	Meroplankton	Zoea	0	13
Pinnotheridae	*Pinnixa sp.*		M-5	32	1	MN	Meroplankton	Zoea	0	32
Pinnotheridae	*Tumidotheres maculatus*		M-12	2	1	MN	Meroplankton	Zoea	0	2
Porcellanidae	*Polyonyx gibbesi*		M-6	11	1	MN	Meroplankton	Zoea	0	11
Portunidae	*Callinectes sp.*		M-2	9	1	MN	Meroplankton	Megalopae	0	9
Unidentified shrimp			M-15	2	1	MN	Meroplankton	Post-larval	0	2

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03A-NT-101907

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Unidentified shrimp			M-16	5	1	MN	Meroplankton	Post-larval	0	5
Amphipoda				21	1	MN	Pseudoplankton/ Benthos		4	84
Branchiura				1	1	MN	Pseudoplankton/ Benthos		4	4
Cumacea				31	1	MN	Pseudoplankton/ Benthos		4	124
Gastropoda				72	1	MN	Meroplankton		4	288
Isopoda				1	1	MN	Pseudoplankton/ Benthos		4	4
Polychaeta				6	1	MN	Meroplankton		4	24
									Total	**1899**

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03B-NT-101907

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				2	4	JC	Holoplankton		4	32
Copepoda				205	4	JC	Holoplankton		4	3280
Mysida				49	4	JC	Holoplankton		4	784
Blenniidae	*Chasmodes saburrae*		IP-8	7	1	MM	Ichthyoplankton	Yolk-sac larvae	0	7
Blenniidae	*Lupinoblennius nicholsi*		IP-10	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-9	7	1	MM	Ichthyoplankton	Yolk-sac larvae	0	7
Engraulidae	*Anchoa mitchilli*		IP-1	48	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	48
Engraulidae	*Anchoa sp.*		IP-3	8	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-4	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gerreidae	*Eucinostomus sp.*		IP-5	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-7	6	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Microgobius thalassinus*		IP-6	3	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	3
Brachyura	*Armases/Uca complex*		M-8	35	4	JC	Meroplankton	Megalopae	0	140
Caridea			REF	1	4	JC	Meroplankton	Juvenile	0	4
Caridea			REF	1	4	JC	Meroplankton	Juvenile	0	4
Cirripedia				1	4	JC	Meroplankton		4	16
Hippolytidae	*Hippolyte sp.*		M-9	4	4	JC	Meroplankton	Zoea	0	16
Hippolytidae	*Thor spp.*		M-4	13	4	JC	Meroplankton	Zoea	0	52
Luciferidae	*Lucifer faxoni*		M-1	3	4	JC	Meroplankton	Zoea	0	12
Luciferidae	*Lucifer faxoni*		M-1	57	4	JC	Meroplankton	Post-larval	0	228
Luciferidae	*Lucifer faxoni*		M-1	61	4	JC	Meroplankton	Adult	0	244
Palaemonidae	*Palaemonetes sp.*		M-6	7	4	JC	Meroplankton	Zoea	0	28
Panopeidae			M-3	64	4	JC	Meroplankton	Zoea	0	256
Panopeidae			M-3	35	4	JC	Meroplankton	Megalopae	0	140
Pinnotheridae			M-7	20	4	JC	Meroplankton	Zoea	0	80
Pinnotheridae			M-7	6	4	JC	Meroplankton	Juvenile	0	24
Porcellanidae	*Polyonyx gibbesi*		M-2	3	4	JC	Meroplankton	Zoea	0	12
Portunidae	*Callinectes sapidus*		M-5	1	4	JC	Meroplankton	Megalopae	0	4

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-03B-NT-101907

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Unidentified shrimp			M-10	6	4	JC	Meroplankton	Post-larval	0	24
Unidentified shrimp			M-11	1	4	JC	Meroplankton	Post-larval	0	4
Amphipoda				3	4	JC	Pseudoplankton/ Benthos		4	48
Cumacea				8	4	JC	Pseudoplankton/ Benthos		4	128
Gastropoda				48	4	JC	Meroplankton		4	768
Polychaeta				3	4	JC	Meroplankton		4	48
									Total	**6462**

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04A-NT-101907

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				288	16	JC	Holoplankton		0	4608
Euphausiidae				3	16	JC	Holoplankton		0	48
Mysida				168	16	JC	Holoplankton		0	2688
Blenniidae	*Lupinoblennius nicholsi*		IP-6	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Blenniidae	*Lupinoblennius nicholsi*		IP-6	5	1	MM	Ichthyoplankton	Yolk-sac larvae	0	5
Engraulidae	*Anchoa mitchilli*		IP-1	105	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	105
Engraulidae			IP-3	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiesocidae			IP-7	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma bosc*		IP-5	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Microgobius thalassinus*		IP-4	6	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	6
Brachyura		Damaged	M-16	4	16	JC	Meroplankton	Megalopae	0	64
Callianassidae	*Callianassa sp.*		M-10	1	16	JC	Meroplankton	Zoea	0	16
Hippolytidae	*Hippolyte sp.*		M-12	7	16	JC	Meroplankton	Zoea	0	112
Hippolytidae	*Hippolyte sp.*		M-12	2	16	JC	Meroplankton	Post-larval	0	32
Hippolytidae	*Thor spp.*		M-6	27	16	JC	Meroplankton	Zoea	0	432
Luciferidae	*Lucifer faxoni*		M-1	4	16	JC	Meroplankton	Zoea	0	64
Luciferidae	*Lucifer faxoni*		M-1	14	16	JC	Meroplankton	Post-larval	0	224
Luciferidae	*Lucifer faxoni*		M-1	26	16	JC	Meroplankton	Adult	0	416
Ocypodidae	*Uca sp.*		M-15	1	16	JC	Meroplankton	Zoea	0	16
Paguridae	*Pagurus sp.*		M-11	1	16	JC	Meroplankton	Zoea	0	16
Palaemonidae	*Palaemonetes sp.*		M-9	20	16	JC	Meroplankton	Zoea	0	320
Panopeidae	*Hexapanopeus sp.*		M-5	23	16	JC	Meroplankton	Zoea	0	368
Panopeidae		Damaged	M-13	59	16	JC	Meroplankton	Zoea	0	944
Panopeidae			M-13	5	16	JC	Meroplankton	Megalopae	0	80
Pinnotheridae	*Dissodactylus sp.*		M-8	19	16	JC	Meroplankton	Zoea	0	304
Pinnotheridae	*Pinnixa sp.*		M-4	76	16	JC	Meroplankton	Zoea	0	1216
Pinnotheridae	*Tumidotheres maculatus*		M-7	8	16	JC	Meroplankton	Zoea	0	128
Porcellanidae	*Polyonyx gibbesi*		M-3	6	16	JC	Meroplankton	Zoea	0	96
Sesarmidae	*Armases sp.*		M-14	3	16	JC	Meroplankton	Zoea	0	48

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04A-NT-101907

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Sesarmidae	*Armases sp.*		M-14	4	16	JC	Meroplankton	Megalopae	0	64
Unidentified shrimp			REF	1	16	JC	Meroplankton	Post-larval	0	16
Upogebiidae	*Upogebia affinis*		M-2	5	16	JC	Meroplankton	Zoea	0	80
Amphipoda				4	16	JC	Pseudoplankton/ Benthos		0	64
Cumacea				7	16	JC	Pseudoplankton/ Benthos		0	112
Ostracoda				1	16	JC	Pseudoplankton/ Benthos		0	16
Polychaeta				3	16	JC	Meroplankton		0	48
									Total	**12769**

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04B-NT-101907

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				1	16	MN	Holoplankton		0	16
Copepoda				293	16	MN	Holoplankton		0	4688
Mysida				36	16	MN	Holoplankton		0	576
Blenniidae	*Lupinoblennius nicholsi*		IP-7	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	92	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	92
Engraulidae	*Anchoa sp.*		IP-2	43	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	43
Engraulidae			IP-8	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiesocidae			IP-3	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma bosc*		IP-5	5	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiidae	*Microgobius gulosus*		IP-6	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius thalassinus*		IP-4	3	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	3
Callianassidae	*Callianassa sp.*		REF	2	16	MN	Meroplankton	Zoea	0	32
Cirripedia				1	16	MN	Meroplankton		0	16
Hippolytidae	*Hippolyte sp.*		M-7	26	16	MN	Meroplankton	Zoea	0	416
Hippolytidae	*Hippolyte sp.*		M-7	11	16	MN	Meroplankton	Post-larval	0	176
Hippolytidae	*Thor sp.*		M-8	19	16	MN	Meroplankton	Zoea	0	304
Luciferidae	*Lucifer faxoni*		M-1	62	16	MN	Meroplankton	Zoea	0	992
Ocypodidae	*Uca sp.*		M-14	1	16	MN	Meroplankton	Zoea	0	16
Panopeidae	*Hexapanopeus angustifrons*		M-10	2	16	MN	Meroplankton	Megalopae	0	32
Panopeidae	*Panopeus sp.*		M-9	91	16	MN	Meroplankton	Zoea	0	1456
Panopeidae	*Panopeus sp.*		M-9	6	16	MN	Meroplankton	Megalopae	0	96
Panopeidae	*Rhithropanopeus harrisii*		M-11	2	16	MN	Meroplankton	Zoea	0	32
Pinnotheridae	*Pinnixa sp.*		M-4	56	16	MN	Meroplankton	Zoea	0	896
Pinnotheridae	*Tumidotheres maculatus*		M-6	45	16	MN	Meroplankton	Zoea	0	720
Porcellanidae	*Polyonyx gibbesi*		M-5	6	16	MN	Meroplankton	Zoea	0	96
Sergestoidea			M-3	2	16	MN	Meroplankton	Zoea	0	32
Sesarmidae	*Armases sp.*		M-12	1	16	MN	Meroplankton	Zoea	0	16
Sesarmidae	*Armases sp.*		M-12	2	16	MN	Meroplankton	Megalopae	0	32
Unidentified shrimp			M-13	8	16	MN	Meroplankton	Post-larval	0	128

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-NT-101907

Project: CH2M Hill
Event: 1
Event Date: October 18-19, 2007
Sample ID: PE-PT-04B-NT-101907

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Unidentified shrimp			M-15	1	16	MN	Meroplankton	Juvenile	0	16
Upogebiidae	*Upogebia affinis*		M-2	15	16	MN	Meroplankton	Zoea	0	240
Upogebiidae	*Upogebia affinis*		M-2	1	16	MN	Meroplankton	Post-larval	0	16
Cumacea				10	16	MN	Pseudoplankton/ Benthos		0	160
Ostracoda				2	16	MN	Pseudoplankton/ Benthos		0	32
									Total	**11383**

CH2M Hill IP Data Summary
Event 2
PE-PT-01A-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-01A-DT-120707

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				7	1	JC	Holoplankton		0	7
Cirripedia				6	1	JC	Meroplankton		0	6
Chaetognatha				1	1	JC	Holoplankton		0	1
Panopeidae			M-1	1	1	JC	Meroplankton	Zoea	0	1
									Total	**15**

CH2M Hill IP Data Summary
Event 2
PE-PT-02A-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-02A-DT-120707

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				11	1	JC	Holoplankton		0	11
Amphipoda				3	1	JC	Pseudoplankton/ Benthos		0	3
Isopoda				6	1	JC	Pseudoplankton/ Benthos		0	6
Chironomidae				1	1	JC	Pseudoplankton/ Benthos		0	1
Luciferidae	*Lucifer faxoni*		M-1	20	1	JC	Meroplankton	Adult	0	20
Panopeidae			M-2	8	1	JC	Meroplankton	Zoea	0	8
Palaemonidae	*Palaemonetes sp.*		M-3	1	1	JC	Meroplankton	Zoea	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-2	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
									Total	**52**

CH2M Hill IP Data Summary
Event 2
PE-PT-02B-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-02B-DT-120707

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				2	1	MN	Meroplankton		0	2
Gastropoda				2	1	MN	Meroplankton		0	2
Copepoda				77	1	MN	Holoplankton		0	77
Amphipoda				2	1	MN	Pseudoplankton/ Benthos		0	2
Isopoda				2	1	MN	Pseudoplankton/ Benthos		0	2
Cirripedia				9	1	MN	Meroplankton		0	9
Branchiura				1	1	MN	Pseudoplankton/ Benthos		0	1
Tunicata				35	1	MN	Meroplankton		0	35
Luciferidae	*Lucifer faxoni*		M-1	16	1	MN	Meroplankton	Adult	0	16
Porcellanidae	*Polyonyx gibbesi*		REF	1	1	MN	Meroplankton	Zoea	0	1
Panopeidae	*Rhithropanopeus harrisii*		REF	19	1	MN	Meroplankton	Zoea	0	19
Panopeidae	*Panopeus sp.*		M-2	1	1	MN	Meroplankton	Zoea	0	1
Hippolytidae	*Thor sp.*		M-3	1	1	MN	Meroplankton	Zoea	0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-1	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
									Total	**169**

CH2M Hill IP Data Summary
Event 2
PE-PT-03A-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-03A-DT-120707

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				4	4	JC	Meroplankton		0	16
Copepoda				135	4	JC	Holoplankton		0	540
Amphipoda				1	4	JC	Pseudoplankton/ Benthos		0	4
Isopoda				1	4	JC	Pseudoplankton/ Benthos		0	4
Cladocera				138	4	JC	Holoplankton		0	552
Chaetognatha				10	4	JC	Holoplankton		0	40
Ostracoda				1	4	JC	Pseudoplankton/ Benthos		0	4
Luciferidae	*Lucifer faxoni*		M-1	15	1	JC	Meroplankton	Adult	0	15
Hippolytidae	*Thor sp.*		M-2	4	1	JC	Meroplankton	Zoea	0	4
Pinnotheridae			M-3	2	1	JC	Meroplankton	Zoea	0	2
Paguridae	*Pagurus sp.*		M-4	2	1	JC	Meroplankton	Zoea	0	2
Panopeidae			M-5	1	1	JC	Meroplankton	Zoea	0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-1	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Paralichthyidae/Sparidae complex			EG-1	1	1	MM	Ichthyoplankton	Egg	0	1
									Total	**1186**

CH2M Hill IP Data Summary
Event 2
PE-PT-03B-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-03B-DT-120707

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				24	32	MN	Meroplankton		0	768
Copepoda				116	32	MN	Holoplankton		0	3712
Isopoda				1	32	MN	Pseudoplankton/ Benthos		0	32
Cirripedia				1	32	MN	Meroplankton		0	32
Chaetognatha				32	32	MN	Holoplankton		0	1024
Tunicata				2	32	MN	Meroplankton		0	64
Polychaeta				1	1	MN	Meroplankton		0	1
Ostracoda				2	1	MN	Pseudoplankton/ Benthos		0	2
Bivalvia			REF	2	1	MN	Meroplankton		0	2
Opisthobranchia				1	1	MN	Meroplankton		0	1
Luciferidae	*Lucifer faxoni*		M-1	9	1	MN	Meroplankton	Post-larval	0	9
Luciferidae	*Lucifer faxoni*		M-1	18	1	MN	Meroplankton	Adult	0	18
Porcellanidae	*Polyonyx gibbesi*		M-2	2	1	MN	Meroplankton	Zoea	0	2
Menippidae	*Menippe mercenaria*		M-3	1	1	MN	Meroplankton	Zoea	0	1
Upogebiidae	*Upogebia affinis*		M-4	3	1	MN	Meroplankton	Zoea	0	3
Upogebiidae	*Upogebia affinis*		M-4	8	1	MN	Meroplankton	Post-larval	0	8
Pinnotheridae			M-5	7	1	MN	Meroplankton	Zoea	0	7
Panopeidae			M-6	5	1	MN	Meroplankton	Zoea	0	5
Paguridae	*Pagurus sp.*		M-7	2	1	MN	Meroplankton	Zoea	0	2
Brachyura			REF	5	1	MN	Meroplankton	Zoea	0	5
Hippolytidae	*Thor sp.*		M-8	35	1	MN	Meroplankton	Zoea	0	35
Hippolytidae	*Thor sp.*		M-8	2	1	MN	Meroplankton	Post-larval	0	2
Hippolytidae	*Hippolyte sp.*		M-9	4	1	MN	Meroplankton	Zoea	0	4
Brachyura			M-10	1	1	MN	Meroplankton	Megalopae	0	1
Brachyura			M-11	1	1	MN	Meroplankton	Megalopae	0	1
Blenniidae	*Lupinoblennius nicholsi*		IP-1	12	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	12
UnID (no embryo)			EG-1	2	1	MM	Ichthyoplankton	Egg	0	2
									Total	**5755**

CH2M Hill IP Data Summary
Event 2
PE-PT-04A-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-04A-DT-120707

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				9	8	MN	Meroplankton		0	72
Copepoda				342	8	MN	Holoplankton		0	2736
Isopoda				2	8	MN	Pseudoplankton/ Benthos		0	16
Cladocera				6	8	MN	Holoplankton		0	48
Cirripedia				8	8	MN	Meroplankton		0	64
Chaetognatha				44	8	MN	Holoplankton		0	352
Tunicata				2	8	MN	Meroplankton		0	16
Luciferidae	*Lucifer faxoni*		M-1	36	1	MN	Meroplankton	Post-larval	0	36
Luciferidae	*Lucifer faxoni*		M-1	16	1	MN	Meroplankton	Adult	0	16
Porcellanidae	*Polyonyx gibbesi*		M-2	11	1	MN	Meroplankton	Zoea	0	11
Paguridae	*Pagurus sp.*		M-3	6	1	MN	Meroplankton	Zoea	0	6
Hippolytidae	*Thor sp.*		M-4	29	1	MN	Meroplankton	Zoea	0	29
Pinnotheridae			M-5	12	1	MN	Meroplankton	Zoea	0	12
Panopeidae			M-6	14	1	MN	Meroplankton	Zoea	0	14
Panopeidae			M-6	1	1	MN	Meroplankton	Megalopae	0	1
Upogebiidae	*Upogebia affinis*		M-7	10	1	MN	Meroplankton	Zoea	0	10
Upogebiidae	*Upogebia affinis*		M-7	3	1	MN	Meroplankton	Post-larval	0	3
Brachyura	*Armases/Uca complex*		M-8	1	1	MN	Meroplankton	Zoea	0	1
Hippolytidae	*Hippolyte sp.*		M-9	3	1	MN	Meroplankton	Zoea	0	3
Hippolytidae	*Hippolyte sp.*		M-9	2	1	MN	Meroplankton	Post-larval	0	2
Caridea			M-10	1	1	MN	Meroplankton	Post-larval	0	1
Brachyura			M-11	3	1	MN	Meroplankton	Zoea	0	3
Brachyura			REF	1	1	MN	Meroplankton	Zoea	0	1
Clupeidae	*Brevoortia sp.*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae			IP-2	8	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	8
									Total	**3463**

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-04B-DT-120707

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				8	32	MN	Meroplankton		0	256
Copepoda				87	32	MN	Holoplankton		0	2784
Isopoda				1	32	MN	Pseudoplankton/ Benthos		0	32
Cladocera				3	32	MN	Holoplankton		0	96
Cirripedia				5	32	MN	Meroplankton		0	160
Chaetognatha				16	32	MN	Holoplankton		0	512
Tunicata				2	32	MN	Meroplankton		0	64
Luciferidae	*Lucifer faxoni*		M-1	25	1	MN	Meroplankton	Post-larval	0	25
Luciferidae	*Lucifer faxoni*		M-1	10	1	MN	Meroplankton	Adult	0	10
Pinnotheridae			M-2	24	1	MN	Meroplankton	Zoea	0	24
Porcellanidae	*Polyonyx gibbesi*		M-3	5	1	MN	Meroplankton	Zoea	0	5
Upogebiidae	*Upogebia affinis*		M-4	1	1	MN	Meroplankton	Zoea	0	1
Upogebiidae	*Upogebia affinis*		M-4	3	1	MN	Meroplankton	Post-larval	0	3
Hippolytidae	*Thor sp.*		M-5	35	1	MN	Meroplankton	Zoea	0	35
Brachyura	*Armases/Uca complex*		M-6	3	1	MN	Meroplankton	Zoea	0	3
Hippolytidae	*Hippolyte sp.*		M-7	2	1	MN	Meroplankton	Zoea	0	2
Hippolytidae	*Hippolyte sp.*		M-7	1	1	MN	Meroplankton	Post-larval	0	1
Panopeidae			M-8	3	1	MN	Meroplankton	Zoea	0	3
Panopeidae			M-8	2	1	MN	Meroplankton	Megalopae	0	2
Paguridae			M-9	1	1	MN	Meroplankton	Zoea	0	1
Blenniidae			IP-1	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
									Total	**4023**

CH2M Hill IP Data Summary
Event 2
PE-PT-01A-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-01A-NT-120707

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				1	1	JC	Meroplankton		0	1
Copepoda				418	1	JC	Holoplankton		0	418
Amphipoda				8	1	JC	Pseudoplankton/ Benthos		0	8
Isopoda				1	1	JC	Pseudoplankton/ Benthos		0	1
Mysida				1	1	JC	Holoplankton		0	1
Cladocera				204	64	JC	Holoplankton		0	13056
Cirripedia				20	1	JC	Meroplankton		0	20
Cumacea				4	1	JC	Pseudoplankton/ Benthos		0	4
Ostracoda				3	1	JC	Pseudoplankton/ Benthos		0	3
Palaemonidae	*Palaemonetes sp.*		M-1	1	1	JC	Meroplankton	Post-larval	1	1
Portunidae	*Callinectes sp.*		REF	1	1	JC	Meroplankton	Juvenile	1	1
									Total	**13514**

CH2M Hill IP Data Summary
Event 2
PE-PT-01B-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-01B-NT-120707

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				21	16	MN	Holoplankton		0	336
Amphipoda				1	16	MN	Pseudoplankton/ Benthos		0	16
Mysida				5	16	MN	Holoplankton		0	80
Cladocera				301	16	MN	Holoplankton		0	4816
Cirripedia				2	16	MN	Meroplankton		0	32
Cumacea				1	16	MN	Pseudoplankton/ Benthos		0	16
Luciferidae	*Lucifer faxoni*		M-1	1	16	MN	Meroplankton	Adult	0	16
Engraulidae	*Anchoa mitchilli*		IP-1	2	1	MM	Ichthyoplankton	Juvenile	0	2
Engraulidae	*Anchoa mitchilli*		IP-1	1	1	MM	Ichthyoplankton	Post-larval	0	1
									Total	**5315**

CH2M Hill IP Data Summary
Event 2
PE-PT-02A-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-02A-NT-120707

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				12	16	MN	Meroplankton		0	192
Copepoda				70	16	MN	Holoplankton		0	1120
Amphipoda				3	16	MN	Pseudoplankton/ Benthos		0	48
Mysida				8	16	MN	Holoplankton		0	128
Cladocera				52	16	MN	Holoplankton		0	832
Cirripedia				5	16	MN	Meroplankton		0	80
Cumacea				142	16	MN	Pseudoplankton/ Benthos		0	2272
Bivalvia				1	16	MN	Meroplankton		0	16
Panopeidae			M-1	22	1	MN	Meroplankton	Zoea	0	22
Ogyrididae	*Ogyrides sp.*		REF	42	1	MN	Meroplankton	Adult	0	42
Luciferidae	*Lucifer faxoni*		M-2	2	1	MN	Meroplankton	Adult	0	2
Caridea			M-3	4	1	MN	Meroplankton	Adult	0	4
Portunidae			M-4	1	1	MN	Meroplankton	Juvenile	0	1
Brachyura	*Armases/Uca complex*		M-5	1	1	MN	Meroplankton	Megalopae	0	1
Brachyura			M-6	1	1	MN	Meroplankton	Megalopae	0	1
Portunidae	*Callinectes sapidus*		REF	1	1	MN	Meroplankton	Megalopae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	5	1	MM	Ichthyoplankton	Juvenile	0	5
Engraulidae	*Anchoa mitchilli*		IP-1	10	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	10
Congridae			IP-2	1	1	MM	Ichthyoplankton	Juvenile	0	1
Gerreidae	*Eucinostomus sp.*		IP-3	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-4	9	1	MM	Ichthyoplankton	Yolk-sac larvae	0	9
Gobiidae	*Gobiosoma bosc*		IP-5	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
									Total	**4789**

CH2M Hill IP Data Summary
Event 2
PE-PT-02B-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-02B-NT-120707

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				13	8	JC	Meroplankton		0	104
Copepoda				350	8	JC	Holoplankton		0	2800
Amphipoda				8	8	JC	Pseudoplankton/ Benthos		0	64
Isopoda				1	8	JC	Pseudoplankton/ Benthos		0	8
Mysida				38	8	JC	Holoplankton		0	304
Cladocera				6	8	JC	Holoplankton		0	48
Cumacea				190	8	JC	Pseudoplankton/ Benthos		0	1520
Cirripedia				10	8	JC	Meroplankton		0	80
Luciferidae	*Lucifer faxoni*		M-1	18	1	JC	Meroplankton	Adult	0	18
Panopeidae			M-2	21	1	JC	Meroplankton	Zoea	0	21
Hippolytidae	*Thor sp.*		M-3	2	1	JC	Meroplankton	Zoea	0	2
Ogyrididae	*Ogyrides alphaerostris*		M-4	32	1	JC	Meroplankton	Adult	0	32
Engraulidae	*Anchoa mitchilli*		IP-1	14	1	MM	Ichthyoplankton	Juvenile	0	14
Engraulidae	*Anchoa mitchilli*		IP-1	8	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius gulosus*		IP-2	1	1	MM	Ichthyoplankton	Juvenile	0	1
Blenniidae			IP-3	10	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	10
Blenniidae	*Lupinoblennius nicholsi*		IP-4	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
									Total	**5035**

CH2M Hill IP Data Summary
Event 2
PE-PT-03A-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-03A-NT-120707

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				4	128	MN	Meroplankton		0	512
Gastropoda				13	128	MN	Meroplankton		0	1664
Copepoda				155	128	MN	Holoplankton		0	19840
Amphipoda				2	128	MN	Pseudoplankton/ Benthos		0	256
Mysida				4	128	MN	Holoplankton		0	512
Cumacea				13	128	MN	Pseudoplankton/ Benthos		0	1664
Chaetognatha				1	128	MN	Holoplankton		0	128
Luciferidae	*Lucifer faxoni*		M-1	2	1	MN	Meroplankton	Juvenile	0	2
Luciferidae	*Lucifer faxoni*		M-1	21	1	MN	Meroplankton	Adult	0	21
Portunidae	*Callinectes sapidus*		M-2	4	1	MN	Meroplankton	Megalopae	0	4
Porcellanidae	*Polyonyx gibbesi*		M-3	3	1	MN	Meroplankton	Zoea	0	3
Caridea			M-4	3	1	MN	Meroplankton	Adult	0	3
Ogyrididae	*Ogyrides sp.*		M-5	1	1	MN	Meroplankton	Post-larval	0	1
Panopeidae			M-6	10	1	MN	Meroplankton	Megalopae	0	10
Brachyura	*Armases/Uca complex*		M-7	1	1	MN	Meroplankton	Megalopae	0	1
Pinnotheridae			M-8	1	1	MN	Meroplankton	Zoea	0	1
Pinnotheridae			M-8	1	1	MN	Meroplankton	Megalopae	0	1
Pinnotheridae			M-8	1	1	MN	Meroplankton	Juvenile	0	1
Hippolytidae	*Thor sp.*		M-9	6	1	MN	Meroplankton	Zoea	0	6
Unidentified shrimp			M-10	2	1	MN	Meroplankton	Juvenile	0	2
Hippolytidae	*Hippolyte sp.*		M-11	1	1	MN	Meroplankton	Zoea	0	1
Brachyura			M-12	1	1	MN	Meroplankton	Megalopae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	8	1	MM	Ichthyoplankton	Adult	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	10	1	MM	Ichthyoplankton	Juvenile	0	10
Engraulidae	*Anchoa mitchilli*		IP-1	12	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	12
									Total	**24664**

CH2M Hill IP Data Summary
Event 2
PE-PT-03B-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-03B-NT-120707

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				5	16	JC	Meroplankton		0	80
Gastropoda				14	16	JC	Meroplankton		0	224
Copepoda				707	16	JC	Holoplankton		0	11312
Amphipoda				7	16	JC	Pseudoplankton/ Benthos		0	112
Mysida				7	16	JC	Holoplankton		0	112
Chaetognatha				8	16	JC	Holoplankton		0	128
Ostracoda				2	16	JC	Pseudoplankton/ Benthos		0	32
Cumacea				42	16	JC	Pseudoplankton/ Benthos		0	672
Tunicata				1	16	JC	Meroplankton		0	16
Luciferidae	*Lucifer faxoni*		M-1	12	1	JC	Meroplankton	Adult	0	12
Portunidae	*Callinectes sapidus*		M-2	1	1	JC	Meroplankton	Megalopae	0	1
Porcellanidae	*Polyonyx gibbesi*		M-3	2	1	JC	Meroplankton	Zoea	0	2
Upogebiidae	*Upogebia affinis*		M-4	1	1	JC	Meroplankton	Zoea	0	1
Hippolytidae	*Thor sp.*		M-5	5	1	JC	Meroplankton	Zoea	0	5
Panopeidae			M-6	1	1	JC	Meroplankton	Zoea	0	1
Panopeidae			M-6	2	1	JC	Meroplankton	Megalopae	0	2
Penaeidae	*Farfantepenaeus duorarum*		M-7	2	1	JC	Meroplankton	Post-larval	0	2
Caridea			REF	2	1	JC	Meroplankton	Zoea	0	2
Caridea			REF	1	1	JC	Meroplankton	Juvenile	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	3	1	MM	Ichthyoplankton	Adult	0	3
Engraulidae	*Anchoa mitchilli*		IP-1	3	1	MM	Ichthyoplankton	Juvenile	0	3
Engraulidae	*Anchoa mitchilli*		IP-1	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
									Total	**12724**

CH2M Hill IP Data Summary
Event 2
PE-PT-04A-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-04A-NT-120707

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Polychaeta				2	32	MN	Meroplankton		0	64
Gastropoda				7	32	MN	Meroplankton		0	224
Copepoda				317	32	MN	Holoplankton		0	10144
Amphipoda				5	32	MN	Pseudoplankton/ Benthos		0	160
Mysida				12	32	MN	Holoplankton		0	384
Chaetognatha				52	32	MN	Holoplankton		0	1664
Cumacea				18	32	MN	Pseudoplankton/ Benthos		0	576
Portunidae	*Callinectes sapidus*		M-1	1	1	MN	Meroplankton	Juvenile	0	1
Luciferidae	*Lucifer faxoni*		M-2	3	1	MN	Meroplankton	Post-larval	0	3
Luciferidae	*Lucifer faxoni*		M-2	20	1	MN	Meroplankton	Adult	0	20
Ogyrididae	*Ogyrides sp.*		M-3	1	1	MN	Meroplankton	Adult	0	1
Pinnotheridae			M-4	9	1	MN	Meroplankton	Zoea	0	9
Hippolytidae	*Thor sp.*		M-5	9	1	MN	Meroplankton	Zoea	0	9
Paguridae	*Pagurus sp.*		M-6	12	1	MN	Meroplankton	Zoea	0	12
Upogebiidae	*Upogebia affinis*		M-7	1	1	MN	Meroplankton	Zoea	0	1
Porcellanidae	*Polyonyx gibbesi*		M-8	3	1	MN	Meroplankton	Zoea	0	3
Portunidae	*Callinectes sapidus*		M-9	1	1	MN	Meroplankton	Megalopae	0	1
Panopeidae			M-10	6	1	MN	Meroplankton	Megalopae	0	6
Xanthidae	*Menippe mercenaria*		M-11	1	1	MN	Meroplankton	Zoea	0	1
Brachyura			M-12	7	1	MN	Meroplankton	Megalopae	0	7
Brachyura			REF	1	1	MN	Meroplankton	Zoea	0	1
Hippolytidae	*Hippolyte sp.*		M-13	7	1	MN	Meroplankton	Post-larval	0	7
Hippolytidae	*Hippolyte sp.*		M-13	1	1	MN	Meroplankton	Adult	0	1
Unidentified shrimp			M-14	1	1	MN	Meroplankton	Juvenile	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	1	1	MM	Ichthyoplankton	Juvenile	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Gerreidae	*Eucinostomus sp.*		IP-2	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae			IP-3	2	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	2
Paralichthyidae/Sparidae complex			EG-1	1	1	MM	Ichthyoplankton	Egg	0	1
									Total	**13308**

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-04B-NT-120707

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				12	64	MN	Meroplankton		0	768
Copepoda				113	64	MN	Holoplankton		0	7232
Amphipoda				2	64	MN	Pseudoplankton/ Benthos		0	128
Isopoda				2	64	MN	Pseudoplankton/ Benthos		0	128
Mysida				7	64	MN	Holoplankton		0	448
Chaetognatha				17	64	MN	Holoplankton		0	1088
Cumacea				8	64	MN	Pseudoplankton/ Benthos		0	512
Cirripedia				1	64	MN	Meroplankton		0	64
Ostracoda				1	64	MN	Pseudoplankton/ Benthos		0	64
Luciferidae	*Lucifer faxoni*		M-1	15	1	MN	Meroplankton	Post-larval	0	15
Luciferidae	*Lucifer faxoni*		M-1	44	1	MN	Meroplankton	Adult	0	44
Ogyrididae	*Ogyrides sp.*		M-2	5	1	MN	Meroplankton	Adult	0	5
Hippolytidae	*Thor sp.*		M-3	12	1	MN	Meroplankton	Zoea	0	12
Hippolytidae	*Thor sp.*		M-3	1	1	MN	Meroplankton	Post-larval	0	1
Pinnotheridae			M-4	8	1	MN	Meroplankton	Zoea	0	8
Xanthidae	*Menippe mercenaria*		M-5	2	1	MN	Meroplankton	Zoea	0	2
Paguridae	*Pagurus sp.*		M-6	5	1	MN	Meroplankton	Zoea	0	5
Panopeidae			M-7	4	1	MN	Meroplankton	Zoea	0	4
Panopeidae			M-7	3	1	MN	Meroplankton	Megalopae	0	3
Porcellanidae	*Polyonyx gibbesi*		M-8	2	1	MN	Meroplankton	Zoea	0	2
Anomura			M-9	2	1	MN	Meroplankton	Post-larval	0	2
Upogebiidae	*Upogebia affinis*		M-10	2	1	MN	Meroplankton	Zoea	0	2
Hippolytidae	*Hippolyte spp.*		M-11	3	1	MN	Meroplankton	Zoea	0	3
Hippolytidae	*Hippolyte spp.*		M-11	6	1	MN	Meroplankton	Post-larval	0	6
Hippolytidae	*Hippolyte spp.*		M-11	1	1	MN	Meroplankton	Adult	0	1
Brachyura	*Armases/Uca complex*		M-12	1	1	MN	Meroplankton	Megalopae	0	1

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-NT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-04B-NT-120707

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Brachyura			M-13	1	1	MN	Meroplankton	Zoea	0	1
Brachyura			M-14	9	1	MN	Meroplankton	Megalopae	0	9
Engraulidae	*Anchoa mitchilli*		IP-1	4	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae	*Chasmodes saburrae*		IP-2	1	1	MM	Ichthyoplankton	Post yolk-sac larvae	0	1
Paralichthyidae/Sparidae complex			EG-1	2	1	MM	Ichthyoplankton	Egg	0	2
									Total	**10565**

CH2M Hill IP Data Summary
Event 2
PE-PT-01B-DT-120707

Project: CH2M Hill
Event: 2
Event Date: December 7-8, 2007
Sample ID: PE-PT-01B-DT-120707

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				12	1	JC	Holoplankton		0	12
Cirripedia				23	1	JC	Meroplankton		0	23
Branchiura				1	1	JC	Pseudoplankton/ Benthos		0	1
									Total	**36**

CH2M Hill IP Data Summary
Event 1
PE-PT-01A-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-01A-DT-041108

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				132	2	JC	Holoplankton		0	264
Atherinopsidae	*Menidia sp.*		IP-6	9	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	9
Clupeidae			IP-3	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Clupeiformes			IP-4	4	1	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Engraulidae			IP-2	25	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	25
Gobiesocidae	*Gobiesox strumosus*		IP-1	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-5	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
UnID (damaged)			IP-7	1	1	EC	Ichthyoplankton	N/A	0	1
Cirripedia				13	2	JC	Meroplankton		0	26
Palaemonidae	*Palaemonetes sp.*		M-2	5	2	JC	Meroplankton	Zoea	0	10
Panopeidae			M-1	150	2	JC	Meroplankton	Zoea	0	300
Insecta				1	2	JC	Other Invertebrates		0	2
Isopoda				3	2	JC	Pseudoplankton/ Benthos		0	6
Nemata				1	2	JC	Pseudoplankton/ Benthos		0	2
									Total	**654**

CH2M Hill IP Data Summary
Event 1
PE-PT-01B-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-01B-DT-041108

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	6	1	EC	Eggs		0	6
UnID (damaged)		w/ embryo	EG-2	1	1	EC	Eggs		0	1
Copepoda				67	2	JC	Holoplankton		0	134
Atherinopsidae	*Menidia sp.*		IP-1	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Clupeidae			IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae			IP-4	135	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	135
Engraulidae			IP-4	2	1	EC	Ichthyoplankton	Yolk-sac larvae	0	2
Gobiidae			IP-2	7	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	7
Cirripedia				136	2	JC	Meroplankton		0	272
Palaemonidae	*Palaemonetes sp.*		M-2	9	2	JC	Meroplankton	Zoea	0	18
Panopeidae			M-1	846	2	JC	Meroplankton	Zoea	0	1692
Branchiura				1	2	JC	Pseudoplankton/ Benthos		0	2
									Total	**2276**

CH2M Hill IP Data Summary
Event 1
PE-PT-02A-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-02A-DT-041108

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	927	2	EC	Eggs		0	1854
Copepoda				77	16	JC	Holoplankton		0	1232
Atherinopsidae	*Menidia sp.*		IP-4	9	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	18
Blenniidae			IP-3	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Engraulidae			IP-6	177	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	354
Engraulidae			IP-6	8	2	EC	Ichthyoplankton	Yolk-sac larvae	0	16
Gobiesocidae	*Gobiesox strumosus*		IP-1	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Gobiesocidae	*Gobiosoma bosc*		IP-5	207	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	414
Gobiidae	*Bathygobius soporator*		IP-2	21	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	42
Gobiidae	*Microgobius thalassinus*		IP-9	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-8	29	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	58
Sparidae			IP-7	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Brachyura	*Armases/Uca* complex		M-5	3	16	JC	Meroplankton	Zoea	0	48
Brachyura	*Armases/Uca* complex		M-5	1	16	JC	Meroplankton	Megalopae	0	16
Caridea	*Periclimenes/Thor* complex		M-4	85	16	JC	Meroplankton	Zoea	0	1360
Cirripedia				1	16	JC	Meroplankton		0	16
Collembola				1	16	JC	Meroplankton		0	16
Palaemonidae	*Palaemonetes paludosus*		M-7	1	16	JC	Meroplankton	Juvenile	0	16
Palaemonidae	*Palaemonetes sp.*		M-3	8	16	JC	Meroplankton	Zoea	0	128
Panopeidae			M-1	418	16	JC	Meroplankton	Zoea	0	6688
UnID Caridea			M-6	4	16	JC	Meroplankton	Zoea	0	64
Upogebiidae	*Upogebia affinis*		M-2	1	16	JC	Meroplankton	Zoea	0	16
Amphipoda				6	16	JC	Pseudoplankton/ Benthos		0	96
Isopoda				1	16	JC	Pseudoplankton/ Benthos		0	16
									Total	**12498**

CH2M Hill IP Data Summary
Event 1
PE-PT-02B-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-02B-DT-041108

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	515	4	EC	Eggs		0	2060
UnID (damaged)			EG-2	6	4	EC	Eggs		0	24
Chaetognatha				1	16	JC	Holoplankton		0	16
Cnidaria				1	16	JC	Holoplankton		0	16
Copepoda				133	16	JC	Holoplankton		0	2128
Atherinopsidae	*Menidia sp.*		IP-5	3	4	EC	Ichthyoplankton	Yolk-sac larvae	0	12
Blenniidae			IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-4	1	4	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Engraulidae			IP-1	71	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	284
Engraulidae			IP-1	8	4	EC	Ichthyoplankton	Yolk-sac larvae	0	32
Gobiesocidae	*Gobiesox strumosus*		IP-3	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Bathygobius soporator*		IP-2	11	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	44
Gobiidae	*Gobiosoma bosc*		IP-6	38	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	152
Gobiidae			IP-7	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Brachyura	*Armases/Uca* complex		M-4	1	16	JC	Meroplankton	Zoea	0	16
Caridea	*Periclimenes/Thor* complex		M-3	50	16	JC	Meroplankton	Zoea	0	800
Cirripedia				3	16	JC	Meroplankton		0	48
Palaemonidae	*Palaemonetes sp.*		M-2	5	16	JC	Meroplankton	Zoea	0	80
Panopeidae			M-1	306	16	JC	Meroplankton	Zoea	0	4896
Polychaeta				1	16	JC	Meroplankton		0	16
Amphipoda				2	16	JC	Pseudoplankton/ Benthos		0	32
Isopoda				1	16	JC	Pseudoplankton/ Benthos		0	16
									Total	**10712**

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03A-DT-041108

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	1	5.33	EC	Eggs		0	5
Carangidae/ Haemulidae/ Sciaenidae/ Serranidae egg complex			EG-3	1	5.33	EC	Eggs		0	5
Engraulidae			EG-1	106	5.33	EC	Eggs		0	565
UnID (no embryo)			EG-4	1	5.33	EC	Eggs		0	5
Chaetognatha				3	32	JC	Holoplankton		0	96
Copepoda				141	32	JC	Holoplankton		0	4512
Atheriniformes			IP-2	8	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	43
Blenniidae			IP-1	7	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	37
Engraulidae			IP-5	31	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	165
Engraulidae			IP-5	20	5.33	EC	Ichthyoplankton	Yolk-sac larvae	0	107
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiidae	*Bathygobius soporator*		IP-6	2	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	11
Gobiidae	*Gobiosoma robustum*		IP-8	3	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Microgobius thalassinus*		IP-7	10	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	53
Gobiidae			IP-9	44	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	235
Sciaenidae	*Cynoscion nebulosus*		IP-4	1	5.33	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Brachyura	*Armases/Uca* complex		M-6	22	16	JC	Meroplankton	Zoea	0	352
Brachyura	*Armases/Uca* complex		M-6	17	16	JC	Meroplankton	Megalopae	0	272
Caridea	*Periclimenes/Thor* complex		M-5	98	16	JC	Meroplankton	Zoea	0	1568
Hippolytidae	*Hippolyte sp.*		M-7	3	16	JC	Meroplankton	Zoea	0	48
Palaemonidae	*Palaemonetes sp.*		M-2	7	16	JC	Meroplankton	Zoea	0	112
Panopeidae			M-1	242	16	JC	Meroplankton	Zoea	0	3872
Panopeidae			M-1	4	16	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-4	10	16	JC	Meroplankton	Zoea	0	160
Upogebiidae	*Upogebia affinis*		M-3	6	16	JC	Meroplankton	Zoea	0	96
Amphipoda				1	32	JC	Pseudoplankton/ Benthos		0	32
									Total	**12442**

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03B-DT-041108

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	140	4	EC	Eggs		0	560
Appendicularia				1	32	JC	Holoplankton		0	32
Chaetognatha				8	32	JC	Holoplankton		0	256
Cnidaria				2	32	JC	Holoplankton		0	64
Copepoda				317	32	JC	Holoplankton		0	10144
Atheriniformes			IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-3	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-2	30	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	120
Engraulidae			IP-2	17	4	EC	Ichthyoplankton	Yolk-sac larvae	0	68
Gobiesocidae	*Gobiesox strumosus*		IP-1	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae	*Bathygobius soporator*		IP-7	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius gulosus*		IP-6	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius thalassinus*		IP-5	122	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	488
Gobiidae			IP-8	70	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	280
Brachyura	*Armases/Uca* complex		M-7	9	32	JC	Meroplankton	Zoea	0	288
Brachyura	*Armases/Uca* complex		M-7	4	32	JC	Meroplankton	Megalopae	0	128
Caridea	*Periclimenes/Thor* complex		M-6	154	32	JC	Meroplankton	Zoea	0	4928
Cirripedia				11	32	JC	Meroplankton		0	352
Gastropoda				14	32	JC	Meroplankton		0	448
Hippolytidae	*Hippolyte sp.*		M-9	2	32	JC	Meroplankton	Zoea	0	64
Menippidae	*Menippe mercenaria*		M-8	1	32	JC	Meroplankton	Zoea	0	32
Paguridae	*Pagurus sp.*		M-3	1	32	JC	Meroplankton	Zoea	0	32
Palaemonidae	*Palaemonetes sp.*		M-4	7	32	JC	Meroplankton	Zoea	0	224
Panopeidae			M-1	197	32	JC	Meroplankton	Zoea	0	6304
Panopeidae			M-1	1	32	JC	Meroplankton	Megalopae	0	32
Pinnotheridae			M-5	21	32	JC	Meroplankton	Zoea	0	672
Unidentified shrimp			M-10	2	32	JC	Meroplankton	Zoea	0	64
Upogebiidae	*Upogebia affinis*		M-2	7	32	JC	Meroplankton	Zoea	0	224
									Total	**25848**

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04A-DT-041108

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	2	8	EC	Eggs		0	16
Carangidae/ Haemulidae/ Sciaenidae/ Serranidae egg complex			EG-3	1	8	EC	Eggs		0	8
Engraulidae			EG-1	83	8	EC	Eggs		0	664
Chaetognatha				14	128	JC	Holoplankton		0	1792
Copepoda				1220	128	JC	Holoplankton		0	156160
Atheriniformes			IP-3	5	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Atherinopsidae	*Menidia sp.*		IP-2	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae	*Hypsoblennius sp.*		IP-5	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Blenniidae			IP-6	8	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Engraulidae			IP-1	15	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	120
Engraulidae			IP-1	9	8	EC	Ichthyoplankton	Yolk-sac larvae	0	72
Gobiidae	*Gobiosoma bosc*		IP-10	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma robustum*		IP-9	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Microgobius thalassinus*		IP-8	70	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	560
Gobiidae			IP-11	32	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	256
Sciaenidae	*Bairdiella chrysoura*		IP-7	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Syngnathidae	*Syngnathus scovelli*		IP-4	1	8	EC	Ichthyoplankton	Juvenile	0	8
Brachyura	*Armases/Uca* complex	Mero in poor condition	M-10	5	32	JC	Meroplankton	Zoea	0	160
Brachyura	*Armases/Uca* complex	Mero in poor condition	M-10	7	32	JC	Meroplankton	Megalopae	0	224
Caridea	*Periclimenes/Thor* complex	Mero in poor condition	M-2	128	32	JC	Meroplankton	Zoea	0	4096
Cirripedia				5	128	JC	Meroplankton		0	640
Gastropoda				26	128	JC	Meroplankton		0	3328
Hippolytidae	*Hippolyte sp.*	Mero in poor condition	M-11	8	32	JC	Meroplankton	Zoea	0	256
Loliginidae		Mero in poor condition	M-14	2	8	JC	Meroplankton	Juvenile	0	16
Luciferidae	*Lucifer faxoni*	Mero in poor condition	M-5	1	32	JC	Meroplankton	Adult	0	32

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04A-DT-041108

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Menippidae	*Menippe mercenaria*	Mero in poor condition	M-6	1	32	JC	Meroplankton	Zoea	0	32
Paguridae	*Pagurus sp.*	Mero in poor condition	M-7	7	32	JC	Meroplankton	Zoea	0	224
Palaemonidae	*Palaemonetes sp.*	Mero in poor condition	M-9	2	32	JC	Meroplankton	Zoea	0	64
Panopeidae		Mero in poor condition	M-1	301	32	JC	Meroplankton	Zoea	0	9632
Panopeidae		Mero in poor condition	M-1	1	32	JC	Meroplankton	Megalopae	0	32
Pinnotheridae		Mero in poor condition	M-4	21	32	JC	Meroplankton	Zoea	0	672
Porcellanidae	*Polyonyx gibbesi*	Mero in poor condition	M-8	2	32	JC	Meroplankton	Zoea	0	64
UnID Brachyura		Mero in poor condition	M-12	2	32	JC	Meroplankton	Zoea	0	64
Unidentified shrimp		Mero in poor condition	M-13	5	32	JC	Meroplankton	Zoea	0	160
Upogebiidae	*Upogebia affinis*	Mero in poor condition	M-3	51	32	JC	Meroplankton	Zoea	0	1632
									Total	**181160**

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04B-DT-041108

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	72	8	EC	Eggs		0	576
Appendicularia				3	64	JC	Holoplankton		0	192
Chaetognatha				51	64	JC	Holoplankton		0	3264
Copepoda				259	64	JC	Holoplankton		0	16576
Atheriniformes			IP-2	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Atheriniformes			IP-2	1	8	EC	Ichthyoplankton	Yolk-sac larvae	0	8
Blenniidae			IP-3	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Engraulidae			IP-4	15	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	120
Engraulidae			IP-4	16	8	EC	Ichthyoplankton	Yolk-sac larvae	0	128
Gobiesocidae	*Gobiesox strumosus*		IP-1	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae	*Bathygobius soporator*		IP-6	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-8	5	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Gobiidae	*Gobiosoma robustum*		IP-7	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Microgobius thalassinus*		IP-5	132	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	1056
Gobiidae			IP-9	58	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	464
UnID			IP-10	1	8	EC	Ichthyoplankton	Yolk-sac larvae	0	8
Anomura			M-11	1	32	JC	Meroplankton	Juvenile	0	32
Brachyura	*Armases/Uca* complex		M-5	7	32	JC	Meroplankton	Zoea	0	224
Brachyura	*Armases/Uca* complex		M-5	6	32	JC	Meroplankton	Megalopae	0	192
Callianassidae	*Callianassa sp.*		M-10	3	32	JC	Meroplankton	Zoea	0	96
Caridea	*Periclimenes/Thor* complex		M-2	246	32	JC	Meroplankton	Zoea	0	7872
Cirripedia				1	64	JC	Meroplankton		0	64
Gastropoda				11	64	JC	Meroplankton		0	704
Hippolytidae	*Hippolyte sp.*		M-8	7	32	JC	Meroplankton	Zoea	0	224
Loliginidae			M-14	2	8	JC	Meroplankton	Juvenile	0	16
Luciferidae	*Lucifer faxoni*		M-6	1	32	JC	Meroplankton	Adult	0	32
Paguridae	*Pagurus sp.*		M-13	5	32	JC	Meroplankton	Zoea	0	160
Palaemonidae	*Palaemonetes sp.*		M-7	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	430	32	JC	Meroplankton	Zoea	0	13760

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-DT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04B-DT-041108

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Pinnotheridae			M-4	23	32	JC	Meroplankton	Zoea	0	736
Porcellanidae	*Polyonyx gibbesi*		M-9	2	32	JC	Meroplankton	Zoea	0	64
Unidentified shrimp			M-12	8	32	JC	Meroplankton	Zoea	0	256
Upogebiidae	*Upogebia affinis*		M-3	18	32	JC	Meroplankton	Zoea	0	576
									Total	**47576**

CH2M Hill IP Data Summary
Event 1
PE-PT-01A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-01A-NT-041108

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				755	32	JC	Holoplankton		2	48320
Atherinopsidae	*Menidia sp.*		IP-4	27	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	54
Clupeidae			IP-1	14	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Clupeiformes			IP-3	36	2	EC	Ichthyoplankton	N/A	0	72
Engraulidae			IP-2	298	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	596
Engraulidae			IP-2	6	2	EC	Ichthyoplankton	Yolk-sac larvae	0	12
Gobiesocidae	*Gobiesox strumosus*		IP-5	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Bathygobius soporator*		IP-6	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma bosc*		IP-7	16	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Brachyura	*Armases/Uca* complex		M-3	5	8	JC	Meroplankton	Zoea	0	40
Brachyura	*Armases/Uca* complex		M-3	3	8	JC	Meroplankton	Megalopae	0	24
Cirripedia				18	32	JC	Meroplankton		2	1152
Palaemonidae	*Palaemonetes sp.*		M-2	45	8	JC	Meroplankton	Zoea	0	360
Panopeidae			M-1	480	8	JC	Meroplankton	Zoea	0	3840
Panopeidae			M-1	5	8	JC	Meroplankton	Megalopae	0	40
Insecta				1	32	JC	Other Invertebrates		2	64
Amphipoda				7	32	JC	Pseudoplankton/ Benthos		2	448
Collembola				6	32	JC	Pseudoplankton/ Benthos		2	384
Cumacea				2	32	JC	Pseudoplankton/ Benthos		2	128
									Total	**55598**

CH2M Hill IP Data Summary
Event 1
PE-PT-01B-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-01B-NT-041108

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Labridae/ Sciaenidae egg complex			EG-1	1	4	EC	Eggs		0	4
Copepoda				225	16	JC	Holoplankton		0	3600
Atherinopsidae	*Menidia sp.*		IP-3	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Clupeidae			IP-1	9	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	36
Clupeiformes			IP-5	34	4	EC	Ichthyoplankton	N/A	0	136
Cyprinodontidae			IP-6	1	4	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Engraulidae			IP-2	189	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	756
Engraulidae			IP-2	8	4	EC	Ichthyoplankton	Yolk-sac larvae	0	32
Gobiidae	*Gobiosoma bosc*		IP-4	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Brachyura		Damaged	M-3	1	8	JC	Meroplankton	Megalopae	0	8
Cirripedia				1	16	JC	Meroplankton		0	16
Palaemonidae	*Palaemonetes sp.*		M-2	4	8	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	247	8	JC	Meroplankton	Zoea	0	1976
Polychaeta				1	16	JC	Meroplankton		0	16
Insecta				1	16	JC	Other Invertebrates		0	16
Amphipoda				13	16	JC	Pseudoplankton/ Benthos		0	208
Collembola				2	16	JC	Pseudoplankton/ Benthos		0	32
Cumacea				2	16	JC	Pseudoplankton/ Benthos		0	32
Isopoda				2	16	JC	Pseudoplankton/ Benthos		0	32
Ostracoda				1	16	JC	Pseudoplankton/ Benthos		0	16
Tanaidacea				2	16	JC	Pseudoplankton/ Benthos		0	32
									Total	**7020**

CH2M Hill IP Data Summary
Event 1
PE-PT-02A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-02A-NT-041108

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	2	1	EC	Eggs		0	2
Copepoda				1168	32	JC	Holoplankton		0	37376
Mysida				2	32	JC	Holoplankton		0	64
Elopidae			IP-1	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Atherinopsidae	*Menidia sp.*		IP-6	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Blenniidae			IP-7	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-4	6	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Engraulidae			IP-4	7	8	EC	Ichthyoplankton	Yolk-sac larvae	0	56
Gobiesocidae	*Gobiesox strumosus*		IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-8	14	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	112
Gobiidae	*Microgobius gulosus*		IP-9	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae			IP-10	5	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Mullidae			IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Ophichthidae	*Myrophis punctatus*		IP-2	1	8	EC	Ichthyoplankton	Juvenile	0	8
Sciaenidae	*Bairdiella chrysoura*		IP-11	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Brachyura	*Armases/Uca* complex		M-3	1	8	JC	Meroplankton	Zoea	0	8
Brachyura	*Armases/Uca* complex		M-3	18	8	JC	Meroplankton	Megalopae	0	144
Palaemonidae	*Palaemonetes sp.*		M-2	5	8	JC	Meroplankton	Zoea	0	40
Panopeidae			M-1	120	8	JC	Meroplankton	Zoea	0	960
Panopeidae			M-1	19	8	JC	Meroplankton	Megalopae	0	152
Polychaeta				2	32	JC	Meroplankton		0	64
Amphipoda				7	32	JC	Pseudoplankton/ Benthos		0	224
Cumacea				37	32	JC	Pseudoplankton/ Benthos		0	1184
Tanaidacea				3	32	JC	Pseudoplankton/ Benthos		0	96
									Total	**40682**

CH2M Hill IP Data Summary
Event 1
PE-PT-02B-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-02B-NT-041108

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Copepoda				1174	32	JC	Holoplankton		0	37568
Mysida				2	32	JC	Holoplankton		0	64
Atherinopsidae	*Menidia sp.*		IP-7	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-3	1	4	EC	Ichthyoplankton	Juvenile	0	4
Engraulidae			IP-3	11	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	44
Engraulidae			IP-3	17	4	EC	Ichthyoplankton	Yolk-sac larvae	0	68
Gobiesocidae	*Gobiesox strumosus*		IP-4	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae	*Bathygobius soporator*		IP-5	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-8	21	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	84
Gobiidae			IP-10	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Mullidae			IP-1	2	4	EC	Ichthyoplankton	Juvenile	0	8
Ophichthidae	*Myrophis punctatus*		IP-2	1	4	EC	Ichthyoplankton	Juvenile	0	4
Sciaenidae	*Bairdiella chrysoura*		IP-6	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Sparidae			IP-9	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca* complex		M-3	22	8	JC	Meroplankton	Megalopae	0	176
Caridea	*Periclimenes/Thor* complex		M-4	6	8	JC	Meroplankton	Zoea	0	48
Palaemonidae	*Palaemonetes paludosus*		M-5	1	8	JC	Meroplankton	Juvenile	0	8
Palaemonidae	*Palaemonetes sp.*		M-2	5	8	JC	Meroplankton	Zoea	0	40
Panopeidae			M-1	183	8	JC	Meroplankton	Zoea	0	1464
Panopeidae			M-1	28	8	JC	Meroplankton	Megalopae	0	224
Amphipoda				4	32	JC	Pseudoplankton/ Benthos		0	128
Branchiura				1	32	JC	Pseudoplankton/ Benthos		0	32
Collembola				7	32	JC	Pseudoplankton/ Benthos		0	224
Cumacea				41	32	JC	Pseudoplankton/ Benthos		0	1312
Isopoda				1	32	JC	Pseudoplankton/ Benthos		0	32
Ostracoda				1	32	JC	Pseudoplankton/ Benthos		0	32
Tanaidacea				5	32	JC	Pseudoplankton/ Benthos		0	160
									Total	**41792**

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03A-NT-041108

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	402	2	EC	Eggs		0	804
Copepoda				209	16	JC	Holoplankton		0	3344
Mysida				5	16	JC	Holoplankton		0	80
Atheriniformes			IP-5	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Atherinopsidae	*Menidia sp.*		IP-6	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-7	7	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	14
Engraulidae	*Anchoa mitchilli*		IP-2	11	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	22
Engraulidae			IP-3	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Engraulidae			IP-3	10	2	EC	Ichthyoplankton	Yolk-sac larvae	0	20
Gobiesocidae	*Gobiesox strumosus*		IP-4	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Bathygobius soporator*		IP-9	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-11	9	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	18
Gobiidae	*Microgobius gulosus*		IP-10	14	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Gobiidae			IP-12	14	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Sciaenidae	*Bairdiella chrysoura*		IP-8	21	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	42
Synodontidae	*Synodus foetens*		IP-1	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Alpheidae	*Alpheus sp.*		M-6	3	4	JC	Meroplankton	Post-larval	0	12
Brachyura	*Armases/Uca* complex		M-2	407	4	JC	Meroplankton	Zoea	0	1628
Brachyura	*Armases/Uca* complex		M-2	244	4	JC	Meroplankton	Megalopae	0	976
Caridea	*Periclimenes/Thor* complex		M-5	66	4	JC	Meroplankton	Zoea	0	264
Gastropoda				4	16	JC	Meroplankton		0	64
Hippolytidae	*Hippolyte sp.*		M-8	1	4	JC	Meroplankton	Zoea	0	4
Palaemonidae	*Palaemonetes sp.*		M-3	5	4	JC	Meroplankton	Zoea	0	20
Palaemonidae	*Palaemonetes sp.*		M-3	1	4	JC	Meroplankton	Post-larval	0	4
Panopeidae			M-1	273	4	JC	Meroplankton	Zoea	0	1092
Panopeidae			M-1	90	4	JC	Meroplankton	Megalopae	0	360
Pinnotheridae			M-7	1	4	JC	Meroplankton	Zoea	0	4
Pinnotheridae			M-7	22	4	JC	Meroplankton	Megalopae	0	88
Polychaeta				6	16	JC	Meroplankton		0	96
Porcellanidae	*Polyonyx gibbesi*		M-9	1	4	JC	Meroplankton	Zoea	0	4

CH2M Hill IP Data Summary
Event 1
PE-PT-03A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03A-NT-041108

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Upogebiidae	*Upogebia affinis*		M-4	4	4	JC	Meroplankton	Zoea	0	16
Upogebiidae	*Upogebia affinis*		M-4	20	4	JC	Meroplankton	Post-larval	0	80
Amphipoda				2	16	JC	Pseudoplankton/ Benthos		0	32
Cumacea				40	16	JC	Pseudoplankton/ Benthos		0	640
Ostracoda				34	16	JC	Pseudoplankton/ Benthos		0	544
Tanaidacea				1	16	JC	Pseudoplankton/ Benthos		0	16
									Total	**10378**

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03B-NT-041108

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	339	8	EC	Eggs		0	2712
UnID (damaged)			EG-3	19	8	EC	Eggs		0	152
UnID (no embryo)			EG-2	1	8	EC	Eggs		0	8
Chaetognatha				1	32	JC	Holoplankton		2	64
Copepoda				297	32	JC	Holoplankton		2	19008
Mysida				10	32	JC	Holoplankton		2	640
Blenniidae			IP-5	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Clupeidae			IP-4	10	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	80
Engraulidae	*Anchoa mitchilli*		IP-2	21	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	168
Engraulidae			IP-8	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-8	9	8	EC	Ichthyoplankton	Yolk-sac larvae	0	72
Gobiesocidae	*Gobiesox strumosus*		IP-6	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Bathygobius soporator*		IP-10	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma bosc*		IP-12	16	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	128
Gobiidae	*Microgobius gulosus*		IP-9	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Microgobius thalassinus*		IP-11	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-13	28	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	224
Sciaenidae	*Bairdiella chrysoura*		IP-7	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Syngnathidae	*Syngnathus scovelli*		IP-1	1	8	EC	Ichthyoplankton	Juvenile	0	8
Synodontidae	*Synodus foetens*		IP-3	1	8	EC	Ichthyoplankton	Juvenile	0	8
Alpheidae	*Alpheus sp.*		M-6	1	32	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Uca* complex		M-2	1	32	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Uca* complex		M-2	21	32	JC	Meroplankton	Megalopae	0	672
Caridea	*Periclimenes/Thor* complex		M-3	24	32	JC	Meroplankton	Zoea	0	768
Palaemonidae	*Palaemonetes sp.*		M-5	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	53	32	JC	Meroplankton	Zoea	0	1696
Panopeidae			M-1	1	32	JC	Meroplankton	Megalopae	0	32
Panopeidae			M-1	1	32	JC	Meroplankton	Juvenile	0	32
Pinnotheridae			M-7	1	32	JC	Meroplankton	Megalopae	0	32
Polychaeta				2	32	JC	Meroplankton		2	128

CH2M Hill IP Data Summary
Event 1
PE-PT-03B-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-03B-NT-041108

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Upogebiidae	*Upogebia affinis*		M-4	2	32	JC	Meroplankton	Post-larval	0	64
Amphipoda				5	32	JC	Pseudoplankton/ Benthos		2	320
Cumacea				207	32	JC	Pseudoplankton/ Benthos		2	13248
Ostracoda				43	32	JC	Pseudoplankton/ Benthos		2	2752
									Total	**43240**

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04A-NT-041108

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	148	32	EC	Eggs		0	4736
UnID (no embryo)			EG-2	9	32	EC	Eggs		0	288
Chaetognatha				4	32	JC	Holoplankton		0	128
Copepoda				564	32	JC	Holoplankton		0	18048
Mysida				18	32	JC	Holoplankton		0	576
Atherinopsidae	*Menidia sp.*		IP-17	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Atherinopsidae			IP-4	17	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	17
Blenniidae			IP-6	41	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	41
Callionymidae	*Diplogrammus pauciradiatus*		IP-15	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeidae	*Brevoortia sp.*		IP-2	10	1	EC	Ichthyoplankton	Juvenile	0	10
Clupeidae			IP-3	10	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Engraulidae	*Anchoa mitchilli*		IP-1	62	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	62
Engraulidae			IP-9	83	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	83
Gobiesocidae	*Gobiesox strumosus*		IP-5	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Bathygobius soporator*		IP-8	11	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	11
Gobiidae	*Gobiosoma bosc*		IP-12	59	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	59
Gobiidae	*Microgobius gulosus*		IP-10	35	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	35
Gobiidae	*Microgobius thalassinus*		IP-11	7	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	7
Gobiidae			IP-13	36	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	36
Perciformes			IP-18	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-7	21	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	21
Sciaenidae			IP-16	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Synodontidae	*Synodus foetens*		IP-14	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
UnID			IP-19	35	1	EC	Ichthyoplankton	Yolk-sac larvae	0	35
Brachyura	*Armases/Uca* complex		M-2	84	32	JC	Meroplankton	Zoea	0	2688
Brachyura	*Armases/Uca* complex		M-2	3	32	JC	Meroplankton	Megalopae	0	96
Caridea	*Periclimenes/Thor* complex		M-3	78	32	JC	Meroplankton	Zoea	0	2496
Gastropoda				1	32	JC	Meroplankton		0	32
Hippolytidae	*Hippolyte sp.*		M-7	1	32	JC	Meroplankton	Zoea	0	32
Palaemonidae	*Palaemonetes sp.*		M-6	2	32	JC	Meroplankton	Zoea	0	64

CH2M Hill IP Data Summary
Event 1
PE-PT-04A-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04A-NT-041108

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Panopeidae			M-1	205	32	JC	Meroplankton	Zoea	0	6560
Panopeidae			M-1	3	32	JC	Meroplankton	Megalopae	0	96
Pinnotheridae			M-5	1	32	JC	Meroplankton	Zoea	0	32
Pinnotheridae			M-5	7	32	JC	Meroplankton	Megalopae	0	224
Polychaeta				2	32	JC	Meroplankton		0	64
Porcellanidae	*Polyonyx gibbesi*		M-8	1	32	JC	Meroplankton	Zoea	0	32
Upogebiidae	*Upogebia affinis*		M-4	4	32	JC	Meroplankton	Zoea	0	128
Amphipoda				5	32	JC	Pseudoplankton/ Benthos		0	160
Cumacea				27	32	JC	Pseudoplankton/ Benthos		0	864
Ostracoda				37	32	JC	Pseudoplankton/ Benthos		0	1184
Tanaidacea				2	32	JC	Pseudoplankton/ Benthos		0	64
									Total	**39033**

CH2M Hill IP Data Summary
Event 1
PE-PT-04B-NT-041108

Project: CH2M Hill
Event: 1
Event Date: April 11 2008
Sample ID: PE-PT-04B-NT-041108

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	99	16	EC	Eggs		0	1584
Copepoda				410	128	JC	Holoplankton		0	52480
Mysida				3	128	JC	Holoplankton		0	384
Atherinopsidae			IP-4	4	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Engraulidae	*Anchoa mitchilli*		IP-1	9	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	144
Engraulidae			IP-2	16	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	256
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Bathygobius soporator*		IP-5	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma bosc*		IP-9	8	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	128
Gobiidae	*Microgobius gulosus*		IP-7	8	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	128
Gobiidae	*Microgobius thalassinus*		IP-8	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-10	26	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	416
Perciformes			IP-11	2	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Sciaenidae	*Bairdiella chrysoura*		IP-6	3	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Alpheidae	*Alpheus sp.*		M-4	1	16	JC	Meroplankton	Zoea	0	16
Brachyura	*Armases/Uca* complex		M-6	43	16	JC	Meroplankton	Zoea	0	688
Brachyura	*Armases/Uca* complex		M-6	21	16	JC	Meroplankton	Megalopae	0	336
Caridea	*Periclimenes/Thor* complex		M-2	72	16	JC	Meroplankton	Zoea	0	1152
Gastropoda				4	128	JC	Meroplankton		0	512
Palaemonidae	*Palaemonetes sp.*		M-5	1	16	JC	Meroplankton	Zoea	0	16
Panopeidae			M-1	212	16	JC	Meroplankton	Zoea	0	3392
Panopeidae			M-1	7	16	JC	Meroplankton	Megalopae	0	112
Pinnotheridae			M-7	4	16	JC	Meroplankton	Megalopae	0	64
Upogebiidae	*Upogebia affinis*		M-3	4	16	JC	Meroplankton	Zoea	0	64
Amphipoda				2	128	JC	Pseudoplankton/ Benthos		0	256
Cumacea				4	128	JC	Pseudoplankton/ Benthos		0	512
Ostracoda				9	128	JC	Pseudoplankton/ Benthos		0	1152
									Total	**63984**

CH2M Hill IP Data Summary
Event 2
PE-PT-01A-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-01A-DT-042108

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atheriniformes			IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-1	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Brachyura	*Armases/Uca complex*		M-3	7	16	JC	Meroplankton	Zoea	0	112
Brachyura	*Armases/Uca complex*		M-3	1	16	JC	Meroplankton	Megalopae	0	16
Palaemonidae	*Palaemonetes sp.*		M-2	6	16	JC	Meroplankton	Zoea	0	96
Panopeidae			M-1	145	16	JC	Meroplankton	Zoea	0	2320
Panopeidae			M-1	1	16	JC	Meroplankton	Megalopae	0	16
Copepoda				47	16	JC	Non-decapod Holoplankton		0	752
Cirripedia				237	16	JC	Non-decapod Meroplankton		0	3792
Amphipoda				2	16	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Isopoda				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**7159**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-01B-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-01B-DT-042108

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Brachyura	*Armases/Uca complex*		M-3	5	8	JC	Meroplankton	Zoea	0	40
Palaemonidae	*Palaemonetes sp.*		M-2	1	8	JC	Meroplankton	Zoea	0	8
Panopeidae			M-1	465	8	JC	Meroplankton	Zoea	0	3720
Panopeidae			M-1	2	8	JC	Meroplankton	Megalopae	0	16
Copepoda				63	8	JC	Non-decapod Holoplankton		0	504
Cirripedia				246	8	JC	Non-decapod Meroplankton		0	1968
Amphipoda				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Cumacea				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Ostracoda				4	8	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Polychaeta				3	8	JC	Non-decapod Pseudoplankton/ Benthos		0	24
									Total	**6336**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-02A-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-02A-DT-042108

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	17	1	EC	Eggs	Egg	0	17
UnID (damaged)			EG-3	3	1	EC	Eggs	Egg	0	3
UnID (no embryo)			EG-2	59	1	EC	Eggs	Egg	0	59
Atherinopsidae	*Menidia sp.*		IP-3	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae			IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeiformes			IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae			IP-4	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiesocidae	*Gobiesox strumosus*		IP-1	10	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Gobiidae	*Bathygobius soporator*		IP-7	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-8	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Syngnathidae	*Syngnathus louisianae*		IP-2	1	1	EC	Ichthyoplankton	Juvenile	0	1
Brachyura	*Armases/Uca* complex		M-2	2	4	JC	Meroplankton	Zoea	2	16
Brachyura	*Armases/Uca* complex		M-2	2	4	JC	Meroplankton	Megalopae	2	16
Caridea	*Periclimenes/Thor* complex		M-5	5	4	JC	Meroplankton	Zoea	2	40
Palaemonidae	*Palaemonetes sp.*		M-6	1	4	JC	Meroplankton	Zoea	2	8
Panopeidae			M-1	477	4	JC	Meroplankton	Zoea	2	3816
Pinnotheridae			M-4	1	4	JC	Meroplankton	Zoea	2	8
Unidentified shrimp			M-7	2	4	JC	Meroplankton	Zoea	2	16
Upogebiidae	*Upogebia affinis*		M-3	2	4	JC	Meroplankton	Zoea	2	16
Copepoda				52	4	JC	Non-decapod Holoplankton		0	208
Cirripedia				36	4	JC	Non-decapod Meroplankton		0	144
Collembola				1	4	JC	Non-decapod Other Invertebrates		0	4
Amphipoda				10	4	JC	Non-decapod Pseudoplankton/ Benthos		0	40
									Total	**4441**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-02B-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-02B-DT-042108

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	23	1	EC	Eggs	Egg	0	23
UnID (damaged)			EG-3	9	1	EC	Eggs	Egg	0	9
UnID			EG-2	98	1	EC	Eggs	Egg	0	98
Atherinopsidae			IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Belonidae	*Strongylura sp.*		IP-7	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-3	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Engraulidae			IP-4	33	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	33
Gobiesocidae	*Gobiesox strumosus*		IP-1	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-6	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Sciaenidae			IP-2	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Brachyura	*Armases/Uca* complex		M-4	1	4	JC	Meroplankton	Zoea	2	8
Brachyura	*Armases/Uca* complex		M-4	1	4	JC	Meroplankton	Megalopae	2	8
Caridea	*Periclimenes/Thor complex*		M-5	4	4	JC	Meroplankton	Zoea	2	32
Palaemonidae	*Palaemonetes sp.*		M-2	2	4	JC	Meroplankton	Zoea	2	16
Panopeidae			M-1	492	4	JC	Meroplankton	Zoea	2	3936
Panopeidae			M-1	1	4	JC	Meroplankton	Megalopae	2	8
Pinnotheridae			M-3	1	4	JC	Meroplankton	Zoea	2	8
Unidentified shrimp			M-6	1	4	JC	Meroplankton	Zoea	2	8
Copepoda				106	4	JC	Non-decapod Holoplankton		0	424
Cirripedia				63	4	JC	Non-decapod Meroplankton		0	252
Amphipoda				9	4	JC	Non-decapod Pseudoplankton/ Benthos		0	36
Cumacea				1	4	JC	Non-decapod Pseudoplankton/ Benthos		0	4
Isopoda				1	4	JC	Non-decapod Pseudoplankton/ Benthos		0	4
									Total	**4924**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-03A-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-03A-DT-042108

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	221	4	EC	Eggs	Egg	0	884
UnID (no embryo)			EG-2	2	4	EC	Eggs	Egg	0	8
Achiridae	*Achirus lineatus*		IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-5	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Engraulidae			IP-2	37	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	148
Gobiesocidae	*Gobiesox strumosus*		IP-1	8	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae			IP-9	258	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	1032
Gobiidae	*Bathygobius soporator*		IP-6	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae	*Gobiosoma robustum*		IP-8	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius gulosus*		IP-7	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-4	21	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	84
Brachyura	*Armases/Uca* complex		M-3	25	32	JC	Meroplankton	Zoea	0	800
Brachyura	*Armases/Uca* complex		M-3	10	32	JC	Meroplankton	Megalopae	0	320
Caridea	*Periclimenes/Thor* complex		M-4	20	32	JC	Meroplankton	Zoea	0	640
Paguridae	*Pagurus sp.*		M-6	2	32	JC	Meroplankton	Zoea	0	64
Palaemonidae	*Palaemonetes sp.*		M-2	6	32	JC	Meroplankton	Zoea	0	192
Panopeidae			M-1	275	32	JC	Meroplankton	Zoea	0	8800
Panopeidae			M-1	2	32	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-7	4	32	JC	Meroplankton	Zoea	0	128
Unidentified shrimp			M-8	5	32	JC	Meroplankton	Zoea	0	160
Upogebiidae	*Upogebia affinis*		M-5	8	32	JC	Meroplankton	Zoea	0	256
Chaetognatha				4	32	JC	Non-decapod Holoplankton		0	128
Copepoda				349	32	JC	Non-decapod Holoplankton		0	11168
Gastropoda				8	32	JC	Non-decapod Meroplankton		0	256
Cumacea				2	32	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Nudibranchia				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**25312**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-03B-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-03B-DT-042108

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Sciaenidae/ Serranidae egg complex			EG-2	2	4	EC	Eggs	Egg	0	8
Engraulidae			EG-1	207	4	EC	Eggs	Egg	0	828
Blenniidae			IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae			IP-1	49	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	196
Gobiesocidae	*Gobiesox strumosus*		IP-2	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-7	204	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	816
Gobiidae	*Bathygobius soporator*		IP-4	8	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae	*Gobiosoma bosc*		IP-6	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae	*Gobiosoma robustum*		IP-8	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-5	14	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Microdesmidae	*Microdesmus sp.*		IP-9	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Uca* complex		M-6	19	32	JC	Meroplankton	Zoea	0	608
Brachyura	*Armases/Uca* complex		M-6	17	32	JC	Meroplankton	Megalopae	0	544
Callianassidae	*Callianassa sp.*		M-7	1	32	JC	Meroplankton	Zoea	0	32
Caridea	*Periclimenes/Thor* complex		M-4	43	32	JC	Meroplankton	Zoea	0	1376
Palaemonidae	*Palaemonetes sp.*		M-3	7	32	JC	Meroplankton	Zoea	0	224
Panopeidae			M-1	298	32	JC	Meroplankton	Zoea	0	9536
Panopeidae			M-1	2	32	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-5	9	32	JC	Meroplankton	Zoea	0	288
Unidentified shrimp			M-8	2	32	JC	Meroplankton	Zoea	0	64
Upogebiidae	*Upogebia affinis*		M-2	17	32	JC	Meroplankton	Zoea	0	544
Chaetognatha				17	32	JC	Non-decapod Holoplankton		0	544
Copepoda				349	32	JC	Non-decapod Holoplankton		0	11168
Gastropoda				5	32	JC	Non-decapod Meroplankton		0	160
Amphipoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Nudibranchia				2	32	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**27236**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-04A-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-04A-DT-042108

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	9	8	EC	Eggs	Egg	0	72
Engraulidae			EG-1	341	8	EC	Eggs	Egg	0	2728
Achiridae	*Achirus lineatus*		IP-1	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Atherinopsidae			IP-4	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-2	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Engraulidae			IP-5	34	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	136
Engraulidae			IP-5	9	4	EC	Ichthyoplankton	Yolk-sac larvae	0	36
Gobiesocidae	*Gobiesox strumosus*		IP-3	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae			IP-12	47	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	188
Gobiidae	*Bathygobius soporator*		IP-6	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Gobiosoma bosc*		IP-11	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma robustum*		IP-10	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Microgobius gulosus*		IP-9	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-8	43	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	172
Microdesmidae			IP-13	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-7	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Uca* complex		M-9	11	64	JC	Meroplankton	Zoea	0	704
Brachyura	*Armases/Uca* complex		M-9	8	64	JC	Meroplankton	Megalopae	0	512
Caridea	*Periclimenes/Thor* complex		M-3	28	64	JC	Meroplankton	Zoea	0	1792
Hippolytidae	*Hippolyte sp.*		M-7	3	64	JC	Meroplankton	Zoea	0	192
Menippidae	*Menippe mercenaria*		M-5	2	64	JC	Meroplankton	Zoea	0	128
Paguridae	*Pagurus sp.*		M-6	3	64	JC	Meroplankton	Zoea	0	192
Palaemonidae	*Palaemonetes sp.*		M-8	4	64	JC	Meroplankton	Zoea	0	256
Panopeidae			M-1	142	64	JC	Meroplankton	Zoea	0	9088
Panopeidae			M-1	1	64	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-4	10	64	JC	Meroplankton	Zoea	0	640
Porcellanidae	*Polyonyx gibbesi*		M-11	2	64	JC	Meroplankton	Zoea	0	128
Unidentified shrimp			M-10	5	64	JC	Meroplankton	Zoea	0	320
Upogebiidae	*Upogebia affinis*		M-2	103	64	JC	Meroplankton	Zoea	0	6592
Chaetognatha				88	64	JC	Non-decapod Holoplankton		0	5632
Copepoda				169	64	JC	Non-decapod Holoplankton		0	10816
Gastropoda				10	64	JC	Non-decapod Meroplankton		0	640
									Total	**41168**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-04B-DT-042108

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-3	2	16	EC	Eggs	Egg	0	32
Carangidae/ Haemulidae/ Sciaenidae/ Serranidae egg complex			EG-2	6	16	EC	Eggs	Egg	0	96
Engraulidae			EG-1	313	16	EC	Eggs	Egg	0	5008
Achiridae	*Achirus lineatus*		IP-2	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Blenniidae			IP-4	13	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	208
Engraulidae			IP-1	22	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	352
Engraulidae			IP-1	4	16	EC	Ichthyoplankton	Yolk-sac larvae	0	64
Gobiesocidae	*Gobiesox strumosus*		IP-3	3	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Gobiidae			IP-8	32	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	512
Gobiidae	*Bathygobius soporator*		IP-7	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma robustum*		IP-6	7	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	112
Gobiidae	*Microgobius thalassinus*		IP-5	26	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	416
Microdesmidae			IP-9	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Anomura			M-12	2	64	JC	Meroplankton	Juvenile	2	256
Brachyura			REF	1	64	JC	Meroplankton	Zoea	2	128
Brachyura	*Armases/Uca* complex		M-3	11	64	JC	Meroplankton	Zoea	2	1408
Brachyura	*Armases/Uca* complex		M-3	2	64	JC	Meroplankton	Megalopae	2	256
Caridea	*Periclimenes/Thor* complex		M-9	30	64	JC	Meroplankton	Zoea	2	3840
Hippolytidae	*Hippolyte sp.*		M-11	1	64	JC	Meroplankton	Zoea	2	128
Loliginidae			REF	1	64	JC	Meroplankton	Juvenile	2	128
Menippidae	*Menippe mercenaria*		M-4	2	64	JC	Meroplankton	Zoea	2	256
Paguridae	*Pagurus sp.*		M-7	4	64	JC	Meroplankton	Zoea	2	512
Palaemonidae	*Palaemonetes sp.*		M-13	1	64	JC	Meroplankton	Zoea	2	128
Panopeidae			M-1	359	64	JC	Meroplankton	Zoea	2	45952
Panopeidae			M-1	1	64	JC	Meroplankton	Megalopae	2	128
Pilumnidae	*Pilumnus sp.*		M-5	1	64	JC	Meroplankton	Zoea	2	128
Pinnotheridae			M-6	6	64	JC	Meroplankton	Zoea	2	768
Porcellanidae	*Polyonyx gibbesi*		M-8	1	64	JC	Meroplankton	Zoea	2	128

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-DT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-04B-DT-042108

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Squillidae			REF	1	64	JC	Meroplankton	Post-larval	2	128
Unidentified shrimp			M-10	6	64	JC	Meroplankton	Zoea	2	768
Upogebiidae	*Upogebia affinis*		M-2	148	64	JC	Meroplankton	Zoea	2	18944
Appendicularia				1	64	JC	Non-decapod Holoplankton		0	64
Chaetognatha				110	64	JC	Non-decapod Holoplankton		0	7040
Copepoda				434	64	JC	Non-decapod Holoplankton		0	27776
Gastropoda				21	64	JC	Non-decapod Meroplankton		0	1344
									Total	**117104**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-01A-NT-042208

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-01A-NT-042208

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae	*Menidia sp.*		IP-3	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Clupeidae			IP-2	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Clupeidae	*Brevoortia sp.*		IP-1	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Engraulidae	*Anchoa mitchilli*		IP-8	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Gobiidae			IP-6	31	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	62
Sciaenidae	*Bairdiella chrysoura*		IP-4	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Sciaenidae	*Cynoscion nebulosus*		IP-5	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
UnID (fragment)			IP-7	1	2	EC	Ichthyoplankton		0	2
Brachyura	*Armases/Uca* complex		M-2	7	16	JC	Meroplankton	Zoea	0	112
Brachyura	*Armases/Uca* complex		M-2	133	16	JC	Meroplankton	Megalopae	0	2128
Palaemonidae	*Palaemonetes sp.*		M-3	11	16	JC	Meroplankton	Zoea	0	176
Panopeidae			M-1	321	16	JC	Meroplankton	Zoea	0	5136
Copepoda				14	128	JC	Non-decapod Holoplankton		0	1792
Cirripedia				93	128	JC	Non-decapod Meroplankton		0	11904
Amphipoda				3	128	JC	Non-decapod Pseudoplankton/ Benthos		0	384
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**21860**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-01B-NT-042208

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-01B-NT-042208

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae	*Menidia sp.*		IP-6	17	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	17
Blenniidae			IP-7	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Clupeidae			IP-3	16	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Clupeidae	*Brevoortia sp.*		IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae			IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	11	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	11
Gobiesocidae	*Gobiesox strumosus*		IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-10	68	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	68
Sciaenidae	*Bairdiella chrysoura*		IP-9	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Sciaenidae	*Cynoscion nebulosus*		IP-8	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
UnID (fragment)			IP-11	3	1	EC	Ichthyoplankton		0	3
Brachyura	*Armases/Uca complex*		M-2	6	4	JC	Meroplankton	Zoea	0	24
Brachyura	*Armases/Uca complex*		M-2	79	4	JC	Meroplankton	Megalopae	0	316
Palaemonidae	*Palaemonetes sp.*		M-3	13	4	JC	Meroplankton	Zoea	0	52
Panopeidae			M-1	288	4	JC	Meroplankton	Zoea	0	1152
Panopeidae			M-1	3	4	JC	Meroplankton	Megalopae	0	12
Chaetognatha				1	4	JC	Non-decapod Holoplankton		0	4
Copepoda				72	4	JC	Non-decapod Holoplankton		0	288
Mysida				1	4	JC	Non-decapod Holoplankton		0	4
Cirripedia				264	4	JC	Non-decapod Meroplankton		0	1056
Chironomidae				1	4	JC	Non-decapod Other Invertebrates		0	4
Collembola				1	4	JC	Non-decapod Other Invertebrates		0	4
Amphipoda				6	4	JC	Non-decapod Pseudoplankton/ Benthos		0	24
Isopoda				2	4	JC	Non-decapod Pseudoplankton/ Benthos		0	8
									Total	**3074**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-02A-NT-042208

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-02A-NT-042208

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Blenniidae			IP-6	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Clupeidae			IP-4	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Clupeidae	*Brevoortia sp.*		IP-2	3	4	EC	Ichthyoplankton	Juvenile	0	12
Clupeidae	*Brevoortia sp.*		IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae			IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-1	58	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	232
Gobiidae			IP-10	29	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	116
Gobiidae	*Bathygobius soporator*		IP-5	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-9	31	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	124
Sciaenidae	*Bairdiella chrysoura*		IP-7	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-8	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Uca* complex		M-2	1	16	JC	Meroplankton	Zoea	0	16
Brachyura	*Armases/Uca* complex		M-2	98	16	JC	Meroplankton	Megalopae	0	1568
Palaemonidae	*Palaemonetes sp.*		M-3	2	16	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	93	16	JC	Meroplankton	Zoea	0	1488
Panopeidae			M-1	3	16	JC	Meroplankton	Megalopae	0	48
Upogebiidae	*Upogebia affinis*		M-4	3	16	JC	Meroplankton	Post-larval	0	48
Copepoda				398	16	JC	Non-decapod Holoplankton		0	6368
Mysida				9	16	JC	Non-decapod Holoplankton		0	144
Cirripedia				100	16	JC	Non-decapod Meroplankton		0	1600
Gastropoda				4	16	JC	Non-decapod Meroplankton		0	64
Amphipoda				19	16	JC	Non-decapod Pseudoplankton/ Benthos		0	304
Cumacea				146	16	JC	Non-decapod Pseudoplankton/ Benthos		0	2336
Isopoda				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Ostracoda				2	16	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Tanaidacea				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**14612**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-02B-NT-042208

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-02B-NT-042208

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	1	4	EC	Eggs	Egg	0	4
Engraulidae			IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-1	48	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	192
Gobiidae			IP-3	91	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	364
Gobiidae	*Bathygobius soporator*		IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
UnID (fragment)			IP-5	3	4	EC	Ichthyoplankton		0	12
Brachyura	*Armases/Uca* complex		M-2	1	32	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Uca* complex		M-2	44	32	JC	Meroplankton	Megalopae	0	1408
Palaemonidae	*Palaemonetes sp.*		M-3	2	32	JC	Meroplankton	Zoea	0	64
Panopeidae			M-1	98	32	JC	Meroplankton	Zoea	0	3136
Panopeidae			M-1	3	32	JC	Meroplankton	Megalopae	0	96
Copepoda				253	32	JC	Non-decapod Holoplankton		0	8096
Mysida				3	32	JC	Non-decapod Holoplankton		0	96
Cirripedia				89	32	JC	Non-decapod Meroplankton		0	2848
Gastropoda				3	32	JC	Non-decapod Meroplankton		0	96
Amphipoda				7	32	JC	Non-decapod Pseudoplankton/ Benthos		0	224
Cumacea				41	32	JC	Non-decapod Pseudoplankton/ Benthos		0	1312
Tanaidacea				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**18020**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-03A-NT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-03A-NT-042108

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	18	8	EC	Eggs	Egg	0	144
UnID (no embryo)			EG-2	19	8	EC	Eggs	Egg	0	152
Atherinopsidae			IP-10	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-9	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Clupeidae			IP-2	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Clupeidae	*Brevoortia sp.*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-4	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Engraulidae	*Anchoa mitchilli*		IP-1	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae			IP-13	61	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	488
Gobiidae	*Bathygobius soporator*		IP-8	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma bosc*		IP-12	24	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	192
Gobiidae	*Microgobius gulosus*		IP-11	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae			IP-7	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Bairdiella chrysoura*		IP-6	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Sciaenidae	*Cynoscion nebulosus*		IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca* complex		M-2	19	8	JC	Meroplankton	Zoea	0	152
Brachyura	*Armases/Uca* complex		M-2	70	8	JC	Meroplankton	Megalopae	0	560
Caridea	*Periclimenes/Thor* complex		M-3	37	8	JC	Meroplankton	Zoea	0	296
Hippolytidae	*Hippolyte sp.*		M-5	8	8	JC	Meroplankton	Zoea	0	64
Palaemonidae	*Palaemonetes sp.*		M-6	3	8	JC	Meroplankton	Zoea	0	24
Panopeidae			M-1	157	8	JC	Meroplankton	Zoea	0	1256
Panopeidae			M-1	9	8	JC	Meroplankton	Megalopae	0	72
Upogebiidae	*Upogebia affinis*		M-4	4	8	JC	Meroplankton	Zoea	0	32
Upogebiidae	*Upogebia affinis*		M-4	4	8	JC	Meroplankton	Post-larval	0	32
Copepoda				634	64	JC	Non-decapod Holoplankton		2	81152
Mysida				1	64	JC	Non-decapod Holoplankton		2	128
Cirripedia				171	64	JC	Non-decapod Meroplankton		2	21888
Gastropoda				2	64	JC	Non-decapod Meroplankton		2	256
Amphipoda				1	64	JC	Non-decapod Pseudoplankton/ Benthos		2	128
Cumacea				8	64	JC	Non-decapod Pseudoplankton/ Benthos		2	1024
Tanaidacea				1	64	JC	Non-decapod Pseudoplankton/ Benthos		2	128
									Total	**108336**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-03B-NT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-03B-NT-042108

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	118	2	EC	Eggs	Egg	0	236
UnID			EG-3	4	2	EC	Eggs	Egg	0	8
UnID (no embryo)			EG-2	80	2	EC	Eggs	Egg	0	160
Atherinopsidae			IP-13	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-7	9	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	18
Clupeidae			IP-2	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Clupeidae	*Brevoortia sp.*		IP-3	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-11	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Engraulidae	*Anchoa mitchilli*		IP-1	13	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	26
Gobiidae			IP-12	138	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	276
Gobiidae	*Bathygobius soporator*		IP-6	6	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Gobiosoma bosc*		IP-10	128	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	256
Gobiidae	*Microgobius gulosus*		IP-9	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-8	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Sciaenidae	*Bairdiella chrysoura*		IP-5	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Sciaenidae	*Cynoscion nebulosus*		IP-4	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Uca* complex		M-3	45	16	JC	Meroplankton	Zoea	0	720
Brachyura	*Armases/Uca* complex		M-3	23	16	JC	Meroplankton	Megalopae	0	368
Caridea	*Periclimenes/Thor* complex		M-5	57	16	JC	Meroplankton	Zoea	0	912
Hippolytidae	*Hippolyte sp.*		M-6	5	16	JC	Meroplankton	Zoea	0	80
Palaemonidae	*Palaemonetes sp.*		M-2	1	16	JC	Meroplankton	Zoea	0	16
Panopeidae			M-1	123	16	JC	Meroplankton	Zoea	0	1968
Panopeidae			M-1	5	16	JC	Meroplankton	Megalopae	0	80
UnID Caridea			M-8	1	16	JC	Meroplankton	Post-larval	0	16
Unidentified shrimp			M-7	1	16	JC	Meroplankton	Zoea	0	16
Upogebiidae	*Upogebia affinis*		M-4	1	16	JC	Meroplankton	Zoea	0	16
Upogebiidae	*Upogebia affinis*		M-4	2	16	JC	Meroplankton	Post-larval	0	32
Copepoda				222	128	JC	Non-decapod Holoplankton		0	28416
Mysida				2	128	JC	Non-decapod Holoplankton		0	256
Cirripedia				31	128	JC	Non-decapod Meroplankton		0	3968
Gastropoda				2	128	JC	Non-decapod Meroplankton		0	256
Amphipoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Cumacea				11	128	JC	Non-decapod Pseudoplankton/ Benthos		0	1408
Ostracoda				2	128	JC	Non-decapod Pseudoplankton/ Benthos		0	256
									Total	**39956**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-04A-NT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-04A-NT-042108

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	7	8	EC	Eggs	Egg	0	56
UnID (no embryo)			EG-2	4	8	EC	Eggs	Egg	0	32
Achiridae	*Achirus lineatus*		IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-6	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Clupeidae	*Brevoortia sp.*		IP-2	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Engraulidae			IP-3	1	8	EC	Ichthyoplankton	Juvenile	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	9	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	72
Gobiidae			IP-12	12	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	96
Gobiidae	*Bathygobius soporator*		IP-10	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae	*Gobiosoma bosc*		IP-11	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae	*Microgobius gulosus*		IP-9	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae			IP-8	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Bairdiella chrysoura*		IP-7	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Syngnathidae	*Syngnathus scovelli*		IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca* complex		M-2	57	32	JC	Meroplankton	Zoea	0	1824
Brachyura	*Armases/Uca* complex		M-2	23	32	JC	Meroplankton	Megalopae	0	736
Caridea	*Periclimenes/Thor* complex		M-4	55	32	JC	Meroplankton	Zoea	0	1760
Hippolytidae	*Hippolyte sp.*		M-7	7	32	JC	Meroplankton	Zoea	0	224
Palaemonidae	*Palaemonetes sp.*		M-6	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	330	32	JC	Meroplankton	Zoea	0	10560
Pinnotheridae			M-3	1	32	JC	Meroplankton	Zoea	0	32
Upogebiidae	*Upogebia affinis*		M-5	2	32	JC	Meroplankton	Zoea	0	64
Upogebiidae	*Upogebia affinis*		M-5	1	32	JC	Meroplankton	Post-larval	0	32
Copepoda				582	128	JC	Non-decapod Holoplankton		2	148992
Mysida				10	128	JC	Non-decapod Holoplankton		2	2560
Cirripedia				3	128	JC	Non-decapod Meroplankton		2	768
Gastropoda				4	128	JC	Non-decapod Meroplankton		2	1024
Amphipoda				3	128	JC	Non-decapod Pseudoplankton/ Benthos		2	768
Cumacea				15	128	JC	Non-decapod Pseudoplankton/ Benthos		2	3840
Tanaidacea				1	128	JC	Non-decapod Pseudoplankton/ Benthos		2	256
									Total	**173912**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 2
PE-PT-04B-NT-042108

Project: CH2M Hill
Event: 2
Event Date: April 21-22 2008
Sample ID: PE-PT-04B-NT-042108

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-2	11	4	EC	Eggs	Egg	0	44
UnID (no embryo)			EG-1	13	4	EC	Eggs	Egg	0	52
Achiridae	*Achirus lineatus*		IP-5	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Atherinopsidae	*Menidia menidia*		IP-1	1	4	EC	Ichthyoplankton	Adult	0	4
Blenniidae			IP-8	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Clupeidae			IP-3	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Engraulidae			IP-2	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-4	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Gobiesocidae	*Gobiesox strumosus*		IP-7	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-14	44	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	176
Gobiidae	*Bathygobius soporator*		IP-11	14	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Gobiosoma bosc*		IP-12	7	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Gobiidae	*Gobiosoma robustum*		IP-15	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius gulosus*		IP-13	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Microgobius thalassinus*		IP-9	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Haemulidae			IP-10	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae	*Bairdiella chrysoura*		IP-6	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
UnID			IP-16	1	4	EC	Ichthyoplankton		0	4
Alpheidae	*Alpheus sp.*		M-4	1	16	JC	Meroplankton	Post-larval	0	16
Brachyura	*Armases/Uca* complex		M-6	86	16	JC	Meroplankton	Zoea	0	1376
Brachyura	*Armases/Uca* complex		M-6	23	16	JC	Meroplankton	Megalopae	0	368
Caridea	*Periclimenes/Thor* complex		M-2	89	16	JC	Meroplankton	Zoea	0	1424
Hippolytidae	*Hippolyte sp.*		M-7	5	16	JC	Meroplankton	Zoea	0	80
Hippolytidae	*Hippolyte sp.*		M-7	2	16	JC	Meroplankton	Post-larval	0	32
Panopeidae			M-1	445	16	JC	Meroplankton	Zoea	0	7120
Upogebiidae	*Upogebia affinis*		M-3	6	16	JC	Meroplankton	Zoea	0	96
Upogebiidae	*Upogebia affinis*		M-3	1	16	JC	Meroplankton	Post-larval	0	16
Chaetognatha				1	128	JC	Non-decapod Holoplankton		0	128
Copepoda				611	128	JC	Non-decapod Holoplankton		0	78208
Mysida				8	128	JC	Non-decapod Holoplankton		0	1024
Gastropoda				5	128	JC	Non-decapod Meroplankton		0	640
Amphipoda				3	128	JC	Non-decapod Pseudoplankton/ Benthos		0	384
Cumacea				16	128	JC	Non-decapod Pseudoplankton/ Benthos		0	2048
Polychaeta				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**93652**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC03A-DT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC03A-DT-042208

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	3	1	EC	Eggs	Egg	0	3
Engraulidae			EG-1	2	1	EC	Eggs	Egg	0	2
Atherinopsidae	*Menidia sp.*		IP-7	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-4	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Engraulidae			IP-3	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiesocidae	*Gobiesox strumosus*		IP-1	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae			IP-9	139	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	139
Gobiidae	*Bathygobius soporator*		IP-2	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Gobiosoma robustum*		IP-8	73	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	73
Gobiidae	*Microgobius thalassinus*		IP-5	44	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	44
Microdesmidae			IP-6	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Perciformes			IP-10	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	42	256	MN	Meroplankton	Zoea	0	10752
Brachyura	*Armases/Sesarma/Uca* complex		M-2	2	256	MN	Meroplankton	Megalopae	0	512
Caridea	*Periclimenes/Thor* complex		M-9	2	256	MN	Meroplankton	Post-larval	0	512
Luciferidae	*Lucifer faxoni*		M-8	1	256	MN	Meroplankton	Juvenile	0	256
Menippidae	*Menippe mercenaria*		M-4	1	256	MN	Meroplankton	Zoea	0	256
Paguridae	*Pagurus sp.*		M-7	2	256	MN	Meroplankton	Zoea	0	512
Panopeidae			M-3	100	256	MN	Meroplankton	Zoea	0	25600
Pinnotheridae			M-5	13	256	MN	Meroplankton	Zoea	0	3328
Porcellanidae	*Polyonyx gibbesi*		M-6	2	256	MN	Meroplankton	Zoea	0	512
Upogebiidae	*Upogebia affinis*		M-1	57	256	MN	Meroplankton	Zoea	0	14592
Chaetognatha				38	16	MN	Non-decapod Holoplankton		0	608
Copepoda				201	16	MN	Non-decapod Holoplankton		0	3216
Cirripedia				4	16	MN	Non-decapod Meroplankton		0	64
Gastropoda				70	16	MN	Non-decapod Meroplankton		0	1120
Polychaeta				1	16	MN	Non-decapod Pseudoplankton/ Benthos		0	16
Tunicata				46	16	MN	Non-decapod Pseudoplankton/ Benthos		0	736
									Total	**62880**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC03B-DT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC03B-DT-042208

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Clupeidae			EG-1	1	8	EC	Eggs	Egg	0	8
Engraulidae			EG-2	6	8	EC	Eggs	Egg	0	48
Atherinopsidae			IP-1	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Blenniidae			IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-4	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma robustum*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-2	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
UnID			IP-6	1	8	EC	Ichthyoplankton	Yolk-sac larvae	0	8
Anomura			M-12	1	8	MN	Meroplankton	Zoea	4	32
Brachyura	*Armases/Sesarma/Uca* complex		M-5	210	8	MN	Meroplankton	Zoea	4	6720
Brachyura	*Armases/Sesarma/Uca* complex		M-5	10	8	MN	Meroplankton	Megalopae	4	320
Callianassidae	*Callianassa sp.*		M-8	1	8	MN	Meroplankton	Zoea	4	32
Caridea	*Periclimenes/Thor* complex		M-9	3	8	MN	Meroplankton	Zoea	4	96
Caridea	*Periclimenes/Thor* complex		M-9	2	8	MN	Meroplankton	Post-larval	4	64
Hippolytidae	*Hippolyte sp.*		M-10	14	8	MN	Meroplankton	Zoea	4	448
Hippolytidae	*Hippolyte sp.*		M-10	1	8	MN	Meroplankton	Post-larval	4	32
Leucosiidae	*Persephona mediterranea*		REF	1	8	MN	Meroplankton	Zoea	4	32
Luciferidae	*Lucifer faxoni*		M-14	3	8	MN	Meroplankton	Adult	4	96
Menippidae	*Menippe mercenaria*		M-3	8	8	MN	Meroplankton	Zoea	4	256
Paguridae	*Pagurus sp.*		M-11	6	8	MN	Meroplankton	Zoea	4	192
Panopeidae			M-1	225	8	MN	Meroplankton	Zoea	4	7200
Panopeidae			M-1	2	8	MN	Meroplankton	Megalopae	4	64
Pinnotheridae			M-7	10	8	MN	Meroplankton	Zoea	4	320
Porcellanidae	*Polyonyx gibbesi*		M-6	6	8	MN	Meroplankton	Zoea	4	192
UnID Brachyura			REF	1	8	MN	Meroplankton	Zoea	4	32
Upogebiidae	*Upogebia affinis*		M-2	3	8	MN	Meroplankton	Post-larval	4	96
Chaetognatha				8	32	MN	Non-decapod Holoplankton		4	1024
Copepoda				166	32	MN	Non-decapod Holoplankton		4	21248
Cirripedia				4	32	MN	Non-decapod Meroplankton		4	512
Gastropoda				1	32	MN	Non-decapod Meroplankton		4	128
									Total	**39272**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC04A-DT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC04A-DT-042208

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	12	2	EC	Eggs	Egg	0	24
Carangidae/ Haemulidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-3	23	2	EC	Eggs	Egg	0	46
Engraulidae			EG-1	193	2	EC	Eggs	Egg	0	386
UnID (damaged)			EG-4	4	2	EC	Eggs	Egg	0	8
Atherinopsidae			IP-5	2	2	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Atherinopsidae	*Menidia sp.*		IP-3	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-4	8	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Engraulidae			IP-2	99	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	198
Engraulidae			IP-2	33	2	EC	Ichthyoplankton	Yolk-sac larvae	0	66
Gobiesocidae	*Gobiesox strumosus*		IP-1	10	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae			IP-8	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma robustum*		IP-7	6	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Microgobius thalassinus*		IP-6	15	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	30
Anomura			M-9	2	64	JC	Meroplankton	Juvenile	2	256
Brachyura	*Armases/Sesarma/Uca* complex		M-3	10	64	JC	Meroplankton	Zoea	2	1280
Brachyura	*Armases/Sesarma/Uca* complex		M-3	4	64	JC	Meroplankton	Megalopae	2	512
Caridea	*Periclimenes/Thor* complex		M-4	13	64	JC	Meroplankton	Zoea	2	1664
Menippidae	*Menippe mercenaria*		M-7	1	64	JC	Meroplankton	Zoea	2	128
Paguridae	*Pagurus sp.*		M-6	5	64	JC	Meroplankton	Zoea	2	640
Panopeidae			M-1	355	64	JC	Meroplankton	Zoea	2	45440
Pinnotheridae			M-2	6	64	JC	Meroplankton	Zoea	2	768
Porcellanidae	*Polyonyx gibbesi*		M-8	3	64	JC	Meroplankton	Zoea	2	384
Upogebiidae	*Upogebia affinis*		M-5	75	64	JC	Meroplankton	Zoea	2	9600
Chaetognatha				99	64	JC	Non-decapod Holoplankton		0	6336
Copepoda				342	64	JC	Non-decapod Holoplankton		0	21888
Cirripedia				1	64	JC	Non-decapod Meroplankton		0	64
Gastropoda				217	64	JC	Non-decapod Meroplankton		0	13888
									Total	**103670**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC04B-DT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC04B-DT-042208

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	19	4	EC	Eggs	Egg	0	76
Engraulidae			EG-1	92	4	EC	Eggs	Egg	0	368
Achiridae	*Achirus lineatus*		IP-1	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Atherinopsidae			IP-3	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Blenniidae			IP-4	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Engraulidae			IP-5	37	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	148
Engraulidae			IP-5	33	4	EC	Ichthyoplankton	Yolk-sac larvae	0	132
Gobiesocidae	*Gobiesox strumosus*		IP-2	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-8	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Bathygobius soporator*		IP-6	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma robustum*		IP-7	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Perciformes			IP-9	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
UnID			IP-10	1	4	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Anomura			M-11	2	128	MN	Meroplankton	Juvenile	2	512
Brachyura	*Armases/Sesarma/Uca* complex		M-3	11	128	MN	Meroplankton	Zoea	2	2816
Brachyura	*Armases/Sesarma/Uca* complex		M-3	9	128	MN	Meroplankton	Megalopae	2	2304
Caridea	*Periclimenes/Thor* complex		M-5	18	128	MN	Meroplankton	Zoea	2	4608
Caridea	*Periclimenes/Thor* complex		M-5	7	128	MN	Meroplankton	Post-larval	2	1792
Callianassidae	*Callianassa sp.*		M-10	1	128	MN	Meroplankton	Zoea	2	256
Hippolytidae	*Tozeuma sp.*		M-7	1	128	MN	Meroplankton	Zoea	2	256
Paguridae	*Pagurus sp.*		M-4	15	128	MN	Meroplankton	Zoea	2	3840
Panopeidae			M-2	621	128	MN	Meroplankton	Zoea	2	158976
Panopeidae			M-2	3	128	MN	Meroplankton	Megalopae	2	768
Pinnotheridae			M-8	30	128	MN	Meroplankton	Zoea	2	7680
Porcellanidae	*Polyonyx gibbesi*		M-9	2	128	MN	Meroplankton	Zoea	2	512
Squillidae			M-6	1	128	MN	Meroplankton	Post-larval	2	256
Upogebiidae	*Upogebia affinis*		M-1	166	128	MN	Meroplankton	Zoea	2	42496
Chaetognatha				233	128	MN	Non-decapod Holoplankton		0	29824
Copepoda				368	128	MN	Non-decapod Holoplankton		0	47104
Bivalvia				1	128	MN	Non-decapod Meroplankton		0	128
Gastropoda				236	128	MN	Non-decapod Meroplankton		0	30208
Polychaeta				2	128	MN	Non-decapod Pseudoplankton/ Benthos		0	256
									Total	**335424**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC03A-NT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC03A-NT-042208

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	37	2	EC	Eggs	Egg	0	74
UnID (no embryo)			EG-2	5	2	EC	Eggs	Egg	0	10
Atherinopsidae			IP-3	8	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Blenniidae			IP-9	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Clupeidae			IP-2	30	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	60
Clupeidae	*Brevoortia sp.*		IP-7	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-11	1	2	EC	Ichthyoplankton	Yolk-sac larvae	0	2
Engraulidae	*Anchoa mitchilli*		IP-1	70	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	140
Gobiidae			IP-6	9	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	18
Gobiidae	*Bathygobius soporator*		IP-10	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma robustum*		IP-5	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-4	8	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Microdesmidae			IP-8	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
UnID			IP-12	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Brachyura	*Armases/Sesarma/Uca* complex		M-3	44	128	JC	Meroplankton	Zoea	0	5632
Brachyura	*Armases/Sesarma/Uca* complex		M-3	1	128	JC	Meroplankton	Megalopae	0	128
Caridea	*Periclimenes/Thor* complex		M-4	6	128	JC	Meroplankton	Zoea	0	768
Hippolytidae	*Hippolyte sp.*		REF	4	128	JC	Meroplankton	Zoea	0	512
Majidae			M-9	2	128	JC	Meroplankton	Zoea	0	256
Paguridae	*Pagurus sp.*		M-6	10	128	JC	Meroplankton	Zoea	0	1280
Palaemonidae	*Palaemonetes sp.*		M-7	1	128	JC	Meroplankton	Zoea	0	128
Panopeidae			M-1	222	128	JC	Meroplankton	Zoea	0	28416
Panopeidae			M-1	2	128	JC	Meroplankton	Megalopae	0	256
Pinnotheridae			M-2	12	128	JC	Meroplankton	Zoea	0	1536
Porcellanidae	*Polyonyx gibbesi*		M-8	1	128	JC	Meroplankton	Zoea	0	128
Upogebiidae	*Upogebia affinis*		M-5	30	128	JC	Meroplankton	Zoea	0	3840
Chaetognatha				11	128	JC	Non-decapod Holoplankton		0	1408
Copepoda				108	128	JC	Non-decapod Holoplankton		0	13824
Gastropoda				12	128	JC	Non-decapod Meroplankton		0	1536
Amphipoda				5	128	JC	Non-decapod Pseudoplankton/ Benthos		0	640
									Total	**60648**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC03B-NT-042308

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC03B-NT-042308

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	19	2	EC	Eggs	Egg	0	38
UnID (no embryo)			EG-2	7	2	EC	Eggs	Egg	0	14
Blenniidae			IP-4	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Clupeidae			IP-2	89	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	178
Engraulidae	*Anchoa mitchilli*		IP-1	120	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	240
Gobiidae			IP-7	4	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Bathygobius soporator*		IP-3	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius thalassinus*		IP-6	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Microdesmidae			IP-5	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae			IP-9	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Sciaenidae	*Bairdiella chrysoura*		IP-8	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
UnID			IP-10	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Albuneidae			REF	1	16	MN	Meroplankton	Megalopae	2	32
Brachyura	*Armases/Sesarma/Uca* complex		M-3	70	16	MN	Meroplankton	Zoea	2	2240
Brachyura	*Armases/Sesarma/Uca* complex		M-3	51	16	MN	Meroplankton	Megalopae	2	1632
Caridea	*Periclimenes/Thor* complex		M-10	5	16	MN	Meroplankton	Zoea	2	160
Caridea	*Periclimenes/Thor* complex		M-10	1	16	MN	Meroplankton	Post-larval	2	32
Hippolytidae	*Hippolyte sp.*		M-5	2	16	MN	Meroplankton	Zoea	2	64
Hippolytidae	*Hippolyte sp.*		M-5	36	16	MN	Meroplankton	Post-larval	2	1152
Hippolytidae	*Hippolyte sp.*		M-5	1	16	MN	Meroplankton	Adult	2	32
Majidae			M-9	4	16	MN	Meroplankton	Zoea	2	128
Majidae			M-9	1	16	MN	Meroplankton	Megalopae	2	32
Paguridae	*Pagurus sp.*		M-4	16	16	MN	Meroplankton	Zoea	2	512
Palaemonidae	*Palaemonetes paludosus*		REF	1	16	MN	Meroplankton	Juvenile	2	32
Palaemonidae	*Palaemonetes sp.*		M-6	1	16	MN	Meroplankton	Zoea	2	32
Panopeidae			M-2	203	16	MN	Meroplankton	Zoea	2	6496
Panopeidae			M-2	10	16	MN	Meroplankton	Megalopae	2	320
Pinnotheridae			M-8	11	16	MN	Meroplankton	Zoea	2	352
Pinnotheridae			M-8	3	16	MN	Meroplankton	Megalopae	2	96
Porcellanidae	*Polyonyx gibbesi*		M-7	4	16	MN	Meroplankton	Zoea	2	128
UnID Brachyura			M-11	2	16	MN	Meroplankton	Zoea	2	64
Upogebiidae	*Upogebia affinis*		M-1	73	16	MN	Meroplankton	Zoea	2	2336
Chaetognatha				61	16	MN	Non-decapod Holoplankton		0	976
Copepoda				412	16	MN	Non-decapod Holoplankton		0	6592
Mysida				7	16	MN	Non-decapod Holoplankton		0	112

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC03B-NT-042308

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC03B-NT-042308

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gastropoda				32	16	MN	Non-decapod Meroplankton		0	512
Collembola				1	16	MN	Non-decapod Other Invertebrates		0	16
Amphipoda				34	16	MN	Non-decapod Pseudoplankton/ Benthos		0	544
Branchiura				2	16	MN	Non-decapod Pseudoplankton/ Benthos		0	32
Cumacea				18	16	MN	Non-decapod Pseudoplankton/ Benthos		0	288
Isopoda				1	16	MN	Non-decapod Pseudoplankton/ Benthos		0	16
Ostracoda				15	16	MN	Non-decapod Pseudoplankton/ Benthos		0	240
Polychaeta				2	16	MN	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**25732**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC04A-NT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC04A-NT-042208

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	229	8	EC	Eggs	Egg	0	1832
UnID (no embryo)			EG-2	16	8	EC	Eggs	Egg	0	128
Atherinopsidae			IP-7	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-10	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-2	8	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Engraulidae	*Anchoa mitchilli*		IP-1	8	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Gobiesocidae	*Gobiesox strumosus*		IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-9	34	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	272
Gobiidae	*Gobiosoma robustum*		IP-8	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae	*Microgobius thalassinus*		IP-4	25	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	200
Sciaenidae	*Bairdiella chrysoura*		IP-6	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Synodontidae			IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
UnID			IP-11	2	8	EC	Ichthyoplankton	Yolk-sac larvae	0	16
Anomura			M-8	2	128	JC	Meroplankton	Juvenile	0	256
Brachyura	*Armases/Sesarma/Uca* complex		M-4	2	128	JC	Meroplankton	Zoea	0	256
Brachyura	*Armases/Sesarma/Uca* complex		M-4	4	128	JC	Meroplankton	Megalopae	0	512
Callianassidae	*Callianassa sp.*		M-6	1	128	JC	Meroplankton	Zoea	0	128
Caridea			REF	1	128	JC	Meroplankton	Post-larval	0	128
Caridea	*Periclimenes/Thor* complex		M-5	53	128	JC	Meroplankton	Zoea	0	6784
Hippolytidae	*Hippolyte sp.*		M-9	5	128	JC	Meroplankton	Zoea	0	640
Leucosiidae	*Persephona mediterranea*		M-10	1	128	JC	Meroplankton	Zoea	0	128
Loliginidae			M-1	1	8	JC	Meroplankton	Juvenile	0	8
Panopeidae			M-2	100	128	JC	Meroplankton	Zoea	0	12800
Panopeidae			M-2	5	128	JC	Meroplankton	Megalopae	0	640
Pinnotheridae			M-3	3	128	JC	Meroplankton	Zoea	0	384
Upogebiidae	*Upogebia affinis*		M-7	2	128	JC	Meroplankton	Zoea	0	256
Chaetognatha				22	256	JC	Non-decapod Holoplankton		0	5632
Copepoda				212	256	JC	Non-decapod Holoplankton		0	54272
Gastropoda				18	256	JC	Non-decapod Meroplankton		0	4608
Amphipoda				10	256	JC	Non-decapod Pseudoplankton/ Benthos		0	2560
Cumacea				5	256	JC	Non-decapod Pseudoplankton/ Benthos		0	1280
Ostracoda				5	256	JC	Non-decapod Pseudoplankton/ Benthos		0	1280
Polychaeta				1	256	JC	Non-decapod Pseudoplankton/ Benthos		0	256
									Total	**95480**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC04B-NT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC04B-NT-042208

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	995	4	EC	Eggs	Egg	0	3980
Atherinopsidae			IP-11	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Belonidae			IP-6	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-9	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Clupeidae			IP-3	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Engraulidae			IP-5	9	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	36
Engraulidae	*Anchoa mitchilli*		IP-2	10	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Gobiesocidae	*Gobiesox strumosus*		IP-4	8	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gobiidae			IP-8	84	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	336
Gobiidae	*Gobiosoma robustum*		IP-13	12	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Gobiidae	*Microgobius gulosus*		IP-14	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius thalassinus*		IP-7	39	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	156
Sciaenidae			IP-12	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae	*Bairdiella chrysoura*		IP-10	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Sphyraenidae	*Sphyraena sp.*		REF	1	1	EC	Ichthyoplankton	Juvenile	0	1
UnID (damaged)			IP-15	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Albuneidae	*Lepidopa sp.*		REF	1	64	JC	Meroplankton	Juvenile	0	64
Anomura			M-7	26	64	JC	Meroplankton	Juvenile	0	1664
Brachyura	*Armases/Sesarma/Uca* complex		M-5	7	64	JC	Meroplankton	Zoea	0	448
Brachyura	*Armases/Sesarma/Uca* complex		M-5	20	64	JC	Meroplankton	Megalopae	0	1280
Callianassidae	*Callianassa sp.*		M-6	2	64	JC	Meroplankton	Zoea	0	128
Caridea			M-11	2	64	JC	Meroplankton	Post-larval	0	128
Caridea	*Periclimenes/Thor* complex		M-2	131	64	JC	Meroplankton	Zoea	0	8384
Hippolytidae	*Hippolyte sp.*		M-10	13	64	JC	Meroplankton	Zoea	0	832
Hippolytidae	*Lysmata sp.*		REF	1	64	JC	Meroplankton	Zoea	0	64
Hippolytidae	*Tozeuma sp.*		REF	2	64	JC	Meroplankton	Post-larval	0	128
Loliginidae			REF	1	4	JC	Meroplankton	Juvenile	0	4
Majidae			M-12	1	64	JC	Meroplankton	Zoea	0	64
Majidae			M-12	1	64	JC	Meroplankton	Megalopae	0	64
Panopeidae			M-1	379	64	JC	Meroplankton	Zoea	0	24256
Panopeidae			M-1	15	64	JC	Meroplankton	Megalopae	0	960
Pinnotheridae			M-3	21	64	JC	Meroplankton	Zoea	0	1344
Pinnotheridae			M-3	1	64	JC	Meroplankton	Megalopae	0	64
Portunidae	*Callinectes sapidus*		M-8	2	64	JC	Meroplankton	Megalopae	0	128
Squillidae			M-9	1	64	JC	Meroplankton	Post-larval	0	64
Upogebiidae	*Upogebia affinis*		M-4	21	64	JC	Meroplankton	Zoea	0	1344

CH2M Hill IP Data Summary
First Quarter
PE-PT-CREC04B-NT-042208

Project: CH2M Hill
Event: 1st Quarter
Event Date: April 22-23 2008
Sample ID: PE-PT-CREC04B-NT-042208
Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Chaetognatha				23	64	JC	Non-decapod Holoplankton		4	5888
Copepoda				124	64	JC	Non-decapod Holoplankton		4	31744
Gastropoda				18	64	JC	Non-decapod Meroplankton		4	4608
Amphipoda				12	64	JC	Non-decapod Pseudoplankton/ Benthos		4	3072
Cumacea				14	64	JC	Non-decapod Pseudoplankton/ Benthos		4	3584
Polychaeta				1	64	JC	Non-decapod Pseudoplankton/ Benthos		4	256
									Total	**95261**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-01A-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-01A-DT-050708

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Blenniidae			IP-1	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Clupeidae			IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae			IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-5	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiesocidae	*Gobiesox strumosus*		IP-2	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-6	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Brachyura	*Armases/Uca* complex		M-2	3	8	JC	Meroplankton	Zoea	0	24
Brachyura	*Armases/Uca* complex		M-2	4	8	JC	Meroplankton	Megalopae	0	32
Panopeidae			M-1	314	8	JC	Meroplankton	Zoea	0	2512
Amphipoda				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				4	8	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**2680**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-01B-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-01B-DT-050708

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gobiesocidae	*Gobiesox strumosus*		IP-1	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Brachyura	*Armases/Uca* complex		M-3	1	16	JC	Meroplankton	Zoea	0	16
Palaemonidae	*Palaemonetes sp.*		M-2	2	16	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	322	16	JC	Meroplankton	Zoea	0	5152
Amphipoda				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Isopoda				4	16	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**5296**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-02A-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-02A-DT-050708

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gobiidae			IP-2	9	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	144
Gobiidae	*Gobiosoma bosc*		IP-1	10	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	160
Gobiidae	*Microgobius thalassinus*		IP-3	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Brachyura	*Armases/Uca* complex		M-2	2	16	JC	Meroplankton	Zoea	2	64
Brachyura	*Armases/Uca* complex		M-2	14	16	JC	Meroplankton	Megalopae	2	448
Caridea	*Periclimenes/Thor* complex		M-3	1	16	JC	Meroplankton	Zoea	2	32
Panopeidae			M-1	184	16	JC	Meroplankton	Zoea	2	5888
Copepoda				5	16	JC	Non-decapod Holoplankton		0	80
Gastropoda				5	16	JC	Non-decapod Meroplankton		0	80
Polychaeta				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**6928**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-02B-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-02B-DT-050708

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-1	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-4	19	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	152
Gobiidae	*Gobiosoma bosc*		IP-2	7	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Microgobius thalassinus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca* complex		M-2	4	16	JC	Meroplankton	Zoea	0	64
Brachyura	*Armases/Uca* complex		M-2	8	16	JC	Meroplankton	Megalopae	0	128
Caridea	*Periclimenes/Thor complex*		M-3	3	16	JC	Meroplankton	Zoea	0	48
Palaemonidae	*Palaemonetes sp.*		M-4	1	16	JC	Meroplankton	Zoea	0	16
Panopeidae			M-1	278	16	JC	Meroplankton	Zoea	0	4448
Unidentified shrimp			M-5	3	16	JC	Meroplankton	Zoea	0	48
Copepoda				3	8	JC	Non-decapod Holoplankton		0	24
Gastropoda				10	8	JC	Non-decapod Meroplankton		0	80
Collembola				1	8	JC	Non-decapod Other Invertebrates		0	8
Amphipoda				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Cumacea				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				2	8	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Ostracoda				2	8	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**5136**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-03A-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-03A-DT-050708

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Clupeidae			IP-10	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae			IP-2	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Engraulidae			IP-2	1	4	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-11	107	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	428
Gobiidae	*Gobiosoma bosc*		IP-9	16	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Gobiidae	*Gobiosoma robustum*		IP-8	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Microgobius gulosus*		IP-7	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-6	38	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	152
Sciaenidae	*Bairdiella chrysoura*		IP-5	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Syngnathidae	*Syngnathus louisianae*		IP-1	1	4	EC	Ichthyoplankton	Juvenile	0	4
Brachyura	*Armases/Uca* complex		M-3	4	32	JC	Meroplankton	Zoea	0	128
Brachyura	*Armases/Uca* complex		M-3	31	32	JC	Meroplankton	Megalopae	0	992
Callianassidae	*Callianassa sp.*		M-6	1	32	JC	Meroplankton	Zoea	0	32
Caridea	*Periclimenes/Thor* complex		M-7	5	32	JC	Meroplankton	Zoea	0	160
Hippolytidae	*Hippolyte sp.*		M-8	1	32	JC	Meroplankton	Zoea	0	32
Leucosiidae	*Persephona mediterranea*		M-5	1	32	JC	Meroplankton	Zoea	0	32
Menippidae	*Menippe mercenaria*		M-4	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	174	32	JC	Meroplankton	Zoea	0	5568
Panopeidae			M-1	3	32	JC	Meroplankton	Megalopae	0	96
Pinnotheridae			M-2	38	32	JC	Meroplankton	Zoea	0	1216
Unidentified shrimp			M-9	1	32	JC	Meroplankton	Zoea	0	32
Chaetognatha				1	32	JC	Non-decapod Holoplankton		0	32
Copepoda				130	32	JC	Non-decapod Holoplankton		0	4160
Bivalvia				11	32	JC	Non-decapod Meroplankton		0	352
Cirripedia				3	32	JC	Non-decapod Meroplankton		0	96
Gastropoda				42	32	JC	Non-decapod Meroplankton		0	1344
Cumacea				2	32	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Isopoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Ostracoda				3	32	JC	Non-decapod Pseudoplankton/ Benthos		0	96
									Total	**15240**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-03B-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-03B-DT-050708

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			IP-2	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Engraulidae	*Anchoa mitchilli*		IP-1	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-7	15	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	60
Gobiidae	*Gobiosoma bosc*		IP-5	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma robustum*		IP-6	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Microgobius thalassinus*		IP-4	21	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	84
Brachyura	*Armases/Uca* complex		M-3	8	4	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Uca* complex		M-3	131	4	JC	Meroplankton	Megalopae	0	524
Caridea	*Periclimenes/Thor* complex		M-5	6	4	JC	Meroplankton	Zoea	0	24
Hippolytidae	*Hippolyte sp.*		M-6	3	4	JC	Meroplankton	Zoea	0	12
Leucosiidae	*Persephona mediterranea*		REF	1	4	JC	Meroplankton	Zoea	0	4
Luciferidae	*Lucifer faxoni*		REF	1	4	JC	Meroplankton	Post-larval	0	4
Menippidae	*Menippe mercenaria*		M-4	2	4	JC	Meroplankton	Zoea	0	8
Paguridae	*Pagurus sp.*		REF	1	4	JC	Meroplankton	Zoea	0	4
Panopeidae			M-1	224	4	JC	Meroplankton	Zoea	0	896
Panopeidae			M-1	15	4	JC	Meroplankton	Megalopae	0	60
Pinnotheridae			M-2	88	4	JC	Meroplankton	Zoea	0	352
Unidentified shrimp			M-8	12	4	JC	Meroplankton	Zoea	0	48
Upogebiidae	*Upogebia affinis*		M-7	1	4	JC	Meroplankton	Zoea	0	4
Copepoda				67	16	JC	Non-decapod Holoplankton		0	1072
Cirripedia				2	16	JC	Non-decapod Meroplankton		0	32
Gastropoda				85	16	JC	Non-decapod Meroplankton		0	1360
									Total	**4648**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-04A-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-04A-DT-050708

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae			IP-6	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae			IP-9	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-8	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiesocidae	*Gobiesox strumosus*		IP-2	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae			IP-10	251	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	1004
Gobiidae	*Gobiosoma bosc*		IP-7	172	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	688
Gobiidae	*Microgobius thalassinus*		IP-5	12	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Sciaenidae	*Bairdiella chrysoura*		IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae	*Cynoscion nebulosus*		IP-3	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Syngnathidae	*Syngnathus louisianae*		IP-1	1	4	EC	Ichthyoplankton	Juvenile	0	4
Brachyura	*Armases/Uca* complex		M-3	6	32	JC	Meroplankton	Zoea	4	768
Brachyura	*Armases/Uca* complex		M-3	17	32	JC	Meroplankton	Megalopae	4	2176
Caridea	*Periclimenes/Thor* complex		M-6	2	32	JC	Meroplankton	Zoea	4	256
Hippolytidae	*Hippolyte sp.*		M-7	2	32	JC	Meroplankton	Zoea	4	256
Paguridae	*Pagurus sp.*		M-5	1	32	JC	Meroplankton	Zoea	4	128
Palaemonidae	*Palaemonetes sp.*		M-4	1	32	JC	Meroplankton	Zoea	4	128
Panopeidae			M-1	187	32	JC	Meroplankton	Zoea	4	23936
Panopeidae			M-1	2	32	JC	Meroplankton	Megalopae	4	256
Pinnotheridae			M-2	25	32	JC	Meroplankton	Zoea	4	3200
Porcellanidae	*Polyonyx gibbesi*		M-8	1	32	JC	Meroplankton	Zoea	4	128
Squillidae			REF	1	32	JC	Meroplankton	Post-larval	4	128
Chaetognatha				3	128	JC	Non-decapod Holoplankton		0	384
Copepoda				20	128	JC	Non-decapod Holoplankton		0	2560
Mysida				1	128	JC	Non-decapod Holoplankton		0	128
Bivalvia				34	128	JC	Non-decapod Meroplankton		0	4352
Gastropoda				22	128	JC	Non-decapod Meroplankton		0	2816
Collembola				1	128	JC	Non-decapod Other Invertebrates		0	128
Amphipoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**43796**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-04B-DT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-04B-DT-050708

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			IP-1	9	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	72
Engraulidae	*Anchoa mitchilli*		IP-2	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-7	32	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	256
Gobiidae	*Gobiosoma bosc*		IP-6	7	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Microgobius gulosus*		IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-5	17	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	136
Brachyura	*Armases/Uca* complex		M-3	16	8	JC	Meroplankton	Zoea	0	128
Brachyura	*Armases/Uca* complex		M-3	126	8	JC	Meroplankton	Megalopae	0	1008
Caridea	*Periclimenes/Thor* complex		M-4	24	8	JC	Meroplankton	Zoea	0	192
Callianassidae	*Callianassa sp.*		M-6	5	8	JC	Meroplankton	Zoea	0	40
Hippolytidae	*Hippolyte sp.*		M-11	1	8	JC	Meroplankton	Zoea	0	8
Leucosiidae	*Persephona mediterranea*		REF	3	8	JC	Meroplankton	Zoea	0	24
Luciferidae	*Lucifer faxoni*		M-7	1	8	JC	Meroplankton	Post-larval	0	8
Luciferidae	*Lucifer faxoni*		M-7	1	8	JC	Meroplankton	Adult	0	8
Majidae			REF	1	8	JC	Meroplankton	Zoea	0	8
Menippidae	*Menippe mercenaria*		M-9	7	8	JC	Meroplankton	Zoea	0	56
Paguridae	*Pagurus sp.*		M-13	1	8	JC	Meroplankton	Zoea	0	8
Palaemonidae	*Palaemonetes sp.*		M-12	3	8	JC	Meroplankton	Zoea	0	24
Panopeidae			M-1	289	8	JC	Meroplankton	Zoea	0	2312
Panopeidae			M-1	8	8	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-2	165	8	JC	Meroplankton	Zoea	0	1320
Porcellanidae	*Polyonyx gibbesi*		M-5	12	8	JC	Meroplankton	Zoea	0	96
Unidentified shrimp			M-10	23	8	JC	Meroplankton	Zoea	0	184
Upogebiidae	*Upogebia affinis*		M-8	1	8	JC	Meroplankton	Zoea	0	8
Chaetognatha				21	32	JC	Non-decapod Holoplankton		0	672
Copepoda				81	32	JC	Non-decapod Holoplankton		0	2592
Bivalvia				1	32	JC	Non-decapod Meroplankton		0	32
Cirripedia				5	32	JC	Non-decapod Meroplankton		0	160
Gastropoda				51	32	JC	Non-decapod Meroplankton		0	1632
Cumacea				8	32	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Isopoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Polychaeta				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**11448**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-01A-NT-050808

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-01A-NT-050808

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Atherinopsidae	*Menidia sp.*		IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeidae	*Brevoortia sp.*		IP-2	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Engraulidae	*Anchoa mitchilli*		IP-1	39	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	39
Gobiidae			IP-7	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma bosc*		IP-6	9	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	9
Sciaenidae	*Bairdiella chrysoura*		IP-5	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Palaemonidae	*Palaemonetes sp.*		M-2	3	16	JC	Meroplankton	Zoea	0	48
Panopeidae			M-1	252	16	JC	Meroplankton	Zoea	0	4032
Copepoda				7	16	JC	Non-decapod Holoplankton		0	112
Mysida				3	16	JC	Non-decapod Holoplankton		0	48
Amphipoda				33	16	JC	Non-decapod Pseudoplankton/ Benthos		0	528
Cumacea				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Ostracoda				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Tanaidacea				5	16	JC	Non-decapod Pseudoplankton/ Benthos		0	80
									Total	**4938**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-01B-NT-050808

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-01B-NT-050808

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Clupeidae	*Brevoortia sp.*		IP-1	6	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Engraulidae	*Anchoa mitchilli*		IP-2	13	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	104
Gobiidae			IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Uca* complex		M-2	5	32	JC	Meroplankton	Zoea	0	160
Panopeidae			M-1	423	32	JC	Meroplankton	Zoea	0	13536
Panopeidae			M-1	1	32	JC	Meroplankton	Megalopae	0	32
Copepoda				36	32	JC	Non-decapod Holoplankton		0	1152
Amphipoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Isopoda				2	32	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Polychaeta				3	32	JC	Non-decapod Pseudoplankton/ Benthos		0	96
									Total	**15240**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-02A-NT-050808

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-02A-NT-050808

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-2	5	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Clupeidae			IP-8	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Clupeidae	*Brevoortia sp.*		IP-7	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-3	120	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	120
Gobiesocidae	*Gobiesox strumosus*		IP-1	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae			IP-6	46	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	46
Gobiidae	*Gobiosoma bosc*		IP-5	104	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	104
Sciaenidae	*Cynoscion nebulosus*		IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Uca* complex		M-2	2	8	JC	Meroplankton	Zoea	0	16
Brachyura	*Armases/Uca* complex		M-2	17	8	JC	Meroplankton	Megalopae	0	136
Palaemonidae	*Palaemonetes sp.*		M-3	9	8	JC	Meroplankton	Zoea	0	72
Panopeidae			M-1	194	8	JC	Meroplankton	Zoea	0	1552
Panopeidae			M-1	2	8	JC	Meroplankton	Megalopae	0	16
Upogebiidae	*Upogebia affinis*		M-4	1	8	JC	Meroplankton	Post-larval	0	8
Copepoda				37	8	JC	Non-decapod Holoplankton		0	296
Mysida				26	8	JC	Non-decapod Holoplankton		0	208
Cirripedia				3	8	JC	Non-decapod Meroplankton		0	24
Amphipoda				30	8	JC	Non-decapod Pseudoplankton/ Benthos		0	240
Cumacea				4	8	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Isopoda				4	8	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Tanaidacea				2	8	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**2937**

* Note: Ichthyoplankton without a stage represents damaged specimens.
* One juvenile *Brevoortia tyrannus* and one juvenile *Anchoa mitchilli* were collected in the IP sample. This size class is not considered entrainable. After discussing with John Martin, they were excluded from the total count.

CH2M Hill IP Data Summary
Event 3
PE-PT-02B-NT-050808

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-02B-NT-050808

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae	*Anchoa mitchilli*		IP-2	5	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Gobiesocidae	*Gobiesox strumosus*		IP-1	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-4	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma bosc*		IP-3	46	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	368
Brachyura	*Armases/Uca* complex		M-2	5	8	JC	Meroplankton	Zoea	0	40
Brachyura	*Armases/Uca* complex		M-2	24	8	JC	Meroplankton	Megalopae	0	192
Palaemonidae	*Palaemonetes sp.*		M-3	8	8	JC	Meroplankton	Zoea	0	64
Panopeidae			M-1	416	8	JC	Meroplankton	Zoea	0	3328
Panopeidae			M-1	6	8	JC	Meroplankton	Megalopae	0	48
Copepoda				64	8	JC	Non-decapod Holoplankton		0	512
Mysida				31	8	JC	Non-decapod Holoplankton		0	248
Amphipoda				26	8	JC	Non-decapod Pseudoplankton/ Benthos		0	208
Cumacea				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				2	8	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Tanaidacea				10	8	JC	Non-decapod Pseudoplankton/ Benthos		0	80
									Total	**5192**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-03A-NT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-03A-NT-050708

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae			IP-2	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Blenniidae			IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	10	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	80
Gobiidae			IP-8	28	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	224
Gobiidae	*Bathygobius soporator*		IP-5	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma bosc*		IP-6	68	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	544
Gobiidae	*Microgobius gulosus*		IP-7	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
UnID (fragment)			IP-9	1	8	EC	Ichthyoplankton		0	8
Brachyura	*Armases/Uca* complex		M-2	8	32	JC	Meroplankton	Zoea	0	256
Brachyura	*Armases/Uca* complex		M-2	57	32	JC	Meroplankton	Megalopae	0	1824
Caridea	*Periclimenes/Thor* complex		M-3	11	32	JC	Meroplankton	Zoea	0	352
Panopeidae			M-1	99	32	JC	Meroplankton	Zoea	0	3168
Panopeidae			M-1	4	32	JC	Meroplankton	Megalopae	0	128
Upogebiidae	*Upogebia affinis*		M-4	1	32	JC	Meroplankton	Post-larval	0	32
Copepoda				149	32	JC	Non-decapod Holoplankton		0	4768
Mysida				11	32	JC	Non-decapod Holoplankton		0	352
Gastropoda				2	32	JC	Non-decapod Meroplankton		0	64
Amphipoda				3	32	JC	Non-decapod Pseudoplankton/ Benthos		0	96
Cumacea				7	32	JC	Non-decapod Pseudoplankton/ Benthos		0	224
Ostracoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Polychaeta				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**12256**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-03B-NT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-03B-NT-050708

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae	*Anchoa mitchilli*		IP-1	10	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	160
Gobiidae			IP-4	19	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	304
Gobiidae			IP-2	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma bosc*		IP-3	53	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	848
Brachyura	*Armases/Uca* complex		M-2	27	64	JC	Meroplankton	Megalopae	0	1728
Palaemonidae	*Palaemonetes sp.*		M-3	1	64	JC	Meroplankton	Zoea	0	64
Panopeidae			M-1	133	64	JC	Meroplankton	Zoea	0	8512
Panopeidae			M-1	4	64	JC	Meroplankton	Megalopae	0	256
Unidentified shrimp			M-4	1	64	JC	Meroplankton	Zoea	0	64
Copepoda				128	64	JC	Non-decapod Holoplankton		0	8192
Mysida				16	64	JC	Non-decapod Holoplankton		0	1024
Cumacea				4	64	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Ostracoda				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**21488**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-04A-NT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-04A-NT-050708

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae			IP-4	3	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Callionymidae	*Diplogrammus pauciradiatus*		IP-2	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Clupeidae			IP-3	2	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Engraulidae	*Anchoa mitchilli*		IP-1	19	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	304
Gobiidae			IP-8	20	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	320
Gobiidae	*Gobiosoma bosc*		IP-7	27	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	432
Sciaenidae			IP-6	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Sciaenidae	*Bairdiella chrysoura*		IP-5	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Alpheidae	*Alpheus sp.*		M-10	1	16	JC	Meroplankton	Post-larval	0	16
Brachyura	*Armases/Uca* complex		M-2	118	16	JC	Meroplankton	Zoea	0	1888
Brachyura	*Armases/Uca* complex		M-2	16	16	JC	Meroplankton	Megalopae	0	256
Caridea			REF	1	16	JC	Meroplankton	Adult	0	16
Caridea	*Periclimenes/Thor* complex		M-3	98	16	JC	Meroplankton	Zoea	0	1568
Hippolytidae	*Hippolyte sp.*		M-8	2	16	JC	Meroplankton	Zoea	0	32
Luciferidae	*Lucifer faxoni*		M-5	1	16	JC	Meroplankton	Adult	0	16
Palaemonidae	*Palaemonetes sp.*		M-4	3	16	JC	Meroplankton	Zoea	0	48
Panopeidae			M-1	147	16	JC	Meroplankton	Zoea	0	2352
Panopeidae			M-1	6	16	JC	Meroplankton	Megalopae	0	96
Panopeidae			M-1	1	16	JC	Meroplankton	Juvenile	0	16
Porcellanidae	*Polyonyx gibbesi*		M-6	1	16	JC	Meroplankton	Zoea	0	16
Portunidae	*Callinectes sp.*		M-7	1	16	JC	Meroplankton	Juvenile	0	16
Upogebiidae	*Upogebia affinis*		M-9	4	16	JC	Meroplankton	Post-larval	0	64
Copepoda				313	128	JC	Non-decapod Holoplankton		0	40064
Mysida				40	128	JC	Non-decapod Holoplankton		0	5120
Gastropoda				2	128	JC	Non-decapod Meroplankton		0	256
Chaetognatha				1	128	JC	Non-decapod Holoplankton		0	128
Amphipoda				2	128	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Cumacea				31	128	JC	Non-decapod Pseudoplankton/ Benthos		0	3968
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Ostracoda				5	128	JC	Non-decapod Pseudoplankton/ Benthos		0	640
Tanaidacea				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**58272**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 3
PE-PT-04B-NT-050708

Project: CH2M Hill
Event: 3
Event Date: May 7-8 2008
Sample ID: PE-PT-04B-NT-050708

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Blenniidae			IP-8	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Callionymidae	*Diplogrammus pauciradiatus*		IP-7	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Clupeidae	*Brevoortia sp.*		IP-2	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	20	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	160
Gobiidae			IP-6	41	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	328
Gobiidae	*Bathygobius soporator*		IP-10	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-5	56	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	448
Gobiidae	*Microgobius gulosus*		IP-9	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Microgobius thalassinus*		IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Bairdiella chrysoura*		IP-3	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Brachyura	*Armases/Uca* complex		M-2	36	32	JC	Meroplankton	Zoea	0	1152
Brachyura	*Armases/Uca* complex		M-2	10	32	JC	Meroplankton	Megalopae	0	320
Caridea	*Periclimenes/Thor* complex		M-3	72	32	JC	Meroplankton	Zoea	0	2304
Palaemonidae	*Palaemonetes sp.*		M-6	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	67	32	JC	Meroplankton	Zoea	0	2144
Panopeidae			M-1	2	32	JC	Meroplankton	Megalopae	0	64
Pinnotheridae			M-5	1	32	JC	Meroplankton	Zoea	0	32
Portunidae	*Callinectes sp.*		M-7	1	32	JC	Meroplankton	Juvenile	0	32
Upogebiidae	*Upogebia affinis*		M-4	1	32	JC	Meroplankton	Zoea	0	32
Upogebiidae	*Upogebia affinis*		M-4	2	32	JC	Meroplankton	Post-larval	0	64
Chaetognatha				5	64	JC	Non-decapod Holoplankton		0	320
Copepoda				449	64	JC	Non-decapod Holoplankton		0	28736
Mysida				83	64	JC	Non-decapod Holoplankton		0	5312
Bivalvia				3	64	JC	Non-decapod Meroplankton		0	192
Gastropoda				3	64	JC	Non-decapod Meroplankton		0	192
Amphipoda				9	64	JC	Non-decapod Pseudoplankton/ Benthos		0	576
Cumacea				59	64	JC	Non-decapod Pseudoplankton/ Benthos		0	3776
Ostracoda				4	64	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Polychaeta				2	64	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Tanaidacea				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**46752**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-01A-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-01A-DT-052208

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Brachyura	*Armases/Sesarma/Uca complex*		M-2	16	64	JC	Meroplankton	Zoea	2	2048
Panopeidae			M-1	307	64	JC	Meroplankton	Zoea	2	39296
									Total	**41344**

CH2M Hill IP Data Summary
Event 4
PE-PT-01B-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-01B-DT-052208

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-4	9	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	9
Gobiidae	*Gobiosoma bosc*		IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-1	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
UnID (fragment)			IP-5	1	1	EC	Ichthyoplankton		0	1
Brachyura	*Armases/Sesarma/Uca complex*		M-2	52	1	JC	Meroplankton	Zoea	4	208
Brachyura	*Armases/Sesarma/Uca complex*		M-2	2	1	JC	Meroplankton	Megalopae	4	8
Callianassidae	*Callianassa sp.*		M-4	1	1	JC	Meroplankton	Zoea	4	4
Palaemonidae	*Palaemonetes sp.*		M-3	3	1	JC	Meroplankton	Zoea	4	12
Panopeidae			M-1	484	1	JC	Meroplankton	Zoea	4	1936
Copepoda				20	1	JC	Non-decapod Holoplankton		0	20
Mysida				4	1	JC	Non-decapod Holoplankton		0	4
Cirripedia				1	1	JC	Non-decapod Meroplankton		0	1
Gastropoda				1	1	JC	Non-decapod Meroplankton		0	1
Amphipoda				1	1	JC	Non-decapod Pseudoplankton/ Benthos		0	1
Isopoda				4	1	JC	Non-decapod Pseudoplankton/ Benthos		0	4
									Total	**2212**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-02A-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-02A-DT-052208

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae			IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	15	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	15
Gobiesocidae	*Gobiesox strumosus*		IP-3	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-5	16	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae	*Gobiosoma bosc*		IP-4	7	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	7
Brachyura	*Armases/Sesarma/Uca complex*		M-2	1	32	JC	Meroplankton	Megalopae	0	32
Palaemonidae	*Palaemonetes sp.*		M-3	4	32	JC	Meroplankton	Zoea	0	128
Panopeidae			M-1	222	32	JC	Meroplankton	Zoea	0	7104
Copepoda				184	4	JC	Non-decapod Holoplankton		0	736
Cirripedia				9	4	JC	Non-decapod Meroplankton		0	36
Collembola				2	4	JC	Non-decapod Other Invertebrates		0	8
Amphipoda				2	4	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				8	4	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**8127**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-02B-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-02B-DT-052208

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae	*Anchoa mitchilli*		IP-2	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiesocidae	*Gobiesox strumosus*		IP-1	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-3	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-2	2	16	JC	Meroplankton	Megalopae	0	32
Palaemonidae	*Palaemonetes sp.*		M-3	3	16	JC	Meroplankton	Zoea	0	48
Panopeidae			M-1	220	16	JC	Meroplankton	Zoea	0	3520
Panopeidae			M-1	1	16	JC	Meroplankton	Megalopae	0	16
Copepoda				13	4	JC	Non-decapod Holoplankton		0	52
Gastropoda				2	4	JC	Non-decapod Meroplankton		0	8
Amphipoda				11	4	JC	Non-decapod Pseudoplankton/ Benthos		0	44
Isopoda				2	4	JC	Non-decapod Pseudoplankton/ Benthos		0	8
									Total	**3756**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-03A-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-03A-DT-052208

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	2	16	EC	Eggs	Egg	0	32
Engraulidae	*Anchoa mitchilli*		IP-2	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-6	72	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	1152
Gobiidae	*Gobiosoma bosc*		IP-5	140	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	2240
Gobiidae	*Microgobius gulosus*		IP-4	6	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	96
Gobiidae	*Microgobius thalassinus*		IP-3	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Syngnathidae	*Syngnathus scovelli*		IP-1	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Brachyura	*Armases/Sesarma/Uca* complex		M-2	5	32	JC	Meroplankton	Zoea	0	160
Brachyura	*Armases/Sesarma/Uca* complex		M-2	56	32	JC	Meroplankton	Megalopae	0	1792
Caridea	*Periclimenes/Thor* complex		M-3	8	32	JC	Meroplankton	Zoea	0	256
Hippolytidae	*Hippolyte sp.*		M-6	1	32	JC	Meroplankton	Zoea	0	32
Leucosiidae	*Persephona mediterranea*		M-7	1	32	JC	Meroplankton	Zoea	0	32
Luciferidae	*Lucifer faxoni*		M-4	1	32	JC	Meroplankton	Adult	0	32
Panopeidae			M-1	267	32	JC	Meroplankton	Zoea	0	8544
Panopeidae			M-1	4	32	JC	Meroplankton	Megalopae	0	128
Upogebiidae	*Upogebia affinis*		M-5	1	32	JC	Meroplankton	Zoea	0	32
Copepoda				149	128	JC	Non-decapod Holoplankton		0	19072
Cirripedia				2	128	JC	Non-decapod Meroplankton		0	256
Gastropoda				72	128	JC	Non-decapod Meroplankton		0	9216
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**43248**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-03B-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-03B-DT-052208

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	42	1	EC	Eggs	Egg	0	42
Achiridae	*Achirus lineatus*		IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-7	50	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	200
Gobiidae	*Gobiosoma bosc*		IP-5	118	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	472
Gobiidae	*Microgobius gulosus*		IP-6	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae			IP-8	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Syngnathidae	*Syngnathus louisianae*		IP-1	1	4	EC	Ichthyoplankton	Juvenile	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	32	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Sesarma/Uca* complex		M-2	26	32	JC	Meroplankton	Megalopae	0	832
Hippolytidae	*Hippolyte sp.*		M-3	2	32	JC	Meroplankton	Zoea	0	64
Panopeidae			M-1	192	32	JC	Meroplankton	Zoea	0	6144
Panopeidae			M-1	3	32	JC	Meroplankton	Megalopae	0	96
UnID Caridea			M-4	1	32	JC	Meroplankton	Zoea	0	32
Copepoda				68	32	JC	Non-decapod Holoplankton		0	2176
Cirripedia				1	32	JC	Non-decapod Meroplankton		0	32
Gastropoda				39	32	JC	Non-decapod Meroplankton		0	1248
Collembola				2	32	JC	Non-decapod Other Invertebrates		0	64
Amphipoda				2	32	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Polychaeta				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**11554**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-04A-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-04A-DT-052208
Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	3	1	EC	Eggs	Egg	0	3
Engraulidae			EG-1	17	1	EC	Eggs	Egg	0	17
Engraulidae			IP-5	1	16	EC	Ichthyoplankton	Yolk-sac larvae	0	16
Gobiidae			IP-4	51	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	816
Gobiidae	*Gobiosoma bosc*		IP-3	90	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	1440
Gobiidae	*Microgobius thalassinus*		IP-2	1	16	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Syngnathidae	*Syngnathus louisianae*		IP-1	1	16	EC	Ichthyoplankton	Juvenile	0	16
UnID			IP-6	1	16	EC	Ichthyoplankton	Yolk-sac larvae	0	16
Anomura			M-14	1	16	JC	Meroplankton	Juvenile	0	16
Brachyura	*Armases/Sesarma/Uca* complex		M-2	2	16	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Sesarma/Uca* complex		M-2	54	16	JC	Meroplankton	Megalopae	0	864
Callianassidae	*Callianassa sp.*		M-4	5	16	JC	Meroplankton	Zoea	0	80
Caridea	*Periclimenes/Thor* complex		M-9	12	16	JC	Meroplankton	Zoea	0	192
Hippolytidae	*Hippolyte sp.*		M-10	4	16	JC	Meroplankton	Zoea	0	64
Luciferidae	*Lucifer faxoni*		M-5	1	16	JC	Meroplankton	Adult	0	16
Menippidae	*Menippe mercenaria*		M-13	1	16	JC	Meroplankton	Zoea	0	16
Paguridae	*Pagurus sp.*		M-11	1	16	JC	Meroplankton	Zoea	0	16
Palaemonidae	*Palaemonetes sp.*		M-12	2	16	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	407	16	JC	Meroplankton	Zoea	0	6512
Panopeidae			M-1	5	16	JC	Meroplankton	Megalopae	0	80
Pinnotheridae			M-3	30	16	JC	Meroplankton	Zoea	0	480
Porcellanidae	*Polyonyx gibbesi*		M-8	3	16	JC	Meroplankton	Zoea	0	48
Squillidae			M-6	1	16	JC	Meroplankton	Post-larval	0	16
Upogebiidae	*Upogebia affinis*		M-7	3	16	JC	Meroplankton	Zoea	0	48
Appendicularia				8	16	JC	Non-decapod Holoplankton		0	128
Chaetognatha				18	16	JC	Non-decapod Holoplankton		0	288
Copepoda				204	16	JC	Non-decapod Holoplankton		0	3264
Mysida				1	16	JC	Non-decapod Holoplankton		0	16
Cirripedia				8	16	JC	Non-decapod Meroplankton		0	128
Gastropoda				20	16	JC	Non-decapod Meroplankton		0	320
Amphipoda				2	16	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Cumacea				3	16	JC	Non-decapod Pseudoplankton/ Benthos		0	48
Polychaeta				1	16	JC	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**15092**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-04B-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-04B-DT-052208

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	9	4	EC	Eggs	Egg	0	36
Achiridae	*Achirus lineatus*		IP-1	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae			IP-7	2	4	EC	Ichthyoplankton	Yolk-sac larvae	0	8
Gobiesocidae	*Gobiesox strumosus*		IP-2	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae			IP-10	93	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	372
Gobiidae	*Bathygobius soporator*		IP-11	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-9	138	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	552
Gobiidae	*Microgobius gulosus*		IP-6	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Microgobius thalassinus*		IP-5	12	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Sciaenidae	*Bairdiella chrysoura*		IP-8	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-3	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
UnID			IP-12	2	4	EC	Ichthyoplankton	Yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-2	6	64	JC	Meroplankton	Zoea	0	384
Brachyura	*Armases/Sesarma/Uca* complex		M-2	8	64	JC	Meroplankton	Megalopae	0	512
Caridea	*Periclimenes/Thor* complex		M-5	12	64	JC	Meroplankton	Zoea	0	768
Callianassidae	*Callianassa sp.*		M-4	1	64	JC	Meroplankton	Zoea	0	64
Hippolytidae	*Hippolyte sp.*		M-9	2	64	JC	Meroplankton	Zoea	0	128
Hippolytidae	*Tozeuma sp.*		M-6	1	64	JC	Meroplankton	Post-larval	0	64
Menippidae	*Menippe mercenaria*		M-10	2	64	JC	Meroplankton	Zoea	0	128
Palaemonidae	*Palaemonetes sp.*		M-8	4	64	JC	Meroplankton	Zoea	0	256
Panopeidae			M-1	96	64	JC	Meroplankton	Zoea	0	6144
Panopeidae			M-1	4	64	JC	Meroplankton	Megalopae	0	256
Pinnotheridae			M-3	10	64	JC	Meroplankton	Zoea	0	640
Pinnotheridae			M-3	1	64	JC	Meroplankton	Megalopae	0	64
Porcellanidae	*Polyonyx gibbesi*		M-7	4	64	JC	Meroplankton	Zoea	0	256
Appendicularia				4	64	JC	Non-decapod Holoplankton		0	256
Chaetognatha				12	64	JC	Non-decapod Holoplankton		0	768
Copepoda				84	64	JC	Non-decapod Holoplankton		0	5376
Mysida				1	64	JC	Non-decapod Holoplankton		0	64
Bivalvia				3	64	JC	Non-decapod Meroplankton		0	192
Cirripedia				1	64	JC	Non-decapod Meroplankton		0	64
Gastropoda				4	64	JC	Non-decapod Meroplankton		0	256
Collembola				1	64	JC	Non-decapod Other Invertebrates		0	64

CH2M Hill IP Data Summary
Event 4
PE-PT-04B-DT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-04B-DT-052208

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Cumacea				6	64	JC	Non-decapod Pseudoplankton/ Benthos		0	384
Ostracoda				4	64	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Polychaeta				3	64	JC	Non-decapod Pseudoplankton/ Benthos		0	192
									Total	**18604**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-01A-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-01A-NT-052308

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-7	1	1	EC	Ichthyoplankton	Juvenile	0	1
Atherinopsidae			IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeidae	*Brevoortia sp.*		IP-2	20	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Engraulidae	*Anchoa mitchilli*		IP-1	134	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	134
Gobiesocidae	*Gobiesox strumosus*		IP-3	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Gobiidae			IP-6	126	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	126
Gobiidae	*Gobiosoma bosc*		IP-5	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	32	JC	Meroplankton	Zoea	4	128
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	32	JC	Meroplankton	Megalopae	4	128
Palaemonidae	*Palaemonetes sp.*		M-3	1	32	JC	Meroplankton	Zoea	4	128
Panopeidae			M-1	210	32	JC	Meroplankton	Zoea	4	26880
Panopeidae			M-1	2	32	JC	Meroplankton	Megalopae	4	256
Copepoda				6	32	JC	Non-decapod Holoplankton		0	192
Mysida				3	32	JC	Non-decapod Holoplankton		0	96
Cirripedia				1	32	JC	Non-decapod Meroplankton		0	32
Insecta				1	32	JC	Non-decapod Other Invertebrates		0	32
Amphipoda				18	32	JC	Non-decapod Pseudoplankton/ Benthos		0	576
Isopoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**28767**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-01B-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-01B-NT-052308

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeidae	*Brevoortia sp.*		IP-2	9	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	9
Engraulidae	*Anchoa mitchilli*		IP-1	27	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	27
Gobiidae			IP-4	32	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Brachyura	*Armases/Sesarma/Uca* complex		M-2	4	8	JC	Meroplankton	Zoea	4	128
Brachyura	*Armases/Sesarma/Uca* complex		M-2	2	8	JC	Meroplankton	Megalopae	4	64
Palaemonidae	*Palaemonetes sp.*		M-3	4	8	JC	Meroplankton	Zoea	4	128
Panopeidae			M-1	365	8	JC	Meroplankton	Zoea	4	11680
Panopeidae			M-1	2	8	JC	Meroplankton	Megalopae	4	64
Copepoda				11	8	JC	Non-decapod Holoplankton		0	88
Mysida				1	8	JC	Non-decapod Holoplankton		0	8
Cirripedia				4	8	JC	Non-decapod Meroplankton		0	32
Gastropoda				1	8	JC	Non-decapod Meroplankton		0	8
Amphipoda				3	8	JC	Non-decapod Pseudoplankton/ Benthos		0	24
Isopoda				3	8	JC	Non-decapod Pseudoplankton/ Benthos		0	24
									Total	**12317**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-02A-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-02A-NT-052308

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	5	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Atherinopsidae			IP-12	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-8	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Clupeidae	*Brevoortia sp.*		IP-2	11	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	11
Engraulidae			IP-13	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Engraulidae	*Anchoa mitchilli*		IP-1	131	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	131
Gobiesocidae	*Gobiesox strumosus*		IP-14	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-6	106	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	106
Gobiidae	*Bathygobius soporator*		IP-7	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma bosc*		IP-5	70	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	70
Gobiidae	*Microgobius gulosus*		IP-15	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Perciformes			IP-9	5	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Sciaenidae	*Bairdiella chrysoura*		IP-4	15	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	15
Synodontidae			IP-10	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	128	JC	Meroplankton	Zoea	4	512
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	128	JC	Meroplankton	Megalopae	4	512
Palaemonidae	*Palaemonetes sp.*		M-3	2	128	JC	Meroplankton	Zoea	4	1024
Panopeidae			M-1	354	128	JC	Meroplankton	Zoea	4	181248
Panopeidae			M-1	6	128	JC	Meroplankton	Megalopae	4	3072
Copepoda				110	128	JC	Non-decapod Holoplankton		0	14080
Mysida				10	128	JC	Non-decapod Holoplankton		0	1280
Cirripedia				3	128	JC	Non-decapod Meroplankton		0	384
Amphipoda				14	128	JC	Non-decapod Pseudoplankton/ Benthos		0	1792
Cumacea				7	128	JC	Non-decapod Pseudoplankton/ Benthos		0	896
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Ostracoda				2	128	JC	Non-decapod Pseudoplankton/ Benthos		0	256
									Total	**205543**

* Note: Ichthyoplankton without a stage represents damaged specimens.
* One juvenile *Synodus foetens* and one juvenile *Anchoa mitchilli* were collected in the IP sample. This size class is not considered entrainable. After discussing with John Martin, they were excluded from the total count.

CH2M Hill IP Data Summary
Event 4
PE-PT-02B-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-02B-NT-052308

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-5	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Atherinopsidae			IP-3	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-8	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Clupeidae	*Brevoortia sp.*		IP-2	5	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Engraulidae	*Anchoa mitchilli*		IP-1	148	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	148
Gobiesocidae	*Gobiesox strumosus*		IP-11	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-10	63	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	63
Gobiidae	*Bathygobius soporator*		IP-7	15	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	15
Gobiidae	*Gobiosoma bosc*		IP-4	59	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	59
Perciformes			IP-9	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-6	13	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	13
Sciaenidae	*Cynoscion nebulosus*		IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	7	64	JC	Meroplankton	Megalopae	4	1792
Panopeidae			M-1	196	64	JC	Meroplankton	Zoea	4	50176
Panopeidae			M-1	8	64	JC	Meroplankton	Megalopae	4	2048
Copepoda				123	64	JC	Non-decapod Holoplankton		0	7872
Mysida				13	64	JC	Non-decapod Holoplankton		0	832
Cirripedia				13	64	JC	Non-decapod Meroplankton		0	832
Gastropoda				1	64	JC	Non-decapod Meroplankton		0	64
Amphipoda				8	64	JC	Non-decapod Pseudoplankton/ Benthos		0	512
Cumacea				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**64514**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-03A-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-03A-NT-052308

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
UnID (no embryo)			EG-1	2	1	EC	Eggs	Egg	0	2
Achiridae	*Achirus lineatus*		IP-9	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Atherinopsidae			IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Clupeidae	*Brevoortia sp.*		IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	108	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	108
Gobiesocidae	*Gobiesox strumosus*		IP-8	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-7	195	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	195
Gobiidae	*Gobiosoma bosc*		IP-6	481	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	481
Perciformes			IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-3	12	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Brachyura	*Armases/Sesarma/Uca* complex		M-3	46	16	MN	Meroplankton	Zoea	0	736
Brachyura	*Armases/Sesarma/Uca* complex		M-3	1	16	MN	Meroplankton	Megalopae	0	16
Caridea	*Periclimenes/Thor* complex		M-5	2	16	MN	Meroplankton	Zoea	0	32
Caridea	*Periclimenes/Thor* complex		M-5	1	16	MN	Meroplankton	Post-larval	0	16
Hippolytidae	*Hippolyte sp.*		M-4	26	16	MN	Meroplankton	Post-larval	0	416
Hippolytidae	*Hippolyte sp.*		M-4	1	16	MN	Meroplankton	Juvenile	0	16
Panopeidae			M-1	56	16	MN	Meroplankton	Zoea	0	896
Panopeidae			M-1	38	16	MN	Meroplankton	Megalopae	0	608
Pinnotheridae			M-2	8	16	MN	Meroplankton	Megalopae	0	128
Copepoda				667	256	MN	Non-decapod Holoplankton		0	170752
Mysida				9	256	MN	Non-decapod Holoplankton		0	2304
Gastropoda				1	256	MN	Non-decapod Meroplankton		0	256
Amphipoda				4	256	MN	Non-decapod Pseudoplankton/ Benthos		0	1024
Cumacea				3	256	MN	Non-decapod Pseudoplankton/ Benthos		0	768
									Total	**178771**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-03B-NT-052308

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-03B-NT-052308

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
UnID (no embryo)			EG-1	1	1	EC	Eggs	Egg	0	1
Atherinopsidae			IP-2	4	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Engraulidae	*Anchoa mitchilli*		IP-1	28	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	224
Gobiidae			IP-5	45	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	360
Gobiidae	*Bathygobius soporator*		IP-7	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma bosc*		IP-4	140	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	1120
Gobiidae	*Microgobius thalassinus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-6	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-4	3	8	MN	Meroplankton	Zoea	0	24
Brachyura	*Armases/Sesarma/Uca* complex		M-4	80	8	MN	Meroplankton	Megalopae	0	640
Caridea	*Periclimenes/Thor* complex		M-3	10	8	MN	Meroplankton	Zoea	0	80
Caridea	*Periclimenes/Thor* complex		M-3	10	8	MN	Meroplankton	Post-larval	0	80
Hippolytidae	*Hippolyte sp.*		M-7	26	8	MN	Meroplankton	Post-larval	0	208
Ogyrididae	*Ogyrides sp.*		REF	20	8	MN	Meroplankton	Post-larval	0	160
Palaemonidae	*Palaemonetes sp.*		M-5	5	8	MN	Meroplankton	Post-larval	0	40
Panopeidae			M-1	106	8	MN	Meroplankton	Zoea	0	848
Panopeidae			M-1	42	8	MN	Meroplankton	Megalopae	0	336
Pinnotheridae			M-6	10	8	MN	Meroplankton	Megalopae	0	80
Porcellanidae	*Polyonyx gibbesi*		M-8	1	8	MN	Meroplankton	Zoea	0	8
Copepoda				327	256	MN	Non-decapod Holoplankton		0	83712
Mysida				6	256	MN	Non-decapod Holoplankton		0	1536
Amphipoda				1	256	MN	Non-decapod Pseudoplankton/ Benthos		0	256
Cumacea				2	256	MN	Non-decapod Pseudoplankton/ Benthos		0	512
Ostracoda				2	256	MN	Non-decapod Pseudoplankton/ Benthos		0	512
									Total	**90809**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-04A-NT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-04A-NT-052208

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-9	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Atherinopsidae			IP-2	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Atherinopsidae			IP-13	1	4	EC	Ichthyoplankton	Yolk-sac larvae	0	4
Blenniidae			IP-11	6	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Engraulidae	*Anchoa mitchilli*		IP-1	84	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	336
Gobiidae			IP-8	67	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	268
Gobiidae	*Bathygobius soporator*		IP-12	5	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Gobiidae	*Gobiosoma bosc*		IP-7	50	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	200
Gobiidae	*Microgobius gulosus*		IP-4	14	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Microgobius thalassinus*		IP-3	22	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	88
Sciaenidae	*Bairdiella chrysoura*		IP-6	11	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	44
Sciaenidae	*Cynoscion nebulosus*		IP-10	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Syngnathidae	*Syngnathus scovelli*		IP-5	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
UnID			IP-14	5	4	EC	Ichthyoplankton	Yolk-sac larvae	0	20
Anomura			M-8	1	16	JC	Meroplankton	Juvenile	4	64
Brachyura	*Armases/Sesarma/Uca* complex		M-3	26	16	JC	Meroplankton	Zoea	4	1664
Brachyura	*Armases/Sesarma/Uca* complex		M-3	25	16	JC	Meroplankton	Megalopae	4	1600
Caridea	*Periclimenes/Thor* complex		M-4	37	16	JC	Meroplankton	Zoea	4	2368
Hippolytidae	*Hippolyte sp.*		M-6	3	16	JC	Meroplankton	Zoea	4	192
Palaemonidae	*Palaemonetes sp.*		M-7	1	16	JC	Meroplankton	Post-larval	4	64
Panopeidae			M-1	58	16	JC	Meroplankton	Zoea	4	3712
Panopeidae			M-1	13	16	JC	Meroplankton	Megalopae	4	832
Pinnotheridae			M-2	1	16	JC	Meroplankton	Zoea	4	64
Pinnotheridae			M-2	1	16	JC	Meroplankton	Megalopae	4	64
Unidentified shrimp			REF	1	16	JC	Meroplankton	Post-larval	4	64
Upogebiidae	*Upogebia affinis*		M-5	3	16	JC	Meroplankton	Zoea	4	192
Copepoda				644	256	JC	Non-decapod Holoplankton		0	164864
Mysida				11	256	JC	Non-decapod Holoplankton		0	2816
Amphipoda				3	256	JC	Non-decapod Pseudoplankton/ Benthos		0	768
Cumacea				3	256	JC	Non-decapod Pseudoplankton/ Benthos		0	768
Isopoda				1	256	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Ostracoda				6	256	JC	Non-decapod Pseudoplankton/ Benthos		0	1536
Polychaeta				1	256	JC	Non-decapod Pseudoplankton/ Benthos		0	256
									Total	**183276**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 4
PE-PT-04B-NT-052208

Project: CH2M Hill
Event: 4
Event Date: May 22-23 2008
Sample ID: PE-PT-04B-NT-052208

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae			IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-12	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Clupeidae	*Brevoortia sp.*		IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-1	62	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	248
Gobiesocidae	*Gobiesox strumosus*		IP-7	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-14	33	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	132
Gobiidae	*Bathygobius soporator*		IP-13	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-11	69	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	276
Gobiidae	*Microgobius gulosus*		IP-10	10	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Gobiidae	*Microgobius thalassinus*		IP-9	12	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Sciaenidae	*Bairdiella chrysoura*		IP-6	10	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Sciaenidae	*Cynoscion nebulosus*		IP-8	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Syngnathidae	*Syngnathus scovelli*		IP-4	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-3	23	16	MN	Meroplankton	Zoea	0	368
Brachyura	*Armases/Sesarma/Uca* complex		M-3	70	16	MN	Meroplankton	Megalopae	0	1120
Caridea	*Periclimenes/Thor* complex		M-2	45	16	MN	Meroplankton	Zoea	0	720
Hippolytidae	*Hippolyte sp.*		M-5	4	16	MN	Meroplankton	Zoea	0	64
Hippolytidae	*Hippolyte sp.*		M-5	3	16	MN	Meroplankton	Post-larval	0	48
Palaemonidae	*Palaemonetes sp.*		M-8	1	16	MN	Meroplankton	Juvenile	0	16
Panopeidae			M-1	27	16	MN	Meroplankton	Zoea	0	432
Panopeidae			M-1	20	16	MN	Meroplankton	Megalopae	0	320
Pinnotheridae			M-4	7	16	MN	Meroplankton	Megalopae	0	112
Porcellanidae	*Polyonyx gibbesi*		M-7	1	16	MN	Meroplankton	Zoea	0	16
Unidentified shrimp			REF	1	16	MN	Meroplankton	Post-larval	0	16
Upogebiidae	*Upogebia affinis*		M-6	3	16	MN	Meroplankton	Zoea	0	48
Copepoda				219	128	MN	Non-decapod Holoplankton		0	28032
Mysida				24	128	MN	Non-decapod Holoplankton		0	3072
Amphipoda				10	128	MN	Non-decapod Pseudoplankton/ Benthos		0	1280
Ostracoda				4	128	MN	Non-decapod Pseudoplankton/ Benthos		0	512
									Total	**36996**

* Note: Ichthyoplankton without a stage represents damaged specimens.
* One juvenile *Bairdiella chrysoura* was collected in the IP sample. This size class is not considered entrainable. After discussing with John Martin, they were excluded from the total count.

CH2M Hill IP Data Summary
Event 5
PE-PT-01A-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-01A-DT-060408

Unit/Station-Rep: 01A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Brachyura	*Armases/Sesarma/Uca* complex		M-2	13	1	JC	Meroplankton	Zoea	4	52
Palaemonidae	*Palaemonetes sp.*		M-3	14	1	JC	Meroplankton	Zoea	4	56
Panopeidae			M-1	155	1	JC	Meroplankton	Zoea	4	620
Copepoda				2	1	JC	Non-decapod Holoplankton		0	2
Collembola				1	1	JC	Non-decapod Other Invertebrates		0	1
Amphipoda				1	1	JC	Non-decapod Pseudoplankton/ Benthos		0	1
Isopoda				18	1	JC	Non-decapod Pseudoplankton/ Benthos		0	18
Ostracoda				1	1	JC	Non-decapod Pseudoplankton/ Benthos		0	1
									Total	**751**

CH2M Hill IP Data Summary
Event 5
PE-PT-01B-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-01B-DT-060408

Unit/Station-Rep: 01B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Gobiidae			IP-1	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-3	125	2	MN	Meroplankton	Zoea	0	250
Caridea	*Periclimenes/Thor* complex		M-4	1	2	MN	Meroplankton	Post-larval	0	2
Hippolytidae	*Lysmata sp.*		M-5	1	2	MN	Meroplankton	Zoea	0	2
Palaemonidae	*Palaemonetes sp.*		M-2	51	2	MN	Meroplankton	Zoea	0	102
Panopeidae			M-1	140	2	MN	Meroplankton	Zoea	0	280
Copepoda				32	1	MN	Non-decapod Holoplankton		0	32
Cirripedia				5	1	MN	Non-decapod Meroplankton		0	5
Collembola				1	1	MN	Non-decapod Other Invertebrates		0	1
Amphipoda				11	1	MN	Non-decapod Pseudoplankton/ Benthos		0	11
Branchiura				1	1	MN	Non-decapod Pseudoplankton/ Benthos		0	1
Isopoda				10	1	MN	Non-decapod Pseudoplankton/ Benthos		0	10
Pycnogonida				1	1	MN	Non-decapod Pseudoplankton/ Benthos		0	1
									Total	**698**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-02A-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-02A-DT-060408

Unit/Station-Rep: 02A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-1	19	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	76
Gobiidae			IP-4	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-3	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-3	11	4	MN	Meroplankton	Zoea	2	88
Caridea	*Periclimenes/Thor* complex		M-4	2	4	MN	Meroplankton	Zoea	2	16
Caridea	*Periclimenes/Thor* complex		M-4	4	4	MN	Meroplankton	Post-larval	2	32
Palaemonidae	*Palaemonetes sp.*		M-2	7	4	MN	Meroplankton	Zoea	2	56
Palaemonidae	*Palaemonetes sp.*		M-2	3	4	MN	Meroplankton	Post-larval	2	24
Panopeidae			M-1	333	4	MN	Meroplankton	Zoea	2	2664
Copepoda				26	4	MN	Non-decapod Holoplankton		0	104
Cirripedia				87	4	MN	Non-decapod Meroplankton		0	348
Amphipoda				5	4	MN	Non-decapod Pseudoplankton/ Benthos		0	20
Isopoda				6	4	MN	Non-decapod Pseudoplankton/ Benthos		0	24
									Total	**3472**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-02B-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-02B-DT-060408

Unit/Station-Rep: 02B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae	*Anchoa mitchilli*		IP-1	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-3	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gobiidae	*Gobiosoma bosc*		IP-2	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-3	8	4	JC	Meroplankton	Zoea	0	32
Caridea	*Periclimenes/Thor* complex		M-4	4	4	JC	Meroplankton	Zoea	0	16
Palaemonidae	*Palaemonetes sp.*		M-2	23	4	JC	Meroplankton	Zoea	0	92
Panopeidae			M-1	381	4	JC	Meroplankton	Zoea	0	1524
Unidentified shrimp			M-5	3	4	JC	Meroplankton	Zoea	0	12
Copepoda				4	4	JC	Non-decapod Holoplankton		0	16
Cirripedia				8	4	JC	Non-decapod Meroplankton		0	32
Gastropoda				1	4	JC	Non-decapod Meroplankton		0	4
Collembola				1	4	JC	Non-decapod Other Invertebrates		0	4
Amphipoda				2	4	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Isopoda				2	4	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Ostracoda				1	4	JC	Non-decapod Pseudoplankton/ Benthos		0	4
									Total	**1772**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-03A-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-03A-DT-060408

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Clupeidae			EG-1	1	1	EC	Eggs	Egg	0	1
Achiridae	*Achirus lineatus*		IP-1	9	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	9
Atherinopsidae			IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Blenniidae			IP-7	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Engraulidae			IP-5	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Ephippidae	*Chaetodipterus faber*		IP-12	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-11	56	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Bathygobius soporator*		IP-9	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Gobiosoma bosc*		IP-10	75	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	75
Gobiidae	*Microgobius thalassinus*		IP-8	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Sciaenidae	*Cynoscion nebulosus*		IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Syngnathidae	*Syngnathus louisianae*		IP-3	2	1	EC	Ichthyoplankton	Juvenile	0	2
Syngnathidae	*Syngnathus scovelli*		IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
UnID (damaged)			IP-13	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Anomura			M-8	1	4	MN	Meroplankton	Zoea	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-5	13	4	MN	Meroplankton	Zoea	0	52
Brachyura	*Armases/Sesarma/Uca* complex		M-5	33	4	MN	Meroplankton	Megalopae	0	132
Caridea	*Periclimenes/Thor* complex		M-3	55	4	MN	Meroplankton	Zoea	0	220
Caridea	*Periclimenes/Thor* complex		M-3	18	4	MN	Meroplankton	Post-larval	0	72
Hippolytidae	*Hippolyte sp.*		M-10	1	4	MN	Meroplankton	Zoea	0	4
Laomediidae	*Naushonia crangonoides*		M-9	1	4	MN	Meroplankton	Zoea	0	4
Luciferidae	*Lucifer faxoni*		M-4	1	4	MN	Meroplankton	Juvenile	0	4
Palaemonidae	*Palaemonetes sp.*		M-7	4	4	MN	Meroplankton	Zoea	0	16
Panopeidae			M-2	149	4	MN	Meroplankton	Zoea	0	596
Panopeidae			M-2	4	4	MN	Meroplankton	Megalopae	0	16
Squillidae			M-1	2	4	MN	Meroplankton	Post-larval	0	8
Upogebiidae	*Upogebia affinis*		M-6	4	4	MN	Meroplankton	Zoea	0	16
Chaetognatha				1	4	MN	Non-decapod Holoplankton		0	4
Copepoda				126	4	MN	Non-decapod Holoplankton		0	504
Cirripedia				7	4	MN	Non-decapod Meroplankton		0	28
Gastropoda				10	4	MN	Non-decapod Meroplankton		0	40
Collembola				1	4	MN	Non-decapod Other Invertebrates		0	4
Amphipoda				70	4	MN	Non-decapod Pseudoplankton/ Benthos		0	280
Isopoda				7	4	MN	Non-decapod Pseudoplankton/ Benthos		0	28
Ostracoda				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
Polychaeta				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
Tunicata				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
									Total	**2212**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-03B-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-03B-DT-060408

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
UnID (no embryo)			EG-1	2	8	EC	Eggs	Egg	0	16
Achiridae	*Achirus lineatus*		IP-2	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Gobiidae			IP-7	20	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	160
Gobiidae	*Bathygobius soporator*		IP-5	3	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	24
Gobiidae	*Gobiosoma bosc*		IP-6	17	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	136
Gobiidae	*Microgobius thalassinus*		IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Sciaenidae	*Cynoscion nebulosus*		IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Syngnathidae	*Syngnathus louisianae*		IP-1	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-2	2	8	MN	Meroplankton	Zoea	0	16
Brachyura	*Armases/Sesarma/Uca* complex		M-2	20	8	MN	Meroplankton	Megalopae	0	160
Caridea	*Periclimenes/Thor* complex		M-3	9	8	MN	Meroplankton	Zoea	0	72
Caridea	*Periclimenes/Thor* complex		M-3	12	8	MN	Meroplankton	Post-larval	0	96
Hippolytidae	*Hippolyte sp.*		M-5	33	8	MN	Meroplankton	Zoea	0	264
Palaemonidae	*Palaemonetes sp.*		M-7	1	8	MN	Meroplankton	Zoea	0	8
Panopeidae			M-1	94	8	MN	Meroplankton	Zoea	0	752
Panopeidae			M-1	4	8	MN	Meroplankton	Megalopae	0	32
Penaeidae	*Farfantepenaeus aztecus*		M-8	1	8	MN	Meroplankton	Post-larval	0	8
Pinnotheridae			M-6	1	8	MN	Meroplankton	Zoea	0	8
Upogebiidae	*Upogebia affinis*		M-4	8	8	MN	Meroplankton	Zoea	0	64
Copepoda				92	32	MN	Non-decapod Holoplankton		0	2944
Gastropoda				4	32	MN	Non-decapod Meroplankton		0	128
Amphipoda				21	32	MN	Non-decapod Pseudoplankton/ Benthos		0	672
Polychaeta				1	32	MN	Non-decapod Pseudoplankton/ Benthos		0	32
Tunicata				1	32	MN	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**5664**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-04A-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-04A-DT-060408

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-1	1	4	EC	Eggs	Egg	0	4
Achiridae	*Achirus lineatus*		IP-3	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Atherinopsidae			IP-2	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-6	46	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	184
Gobiidae	*Gobiosoma bosc*		IP-5	59	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	236
Gobiidae	*Microgobius thalassinus*		IP-4	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Sciaenidae	*Bairdiella chrysoura*		IP-7	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Syngnathidae	*Syngnathus louisianae*		IP-1	1	4	EC	Ichthyoplankton	Juvenile	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-3	84	4	MN	Meroplankton	Zoea	2	672
Brachyura	*Armases/Sesarma/Uca* complex		M-3	2	4	MN	Meroplankton	Megalopae	2	16
Caridea	*Periclimenes/Thor* complex		M-2	31	4	MN	Meroplankton	Zoea	2	248
Caridea	*Periclimenes/Thor* complex		M-2	7	4	MN	Meroplankton	Post-larval	2	56
Hippolytidae	*Hippolyte sp.*		M-5	15	4	MN	Meroplankton	Zoea	2	120
Palaemonidae	*Palaemonetes sp.*		M-7	4	4	MN	Meroplankton	Zoea	2	32
Palaemonidae	*Palaemonetes sp.*		M-7	2	4	MN	Meroplankton	Post-larval	2	16
Panopeidae			M-1	220	4	MN	Meroplankton	Zoea	2	1760
Pinnotheridae			M-8	1	4	MN	Meroplankton	Zoea	2	8
Squillidae			M-4	1	4	MN	Meroplankton	Post-larval	2	8
Upogebiidae	*Upogebia affinis*		M-6	8	4	MN	Meroplankton	Zoea	2	64
Copepoda				62	4	MN	Non-decapod Holoplankton		0	248
Cirripedia				1	4	MN	Non-decapod Meroplankton		0	4
Amphipoda				31	4	MN	Non-decapod Pseudoplankton/ Benthos		0	124
Cumacea				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
Isopoda				3	4	MN	Non-decapod Pseudoplankton/ Benthos		0	12
									Total	**3856**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-04B-DT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-04B-DT-060408

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	1	1	EC	Eggs	Egg	0	1
UnID (no embryo)			EG-2	1	1	EC	Eggs	Egg	0	1
Achiridae	*Achirus lineatus*		IP-1	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Blenniidae			IP-8	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae			IP-5	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Engraulidae	*Anchoa mitchilli*		IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-13	100	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	100
Gobiidae	*Bathygobius soporator*		IP-14	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Gobiosoma bosc*		IP-12	103	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	103
Gobiidae	*Microgobius gulosus*		IP-15	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Microgobius thalassinus*		IP-10	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Labrisomidae			IP-11	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Monocanthidae	*Stephanolepis hispidus*		IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-7	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Sciaenidae	*Cynoscion nebulosus*		IP-9	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Syngnathidae	*Syngnathus louisianae*		IP-2	1	1	EC	Ichthyoplankton	Juvenile	0	1
Syngnathidae	*Syngnathus scovelli*		IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-3	35	8	JC	Meroplankton	Zoea	0	280
Brachyura	*Armases/Sesarma/Uca* complex		M-3	10	8	JC	Meroplankton	Megalopae	0	80
Caridea	*Periclimenes/Thor* complex		M-4	111	8	JC	Meroplankton	Zoea	0	888
Callianassidae	*Callianassa sp.*		M-10	2	8	JC	Meroplankton	Zoea	0	16
Leucosiidae	*Persephona mediterranea*		M-9	4	8	JC	Meroplankton	Zoea	0	32
Paguridae	*Pagurus sp.*		M-11	1	8	JC	Meroplankton	Zoea	0	8
Palaemonidae	*Palaemonetes sp.*		M-8	14	8	JC	Meroplankton	Zoea	0	112
Panopeidae			M-1	132	8	JC	Meroplankton	Zoea	0	1056
Pinnotheridae			M-2	6	8	JC	Meroplankton	Zoea	0	48
Porcellanidae	*Polyonyx gibbesi*		M-5	10	8	JC	Meroplankton	Zoea	0	80
Squillidae	*Squilla sp.*		M-7	3	8	JC	Meroplankton	Post-larval	0	24
Upogebiidae	*Upogebia affinis*		M-6	7	8	JC	Meroplankton	Zoea	0	56
Chaetognatha				1	8	JC	Non-decapod Holoplankton		0	8
Copepoda				64	8	JC	Non-decapod Holoplankton		0	512
Cirripedia				1	8	JC	Non-decapod Meroplankton		0	8
Amphipoda				2	8	JC	Non-decapod Pseudoplankton/ Benthos		0	16
Cumacea				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Polychaeta				1	8	JC	Non-decapod Pseudoplankton/ Benthos		0	8
Tunicata				12	8	JC	Non-decapod Pseudoplankton/ Benthos		0	96
									Total	**3569**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-01A-NT-060508

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-01A-NT-060508

Unit/Station-Rep: 01A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
UnID (no embryo)			EG-1	3	1	EC	Eggs	Egg	0	3
Achiridae	*Achirus lineatus*		IP-3	7	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Clupeidae	*Brevoortia sp.*		IP-2	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	62	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	248
Gobiidae			IP-5	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Gobiosoma bosc*		IP-4	33	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	132
Brachyura	*Armases/Sesarma/Uca* complex		M-2	25	1	JC	Meroplankton	Zoea	0	25
Brachyura	*Armases/Sesarma/Uca* complex		M-2	4	1	JC	Meroplankton	Megalopae	0	4
Palaemonidae	*Palaemonetes sp.*		M-3	56	1	JC	Meroplankton	Zoea	0	56
Palaemonidae	*Palaemonetes sp.*		M-3	13	1	JC	Meroplankton	Post-larval	0	13
Panopeidae			M-1	28	1	JC	Meroplankton	Zoea	0	28
Panopeidae			M-1	5	1	JC	Meroplankton	Megalopae	0	5
Copepoda				28	1	JC	Non-decapod Holoplankton		0	28
Mysida				10	1	JC	Non-decapod Holoplankton		0	10
Gastropoda				8	1	JC	Non-decapod Meroplankton		0	8
Amphipoda				30	1	JC	Non-decapod Pseudoplankton/ Benthos		0	30
Isopoda				22	1	JC	Non-decapod Pseudoplankton/ Benthos		0	22
Ostracoda				5	1	JC	Non-decapod Pseudoplankton/ Benthos		0	5
Tanaidacea				2	1	JC	Non-decapod Pseudoplankton/ Benthos		0	2
									Total	**667**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-01B-NT-060508

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-01B-NT-060508

Unit/Station-Rep: 01B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Clupeidae	*Brevoortia sp.*		IP-2	13	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	13
Engraulidae	*Anchoa mitchilli*		IP-1	237	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	237
Gobiidae	*Gobiosoma bosc*		IP-4	11	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	11
Brachyura	*Armases/Sesarma/Uca* complex		M-2	27	1	JC	Meroplankton	Zoea	0	27
Palaemonidae	*Palaemonetes sp.*		M-3	14	1	JC	Meroplankton	Zoea	0	14
Palaemonidae	*Palaemonetes sp.*		M-3	4	1	JC	Meroplankton	Post-larval	0	4
Panopeidae			M-1	15	1	JC	Meroplankton	Zoea	0	15
Penaeidae	*Farfantepenaeus sp.*		REF	1	1	JC	Meroplankton	Juvenile	0	1
Copepoda				51	1	JC	Non-decapod Holoplankton		0	51
Mysida				1	1	JC	Non-decapod Holoplankton		0	1
Amphipoda				2	1	JC	Non-decapod Pseudoplankton/ Benthos		0	2
Isopoda				20	1	JC	Non-decapod Pseudoplankton/ Benthos		0	20
Polychaeta				2	1	JC	Non-decapod Pseudoplankton/ Benthos		0	2
									Total	**401**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-02A-NT-060508

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-02A-NT-060508

Unit/Station-Rep: 02A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	1	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Cynoglossidae	*Symphurus plagiusa*		IP-2	4	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	256
Engraulidae	*Anchoa mitchilli*		IP-1	5	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	320
Gerreidae			IP-5	1	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Gobiidae			IP-8	8	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	512
Gobiidae			IP-8	1	64	EC	Ichthyoplankton	Yolk-sac larvae	0	64
Gobiidae	*Gobiosoma bosc*		IP-7	9	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	576
Sciaenidae	*Cynoscion nebulosus*		IP-6	1	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Syngnathidae	*Syngnathus scovelli*		IP-4	1	64	EC	Ichthyoplankton	Post yolk-sac larvae	0	64
Brachyura	*Armases/Sesarma/Uca* complex		M-3	4	64	JC	Meroplankton	Megalopae	0	256
Caridea	*Periclimenes/Thor complex*		M-7	1	64	JC	Meroplankton	Zoea	0	64
Palaemonidae	*Palaemonetes sp.*		M-2	2	64	JC	Meroplankton	Zoea	0	128
Panopeidae			M-1	69	64	JC	Meroplankton	Zoea	0	4416
Panopeidae			M-1	8	64	JC	Meroplankton	Megalopae	0	512
Penaeidae	*Farfantepenaeus aztecus*		REF	5	64	JC	Meroplankton	Post-larval	0	320
Pinnotheridae			M-6	1	64	JC	Meroplankton	Megalopae	0	64
Porcellanidae	*Polyonyx gibbesi*		M-4	2	64	JC	Meroplankton	Megalopae	0	128
Upogebiidae	*Upogebia affinis*		M-5	1	64	JC	Meroplankton	Post-larval	0	64
Copepoda				152	64	JC	Non-decapod Holoplankton		0	9728
Mysida				66	64	JC	Non-decapod Holoplankton		0	4224
Bivalvia				2	64	JC	Non-decapod Meroplankton		0	128
Cirripedia				17	64	JC	Non-decapod Meroplankton		0	1088
Gastropoda				1	64	JC	Non-decapod Meroplankton		0	64
Amphipoda				80	64	JC	Non-decapod Pseudoplankton/ Benthos		0	5120
Cumacea				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Isopoda				10	64	JC	Non-decapod Pseudoplankton/ Benthos		0	640
Polychaeta				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
Tanaidacea				1	64	JC	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**29120**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-02B-NT-060508

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-02B-NT-060508

Unit/Station-Rep: 02B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	12	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Atherinopsidae			IP-2	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Cynoglossidae	*Symphurus plagiusa*		IP-6	26	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	26
Engraulidae	*Anchoa mitchilli*		IP-1	8	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Gerreidae			IP-11	5	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	5
Gobiidae	*Ctenogobius boleosoma*		IP-12	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Gobiosoma bosc*		IP-13	76	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	76
Gobiidae	*Microgobius gulosus*		IP-8	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Microgobius thalassinus*		IP-7	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Perciformes			IP-10	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Bairdiella chrysoura*		IP-9	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Cynoscion nebulosus*		IP-5	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Triglidae			IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	4	4	MN	Meroplankton	Zoea	0	16
Brachyura	*Armases/Sesarma/Uca* complex		M-2	19	4	MN	Meroplankton	Megalopae	0	76
Callianassidae	*Callianassa sp.*		M-4	1	4	MN	Meroplankton	Zoea	0	4
Caridea	*Periclimenes/Thor* complex		M-3	2	4	MN	Meroplankton	Zoea	0	8
Ogyrididae	*Ogyrides sp.*		M-5	1	4	MN	Meroplankton	Juvenile	0	4
Palaemonidae	*Palaemonetes sp.*		M-6	1	4	MN	Meroplankton	Adult	0	4
Panopeidae			M-1	105	4	MN	Meroplankton	Zoea	0	420
Panopeidae			M-1	15	4	MN	Meroplankton	Megalopae	0	60
Penaeidae	*Farfantepenaeus aztecus*		M-7	1	4	MN	Meroplankton	Post-larval	0	4
Copepoda				153	32	MN	Non-decapod Holoplankton		0	4896
Mysida				14	32	MN	Non-decapod Holoplankton		0	448
Cirripedia				3	32	MN	Non-decapod Meroplankton		0	96
Gastropoda				4	32	MN	Non-decapod Meroplankton		0	128
Collembola				1	32	MN	Non-decapod Other Invertebrates		0	32
Amphipoda				32	32	MN	Non-decapod Pseudoplankton/ Benthos		0	1024
Cumacea				1	32	MN	Non-decapod Pseudoplankton/ Benthos		0	32
Isopoda				2	32	MN	Non-decapod Pseudoplankton/ Benthos		0	64
Polychaeta				2	32	MN	Non-decapod Pseudoplankton/ Benthos		0	64
Tanaidacea				1	32	MN	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**7556**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-03A-NT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-03A-NT-060408

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-3	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Cynoglossidae	*Symphurus plagiusa*		IP-7	5	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	10
Engraulidae		Damaged	IP-8	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Engraulidae	*Anchoa mitchilli*		IP-1	29	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	58
Gerreidae			IP-6	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-12	18	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	36
Gobiidae	*Bathygobius soporator*		IP-11	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-10	27	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	54
Gobiidae	*Microgobius gulosus*		IP-9	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Microgobius thalassinus*		IP-4	10	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	20
Sciaenidae	*Cynoscion nebulosus*		IP-5	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-2	4	8	JC	Meroplankton	Zoea	0	32
Brachyura	*Armases/Sesarma/Uca* complex		M-2	18	8	JC	Meroplankton	Megalopae	0	144
Caridea	*Periclimenes/Thor* complex		M-7	14	8	JC	Meroplankton	Zoea	0	112
Hippolytidae	*Hippolyte sp.*		M-9	3	8	JC	Meroplankton	Zoea	0	24
Ogyrididae	*Ogyrides sp.*		M-8	1	8	JC	Meroplankton	Adult	0	8
Palaemonidae	*Palaemonetes sp.*		M-3	5	8	JC	Meroplankton	Zoea	0	40
Palaemonidae	*Palaemonetes sp.*		M-3	1	8	JC	Meroplankton	Adult	0	8
Panopeidae			M-1	143	8	JC	Meroplankton	Zoea	0	1144
Panopeidae			M-1	6	8	JC	Meroplankton	Megalopae	0	48
Penaeidae	*Farfantepenaeus aztecus*		M-10	3	8	JC	Meroplankton	Post-larval	0	24
Pinnotheridae			M-5	3	8	JC	Meroplankton	Megalopae	0	24
Porcellanidae	*Polyonyx gibbesi*		M-4	1	8	JC	Meroplankton	Megalopae	0	8
Upogebiidae	*Upogebia affinis*		M-6	2	8	JC	Meroplankton	Post-larval	0	16
Unidentified shrimp			M-11	3	8	JC	Meroplankton	Zoea	0	24
Copepoda				446	32	JC	Non-decapod Holoplankton		0	14272
Mysida				56	32	JC	Non-decapod Holoplankton		0	1792
Cirripedia				3	32	JC	Non-decapod Meroplankton		0	96
Amphipoda				14	32	JC	Non-decapod Pseudoplankton/ Benthos		0	448
Cumacea				5	32	JC	Non-decapod Pseudoplankton/ Benthos		0	160
Isopoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Ostracoda				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
Tanaidacea				1	32	JC	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**18726**

* Note: Ichthyoplankton without a stage represents damaged specimens.

* One juvenile *Bairdiella chrysoura was* collected in the IP sample. This size class is not considered entrainable. After discussing with John Martin, it was excluded from the total count.

CH2M Hill IP Data Summary
Event 5
PE-PT-03B-NT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-03B-NT-060408

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Blenniidae			IP-3	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Blenniidae			IP-7	1	8	EC	Ichthyoplankton	Juvenile	0	8
Cynoglossidae	*Symphurus plagiusa*		IP-2	2	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Engraulidae	*Anchoa mitchilli*		IP-1	16	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	128
Gobiidae			IP-6	12	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	96
Gobiidae	*Gobiosoma bosc*		IP-5	5	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	40
Gobiidae	*Microgobius thalassinus*		IP-4	1	8	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Brachyura	*Armases/Sesarma/Uca* complex		M-4	3	32	JC	Meroplankton	Zoea	0	96
Caridea	*Periclimenes/Thor* complex		M-5	1	32	JC	Meroplankton	Zoea	0	32
Ogyrididae	*Ogyrides sp.*		M-3	1	32	JC	Meroplankton	Post-larval	0	32
Palaemonidae	*Palaemonetes sp.*		M-2	1	32	JC	Meroplankton	Zoea	0	32
Panopeidae			M-1	25	32	JC	Meroplankton	Zoea	0	800
Panopeidae			M-1	1	32	JC	Meroplankton	Megalopae	0	32
Penaeidae	*Farfantepenaeus aztecus*		M-6	2	32	JC	Meroplankton	Post-larval	0	64
Unidentified shrimp			M-7	3	32	JC	Meroplankton	Zoea	0	96
Copepoda				132	128	JC	Non-decapod Holoplankton		0	16896
Mysida				7	128	JC	Non-decapod Holoplankton		0	896
Amphipoda				9	128	JC	Non-decapod Pseudoplankton/ Benthos		0	1152
Cumacea				2	128	JC	Non-decapod Pseudoplankton/ Benthos		0	256
Isopoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
Ostracoda				1	128	JC	Non-decapod Pseudoplankton/ Benthos		0	128
									Total	**20944**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
Event 5
PE-PT-04A-NT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-04A-NT-060408

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Cynoglossidae	*Symphurus plagiusa*		IP-4	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Engraulidae	*Anchoa mitchilli*		IP-1	15	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	60
Gobiidae			IP-7	14	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	56
Gobiidae	*Bathygobius soporator*		IP-9	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae	*Gobiosoma bosc*		IP-6	24	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	96
Gobiidae	*Microgobius thalassinus*		IP-5	13	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	52
Sciaenidae	*Cynoscion sp.*		IP-10	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Triglidae			IP-3	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-3	27	16	MN	Meroplankton	Zoea	0	432
Caridea	*Periclimenes/Thor* complex		M-2	21	16	MN	Meroplankton	Zoea	0	336
Caridea	*Periclimenes/Thor* complex		M-2	1	16	MN	Meroplankton	Post-larval	0	16
Ogyrididae	*Ogyrides sp.*		M-5	1	16	MN	Meroplankton	Juvenile	0	16
Palaemonidae	*Palaemonetes sp.*		M-4	2	16	MN	Meroplankton	Zoea	0	32
Palaemonidae	*Palaemonetes sp.*		M-4	1	16	MN	Meroplankton	Post-larval	0	16
Panopeidae			M-1	43	16	MN	Meroplankton	Zoea	0	688
Penaeidae	*Farfantepenaeus aztecus*		M-7	2	16	MN	Meroplankton	Post-larval	0	32
Pinnotheridae			M-8	5	16	MN	Meroplankton	Zoea	0	80
Pinnotheridae			M-8	1	16	MN	Meroplankton	Juvenile	0	16
Portunidae	*Callinectes sp.*		M-6	1	16	MN	Meroplankton	Juvenile	0	16
Copepoda				598	64	MN	Non-decapod Holoplankton		0	38272
Mysida				20	64	MN	Non-decapod Holoplankton		0	1280
Bivalvia				1	64	MN	Non-decapod Meroplankton		0	64
Cirripedia				1	64	MN	Non-decapod Meroplankton		0	64
Gastropoda				2	64	MN	Non-decapod Meroplankton		0	128
Amphipoda				8	64	MN	Non-decapod Pseudoplankton/ Benthos		0	512
Cumacea				7	64	MN	Non-decapod Pseudoplankton/ Benthos		0	448
Ostracoda				13	64	MN	Non-decapod Pseudoplankton/ Benthos		0	832
Polychaeta				1	64	MN	Non-decapod Pseudoplankton/ Benthos		0	64
									Total	**43628**

* Note: Ichthyoplankton without a stage represents damaged specimens.

* One juvenile *Bairdiella chrysoura and* one juvenile *Anchoa mitchilli* were collected in the IP sample. This size class is not considered entrainable. After discussing with John Martin, they were excluded from the total count.

CH2M Hill IP Data Summary
Event 5
PE-PT-04B-NT-060408

Project: CH2M Hill
Event: 5
Event Date: June 4-5 2008
Sample ID: PE-PT-04B-NT-060408

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Atherinopsidae			IP-5	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-9	2	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	8
Bythitidae			IP-1	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Cynoglossidae	*Symphurus plagiusa*		IP-2	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Engraulidae	*Anchoa mitchilli*		IP-3	8	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	32
Gerreidae			IP-11	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-8	7	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	28
Gobiidae	*Bathygobius soporator*		IP-7	3	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	12
Gobiidae	*Gobiosoma bosc*		IP-6	15	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	60
Gobiidae	*Microgobius thalassinus*		IP-4	4	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	16
Tetraodontidae			IP-10	1	4	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-3	44	8	MN	Meroplankton	Zoea	0	352
Brachyura	*Armases/Sesarma/Uca* complex		M-3	11	8	MN	Meroplankton	Megalopae	0	88
Caridea	*Periclimenes/Thor* complex		M-2	58	8	MN	Meroplankton	Zoea	0	464
Caridea	*Periclimenes/Thor* complex		M-2	3	8	MN	Meroplankton	Post-larval	0	24
Hippolytidae	*Hippolyte sp.*		M-7	1	8	MN	Meroplankton	Zoea	0	8
Palaemonidae	*Palaemonetes sp.*		M-5	1	8	MN	Meroplankton	Zoea	0	8
Palaemonidae	*Palaemonetes sp.*		M-5	1	8	MN	Meroplankton	Post-larval	0	8
Panopeidae			M-1	146	8	MN	Meroplankton	Zoea	0	1168
Pinnotheridae			M-4	3	8	MN	Meroplankton	Megalopae	0	24
Upogebiidae	*Upogebia affinis*		M-6	1	8	MN	Meroplankton	Zoea	0	8
Copepoda				131	128	MN	Non-decapod Holoplankton		0	16768
Mysida				10	128	MN	Non-decapod Holoplankton		0	1280
Amphipoda				1	128	MN	Non-decapod Pseudoplankton/ Benthos		0	128
Ostracoda				4	128	MN	Non-decapod Pseudoplankton/ Benthos		0	512
									Total	**21024**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-03A-DT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-03A-DT-061908

Unit/Station-Rep: 03A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Merlucciidae/ Paralichthyidae/ Sciaenidae/ Serranidae egg complex			EG-2	1	2	EC	Eggs	Egg	0	2
UnID (no embryo)			EG-1	1	2	EC	Eggs	Egg	0	2
Brachyura	*Armases/Sesarma/Uca* complex		M-2	30	2	JC	Meroplankton	Zoea	0	60
Brachyura	*Armases/Sesarma/Uca* complex		M-2	7	2	JC	Meroplankton	Megalopae	0	14
Caridea	*Periclimenes/Thor* complex		M-7	6	2	JC	Meroplankton	Zoea	0	12
Hippolytidae	*Hippolyte sp.*		M-3	24	2	JC	Meroplankton	Zoea	0	48
Laomediidae	*Naushonia crangonoides*		M-8	1	2	JC	Meroplankton	Zoea	0	2
Majidae	*Libinia dubia*		M-10	1	2	JC	Meroplankton	Megalopae	0	2
Palaemonidae	*Palaemonetes sp.*		M-9	1	2	JC	Meroplankton	Zoea	0	2
Panopeidae			M-1	221	2	JC	Meroplankton	Zoea	0	442
Panopeidae			M-1	2	2	JC	Meroplankton	Megalopae	0	4
Pinnotheridae			M-5	11	2	JC	Meroplankton	Zoea	0	22
Pinnotheridae			M-5	1	2	JC	Meroplankton	Megalopae	0	2
Porcellanidae	*Polyonyx gibbesi*		M-4	37	2	JC	Meroplankton	Zoea	0	74
Upogebiidae	*Upogebia affinis*		M-6	10	2	JC	Meroplankton	Zoea	0	20
Appendicularia				2	4	JC	Non-decapod Holoplankton		0	8
Chaetognatha				2	4	JC	Non-decapod Holoplankton		0	8
Copepoda				279	4	JC	Non-decapod Holoplankton		0	1116
Amphipoda				5	4	JC	Non-decapod Pseudoplankton/ Benthos		0	20
Ostracoda				1	4	JC	Non-decapod Pseudoplankton/ Benthos		0	4
Tanaidacea				6	4	JC	Non-decapod Pseudoplankton/ Benthos		0	24
									Total	**1888**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-03B-DT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-03B-DT-061908

Unit/Station-Rep: 03B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	1	4	EC	Eggs	Egg	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-2	19	4	JC	Meroplankton	Zoea	0	76
Brachyura	*Armases/Sesarma/Uca* complex		M-2	1	4	JC	Meroplankton	Megalopae	0	4
Caridea	*Periclimenes/Thor* complex		M-8	2	4	JC	Meroplankton	Zoea	0	8
Hippolytidae	*Hippolyte sp.*		M-3	5	4	JC	Meroplankton	Zoea	0	20
Menippidae	*Menippe mercenaria*		M-7	3	4	JC	Meroplankton	Zoea	0	12
Panopeidae			M-1	163	4	JC	Meroplankton	Zoea	0	652
Panopeidae			M-1	3	4	JC	Meroplankton	Megalopae	0	12
Pinnotheridae			M-5	8	4	JC	Meroplankton	Zoea	0	32
Porcellanidae	*Polyonyx gibbesi*		M-4	28	4	JC	Meroplankton	Zoea	0	112
Upogebiidae	*Upogebia affinis*		M-6	4	4	JC	Meroplankton	Zoea	0	16
Chaetognatha				6	4	JC	Non-decapod Holoplankton		0	24
Copepoda				277	4	JC	Non-decapod Holoplankton		0	1108
Bivalvia				1	4	JC	Non-decapod Meroplankton		0	4
Amphipoda				7	4	JC	Non-decapod Pseudoplankton/ Benthos		0	28
Ostracoda				1	4	JC	Non-decapod Pseudoplankton/ Benthos		0	4
Tunicata				24	4	JC	Non-decapod Pseudoplankton/ Benthos		0	96
									Total	**2212**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-04A-DT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-04A-DT-061908

Unit/Station-Rep: 04A
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-1	41	1	EC	Eggs	Egg	0	41
UnID			EG-2	1	1	EC	Eggs	Egg	0	1
Achiridae	*Achirus lineatus*		IP-1	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Engraulidae			IP-2	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Gobiidae			IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	218	1	JC	Meroplankton	Megalopae	0	218
Callianassidae	*Callianassa sp.*		M-10	1	1	JC	Meroplankton	Zoea	0	1
Caridea	*Periclimenes/Thor* complex		M-11	2	1	JC	Meroplankton	Zoea	0	2
Hippolytidae	*Hippolyte sp.*		M-5	47	1	JC	Meroplankton	Zoea	0	47
Luciferidae	*Lucifer faxoni*		M-12	2	1	JC	Meroplankton	Post-larval	0	2
Majidae			REF	1	1	JC	Meroplankton	Juvenile	0	1
Menippidae	*Menippe mercenaria*		M-4	25	1	JC	Meroplankton	Zoea	0	25
Paguridae	*Pagurus sp.*		M-8	6	1	JC	Meroplankton	Zoea	0	6
Palaemonidae	*Palaemonetes sp.*		M-6	1	1	JC	Meroplankton	Zoea	0	1
Panopeidae			M-1	23	1	JC	Meroplankton	Zoea	0	23
Panopeidae			M-1	26	1	JC	Meroplankton	Megalopae	0	26
Pinnotheridae			M-3	10	1	JC	Meroplankton	Zoea	0	10
Pinnotheridae			M-3	6	1	JC	Meroplankton	Megalopae	0	6
Porcellanidae	*Polyonyx gibbesi*		M-7	3	1	JC	Meroplankton	Zoea	0	3
Squillidae			M-13	1	1	JC	Meroplankton	Post-larval	0	1
Upogebiidae	*Upogebia affinis*		M-9	11	1	JC	Meroplankton	Zoea	0	11
Chaetognatha				5	1	JC	Non-decapod Holoplankton		0	5
Copepoda				55	1	JC	Non-decapod Holoplankton		0	55
Gastropoda				1	1	JC	Non-decapod Meroplankton		0	1
Amphipoda				5	1	JC	Non-decapod Pseudoplankton/ Benthos		0	5
Isopoda				3	1	JC	Non-decapod Pseudoplankton/ Benthos		0	3
Polychaeta				4	1	JC	Non-decapod Pseudoplankton/ Benthos		0	4
									Total	**506**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-04B-DT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-04B-DT-061908

Unit/Station-Rep: 04B
Sampling Period: Day
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Carangidae/ Haemulidae/ Sciaenidae/ Serranidae egg complex			EG-2	2	1	EC	Eggs	Egg	0	2
Engraulidae			EG-1	42	1	EC	Eggs	Egg	0	42
Achiridae	*Achirus lineatus*		IP-2	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Atherinopsidae			IP-1	4	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Blenniidae			IP-7	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Carangidae	*Oligoplites saurus*		IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae			IP-4	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Gerreidae			IP-8	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiesocidae	*Gobiesox strumosus*		IP-3	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae	*Microgobius gulosus*		IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Anomura			M-12	2	1	MN	Meroplankton	Zoea	0	2
Brachyura	*Armases/Sesarma/Uca* complex		M-1	232	1	MN	Meroplankton	Megalopae	0	232
Caridea	*Periclimenes/Thor* complex		M-10	1	1	MN	Meroplankton	Zoea	0	1
Caridea	*Periclimenes/Thor* complex		M-10	1	1	MN	Meroplankton	Post-larval	0	1
Hippolytidae	*Hippolyte sp.*		M-2	1	1	MN	Meroplankton	Zoea	0	1
Hippolytidae	*Hippolyte sp.*		M-2	75	1	MN	Meroplankton	Post-larval	0	75
Luciferidae	*Lucifer faxoni*		M-9	4	1	MN	Meroplankton	Juvenile	0	4
Menippidae	*Menippe mercenaria*		M-4	8	1	MN	Meroplankton	Zoea	0	8
Panopeidae			M-3	21	1	MN	Meroplankton	Zoea	0	21
Panopeidae			M-3	24	1	MN	Meroplankton	Megalopae	0	24
Penaeidae	*Farfantepenaeus duorarum*		M-13	2	1	MN	Meroplankton	Post-larval	0	2
Pinnotheridae			M-6	10	1	MN	Meroplankton	Zoea	0	10
Pinnotheridae			M-6	5	1	MN	Meroplankton	Megalopae	0	5
Porcellanidae	*Polyonyx gibbesi*		M-5	6	1	MN	Meroplankton	Zoea	0	6
Upogebiidae	*Upogebia affinis*		M-8	2	1	MN	Meroplankton	Zoea	0	2
Chaetognatha				4	1	MN	Non-decapod Holoplankton		0	4
Copepoda				58	1	MN	Non-decapod Holoplankton		0	58
Cirripedia				6	1	MN	Non-decapod Meroplankton		0	6
Branchiura				1	1	MN	Non-decapod Pseudoplankton/ Benthos		0	1
Isopoda				1	1	MN	Non-decapod Pseudoplankton/ Benthos		0	1
Polychaeta				1	1	MN	Non-decapod Pseudoplankton/ Benthos		0	1
Pycnogonida				2	1	MN	Non-decapod Pseudoplankton/ Benthos		0	2
									Total	**525**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-03A-NT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-03A-NT-061908

Unit/Station-Rep: 03A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
UnID (no embryo)			EG-1	207	1	EC	Eggs	Egg	0	207
Achiridae	*Achirus lineatus*		IP-2	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Engraulidae	*Anchoa mitchilli*		IP-1	7	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	7
Gerreidae			IP-5	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-3	3	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	3
Sciaenidae	*Cynoscion nebulosus*		IP-4	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Anomura			M-12	1	4	MN	Meroplankton	Juvenile	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-7	21	4	MN	Meroplankton	Zoea	0	84
Brachyura	*Armases/Sesarma/Uca* complex		M-7	71	4	MN	Meroplankton	Megalopae	0	284
Callianassidae	*Callianassa sp.*		M-5	1	4	MN	Meroplankton	Zoea	0	4
Caridea	*Periclimenes/Thor* complex		M-4	32	4	MN	Meroplankton	Zoea	0	128
Hippolytidae	*Hippolyte sp.*		M-2	78	4	MN	Meroplankton	Post-larval	0	312
Hippolytidae	*Hippolyte sp.*		M-2	2	4	MN	Meroplankton	Juvenile	0	8
Paguridae	*Pagurus sp.*		M-11	1	4	MN	Meroplankton	Zoea	0	4
Palaemonidae	*Palaemonetes sp.*		M-6	7	4	MN	Meroplankton	Zoea	0	28
Panopeidae			M-1	96	4	MN	Meroplankton	Zoea	0	384
Panopeidae			M-1	12	4	MN	Meroplankton	Megalopae	0	48
Pinnotheridae			M-8	2	4	MN	Meroplankton	Zoea	0	8
Pinnotheridae			M-8	2	4	MN	Meroplankton	Megalopae	0	8
Pinnotheridae			REF	1	4	MN	Meroplankton	Juvenile	0	4
Porcellanidae	*Polyonyx gibbesi*		M-3	4	4	MN	Meroplankton	Zoea	0	16
Upogebiidae	*Upogebia affinis*		M-9	1	4	MN	Meroplankton	Zoea	0	4
Chaetognatha				3	4	MN	Non-decapod Holoplankton		0	12
Copepoda				74	4	MN	Non-decapod Holoplankton		0	296
Bivalvia				1	4	MN	Non-decapod Meroplankton		0	4
Amphipoda				27	4	MN	Non-decapod Pseudoplankton/ Benthos		0	108
Cumacea				10	4	MN	Non-decapod Pseudoplankton/ Benthos		0	40
Isopoda				2	4	MN	Non-decapod Pseudoplankton/ Benthos		0	8
Tanaidacea				5	4	MN	Non-decapod Pseudoplankton/ Benthos		0	20
									Total	**2036**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-03B-NT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-03B-NT-061908

Unit/Station-Rep: 03B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Engraulidae			EG-2	1	2	EC	Eggs	Egg	0	2
UnID (no embryo)			EG-1	31	2	EC	Eggs	Egg	0	62
UnID			IP-1	1	2	EC	Ichthyoplankton	Yolk-sac larvae	0	2
Brachyura	*Armases/Sesarma/Uca* complex		M-4	13	2	MN	Meroplankton	Zoea	0	26
Brachyura	*Armases/Sesarma/Uca* complex		M-4	8	2	MN	Meroplankton	Megalopae	0	16
Caridea	*Periclimenes/Thor* complex		M-3	3	2	MN	Meroplankton	Zoea	0	6
Hippolytidae	*Hippolyte sp.*		M-7	2	2	MN	Meroplankton	Zoea	0	4
Palaemonidae	*Palaemonetes sp.*		M-6	1	2	MN	Meroplankton	Zoea	0	2
Panopeidae			M-2	50	2	MN	Meroplankton	Zoea	0	100
Panopeidae			M-2	2	2	MN	Meroplankton	Megalopae	0	4
Pinnotheridae			M-5	2	2	MN	Meroplankton	Zoea	0	4
Porcellanidae	*Polyonyx gibbesi*		M-1	6	2	MN	Meroplankton	Zoea	0	12
Chaetognatha				1	4	MN	Non-decapod Holoplankton		0	4
Copepoda				50	4	MN	Non-decapod Holoplankton		0	200
Mysida				1	4	MN	Non-decapod Holoplankton		0	4
Collembola				3	4	MN	Non-decapod Other Invertebrates		0	12
Amphipoda				12	4	MN	Non-decapod Pseudoplankton/ Benthos		0	48
Cumacea				2	4	MN	Non-decapod Pseudoplankton/ Benthos		0	8
Polychaeta				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
Tanaidacea				1	4	MN	Non-decapod Pseudoplankton/ Benthos		0	4
Tunicata				2	4	MN	Non-decapod Pseudoplankton/ Benthos		0	8
									Total	**532**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-04A-NT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-04A-NT-061908

Unit/Station-Rep: 04A
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-4	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Atherinopsidae			IP-1	3	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Clupeidae	*Brevoortia sp.*		IP-3	1	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Engraulidae	*Anchoa mitchilli*		IP-2	21	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	42
Gobiidae			IP-6	15	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	30
Sciaenidae	*Bairdiella chrysoura*		IP-5	2	2	EC	Ichthyoplankton	Post yolk-sac larvae	0	4
Brachyura	*Armases/Sesarma/Uca* complex		M-9	12	8	MN	Meroplankton	Megalopae	0	96
Caridea	*Periclimenes/Thor* complex		M-6	37	8	MN	Meroplankton	Zoea	0	296
Hippolytidae	*Hippolyte sp.*		M-7	1	8	MN	Meroplankton	Zoea	0	8
Hippolytidae	*Hippolyte sp.*		M-7	41	8	MN	Meroplankton	Post-larval	0	328
Hippolytidae	*Hippolyte sp.*		M-7	5	8	MN	Meroplankton	Juvenile	0	40
Hippolytidae	*Tozeuma sp.*		M-2	1	8	MN	Meroplankton	Post-larval	0	8
Paguridae	*Pagurus sp.*		M-11	1	8	MN	Meroplankton	Zoea	0	8
Palaemonidae	*Periclimenes sp.*		REF	8	8	MN	Meroplankton	Post-larval	0	64
Palaemonidae	*Periclimenes sp.*		REF	29	8	MN	Meroplankton	Juvenile	0	232
Panopeidae			M-3	186	8	MN	Meroplankton	Zoea	0	1488
Panopeidae			M-3	12	8	MN	Meroplankton	Megalopae	0	96
Pinnotheridae			M-4	9	8	MN	Meroplankton	Zoea	0	72
Pinnotheridae			M-4	13	8	MN	Meroplankton	Megalopae	0	104
Porcellanidae			M-12	1	8	MN	Meroplankton	Megalopae	0	8
Upogebiidae	*Upogebia affinis*		M-8	5	8	MN	Meroplankton	Zoea	0	40
Chaetognatha				84	16	MN	Non-decapod Holoplankton		0	1344
Copepoda				133	16	MN	Non-decapod Holoplankton		0	2128
Mysida				2	16	MN	Non-decapod Holoplankton		0	32
Amphipoda				79	16	MN	Non-decapod Pseudoplankton/ Benthos		0	1264
Branchiura				2	16	MN	Non-decapod Pseudoplankton/ Benthos		0	32
Cumacea				6	16	MN	Non-decapod Pseudoplankton/ Benthos		0	96
Isopoda				5	16	MN	Non-decapod Pseudoplankton/ Benthos		0	80
Ostracoda				29	16	MN	Non-decapod Pseudoplankton/ Benthos		0	464
Polychaeta				4	16	MN	Non-decapod Pseudoplankton/ Benthos		0	64
Pycnogonida				1	16	MN	Non-decapod Pseudoplankton/ Benthos		0	16
									Total	**8498**

* Note: Ichthyoplankton without a stage represents damaged specimens.

CH2M Hill IP Data Summary
2nd Quarter
PE-PT-CREC-04B-NT-061908

Project: CH2M Hill
Event: 2nd Quarter
Event Date: June 19 2008
Sample ID: PE-PT-CREC-04B-NT-061908

Unit/Station-Rep: 04B
Sampling Period: Night
Sample Type: Nearfield Plankton Tow

Taxon	Genus/Species	Condition/ Comments	Vial No.	Number Counted	Initial Split Multiplier	ID By	Type	Developmental Stage	Additional Split Multiplier	Extrapolated Sample Total
Achiridae	*Achirus lineatus*		IP-5	15	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	15
Atherinopsidae			IP-1	86	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	86
Diodontidae			IP-12	1	1	EC	Ichthyoplankton	Juvenile	0	1
Engraulidae	*Anchoa mitchilli*		IP-2	48	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	48
Gerreidae			IP-6	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Gobiidae			IP-11	6	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	6
Gobiidae	*Microgobius gulosus*		IP-10	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Gobiidae	*Microgobius thalassinus*		IP-7	2	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	2
Hemiramphidae			IP-4	2	1	EC	Ichthyoplankton	Juvenile	0	2
Sciaenidae	*Bairdiella chrysoura*		IP-9	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Sciaenidae	*Cynoscion nebulosus*		IP-8	1	1	EC	Ichthyoplankton	Post yolk-sac larvae	0	1
Syngnathidae	*Syngnathus louisianae*		IP-3	1	1	EC	Ichthyoplankton	Juvenile	0	1
Brachyura	*Armases/Sesarma/Uca* complex		M-2	43	32	MN	Meroplankton	Megalopae	0	1376
Caridea	*Periclimenes/Thor* complex		M-4	4	32	MN	Meroplankton	Zoea	0	128
Hippolytidae	*Hippolyte sp.*		M-3	78	32	MN	Meroplankton	Post-larval	0	2496
Hippolytidae	*Hippolyte sp.*		M-3	3	32	MN	Meroplankton	Juvenile	0	96
Hippolytidae	*Tozeuma sp.*		M-1	1	32	MN	Meroplankton	Post-larval	0	32
Loliginidae	*Lolliguncula brevis*		REF	1	1	MN	Meroplankton	Juvenile	0	1
Palaemonidae	*Palaemonetes sp.*		M-9	1	32	MN	Meroplankton	Zoea	0	32
Palaemonidae	*Periclimenes sp.*		M-8	3	32	MN	Meroplankton	Juvenile	0	96
Panopeidae			M-5	4	32	MN	Meroplankton	Zoea	0	128
Panopeidae			M-5	12	32	MN	Meroplankton	Megalopae	0	384
Pinnotheridae			M-6	1	32	MN	Meroplankton	Zoea	0	32
Pinnotheridae			M-6	6	32	MN	Meroplankton	Megalopae	0	192
Portunidae	*Callinectes sp.*		M-10	1	32	MN	Meroplankton	Juvenile	0	32
Chaetognatha				42	32	MN	Non-decapod Holoplankton		0	1344
Copepoda				113	32	MN	Non-decapod Holoplankton		0	3616
Mysida				1	32	MN	Non-decapod Holoplankton		0	32
Amphipoda				12	32	MN	Non-decapod Pseudoplankton/ Benthos		0	384
Cumacea				6	32	MN	Non-decapod Pseudoplankton/ Benthos		0	192
Isopoda				2	32	MN	Non-decapod Pseudoplankton/ Benthos		0	64
Pycnogonida				1	32	MN	Non-decapod Pseudoplankton/ Benthos		0	32
									Total	**10855**

* Note: Ichthyoplankton without a stage represents damaged specimens.

Attachment 4

Assessment Methodologies

Planned Aquatic Biota Impact Evaluation Approach for LNP Cooling Water Intake Structure (CWIS) and Blowdown Discharge

Short-term impacts: As noted in the SCA and COLA ER, short-term impacts from the construction of the CWIS and blowdown pipeline are anticipated to be small and temporary. Estimates of the impacts to aquatic biota will focus on the benthic macroinvertebrates inhabiting sediments projected to be disturbed. Impacts will be evaluated using the species densities of collected organisms in samples collected in the vicinity of both the CWIS and the pipeline canal crossing route and the projected area of bottom sediments to be disturbed. Estimates of the relative numbers of organisms lost on a temporary basis will be compared to the estimated numbers of affected species present in areas of the Cross Florida Barge Canal (CFBC) near the CWIS and blowdown pipeline construction areas.

Long-term impacts: The basic assessment approach is to focus the majority of analytical effort on the most likely long-term sources of potential impact from the proposed LNP Cooling Water Intake Structure (CWIS)—impingement and entrainment losses of fish and shellfish. The basic approach will be as follows:

1. Develop projected estimates of impingement losses (I):
   The LNP CWIS is designed to meet the 316(b) Phase I through-screen velocity requirements of less than 0.5 fps. Due to this design feature and the low resulting approach velocities of less than 0.25 fps at the face of the traveling screens, it is anticipated that impingement losses to healthy fish and motile crustaceans will be minimal. Therefore, impingement impact estimates will not be modeled. Should impingement monitoring during operations reveal higher than minimal numbers of impinged fish or motile crustaceans, then models would be used to predict the impacts and to determine if supplemental technologies would need to be applied.

2. Develop projected estimates of entrainment losses (E):
   Estimated entrainment losses are developed by the following process:
   - Calculate volume of water entering the CWIS per year (V)
   - Measure concentrations of larvae (number per volume) projected to be entrained (N)
   - Assume 100% mortality in cooling tower system
   - NV= annual loss of larvae due to entrainment

3. Model estimates of ecological effects (impacts) of combined I and E losses:
   The modeling of ecological effects from the long-term operation of the proposed LNP CWIS will be based on entrainment losses, since, as discussed above, the use of Best Technology Available (BTA) applied to the CWIS is anticipated to result in minimal impingement losses. It also should be noted that the use of closed-cycle cooling is BTA for the cooling system under the applicable 316(b) Phase I Rule and the reduction in entrainment losses from a once-through cooling system has already reduced potential entrainment losses by greater than 90%. Therefore, the modeled estimates of remaining entrainment losses from the BTA designed cooling system will reflect this base entrainment loss avoidance.

The first step in entrainment modeling estimation is to select appropriate target species and to evaluate the susceptibility of those target species to entrainment at the LNP CWIS. "Target species" are those that are:

- projected to be commonly entrained
- ecologically or economically important
- protected species of special interest

The susceptibility of the target species first involves an evaluation of each species life history to determine spawning methods, locations and periods and known survival curves for produced eggs and larval stages. The relevant life history information is then used to determine the period when eggs and larvae are at risk. Clearly, a demersal spawner with adhesive eggs and larval stages that utilize sea grass beds for development is going to be much less susceptible to entrainment at the LNP CWIS than a pelagic spawner with floating eggs and open water development. Next the rate of mortality for susceptible target species during at risk periods will be determined as follows:

- estimate entrainment (E)
- estimate # of eggs and larvae at risk (R)
- calculate proportional entrainment as E/R
- proportional entrainment X 100% mortality

The estimated proportional entrainment losses for target species will be used as important input for modeling estimated losses. The project effect (impact) of entrainment losses will be determined by an equivalent adult analysis using the Goodyear/Horst model (Goodyear, 1978; Horst, 1975) or an equivalent model approach. In computing equivalent adult loss, the number of eggs spawned is multiplied by successive survival rates through hatching, post larvae, young-of-the-year, yearlings, and so on until reproductive age is reached. The resultant number is equivalent to the number of adults the eggs would have produced. Numbers of equivalent adults that would have survived from larvae and young-of-the-year are calculated similarly. In practice, because the specific survival rates for all ages of all species in the study area are unknown, certain assumptions about the life history of species are made and theoretical survival rates are applied to entrainment estimates to calculate equivalent adults. For the LNP CWIS analysis, key life history parameters and assumed survival rates for target species will be clearly stated in the assumptions section of the modeling effort.

Attachment 5

Seagrass Monitoring Reports

FINAL REPORT

CRYSTAL RIVER 316 STUDIES

January 15, 1985

CONTRACTOR
Stone & Webster Engineering Corporation

SUBCONTRACTOR
Mote Marine Laboratory

Prepared for
Florida Power Corporation

6.3 MACROPHYTES

6.3.1 Sampling and Laboratory Analysis

Three areas were selected to study the submergent macrophyte communities in Crystal Bay. The area between the CFBC and the intake spoil was defined as the thermally affected area. Two control areas were also sampled - one located off the Withlacoochee River and the CFBC and one off Crystal River. Fifty stations on 10 transects were established (Figure 6.3-1) for ground truthing. Of these stations, nine were designated as intensive monitoring (IM) stations and were subjected to a more extensive sampling program.

Quarterly overflights to shoot 1:18,000 (1 in. = 1,500 ft) scale vertical color aerial photographs were planned to map the distribution of the seagrass and macroalgae in the study area over the course of 15 months. However, conditions at the site prevented successful aerial photography as scheduled. Photographs which could be used for ground truthing were obtained only three times during the study (October 1983; February and April 1984). These photographs, along with others obtained from various sources were then ground-truthed each quarter by teams of divers.

Ground truthing was performed at each of the 50 stations using 10 randomly placed 1-m^2 quadrats. Quadrats were surveyed by divers who estimated percent cover for each species of seagrass and rhizophytic alga observed. An estimate of the percent bare bottom was also made during the latter part of the study. Estimates of percent coverage were facilitated by dividing each quadrat into 25 subunits (a 5 x 5 grid) and estimating percent cover in each subunit.

Of the nine stations selected (Figure 6.3-1) for intensive monitoring, three (A, D, and G) contained Halodule wrightii as the dominant seagrass; 3 (B, E, and H) contained Syringodium filiforme as the dominant seagrass; and 3 (C, F, and I) contained Thalassia testudinum as the dominant seagrass. These stations were sampled at 6 week intervals between June 1983 and July 1984, for a total of 10 sampling episodes. In addition to percent cover estimates, biomass and productivity samples were collected during each sampling episode.

Above-ground biomass of seagrass and algae was sampled using a plexiglass clip box sampler (25 x 25 cm). The box was inserted into the sediment and all plant material was clipped at the sediment surface. The clipped material was retained in the box. Six replicates were collected in this fashion at each IM station during each sampling episode. Samples were preserved in the field in 5-10 percent formalin in seawater. Five replicates were analyzed by sorting the plant material to species; drying to constant weight at 70°C; and weighing. The sixth replicate was saved, principally in case of loss or damage to one of the first five; however, the sixth replicates were examined to identify the algal epiphytes present.

Estimates of seagrass productivity (after Zieman, 1975) were based on quadrat sampling. Quadrats measuring 10 cm x 10 cm were employed at Halodule stations (A, D, and G); 10 cm x 20 cm quadrats were used at all other IM stations. Three quadrats were placed at the time the clip box samples were taken. After placement, all seagrass blades within the quadrats were clipped off level with the top of the quadrat and discarded. Two weeks later the uadrats were revisited and all new growth was harvested and preserved in

5-10 percent formalin/seawater. Samples were returned to the laboratory, sorted, dried to constant weight, and weighed. Shoot counts were made both at the time of quadrat placement and at harvesting using seven randomly placed 10 x 10 cm quadrats at Halodule stations and four 10 x 20 cm quadrats at Syringodium and Thalassia stations.

SAS was used to provide summary tables of percent cover, growth rates, total standing biomass, and total shoot density by time and station. The SAS GLM procedure was used to provide an analysis of covariance for the above four measures of macrophyte abundance. Tukey's HSD test was used to contrast means of main effect variables of station and time period. These analyses were also conducted by species to compare differences across stations for each species.

6.3.2 Results

Five species of seagrasses were observed in the Crystal Bay area during the course of this study: Ruppia maritima L., Halophila engelmannii Aschers; and Thalassia testudinum Banks ex Koenig, and Syringodium filiforme Kuetzing and Halodule wrightii Aschers.

Seagrass diversity (number of species) at the nine intensive monitoring stations over the course of this study is summarized, in Table 6.3-1. The three southern stations (A, B, and C, south of the intake canal) and the two central stations (E and F) usually contained the highest number of seagrass species, although in the last two sampling periods one or more of the three northern stations (G, H, or I) contained the greatest number of species. Station D (in Basin 1) routinely contained only one species of seagrass, Halodule wrightii.

Parameters of the seagrass communities which were measured were biomass (above ground standing crop), shoot density, productivity and percent cover. Table 6.3-2 summarizes the results of the ANOVA analyses on the seagrass data. Time (sampling date) and station were the two parameters which consistently had a significant effect on seagrass biomass, productivity, shoot density and percent cover. In most cases, the effect was highly significant (P less than 0.01, see Table 6.3-2). The other parameters tested showed no clear pattern. Temperature, salinity, pH, dissolved oxygen (DO), and the extinction coefficient (light penetration), all measured at the bottom, had a significant effect on the different species of seagrasses, but in a sporadic fashion, affecting various species differently (e.g., biomass in some cases, productivity in others, etc.). The environmental factors used in the ANOVA analyses are, of course, linked with the time of year and station location, and the relationship between these factors is examined in Section 6.1.

For all seagrasses combined, one or more of the three southern stations (A, B, and C) consistently had significantly higher biomass, shoot density and productivity than the other intensive monitoring stations. Appendix IV contains the results of the ANOVA analyses on the total seagrass data. There were some variations in this general pattern depending on the species of seagrass, i.e., Halodule stations tended to have higher shoot densities than Syringodium or Thalassia stations, since the former species is smaller, and thus has more shoots per unit area. Halodule stations had lower biomass and productivity compared to Thalassia and Syringodium stations, since the latter two species have larger blades than the former. Stations E and F typically

exhibited intermediate seagrass biomass, shoot densities, and productivities. Stations G, H, I, and D usually displayed significantly lower seagrass parameters than the other stations. Temperature, salinity, pH and DO were environmental factors which significantly influenced the measures of abundance of total seagrasses.

The following paragraphs discuss the analytical results for each species of seagrass separately.

Halodule wrightii

The ANOVA analyses performed on the Halodule percent cover, biomass, shoot density, and productivity data are presented in Appendix IV. Table 6.3-3 summarizes annual means for each of these items. Station A exhibited significantly higher biomass, shoot density and productivity than the other two Halodule intensive monitoring stations (D and G). Stations D and G did not differ significantly with respect to biomass or productivity, but Station G had a significantly greater shoot density (number per area) than Station D. All three Halodule stations were similar with respect to percent cover (areal coverage). This is contrary to the ANOVA results, which indicate that station differences do exist for percent cover, however the multiple comparison test used (Tukey's test) is very conservative. In addition, Zieman (personal communication) has questioned the value of percent cover data as an indicator of thermal effects of seagrasses.

Typically, productivity, biomass, shoot density and percent cover of Halodule were all significantly higher during the late spring -summer - early fall sampling periods. Salinity, pH, DO and light levels were environmental factors which significantly influenced one or more of the Halodule measures of abundance. Appendix IV contains summary tables on Halodule biomass, productivity and shoot density by sampling date and station.

Syringodium filiforme

The ANOVA analyses performed on Syringodium percent cover, biomass, shoot density, and productivity are presented in Appendix IV. Station B had significantly higher biomass, productivity, shoot density and percent cover than the other two Syringodium intensive monitoring stations. Station E had significantly higher biomass, shoot density and percent cover than Station H, but these two stations did not differ with respect to productivity. The summer months typically exhibited significantly higher Syringodium biomass, shoot density, productivity and percent cover. However, percent cover tended to be significantly higher during the winter months relative to the other three parameters examined. Temperature, light, salinity and DO were the environmental factors which significantly influenced Syringodium parameters. Syringodium biomass, productivity and shoot density by station and month are summarized in Appendix IV. Annual means by station and sampling date are shown in Table 6.3-4.

Thalassia testudinum

The ANOVA analyses performed on Thalassia percent cover, biomass, shoot density, and productivity data are presented in Appendix IV. Station C exhibited significantly higher Thalassia biomass, shoot density, and

productivity than Stations F and I, which did not differ for any of these parameters. Thalassia percent cover among stations was not tested, since in two cases (Stations E and F and Stations H and G), a Thalassia and a Syringodium station were located in the same grassbed and sampling results were for a mixed seagrass bed. For the four Thalassia parameters tested, significantly higher values were observed during the summer sampling periods, but the winter values for Thalassia tended to place relatively higher in the rank order, compared to the winter values of Syringodium and Halodule. Temperature, light and pH were environmental factors which significantly influenced the Thalassia measures of abundance. Thalassia biomass, productivity and shoot density by station and month are summarized in Appendix IV. Annual means by station and sampling data are shown in Table 6.3-5.

Macroalgae

Rhizophytic Algae

Table 6.3-6 lists the species of rhizophytic (attached) algae observed during the course of this study. More stations south of the power plant discharge (Stations 32 and higher) supported rhizophytic algae, compared to the northern stations, and the southern stations usually exhibited higher rhizophytic algal percent cover than the northern stations (see quarterly data tables). Percent cover was higher during the summer/fall period. Rhizophytic algal diversity is summarized in Table 6.3-7. More species of rhizophytic algae were found at the three southern intensive monitoring stations (A, B, and C) throughout the study period, compared to the other intensive monitoring stations.

Rhizophytic algal biomass was significantly correlated to time (sampling date), station and bottom DO. Results of the ANOVA analyses are found in Appendix IV. Station E had significantly higher biomass compared to the other stations. Other than for this station, however, no clear station trend was evident. Rhizophytic algal biomass was significantly higher during the summer/fall sampling periods.

Drift Algae

A number of species of drift algae were collected during the course of this study. These are listed in Table 6.3-6. Percent cover was the only drift algal parameter measured and statistically analyzed. Time, station, temperature and salinity at the bottom had significant effects. Station B had the significantly highest drift algal percent cover, but no other clear trends were evident. Drift algal percent cover tended to be significantly higher during winter and summer months.

Typically, a species of Gracilaria (G. tikvahiae or G. verrucosa) tended to dominate the drift algae throughout the year in the northern half of the study area (the discharge area and north), with Sargassum filipendula locally dominant in areas with rocky bottom. Gracilaria debilis and/or G. sjoestedii dominated the drift algae in the southern part of the study area in the winter. Drift algae appeared to form a lesser proportion of the total macrophyte cover during the summer months in the south part of the study area. Red algae, as a group, were the dominant component of the drift algae in the study area throughout the period of study.

Total Macrophyte Percent Cover

An estimate of the percent bare substratum was made when estimating percent cover of the different species of macrophytes, in order to obtain an estimtae of total macrophyte cover. Time, station, bottom temperature and DO had significant effects on total macrophyte cover (see Appendix IV). The southern intensive monitoring Stations A and 47 (B and C) had the significantly highest total macrophyte coverage. Stations 33 (E and F) and I were intermediate, and Stations D, H, and G had significantly lower total submergent macrophyte cover. Station D exhibited the lowest total macrophyte cover. Total macrophyte cover tended to be significantly higher during the summer months. Drift algal cover and occurrence in the thermal areas was lower during the summer than it was in other parts of the study area.

Macrophyte maps of the area show much higher total macrophyte cover in the south part of Crystal Bay (south of the intake canal and dike) compared to the northern region. Figures 6.3-2 to 6.3-10 show macrophyte distribution in Crystal Bay in February 1984.

Syringodium was not widely distributed at many of the stations in the northern half of the study area, but occurred frequently at many southern stations throughout the study period. This was not the case for the other species of seagrasses observed. These species typically occurred at similar numbers of southern and northern stations. Thalassia and Syringodium occurred at the fringes of Basins 1 and 3, but were not found within these basins at the hottest areas of the discharge. Halodule and Halophila engelmanni were the only species of seagrasses which occurred in the thermal area, occurring in Basin 3 and portions of Basin 1.

Seagrass or seagrass/rhizophytic algal assemblages dominated the macrophyte cover in the southern part of the study area. Thalassia and Syringodium were dominant offshore and Ruppia maritima and Halodule were dominant inshore. Dense patches of rhizophytic algae (generally Caulerpa sp.) were found locally in inshore areas of the southern part of the study area. Seagrasses formed a lesser proportion of the macrophyte cover in the northern half of the study area. Algae, particularly drift algae, were dominant there. Seagrasses and algae in the northern part of the area existed as small patches, while larger, more continuous areas of cover were found in the southern area.

An historical trend analysis of submergent macrophyte communities was compiled from seven sets of vertical aerial photography, dating back to October 1950. Trend analysis focused on the Basin 1 area. When available, data from past Crystal River monitoring reports were also used in compiling this summary.

Analysis of the early(1950 and 1960) photography indicated a general absence of strong signatures of submergent macrophyte communities in the Basin 1 area. Some seagrass and algae appear to be present; however, the quality of the black and white photography does not allow conclusive interpretation. Historically, the Basin 1 area appears to have been subjected to freshwater inundation from Rocky Creek, a tidal drainage creek of the type found throughout the study area. The flow of Rocky Creek was subsequently interrupted by construction of the Crystal River discharge canal. The obstruction of the freshwater flow may have permitted seagrasses to invade the

Basin 1 region, due to higher salinities. No field data are available to support the above, and thus it must be regarded as speculative. The 1972 aerial photography (color) shows the presence of photographic signatures consistent with relatively dense submergent macrophyte communities. FPC (1974) confirmed the presence of extensive beds of Halodule (= Diplanthera) wrightii in Basin 1. FPC (1978; 1979) also depicted extensive (> 50 percent coverage of the bottom) Halodule cover in Basin 1. The 1981 photography reveals a slight decrease in submergent macrophyte coverage, supported by percent cover data from FPC (1981). Current (1983-84) photography reveals further declines in macrophyte cover in Basin 1, a trend confirmed by the field verification and sampling program conducted in the present study. Although Halodule may be sparsely distributd throughout Basin 1 (as suggested by the aerial photography), field inspection indicated this was not so, Halodule being confined to the northeast portion of the basin. Other areas of Basin 1 were unvegetated mud bottom, sometimes associated with a blue-green algal mat. These mats, along with areas of benthic diatom concentrations, could be responsible for the "green mud" signatures visible in the recent photography of Basin 1.

6.3.3 Impact Assessment

Seagrasses

The effects of the effluent from the power plant discharge on seagrass received much attention in past studies (Van Tine 1977; FPC 1978; 1979; 1980; 1981) at Crystal River. It is known that the effluent from the plant results in a lower number of species of seagrasses in the area affected by the discharge. This was seen in the present study. Halodule wrightii, the most eurythermal of the seagrass species in the area (Phillips 1960; Zieman 1982), was the only species of seagrass found at Station D, the station most exposed to the power plant discharge. More seagrass species were observed at Stations E and F further offshore. These stations appeared to be only moderately impacted by the effluent plume. The greatest number of seagrass species throughout the period of study were seen at these two stations and at the three southern stations (A, B, and C). The three northern stations (G, H, and I) generally had a lower number of seagrass species throughout the study period.

The intensive monitoring stations (D, E, and F) located in the discharge area routinely exhibited significantly lower seagrass biomass, for all three species, compared to the three southern unimpacted stations (A, B, and C). Thalassia and Halodule biomass did not differ between thermal and northern stations (F and I; D and G, respectively), but Syringodium biomass was significantly higher at the impacted Station F than at the northern Station H. Previous monitoring studies at the Crystal River complex have not considered biomass of each species of seagrass separately (e.g., FPC 1978; 1979), or only considered biomass of Halodule, since it is the only species of seagrass found in the discharge area (FPC 1981). The past Crystal River monitoring reports, however, show the same general trends seen in this study: lower seagrass biomass in the discharge area compared to the southern area (the region south of the intake canal).

All three species of seagrass chosen for intensive monitoring displayed the same type of annual biomass trend: summer maxima and winter minima. The

thermal effects from the effluent plume are likely to be more pronounced during the summer when the organisms are normally exposed to natural water temperatures closer to their thermal tolerance limits.

Like biomass, seagrass productivity was significantly lower in the discharge area than in the southern area. All three species of seagrass showed highest productivity at the three southern stations. None of the thermal stations differed from any of the respective northern stations, suggesting that thermal effects alone are not entirely responsible for the depressed productivity. None of the previous monitoring studies conducted at Crystal River specifically examined seagrass productivity. Zieman and Wood (1975) showed that Thalassia productivity (gm/m 2 /day) decreased linearly with increasing temperatures above 32°C. Thalassia has a temperature optimum for productivity of 28-30°C (Zieman and Wetzel 1980). Seagrass productivities in the present study exhibited summer maxima and winter minima for all three species of seagrass. Productivities during the winter were more similar in the thermal area and in the northern and southern control areas suggesting that thermal effects of the plant discharge are more pronounced during the summer.

Shoot densities of all three seagrass species were significantly higher at the three southern intensive monitoring stations (A, B, and C). The northern Halodule Station G had a significantly higher shoot density than the thermal Station D. Shoot density of Syringodium at the thermal Station E was significantly higher than at the northern Station H, while Thalassia shoot densities at thermal and northern stations (F and I) did not differ. Shoot densities did not show as pronounced an annual trend as biomass and productivity.

Percent cover of Halodule did not differ among the three intensive monitoring stations (A, D and G), while cover of Syringodium was significantly higher at Station B than at Station E, which in turn was significantly higher than cover at H. Thalassia percent cover was not tested among stations. Previous monitoring reports at Crystal River have principally used percent cover estimates to monitor the seagrass and macroalgal communities in the area. These reports (FPC, 1978; 1979; 1980; 1981) indicate that Halodule cover is reduced in the area immediately adjacent to the mouth of the discharge canal, but that in general Halodule cover does not differ between impacted and control areas. Syringodium and Thalassia, however, were generally not found in the inner discharge area (van Tine 1977, "Basin 1") and typically exhibited higher cover south of the intake canal. Similar trends were seen in the present study.

The seagrass coverage depicted in the macrophyte maps generally support the quantitative data, seagrass cover being greater in the southern part of the Crystal Bay area. The area impacted by the thermal plume was devoid of macrophytes, along with the area around the mouth of the Cross Florida Barge Canal.

Seasonally, percent cover tended to be significantly higher during the summer months for the three species of seagrass. FPC (1980) reported winter cover maxima (December) in the southern control and discharge areas of the Crystal River Plant, while FPC (1981) reported fall (September) cover maxima in the southern area, with no appreciable seasonal cover changes of seagrasses in the discharge area.

Macroalgae

Algae may be better indicators of thermal stress than seagrasses, since the buried rhizomes of seagrasses may be protected from thermal efects by the sediment (Zieman and Wood 1975). In particular, Zieman (pers. comm.) has noted that the rhizophytic green algae (members of the orders Siphonales and Dasycladales) are especially susceptible to thermal stress.

In the present study, rhizophytic algal diversity (number of species) was lower at all the thermal stations (D, E, and F) compared to the southern stations (A, B, and C). However, the northern stations also supported few species of these algae, once again suggesting that other factors, in addition to thermal stress, are regulating submergent macrophyte communities in the area.

Rhizophytic algal biomass (g dry wt/m^2) at the nine intensive monitoring stations was tested statistically. Station E had significantly higher algal biomass than any other station. No other clear station trend was evident. Rhizophytic algal biomass was significantly higher during the summer/fall period. Van Tine (1977) noted that very few species of siphonaceous green algae (Caulerpa spp., Udotea spp.) were found in the discharge area of the Crystal River Plant. Other monitoring studies at this site did not consider rhizophytic algae (FPC 1978; 1979; 1980), but FPC (1981) reported that siphonaceous algae did not occur in the discharge area of the plant. Zieman and Wood (1975) noted at Turkey Point that, in areas most severely impacted by thermal addition, the seagrass/macroalgal community was replaced by a blue-green algal mat. This phenomenon was also seen at Crystal River in the Basin 1 section of the discharge canal.

Drift algal diversity and biomass were not measured in the present study. A general impression was that a greater number of species of drift algae were found south of the intake canal. Drift algal percent cover was highest in the southern part of the Crystal Bay study area (Station B), but no other clear percent cover trends were evident from the percent cover analyses. Steidinger and Van Breedveld (1971) showed that the discharge area of the Crystal River Plant supported fewer species of algae than the rest of the Crystal Bay area. Van Tine (1977) also showed that the thermally impacted area of Crystal Bay supported a lower number of species of all three divisions of algae: Rhodophyta (red algae); Chlorophyta (green algae) and Phaeophyta (brown algae). He also showed that algal biomass was lower in the impacted area. FPC (1981) showed that drift red and brown algae were excluded from the Crystal River Plant discharge area.

In summary, the data and observations collected in the present study suggest that the thermal effluent from Crystal River exerts a negative effect on the seagrass and macroalgal communities in the inner part of the discharge area (Basin 1). The thermal effects appear to be more moderate in the outer parts of the discharge area (Basin 3). However, other factors are influencing the submergent macrophyte communities in the study area and the data gathered in the present study cannot distinguish between these different factors. Thus, the observed trends in macrophyte biomass, percent cover, etc, cannot be attributed solely to the effects of thermal addition. Increased turbidity and sedimentation, some of which may be due to the outflow current from the discharge canal, may be exerting a negative effect on the macrophyte

communities in the discharge area. The selection of the three northern intensive monitoring stations (G, H, and I) in the region of the Cross Florida Barge Canal (CFBC) represented an attempt to distinguish between potential turbidity and sediment loading effects and any thermal effect, but the statistical analyses of the data failed to differentiate between stations located in the thermal and northern areas. Decreased light levels (associated with increased water turbidity) and increased sedimentation are suspected of causing declines in seagrass coverage (Zieman 1982). Other factors influencing the seagrass and macroalgal communities in the study area are nutrient concentrations in the water column, sediment type and depth and salinity changes associated with freshwater influx.

REFERENCES for 6.3

Florida Power Corporation (FPC). 1974. Crystal River Power Plant Environmental Considerations. Final Report to the Interagency Research Advisory Committee. Volume II. October 1974.

Florida Power Corporation. 1978. Crystal River Unit 3. Annual Environmental Operating Report. Vol. 1. Non-radiological. Fla. Power Corp., Sept. 1978.

Florida Power Corporation. 1979. Post Operational Ecological Monitoring Program, Crystal River Units 1, 2, and 3. Annual Report. Vol. 1. Submitted March, 1979.

Florida Power Corporation. 1980. Post Operational Ecological Monitoring Program, Crystal River Units 1, 2, and 3. Annual Report. Vol. 1, Pt. 1. Submitted March, 1980.

Florida Power Corporation. 1981. Post Operational Ecological Monitoring Program, Crystal river Units 1, 2, and 3. Annual Report. Vol. 1, Pt. 1. Submitted March, 1981.

Phillips,R. C. 1960. Observations on the ecology and distribution of the Florida seagrasses. Prof.Pap. Ser. Fla. Bd. Conserv., No. 2, 72 pp.

Steidinger, K. A. and J. F. Van Breedveld. 1971. Benthic marine algae from water adjacent to the Crystal River power plant (1969-1970). Prof. Pap. Ser. Fla. Bd. Conserv., No. 16, 46 pp.

Van Tine, R.F. 1977. An ecological comparison of the benthic macroflora of a power plant impacted estuary and an adjacent estuary. M.S. Thesis, Univ. of Fla. 140 p.

Zieman, J.C. 1975. Quantitative and dynamic aspects of the ecology of turtle grass, Thalassia testudinum. Estuar. Res. 1:541-562.

Zieman, J.C. 1982. The ecology of the seagrasses of south Florida: A community profile. U.S. Fish & Wildl. Ser., Off. Biol. Serv., Wash., DC, FWS/OBS-82/25. 158 p.

Zieman, J.C. and R.G. Wetzel. 1980. Productivity in seagrasses: Methods and rates. pp. 87-116, In: R.C. Phillips and C.P. McRoy (eds.). Handbook of Seagrass Biology. Academic Press.

Zieman, J.C. and E.J.F. Wood. 1975. Effects of thermal pollution on tropical-type estuaries, with emphasis on Biscayne Bay, Florida. pp. 75-98, In: E.J.F. Wood and R.E. Johannes (eds.). Tropical Marine Pollution. Elsevier Oceanography Ser. No. 12. Elsevier Sci. Publ. Co., New York.

TABLE 6.3-1

SEAGRASS DIVERSITY (NUMBER OF SPECIES) AT THE INTENSIVE MONITORING STATIONS

STATION	AUG. 1983	SEPT. 1983	OCT. 1983	DEC. 1983	JAN. 1984	MAR. 1984	APR. 1984	MAY 1984	JULY 1984	AUG. 1984
A (40)	3	3	4	4	2	2	1	1	1	2
B & C (47)	3	1	4	3	2	3	2	2	1	1
D (27)	1	1	1	1	1	1	1	1	1	1
E & F (33)	4	4	4	4	4	4	4	4	3	3
G (3)	3	1	2	1	3	2	2	2	4	1
H (9)	1	2	2	2	2	4	3	2	4	3
I (4)	2	0	2	2	2	3	2	2	2	3

A-I Intensive Monitoring Station

(40) Corresponding Ground-truthing Station

TABLE 6.3-2

SUMMARY OF THE ANOVA ANALYSES OF THE SEAGRASS DATA

	Time (Sampling Date)	Station	Bottom Temperature	Bottom Extinction Coefficient	Bottom Salinity	Bottom pH	Bottom Dissolved Oxygen
Halodule							
BM	**	**	NS	NS	*	**	NS
SD	**	**	NS	NS	NS	NS	NS
PR	**	**	NS	NS	NS	*	NS
PC	**	*	NS	*	NS	NS	**
Thalassia							
BM	**	**	NS	*	NS	NS	NS
SD	**	**	*	NS	NS	**	NS
PR	**	**	NS	NS	NS	NS	NS
PC	**	-	-	-	-	-	-
Syringodium							
BM	**	**	NS	NS	NS	NS	NS
SD	**	**	*	NS	NS	NS	NS
PR	**	**	NS	**	NS	NS	NS
PC	**	**	**	NS	**	NS	*
All Seagrasses							
BM	**	**	NS	NS	*	*	NS
SD	**	**	**	NS	NS	NS	**
PR	**	**	NS	NS	NS	NS	NS
PC	-	-	-	-	-	-	-

BM = biomass (g dry weight/m^2)
SD = shoot density (#/m^2)
PR = productivity (g dry weight/m^2/day)
PC = percent cover
* = significant at P 0.05
** = significant at P 0.01
NS = not significant
- = parameter not tested

TABLE 6.3-3

ANNUAL MEANS, BY STATION AND SAMPLING DATE,
FOR THE HALODULE DATA

BIOMASS
(g dry wt/m^2)

MEANS

SD	N	STANDBIO
2	10	12.4800000
3	15	12.0960000
4	10	9.2480000
5	15	0.6986667
6	15	0.7893333
7	5	0.5120000
8	15	2.7840000
9	15	4.0213333
10	15	12.5013333

STATION	N	STANDBIO
A	40	12.8400000
D	45	2.8373333
G	30	2.3973333

PRODUCTIVITY
(g dry wt/m^2/day)

MEANS

SD	N	AVEGROW
2	9	0.30952381
3	9	0.08974359
4	5	0.04285714
5	9	0.08241758
6	9	0.02941176
7	8	0.05416667
8	9	0.08547009
9	9	0.10101010
10	8	0.38025210

STATION	N	AVEGROW
A	26	0.19884049
D	26	0.08899460
G	23	0.10800504

PERCENT COVER

MEANS

SD	N	PC
2	30	47.3666667
3	21	35.9523810
4	15	51.0000000
5	21	28.0000000
6	17	17.8823529
7	13	10.7692308
8	17	7.6470588
9	8	5.2500000
10	16	53.8750000
11	12	14.6666667

STATION	N	PC
A	27	33.9259259
D	92	31.7934783
G	51	26.3137255

SHOOT DENSITY
(No./m^2)

MEANS

SD	N	BDEN
2	21	790.47619
3	21	633.33333
4	14	1371.42857
5	21	647.61905
6	21	709.52381
7	21	509.52381
8	21	1119.04762
9	21	1490.47619
10	21	2371.42857

STATION	N	BDEN
A	63	1425.39683
D	63	750.79365
G	56	996.42857

TABLE 6.3-4

ANNUAL MEANS, BY STATION AND SAMPLING DATE,
FOR THE SYRINGODIUM DATA

BIOMASS
(g dry wt/m^2)

MEANS

SD	N	STANDBIO
2	15	10.2613333
3	15	14.8266667
4	10	13.3760000
5	14	11.7314286
6	14	7.3028571
7	15	7.2320000
8	15	3.5466667
9	15	19.9786667
10	15	24.7786667

STATION	N	STANDBIO
B	45	24.7680000
E	45	9.2195556
H	38	2.1094737

PRODUCTIVITY
(g dry wt/m^2/day)

MEANS

SD	N	AVEGROW
2	6	0.41666667
3	7	0.16483516
4	6	0.25595238
5	9	0.16559829
6	9	0.03819444
7	7	0.09047619
8	9	0.23041311
9	9	0.46969697
10	9	0.73046398

STATION	N	AVEGROW
B	27	0.47418589
E	20	0.27076476
H	24	0.09641170

PERCENT COVER

MEANS

SD	N	PC
2	20	16.6000000
3	11	12.8227273
4	13	39.2307692
5	20	30.8500000
6	23	43.7826087
7	23	30.3260870
8	17	23.5294118
9	26	22.5384615
10	23	45.8695652
11	17	15.1764706

STATION	N	PC
B	85	38.9647059
E	84	23.9053571
H	24	11.8125000

SHOOT DENSITY
(No./m^2)

MEANS

SD	N	BDEN
2	12	512.50000
3	12	787.50000
4	8	837.50000
5	12	775.00000
6	12	683.33333
7	12	712.50000
8	12	820.83333
9	12	1070.83333
10	12	1254.16667

STATION	N	BDEN
B	36	1188.88889
E	36	740.27778
H	32	520.31250

TABLE 6.3-5

ANNUAL MEANS, BY STATION AND SAMPLING DATE,
FOR THE THALASSIA DATA

BIOMASS
($g\ dry\ wt/m^2$)

MEANS

SD	N	STANDBIO
2	15	21.4613333
3	15	19.8826667
4	10	16.6720000
5	15	10.3306667
6	12	6.0266667
7	15	3.6693333
8	15	2.9333333
9	15	11.8720000
10	15	34.1120000

STATION	N	STANDBIO
C	45	30.0088889
F	44	6.7181818
I	38	4.1305263

PRODUCTIVITY
($g\ dry\ wt/m^2/day$)

MEANS

SD	N	AVEGROW
2	9	0.41269841
3	9	0.16666667
4	6	0.26190476
5	9	0.13431013
6	9	0.04963235
7	9	0.06481481
8	9	0.19764957
9	7	0.51948052
10	9	0.64752568

STATION	N	AVEGROW
C	25	0.38454299
F	27	0.24320132
I	24	0.17031086

PERCENT COVER

MEANS

SD	N	PC
2	10	62.8000000
5	9	41.6666667
6	8	44.1250000
7	9	6.6666667
8	9	23.1111111
9	10	22.7000000
10	10	25.7000000
11	2	1.0000000

SHOOT DENSITY
($No./m^2$)

MEANS

SD	N	BDEN
2	12	412.500000
3	12	500.000000
4	8	443.750000
5	12	620.833333
6	12	562.500000
7	12	537.500000
8	12	487.500000
9	12	566.666667
10	12	666.666667

STATION	N	BDEN
C	36	715.277778
F	36	443.055556
I	32	440.625000

TABLE 6.3-6

SPECIES OF MACROALGAE COLLECTED
R = RHIZOPHYTIC ALGAE, ALL OTHERS ARE CONSIDERED DRIFT ALGAE

Division Chlorophyta
Order Ulvales
Family Ulvaceae

Enteromorpha intestinalis
Enteromorpha compressa
Ulva lactuca

Order Siphonales
Family Caulerpaceae

Caulerpa ashmeadii[R]
Caulerpa prolifera[R]
Caulerpa paspaloides[R]
Caulerpa mexicana[R]

Family Codiaceae

Codium taylori
Halimeda incrassata[R]
Penicillus capitatus[R]
Udotea conglutinata[R]
Udotea flabellum[R]

Order Dasycladales
Family Dasycladaceae

Acetabularia crenulata[R]
Bataphora oerstedi[R]

Division Phaeophyta
Order Ectocarpales
Family Ectocarpaceae

Ectocarpus siliculosus
Ectocarpus intermedius
Giffordia mitchelliae

Order Dictyotales
Family Dictyotaceae

Padina vickersiae[R]

Order Fucales
Family Sargassaceae

Sargassum filipendula

TABLE 6.3-6 (Cont)

Division Rhodophyta
- Order Gelidiales
  - Family Gelidiaceae
    - *Pterocladia americana*
- Order Gigartinales
  - Family Gracilariaceae
    - *Gracilaria debilis*
    - *Gracilaria foliifera* var. *angustissima* (= *G. tikvahiae*)
    - *Gracilaria verrucosa*
    - *Gracilaria sjoestedtii*
  - Family Solieriaceae
    - *Agardhiella tenera*
  - Family Hypneaceae
    - *Hypnea musciformis*
    - *Hypnea cervicornis*
- Order Rhodymeniales
  - Family Champiaceae
    - *Champia parvula*
    - *Lomentaria baileyana*
- Order Ceramiales
  - Family Ceramiaceae
    - *Centroceras clavulatum*
    - *Centroceras* unidentified species
    - *Ceramium fastigiatum*
    - *Spyridia filamentosa*
  - Family Rhodomelaceae
    - *Acanthophora spicifera*
    - *Chondria cnicophylla*
    - *Chondria sedifolia*
    - *Chondria tenuissima*
    - *Digenia simplex*
    - *Laurencia intricata*
    - *Laurencia obtusa*
    - *Laurencia poitei*
    - *Polysiphonia subtilissima*
    - *Polysiphonia ramentacea*

TABLE 6.3-6 (Cont)

Family Dasyaceae

Dasya pedicellata
Dasya ramossissima

TABLE 6.3-7

RHIZOPHYTIC ALGAL DIVERSITY (NUMBER OF SPECIES)
AT THE INTENSIVE MONITORING STATIONS

STATION	AUG. 1983	SEPT. 1983	OCT. 1983	DEC. 1983	JAN. 1984	MAR. 1984	APR. 1984	MAY 1984	JULY 1984	AUG. 1984
A (40)	1	3	2	1	0	0	0	0	1	1
B & C (47)	5	3	4	4	2	5	3	3	4	3
D (27)	0	0	0	0	0	0	0	0	0	0
E & F (33)	1	1	1	1	1	1	2	1	1	0
G (3)	0	0	0	0	0	0	0	1	0	0
H (9)	0	1	1	1	0	0	1	1	1	0
I (4)	0	0	1	0	0	1	1	1	0	2

A-I Intensive Monitoring Station

(40) Corresponding Ground-truthing Station



FIGURE 6.3-1.

MACROPHYTE STATION TRANSECTS.
CRYSTAL RIVER 316 STUDIES
FLORIDA POWER CORPORATION



URE 6.3-2

P OF THE STUDY AREA, OWING THE SUBSECTIONS TAILING SUBMERGENT GETATION COVER. SEE LLOWING PAGE FOR SCALE SUBSEQUENT FIGURES AND GEND EXPLAINING LETTER DES.

RYSTAL RIVER 316 STUDIES
ORIDA POWER CORPORATION

CRYSTAL RIVER 316 STUDIES

MACROPHYTE MAPPING

SUBMERGENT VEGETATION

ALL SUBSEQUENT FIGURES TO SCALE INDICATED BELOW:



SCALE 1:18 000

SOURCE: COLOR INFRARED VERTICAL AERIAL PHOTOGRAPHY 26 OCT 83
22 NOV 83

COMMUNITY DESIGNATION

S · SEAGRASS

A · ALGAE

O · UNVEGETATED

SA · SEAGRASS AND ALGAE (SEAGRASS DOMINANT)

AS · ALGAE AND SEAGRASS (ALGAE DOMINANT)



FIGURE 6.3-3

SUBMERGENT VEGETATION COVER IN SUBSECTION 1. (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES
FLORIDA POWER CORPORATION



FIGURE 6.3-4

SUBMERGENT VEGETATION COVER IN SUBSECTION 2 (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES

FLORIDA POWER CORPORATION



FIGURE 6.3-5

SUBMERGENT VEGETATION COVER IN SUBSECTION 3 (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES
FLORIDA POWER CORPORATION

AP-42


N
Intake Canal Spoil Bank
Diplanthera wrightii Spring Intake 1973
Oyster bars
Present
Abundant

MAP-11


N
Intake Canal
Spoil Bank
Halophila engelmanii Spring Intake 1973
Oyster bars
CONTOUR INTERVAL = 10 GM-DRY WEIGHT/M2

MAP-IV


NUMBER OF SPECIES/m²
MACROALGAE + SEAGRASSES
SPRING/SUMMER 1973
DISCHARGE - IB

MAP-26


No. SPECIES/m²
DISCHARGE. MIDDLE BAY
SPRING 1973
N
1 2 3
3
4
5
6
7
8
3
2 1
1
2
3
1
5
4
3
3
4
5
1
DISCHARGE CANAL SPOIL BANK

MAP-1


oyster bars
Halophila engelmanii Spring Discharge 197
Inner Bay
Present
Abundant
N
Discharge canal



DIPLANTHERA WRIGHTII

DISCHARGE - INNER BAY 1973 SPRING.


MAP-25
Total Biomass/m² Spring Dischar 1973
middle y
1
25
50
75
100
171
dc

MAP 27


Diplanthera wrightii Spring Discharge 1973
Middle Bay
Present
Abundant

MAP 28


Halophila engelmanii Spring Discharge 1973
Middle Bay
Present



FIGURE 6.3-6

SUBMERGENT VEGETATION COVER

SUBSECTION 4 (SEE FIGURE 6.3-2)

CRYSTAL RIVER 316 STUDIES

FLORIDA POWER CORPORATION

FIGURE 6.3-7

SUBMERGENT VEGETATION COVER IN SUBSECTION 5 (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES

FLORIDA POWER CORPORATION




FIGURE 6.3-8
SUBMERGENT VEGETATION C
SUBSECTION 6 (SEE FIGURE
CRYSTAL RIVER 316 STUD
FLORIDA POWER CORPOR
CRYSTA



FIGURE 6.3-9

SUBMERGENT VEGETATION COVER IN SUBSECTION 7 (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES

FLORIDA POWER CORPORATION



FIGURE 6.3-10

SUBMERGENT VEGETATION COVER IN SUBSECTION 8 (SEE FIGURE 6.3-2).

CRYSTAL RIVER 316 STUDIES

FLORIDA POWER CORPORATION

1993 Summary Report for:

CRYSTAL RIVER 3 YEAR NPDES MONITORING PROJECT

FPC Contract S01100

Work Authorization 301 (Addenda 1 and 2)

submitted December 20, 1993 to

Ms. Manitia Moultrie
Environmental Services Department
Florida Power Corporation
3201 34th Street South
St. Petersburg, Florida 33733

by the

Mote Marine Laboratory
1600 Ken Thompson Parkway
Sarasota, Florida 34236

Ernest D. Estevez, Ph.D.
and
Michael A. Marshall, Ph.D.

Principal Investigators

INTRODUCTION

Florida Power Corporation (FPC) and federal and state regulatory agencies seek to demonstrate that the operation of new helper cooling towers at the FPC Crystal River Station will lead to an expansion in the area of benthic habitat occupied by submerged aquatic vegetation (SAV: seagrasses and rhizophytic macroalgae). A monitoring program was begun in the Fall of 1993 and will continue on an annual basis through the Fall of 1995. The monitoring program emphasizes near-shore waters within a two mile radius of the point of discharge (POD) of the Crystal River Station.

Available Information

Early surveys and aerials are described in the 316 Demonstration Report and the 1986 MML report, "Submerged Aquatic Vegetation in the Vicinity of the FPC Crystal River Power Station."

Studies performed in the 1970s by the University of Florida contained a single map by Martin Van Tine of "approximate attached macrophyte standing crop" during the summer of an unknown year (Florida Power Corporation, 1975). The map depicted areas of high and low standing crop, including barren areas. Nothing is known of sampling methods or effort.

Two SAV surveys were performed in the vicinity of the Crystal River Station during the 1980s. The first was conducted under MML supervision as part of the 316 Demonstration Study, in 1983 and 1984. The second was sponsored by FPC and conducted by MML in 1986, to determine the nature of offshore SAV beds closer to the influence of the Withlacoochee River.

The 316 Demonstration Study occupied 50 survey stations. "Thermal" stations fell along four transects between the Barge and Intake Canals. "Control" stations fell along three transects north of the Barge Canal and three transects south of the Intake Canal. (Thirteen of the 50 stations fall within a 2 mile radius from POD, north of the intake canal.) Ten square-meter quadrats were deployed at each station and percent cover of seagrass and algae was determined in each. Nine "intensive" stations were equally divided among Halodule, Thalassia, and Syringodium sites in thermal and control areas. Intensive stations were visited on 6 week intervals. Biomass and productivity (2-week clip method) was measured at each station. No intensive stations were sampled in November of either year. Aerial

photographs were taken in February of 1983 and 1984, and in October/November of 1983. Only three of eight planned, quarterly overflights produced successful aerial images due to poor water quality. Later ground-truthing resulted in SAV maps drawn at a scale of 1:18,000 on stable acetate.

Dense SAV was mapped south of the Intake Canal and between the Intake and Discharge Canals. Sparse SAV beds were mapped in Basins 1 and 3. SAV near Fisherman's Cut was seasonally variable. A large area of SAV in Basin 4 was more persistent. Most of these areas fall within a 2-mile POD radius. Barren areas were most widespread in Basins 1, 2 and 3. Other results are presented in the 316 Demonstration Report.

In November 1986, MML surveyed 177 stations between the Barge and Intake Canals, west of the POD. Station density was determined through a statistical analysis of previous SAV bed distribution. (Twenty-five stations fell within a 2-mile POD radius.) Original LORAN positions of all stations are still available. At each station, 120 meter dive lines were surveyed for dispersion and abundance of SAV.

The survey found that most stations west of the 1983-84 study area contained SAV. SAV (especially sparse macroalgae) was also found at areas mapped as barren in the earlier studies. Caulerpa species were ubiquitous, but other rhizophytic algae were more common in the southern half of the survey area. Overall, there were declines in SAV richness and cover toward the north and toward the west, within the 1986 survey area. Extensive areas of drift and lithophytic Sargassum were also observed.

Rationale

The major questions to be answered by the monitoring plan are:

1) Are barren areas being colonized by SAV?

2) Are existing areas of SAV expanding?

To answer Question 1, it is necessary to design and implement a robust survey program in barren areas. To answer Question 2, selected SAV beds will be surveyed at a very fine scale and results will be compared each year. Beds will be chosen on the basis of geographic (basin), depth, historic temperature, and species characteristics. The perimeter of selected beds will be staked and subsequent surveys will compare edge

locations to stake locations. To anticipate the possibility of stake loss, a second system of benchmarks and measurements was developed.

Professional aerial photography will be used to backstop the field measurements. We have not recommended using aerial imagery as a primary source of SAV dispersion data because past experience has shown that turbidity, color, tide, sea surface conditions, and weather are significant impediments to successful photography at this site. On the other hand, when it is successful, aerial photography can reveal changes in SAV that fixed-station methods might miss. Consequently, we have arranged to fly the site and examine each year's new imagery prior to commencing field work, where possible. If the imagery is good, field time can be spent investigating apparent features and changes. If the imagery is poor, there will be no loss of data.

Important corollary questions include:

3) Changes in SAV cover outside of the designated study area (control sites);

4) Changes in the relative abundance of macroalgae, compared to seagrasses; and

5) Changes in the biomass or productivity of existing SAV beds.

We address Question 3 by occupying barren and vegetated sites in control sites, and by including these areas in the flight lines for aerial photography. Where possible, control stations are selected at a variety of depths comparable to stations within the 2-mile POD radius.

We address Question 4 by measuring percent cover by species, and percent barren area, at stations within the SAV beds selected for more intensive surveys.

Changes in SAV biomass or productivity (Question 5) will be determined by sampling the intensive survey beds during August of each year. The 316 Demonstration Study reported a strong dependence of variation in these parameters, on time. Seagrass biomass and productivity during the Fall are transitional between maxima in August and September, and minima in December and January. Consequently, it may be difficult to identify statistically significant differences between years, using November data. Interannual

differences are particularly difficult to detect in beds of mixed species, which are more common than single-species beds near Crystal River Station.

The 1994 Summary Report will include descriptions of methods and data resulting from the summer measurements of biomass and productivity.

METHODS

Positioning

Several independent systems were employed. Approximate station locations were mapped onto charts carried in the field, to depict the orientation of a station to creeks, islands, day marks, levees, and other land marks. The end points of transects were marked on land or in marshes with steel bars, stones, colored paint, or other permanent material. Locations were also determined by recording compass bearings to local landmarks.

Transect end points and station locations were measured using a Voyager LORAN Navigator and a Magellan NAVPRO global positioning system. Electronic positions also were measured for NOS benchmarks at the mouth of the discharge canal, and at the U.S. Geological Survey "Knott" benchmark on Drum Island. Preliminary analysis of the electronic data indicate high field reproducibility but relatively low map precision (see Discussion).

Barren Area Transects

Prospective barren areas were defined by analyzing historic data and conducting a reconnaissance of the study area. Effort was concentrated in areas suggested as once-vegetated by historical sources, but presently barren. Final transect locations were selected to cover the ranges of depths, bottom types, and thermal effects encountered at the site. As shown in Figure 1, most effort was directed to Basins 1, 2 and 3, with some effort in the areas of Basins 4 and 5, closest to the POD (e.g, inside the 2-mile radius).

Barren areas were surveyed by a diver towed behind a shallow draft vessel. Most transects ran due north or south to pre-determined landmarks. For long transects, or transects run under inclement weather, tows followed transect

lines marked in advance with temporary buoys. Buoys marked end points and way points, as needed. Beginning and end points were permanently positioned and marked. Where needed, tows were made into the current to reduce drift.

If the diver encountered seagrass or rhizophytic algae in barren areas the vessel stopped and marked the site(s). After the transect was finished, the crew returned to temporary markers. The immediate area was reconnoitered to determine the extent of SAV. If it corresponded to a previously-mapped SAV bed, it was recorded as "mapped" and was discounted as barren area. If new, the area, centroid position, species composition, and percent cover (see below) of the SAV was to be recorded, unless the vegetation was found to be Sargassum attached to rock outcrops[1]. All SAV markers and transect buoys were then recovered, and a new transect begun.

Intensive SAV BED Surveys

Sites were chosen for the initial surveys based on their location relative to the discharge canal. An initial field effort (a 2 day reconnaissance trip) was undertaken to determine present-day SAV bed locations. Previous mapping studies and aerial photographs of various ages were used as guides to areas where SAV beds were known to have been present in the past. High probability areas were searched by skin divers and the 15 stations depicted in Figure 1 were occupied. The selection process divided the sites between 3 thermally un-impacted "control" sites and 12 impacted sites.

GPS and LORAN coordinates and compass sightings were used to record the location of seagrass beds selected for study. Several beds were marked by crab trap buoys anchored with screw-in tie down anchors. General site descriptions were recorded for each area in order to relocate the beds on subsequent trips.

Within each bed, the position of a "center" marker was determined by GPS, LORAN, and compass bearings. Center markers are hemispherical concrete parking lot markers. Each marker was painted with blue anti-fouling paint and anchored to the bottom with screw-in anchors. Concrete markers were tied to the anchors with 1" diameter nylon rope.

---

[1]/ In fact, the only SAV encountered on barren-area transects was either already mapped, or Sargassum growing on rock outcrops.

Edges of all 15 sites were marked in order to determine whether the seagrass beds expand, contract, or remain unchanged during the duration of the three year study. New growth or contraction of existing seagrass bed edges will be determined by returning to the marked beds at one-year intervals. Seagrass bed edges were marked with short (<1.0 m) sections of 3/8" steel reinforcement rods driven into the bottom with a small sledge hammer. Each steel stake was allowed to extend about 10 cm upward from the sediment surface. Seagrass bed edges were usually very easy to define, based on the sharp delineations between bare bottom and vegetated bottom.

A surveyor's tape was strung out along the set of edge markers at each site. Distances between edge markers and the distance from the center marker to each edge marker were recorded. Relocation of the edge markers and center marker, on future site visits, will be facilitated by these measurements. It should also be possible to locate the exact position of lost edge markers if the center marker is found.

The percentage of bottom covered by SAV on the edge of each bed (from 0.0 to 1.0 m into each bed) and deeper into the bed (at a distance of 2.0 to 3.0 m) was measured. Ten 1.0 m2 quadrat-based estimates of bottom cover were taken along the vegetated edge of each SAV bed. The quadrats were positioned on the vegetated side of a randomly selected subset of the 15 edge markers at each site. Ten 1.0 m2 additional cover estimates were made by flipping the quadrat frame over twice away from the perimeter of each seagrass bed.

Subdivisions (100 cm2) of the 1.0 m2 quadrat were used as the units for the cover estimates. SAV coverage was determined by counting the number of units in which various species of SAV were actually rooted. A barren square was defined as being devoid of any rooted vegetation. Seagrass blades from plants rooted in other units were not counted as cover in the otherwise completely barren units. Four seagrasses (Halodule, Syringodium, Thalassia, and Halophila) were encountered in the study sites. Two species of the rhizophytic algal genus, Caulerpa, were found at several of the sites. Divers recorded data on slates and the data were transferred to log books for later use.

To document that water or sediment depths did not vary so much near the edges of SAV beds that future lateral growth might be inhibited, additional data were collected at each site. Water depth and sediment thickness were measured on the edge of each SAV bed and at 1.0 and 2.0 m distances into the barren zone. A marked measuring stick was used to measure water depth.

Sediment thickness was determined by pushing a 1.5 m long, 3/8" diameter iron rod into the bottom. The rod was pushed in to its full length or to the point of refusal. The rod was then withdrawn and the depth of penetration was measured. Measurements of each type were made adjacent to alternate stake markers along the edges of each of the 15 seagrass beds.

DISCUSSION

All data collected from the 1993 sampling effort appear in the tables and appendix tables that follow. These data form the baseline of descriptive information against which prospective changes in 1994 and 1995 will be measured.

As mentioned before, two additional types of data are likely to be generated before the barren transects and intensive SAV beds are revisited. If the 1993 aerial photography is successful, images will be photo-interpreted, ground-truthed, and digitally mapped by a subcontractor. An effort will be made during ground-truthing to distinguish lithophytic Sargassum from seagrasses and rhizophytic algae. A separate report will accompany the maps.

The digital map will also be useful in plotting the precise locations of transects and intensive survey sites. At present, no existing base map is available at the level of detail needed to plot LORAN and GPS data collected in 1993. If the 1993 aerial photography is successful, the 1994 Summary Report will contain a registered base map showing the precise locations of transects and stations.

The second type of new information will result from the biomass and productivity studies first scheduled for August, 1994. We propose to perform the SAV condition monitoring in August of 1994 and 1995, for 3 reasons. First, November condition data are transitional between seasonal extremes, and highly variable. Second, August water temperatures are annual maxima, so impacts to SAV respiration and net productivity will be accentuated. Third, an August sampling time allows for laboratory processing of samples by the due date of the annual reports.

FIGURE 1

The base map employed in Figure 1A and 1B is a composite in which marsh and canal shorelines, and oyster reefs, have been added to the 1983 SAV map produced as part of the FPC 316 Demonstration Study. Shorelines were transferred from U.S. Geological Survey topographic quadrangles and oyster reefs were taken from unpublished data available at Mote Marine Laboratory. Spoil islands of the Cross-Florida Barge Canal appear at the top of the map, which is north. The discharge canal levee is the shorter feature depicted to the north of the longer levee on the intake canal. In the map, A denotes algal beds; S, seagrass beds; AS, mixed beds dominated by algae; SA, mixed beds dominated by seagrass; O, open or barren bottom.

Figure 1A

This figure depicts the number and orientation of barren area transects established for the present study. One transect, "13W", is not shown. It is north of the Barge Canal, extending from Green 35 day mark on the Canal, to Green 23A day mark on the Withlacoochee River. Note that most transects have at least one land-side end, which has been marked in the field with a permanent monument. Transect "9W" is 2 miles from the point of discharge.

Figure 1B

This figure depicts the locations of SAV beds selected for intensive surveys (percent cover, biomass, productivity, etc.). One station, "10", is immediately south of station "9" but off the figure. Stations 1-3 are in Basin 1. Stations 5-7 are in Basin 2. Four stations between the canals are in Basin 3. Station 11 is in Rocky Cove. Station 13 is 2 miles from the point of discharge.



FIGURE 1A

FIGURE 1B

Table 1. Coordinates of seagrass survey transects.

Transect	Base Latitude	Base Longitude	End Latitude	End Longitude	Base Loran (45)	Base Loran (62)	End Loran (45)	End Loran (62)
1W	28 57 35.1	82 43 34.9	28 57 51.9	82 43 33.8	45228.34	62881.46	45230.49	62881.28
2W	28 57 36.4	82 43 49.4	28 58 02.2	82 43 49.1	45230.18	62883.19	45234.21	62882.99
3W	28 57 33.4	82 44 02.5	28 58 34.9	82 44 08.4	45232.58	62885.16	45240.93	62884.77
4W	28 57 35.8	82 44 17.1	28 58 34.0	82 44 23.8	45234.41	62886.86	45242.99	62886.69
5W	28 57 31.8	82 44 36.5	28 58 08.5	82 44 37.3	45236.43	62888.88	45241.70	62888.66
6W	28 57 31.8	82 44 36.5	28 57 11.0	82 44 37.4	45236.43	62888.88	45231.83	62889.06
7W			28 56 58.2	82 44 48.1			45233.29	62890.74
8W			28 56 54.5	82 44 58.4			45234.42	62892.08
9W	28 56 48.9	82 45 15.6			45236.71	62894.34		
1N			28 57 41.4	82 44 05.2			45233.15	62884.81
11W	28 57 54.1	82 36 13.2	28 58 03.9	82 46 12.6	45252.52	62900.14	45253.71	62900.27
2N	28 58 06.5	82 46 26.1	28 58 03.9	82 46 12.6	45255.38	62901.73	45253.71	62900.27
12W	28 58 46.9	82 45 37.8	28 57 05.3	82 45 34.6	45238.65	62896.69	45241.36	62896.41
10W	28 57 31.2	82 45 41.1	28 57 19.2	82 45 42.1	45243.29	62896.76	45243.29	62896.82
13W	28 58 45.4	82 47 07.8	28 59 14.9	82 47 10.2	45266.69	62906.44	45271.22	62906.49

Table 2. Station locations for the seagrass bed edge observations.

Station	Date	Latitude	Longitude	Loran (45)	Loran (62)
1	09-Nov-93	28 57 58.39	82 43 56.35	45234.56	62883.88
2	10-Nov-93	28 58 00.79	82 43 50.00	45234.06	62883.08
3	10-Nov-93	28 58 03.88	82 43 41.91	45233.61	62882.21
4	10-Nov-93	28 57 17.67	82 44 21.52	45232.47	62887.19
5	11-Nov-93	28 58 35.81	82 44 33.48	45244.78	62888.00
6	11-Nov-93	N/A	N/A	45240.33	62885.49
7	11-Nov-93	28 58 25 00	82 44 09 00	45237.91	62884.67
8	11-Nov-93	28 57 07.30	82 44 19.26	45230.70	62887.06
9	23-Nov-93	28 56 49.65	82 43 25.10	45220.91	62880.80
10	23-Nov-93	28 56 41.19	82 43 14.31	45218.47	62879.68
11	23-Nov-93	28 57 23.73	82 43 38.31	45227.68	62882.13
12	24-Nov-93	28 57 10.49	82 44 17.21	45230.03	62886.80
13	24-Nov-93	28 58 12.34	82 45 15.62	45274.30	67893.40
14	07-Dec-93	28 57 04.40	82 44 35.00	45232.39	67889.09
15	07-Dec-93	28 57 05.90	82 44 39.40	45232.91	62889.56

Table 3. Summary statistics for water depth variations (cm) from the grass bed perimeter to 1 meter outside the bed.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	.23	1.30	-2	3
2	15	.00	1.20	-2	3
3	9	.67	2.60	-5	4
4	8	-1.63	2.62	-7	0
5	7	2.14	3.93	0	10
6	8	.13	1.73	-2	4
7	8	1.88	3.72	0	10
8	6	-.83	2.04	-5	0
9	8	-1.88	2.53	-5	2
10	8	.63	2.07	-2	5
11	8	-1.25	1.83	-5	1
12	8	.13	2.64	-3	4
13	8	-.63	1.77	-5	0
14	9	5.78	3.63	0	10
15	8	.63	3.20	-5	5

Table 4. Summary statistics for water depth variations (cm) from the grass bed perimeter to 2 meters outside the bed.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	-.46	1.13	-2	2
2	15	.27	1.58	-2	5
3	9	1.67	2.50	-1	6
4	8	-2.50	3.02	-7	2
5	7	3.14	2.41	0	5
6	8	.13	.83	-1	2
7	8	4.38	8.21	-5	20
8	6	.83	2.04	0	5
9	8	-3.25	2.19	-5	0
10	8	.88	2.10	-2	5
11	8	-1.50	1.93	-5	1
12	8	-.88	2.42	-3	4
13	8	.00	.00	0	0
14	9	11.89	8.25	2	30
15	8	.25	2.76	-5	5

Table 5. Summary statistics for sediment depth from the grass bed perimeter.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	69.00	33.55	15	100
2	15	73.67	34.62	25	120
3	9	12.22	8.80	3	28
4	8	11.75	16.30	0	48
5	7	100.71	24.57	70	150
6	7	59.29	39.52	15	100
7	8	39.25	26.44	20	100
8	6	21.17	8.70	7	30
9	8	11.88	6.79	2	20
10	8	35.63	39.04	5	115
11	8	7.38	5.95	1	20
12	8	6.25	3.06	2	10
13	8	45.63	18.69	20	75
14	9	54.00	43.19	10	140
15	8	8.63	4.47	5	19

Table 6. Summary statistics for sediment depth from 1 meter outside the grass bed perimeter.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	70.15	28.67	18	100
2	15	73.73	35.55	25	120
3	9	13.67	6.69	8	30
4	8	10.50	16.80	0	48
5	7	97.86	31.07	65	160
6	7	61.43	37.42	17	100
7	8	30.88	15.76	15	55
8	6	20.83	6.71	12	30
9	8	10.50	6.76	2	20
10	8	35.88	40.52	2	120
11	8	4.25	2.87	1	10
12	8	8.88	5.41	2	20
13	8	39.50	14.40	22	58
14	9	56.11	41.02	5	120
15	8	8.63	3.74	3	15

Table 7. Summary statistics for sediment depth from 2 meters outside the grass bed perimeter.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	66.08	29.81	20	100
2	15	78.47	36.16	25	126
3	9	11.89	8.48	5	26
4	8	14.13	19.64	0	53
5	7	91.57	28.41	70	150
6	7	37.14	16.89	15	58
7	8	22.25	12.31	10	48
8	6	17.50	4.59	12	25
9	8	14.13	6.56	2	20
10	8	31.38	41.78	2	120
11	8	5.50	4.34	1	13
12	8	6.63	4.47	1	12
13	8	47.38	20.79	15	70
14	9	55.89	37.67	5	130
15	8	8.00	2.62	5	12

Table 8. Summary statistics for sediment depth differences from the grass bed perimeter and 1 meter outside the bed.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	1.15	23.06	-42	42
2	15	.07	11.82	-27	30
3	9	1.44	6.89	-10	8
4	8	-1.25	4.03	-10	4
5	7	-2.86	17.04	-30	20
6	7	2.14	10.01	-10	23
7	8	-8.38	28.44	-75	15
8	6	-.33	5.32	-10	5
9	8	-1.38	8.83	-14	13
10	8	.25	20.12	-22	45
11	8	-3.13	7.22	-19	4
12	8	2.63	5.78	-4	14
13	8	-6.13	10.66	-21	5
14	9	2.11	37.57	-38	90
15	8	.00	5.90	-11	8

Table 9. Summary statistics for sediment depth differences from the grass bed perimeter and 2 meters outside the bed.

Station	(n)	Mean	S.D.	Mininum	Maximum
1	13	-2.92	29.68	-52	72
2	15	4.80	14.72	-25	42
3	9	-.33	6.60	-7	13
4	8	2.38	13.38	-12	31
5	7	-9.14	10.65	-29	0
6	7	-22.14	41.05	-80	33
7	8	-17.00	27.59	-80	8
8	6	-3.67	5.65	-10	5
9	8	2.25	8.46	-10	18
10	8	-4.25	7.05	-13	5
11	8	-1.88	6.36	-15	5
12	8	.38	4.75	-7	7
13	8	1.75	13.04	-18	15
14	9	1.89	27.14	-58	25
15	8	-.63	5.95	-13	7

Table 10. Average percent cover (n=10) of 1m quadrats on the perimeter and 2 meters inside the perimeter of seagrass beds.

Station	Perimeter Total Vegetation	Perimeter Seagrass	Perimeter Algae	Inside Total Vegetation	Inside Seagrass	Inside Algae
1	79.6	79.6	.0	80.0	80.0	.0
2	87.1	87.1	.0	96.4	96.4	.0
3	80.1	80.1	.0	93.7	93.7	.0
4	76.3	76.3	.0	87.0	86.6	1.3
5	90.4	90.4	.0	83.2	83.2	.0
6	91.8	91.8	.0	98.7	98.7	.0
7	91.5	91.5	.0	98.5	98.5	.0
8	94.7	94.7	.5	93.2	93.2	.0
9	87.6	87.6	.2	81.2	81.2	.0
10	76.8	74.7	4.4	57.0	56.7	1.7
11	98.0	98.0	.0	98.3	98.3	.0
12	90.3	86.6	2.2	92.7	88.9	3.8
13	72.2	31.7	40.5	80.4	19.4	63.4
14	90.7	90.7	.0	91.2	91.2	.3
15	83.9	83.9	2.7	96.9	96.9	.0

Table 11. Counts of presence of seagrass and algae species in 1 m^2 quadrats inside (I) and on perimeters (P) of grass beds.

Station	n	*Halodule wrightii*		*Halophila englemannii*		*Syringodium filiforme*		*Thalassia testudinum*		*Caulerpa prolifera*		*Caulerpa mexicana*	
		P	I	P	I	P	I	P	I	P	I	P	I
1	10	9	10	0	0	0	0	0	0	0	0	0	0
2	10	10	10	0	0	0	0	0	0	0	0	0	0
3	10	10	10	0	0	0	0	0	0	0	0	0	0
4	9	9	9	1	0	0	0	0	0	0	2	0	0
5	10	10	10	0	0	0	0	0	0	0	0	0	0
6	9	9	9	4	2	0	0	0	0	0	0	0	0
7	10	10	10	0	1	0	0	0	0	0	0	0	0
8	9	9	9	2	4	0	0	0	0	1	0	0	0
9	10	0	1	6	2	10	10	0	0	1	0	0	0
10	10	0	0	1	1	10	9	0	0	4	3	0	0
11	10	0	0	2	0	10	10	0	0	0	0	0	0
12	10	0	2	0	0	10	10	0	0	3	4	0	0
13	10	4	1	0	0	0	0	1	3	4	7	7	7
14	10	9	10	0	0	0	0	1	1	0	1	0	0
15	10	7	8	0	0	0	0	3	3	1	0	0	0
Total		96	99	16	10	40	39	5	7	14	17	7	7

Appendix Table 1. Water and sediment depths at the seagrass bed perimeters and differences in depths at 0, 1 and 2 meters from the bed edge.

Station	Perimeter ID. (ft)	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
1	0.0	88	87	86	-1	-2	82	47	61	-35	-21
1	16.1	86	89	85	3	-1	87	79	71	-8	-16
1	27.2	89	91	87	2	-2	71	100	100	29	29
1	40.3	88	88	88	0	0	100	100	48	0	-52
1	73.0	90	90	89	0	-1	100	100	100	0	0
1	88.0	91	91	91	0	0	100	100	82	0	-18
1	99.0	93	94	95	1	2	28	70	100	42	72
1	114.0	94	94	95	0	1	100	58	71	-42	-29
1	130.0	90	90	90	0	0	100	100	100	0	0
1	149.0	91	90	90	-1	-1	36	38	36	2	0
1	166.5	89	90	89	1	0	20	18	20	-2	0
1	184.8	82	80	81	-2	-1	58	60	50	2	-8
1	198.7	85	85	84	0	-1	15	42	20	27	5
2	0.0	80	79	80	-1	0	40	40	25	0	-15
2	11.4	80	80	80	0	0	25	25	32	0	7
2	21.6	80	80	81	0	1	34	33	35	-1	1
2	32.1	81	81	81	0	0	26	30	28	4	2
2	44.4	85	88	85	3	0	78	74	120	-4	42
2	60.0	90	90	90	0	0	120	120	120	0	0
2	71.6	90	90	90	0	0	71	101	71	30	0
2	79.1	91	89	89	-2	-2	120	120	95	0	-25
2	90.3	89	90	94	1	5	120	120	120	0	0
2	99.2	90	88	90	-2	0	120	120	126	0	6
2	105.1	90	90	90	0	0	90	80	99	-10	9
2	113.6	88	89	90	1	2	70	43	82	-27	12
2	126.3	90	90	90	0	0	76	71	94	-5	18
2	139.4	90	90	89	0	-1	60	73	70	13	10
2	147.1	89	89	88	0	-1	55	56	60	1	5
3	0.0	70	70	69	0	-1	5	11	5	6	0
3	10.7	68	70	70	2	2	12	8	5	-4	-7
3	22.8	70	70	70	0	0	18	11	13	-7	-5
3	34.9	75	70	75	-5	0	5	11	5	6	0

Appendix Table 1. Continued.

Station	Perimeter ID. (ft)	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
3	62.2	70	70	70	0	0	5	12	18	7	13
3	102.3	71	75	77	4	6	28	18	23	-10	-5
3	120.2	70	70	75	0	5	12	12	5	0	-7
3	141.6	70	72	70	2	0	3	10	7	7	4
3	176.2	65	68	68	3	3	22	30	26	8	4
4	0.0	82	80	80	-2	-2	2	1	0	-1	-2
4	20.4	94	90	90	-4	-4	22	20	53	-2	31
4	57.5	95	95	95	0	0	48	48	36	0	-12
4	92.3	85	85	85	0	0	2	3	10	1	8
4	97.8	90	90	86	0	-4	8	12	8	4	0
4	108.8	85	85	80	0	-5	2	0	1	-2	-1
4	132.3	87	80	80	-7	-7	10	0	0	-10	-10
4	139.8	80	80	82	0	2	0	0	5	0	5
5	0.0	125	125	130	0	5	150	160	150	10	0
5	13.5	130	130	132	0	2	70	90	70	20	0
5	21.6	130	140	135	10	5	100	100	90	0	-10
5	52.0	130	135	135	5	5	100	100	100	0	0
5	57.4	135	135	135	0	0	100	70	71	-30	-29
5	82.3	130	130	135	0	5	85	65	70	-20	-15
5	89.0	130	130	130	0	0	100	100	90	0	-10
6	0.0	105	104	105	-1	0	100	100	45	0	-55
6	18.6	105	105	105	0	0	100	100	45	0	-55
6	33.4	100	100	100	0	0	100	100	20	0	-80
6	54.6	95	95	95	0	0	25	25	25	0	0
6	72.8	95	95	95	0	0	15	17	15	2	0
6	101.2	95	95	94	0	-1	50	40	52	-10	2
6	110.4	100	104	100	4	0	N/A	N/A	N/A	0	0
6	120.9	102	100	104	-2	2	25	48	58	23	33
7	0.0	70	70	70	0	0	100	25	20	-75	-80
7	16.2	70	70	70	0	0	22	15	25	-7	3
7	22.1	70	70	70	0	0	45	40	30	-5	-15
7	52.3	70	70	70	0	0	40	55	48	15	8
7	59.2	100	100	95	0	-5	22	18	10	-4	-12

Appendix Table 1. Continued.

Station	Perimeter ID. (ft)	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
7	80.7	90	90	100	0	10	25	15	12	-10	-13
7	93.4	80	90	100	10	20	40	50	15	10	-25
7	107.0	90	95	100	5	10	20	29	18	9	-2
8	0.0	150	150	150	0	0	30	20	25	-10	-5
8	10.4	150	150	150	0	0	30	30	20	0	-10
8	22.9	150	150	150	0	0	23	27	15	4	-8
8	43.9	150	150	150	0	0	20	20	15	0	-5
8	79.0	145	140	150	-5	5	17	16	18	-1	1
8	86.6	150	150	150	0	0	7	12	12	5	5
9	0.0	120	115	115	-5	-5	2	15	2	13	0
9	37.3	128	127	125	-1	-3	10	10	18	0	8
9	63.5	125	125	120	0	-5	15	2	10	-13	-5
9	95.1	125	122	120	-3	-5	18	17	20	-1	2
9	116.3	125	120	120	-5	-5	15	20	20	5	5
9	136.9	125	122	122	-3	-3	20	6	10	-14	-10
9	153.8	130	130	130	0	0	2	2	20	0	18
9	167.4	130	132	130	2	0	13	12	13	-1	0
10	0.0	105	105	105	0	0	14	2	2	-12	-12
10	25.1	105	110	110	5	5	14	16	16	2	2
10	48.2	115	115	115	0	0	5	3	6	-2	1
10	75.8	120	120	120	0	0	25	13	15	-12	-10
10	101.0	125	123	123	-2	-2	15	60	15	45	0
10	126.0	120	120	122	0	2	20	18	7	-2	-13
10	149.4	115	115	115	0	0	77	55	70	-22	-7
10	166.3	113	115	115	2	2	115	120	120	5	5
11	0.0	82	80	79	-2	-3	10	10	13	0	3
11	11.1	80	75	78	-5	-2	8	3	1	-5	-7
11	21.0	80	78	75	-2	-5	5	1	10	-4	5
11	29.6	78	78	78	0	0	2	5	1	3	-1
11	51.1	71	71	69	0	-2	8	4	7	-4	-1
11	81.0	80	79	80	-1	0	20	1	5	-19	-15
11	87.6	80	79	79	-1	-1	1	5	2	4	1
11	97.0	79	80	80	1	1	5	5	5	0	0

Appendix Table 1. Continued.

Station	Perimeter ID. (ft)	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
12	0.0	118	115	115	-3	-3	5	7	12	2	7
12	18.5	115	115	115	0	0	10	12	12	2	2
12	34.8	116	120	120	4	4	6	20	10	14	4
12	52.5	120	120	120	0	0	2	7	2	5	0
12	71.0	118	118	115	0	-3	4	2	1	-2	-3
12	85.5	112	110	110	-2	-2	4	10	8	6	4
12	100.6	101	105	101	4	0	9	5	5	-4	-4
12	124.3	98	96	95	-2	-3	10	8	3	-2	-7
13	0.0	80	75	80	-5	0	20	25	15	5	-5
13	30.3	95	95	95	0	0	50	35	65	-15	15
13	56.8	110	110	110	0	0	35	35	45	0	10
13	75.4	120	120	120	0	0	22	22	25	0	3
13	87.0	120	120	120	0	0	52	31	34	-21	-18
13	105.5	115	115	115	0	0	75	55	60	-20	-15
13	122.1	120	120	120	0	0	55	55	70	0	15
13	127.5	120	120	120	0	0	56	58	65	2	9
14	0.0	80	80	85	0	5	20	110	45	90	25
14	22.2	89	95	97	6	8	72	52	90	-20	18
14	41.4	115	120	125	5	10	55	76	76	21	21
14	59.1	130	140	160	10	30	140	120	130	-20	-10
14	77.9	130	140	145	10	15	100	62	42	-38	-58
14	87.3	130	140	145	10	15	40	30	35	-10	-5
14	109.7	95	100	110	5	15	30	45	55	15	25
14	129.3	80	82	82	2	2	10	5	25	-5	15
14	149.2	68	72	75	4	7	19	5	5	-14	-14
15	0.0	90	90	95	0	5	5	5	5	0	0
15	19.3	90	95	92	5	2	9	3	7	-6	-2
15	41.4	90	95	90	5	0	8	11	8	3	0
15	62.0	90	90	90	0	0	7	15	12	8	5
15	80.2	90	90	90	0	0	5	8	12	3	7
15	102.1	90	90	90	0	0	7	8	7	1	0
15	116.5	95	90	90	-5	-5	19	8	6	-11	-13
15	133.6	95	95	95	0	0	9	11	7	2	-2

Appendix Table 2. Vegetation coverage (percent) in seagrass beds for 1 m^2 quadrats along bed perimeters and two meters inside beds.

Station	Perimeter ID.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1	16.1	I	43	43	0	*Halodule wrightii*	43
1	27.2	I	93	93	0	*Halodule wrightii*	93
1	27.2	P	74	74	0	*Halodule wrightii*	74
1	40.3	I	85	85	0	*Halodule wrightii*	85
1	40.3	P	89	89	0	*Halodule wrightii*	89
1	54.0	I	97	97	0	*Halodule wrightii*	97
1	54.0	P	79	79	0	*Halodule wrightii*	79
1	73.0	I	71	71	0	*Halodule wrightii*	71
1	73.0	P	79	79	0	*Halodule wrightii*	79
1	138.7	I	96	96	0	*Halodule wrightii*	96
1	138.7	P	82	82	0	*Halodule wrightii*	82
1	149.0	I	94	94	0	*Halodule wrightii*	94
1	149.0	P	87	87	0	*Halodule wrightii*	87
1	166.5	I	96	96	0	*Halodule wrightii*	96
1	166.5	P	73	73	0	*Halodule wrightii*	73
1	184.8	I	90	90	0	*Halodule wrightii*	90
1	184.8	P	73	73	0	*Halodule wrightii*	73
1	198.7	I	35	35	0	*Halodule wrightii*	35
1	198.7	P	80	80	0	*Halodule wrightii*	80
2	0.0	I	96	96	0	*Halodule wrightii*	96
2	0.0	P	94	94	0	*Halodule wrightii*	94
2	32.1	I	98	98	0	*Halodule wrightii*	98
2	32.1	P	80	80	0	*Halodule wrightii*	80
2	44.4	I	98	98	0	*Halodule wrightii*	98
2	44.4	P	95	95	0	*Halodule wrightii*	95
2	60.0	I	98	98	0	*Halodule wrightii*	98
2	60.0	P	100	100	0	*Halodule wrightii*	100
2	71.6	I	100	100	0	*Halodule wrightii*	100
2	71.6	P	100	100	0	*Halodule wrightii*	100
2	79.1	I	97	97	0	*Halodule wrightii*	97
2	79.1	P	87	87	0	*Halodule wrightii*	87

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	2	99.2	I	95	95	0	*Halodule wrightii*	95
	2	99.2	P	93	93	0	*Halodule wrightii*	93
	2	113.6	I	96	96	0	*Halodule wrightii*	96
	2	113.6	P	82	82	0	*Halodule wrightii*	82
	2	126.3	I	92	92	0	*Halodule wrightii*	92
	2	126.3	P	83	83	0	*Halodule wrightii*	83
	2	139.4	I	94	94	0	*Halodule wrightii*	94
	2	139.4	P	57	57	0	*Halodule wrightii*	57
	3	0.0	I	88	88	0	*Halodule wrightii*	88
	3	0.0	P	70	70	0	*Halodule wrightii*	70
	3	10.7	I	87	87	0	*Halodule wrightii*	87
	3	10.7	P	84	84	0	*Halodule wrightii*	84
	3	22.8	I	100	100	0	*Halodule wrightii*	100
	3	22.8	P	92	92	0	*Halodule wrightii*	92
	3	34.9	I	100	100	0	*Halodule wrightii*	100
	3	34.9	P	94	94	0	*Halodule wrightii*	94
	3	62.2	I	98	98	0	*Halodule wrightii*	98
	3	62.2	P	64	64	0	*Halodule wrightii*	64
	3	93.0	I	81	81	0	*Halodule wrightii*	81
	3	93.0	P	84	84	0	*Halodule wrightii*	84
	3	120.2	I	91	91	0	*Halodule wrightii*	91
	3	120.2	P	98	98	0	*Halodule wrightii*	98
	3	141.6	I	100	100	0	*Halodule wrightii*	100
	3	141.6	P	46	46	0	*Halodule wrightii*	46
	3	163.0	I	100	100	0	*Halodule wrightii*	100
	3	163.0	P	93	93	0	*Halodule wrightii*	93
	3	176.2	I	92	92	0	*Halodule wrightii*	92
	3	176.2	P	76	76	0	*Halodule wrightii*	76
	4	0.0	I	84	84	0	*Halodule wrightii*	84
	4	0.0	P	92	92	0	*Halodule wrightii*	92
	4	20.4	I	74	74	0	*Halodule wrightii*	74
	4	20.4	P	71	71	0	*Halodule wrightii*	71

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
4	I	36.1		71	71	0	*Halodule wrightii*	71
4	P	36.1		68	68	0	*Halodule wrightii*	68
4	I	50.5		87	87	0	*Halodule wrightii*	87
4	P	50.5		66	66	0	*Halodule wrightii*	65
4	P	50.5		66	66	0	*Halophila englemannii*	1
4	I	57.5		94	94	0	*Halodule wrightii*	94
4	P	57.5		73	73	0	*Halodule wrightii*	73
4	I	92.3		96	96	0	*Halodule wrightii*	96
4	P	92.3		78	78	0	*Halodule wrightii*	78
4	I	103.8		89	87	2	*Caulerpa prolifera*	2
4	I	103.8		89	87	2	*Halodule wrightii*	87
4	P	103.8		70	70	0	*Halodule wrightii*	70
4	I	124.5		95	95	5	*Caulerpa prolifera*	5
4	I	124.5		95	95	5	*Halodule wrightii*	90
4	P	124.5		89	89	0	*Halodule wrightii*	89
4	I	139.8		83	83	0	*Halodule wrightii*	83
4	P	139.8		90	90	0	*Halodule wrightii*	90
5	I	0.0		40	40	0	*Halodule wrightii*	40
5	P	0.0		92	92	0	*Halodule wrightii*	92
5	I	5.8		96	96	0	*Halodule wrightii*	96
5	P	5.8		93	93	0	*Halodule wrightii*	93
5	I	13.5		91	91	0	*Halodule wrightii*	91
5	P	13.5		93	93	0	*Halodule wrightii*	93
5	I	21.6		93	93	0	*Halodule wrightii*	93
5	P	21.6		83	83	0	*Halodule wrightii*	83
5	I	31.6		84	84	0	*Halodule wrightii*	84
5	P	31.6		88	88	0	*Halodule wrightii*	88
5	I	38.8		77	77	0	*Halodule wrightii*	77
5	P	38.8		89	89	0	*Halodule wrightii*	89
5	I	45.4		80	80	0	*Halodule wrightii*	80
5	P	45.4		88	88	0	*Halodule wrightii*	88
5	I	82.3		79	79	0	*Halodule wrightii*	79

Appendix Table 2. Continued

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	5	82.3	P	100	100	0	*Halodule wrightii*	100
	5	89.0	I	96	96	0	*Halodule wrightii*	96
	5	89.0	P	88	88	0	*Halodule wrightii*	88
	5	102.3	I	96	96	0	*Halodule wrightii*	96
	5	102.3	P	90	90	0	*Halodule wrightii*	90
	6	0.0	I	100	100	0	*Halodule wrightii*	100
	6	0.0	P	100	100	0	*Halodule wrightii*	100
	6	18.6	I	97	97	0	*Halodule wrightii*	59
	6	18.6	I	97	97	0	*Halophila englemannii*	38
	6	18.6	P	75	75	0	*Halodule wrightii*	75
	6	27.9	I	99	99	0	*Halodule wrightii*	99
	6	27.9	I	99	99	0	*Halophila englemannii*	1
	6	27.9	P	83	83	0	*Halodule wrightii*	83
	6	27.9	P	83	83	0	*Halophila englemannii*	10
	6	33.4	I	100	100	0	*Halodule wrightii*	100
	6	33.4	P	94	94	0	*Halodule wrightii*	92
	6	33.4	P	94	94	0	*Halophila englemannii*	2
	6	40.6	I	99	99	0	*Halodule wrightii*	99
	6	40.6	P	90	90	0	*Halodule wrightii*	90
	6	54.6	I	99	99	0	*Halodule wrightii*	99
	6	54.6	P	98	98	0	*Halodule wrightii*	97
	6	54.6	P	98	98	0	*Halophila englemannii*	1
	6	84.5	I	99	99	0	*Halodule wrightii*	99
	6	84.5	P	94	94	0	*Halodule wrightii*	94
	6	101.2	I	99	99	0	*Halodule wrightii*	99
	6	101.2	P	98	98	0	*Halodule wrightii*	98
	6	120.9	I	98	98	0	*Halodule wrightii*	98
	6	120.9	P	93	93	0	*Halodule wrightii*	93
	6	120.9	P	93	93	0	*Halophila englemannii*	15
	7	0.0	I	100	100	0	*Halodule wrightii*	100
	7	0.0	P	93	93	0	*Halodule wrightii*	93
	7	16.2	I	88	88	0	*Halodule wrightii*	88

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	7	16.2	P	86	86	0	*Halodule wrightii*	86
	7	22.1	I	95	95	0	*Halodule wrightii*	95
	7	22.1	P	66	66	0	*Halodule wrightii*	66
	7	37.3	I	100	100	0	*Halodule wrightii*	100
	7	37.3	P	100	100	0	*Halodule wrightii*	100
	7	44.9	I	100	100	0	*Halodule wrightii*	100
	7	44.9	P	90	90	0	*Halodule wrightii*	90
	7	74.0	I	100	100	0	*Halodule wrightii*	100
	7	74.0	P	94	94	0	*Halodule wrightii*	94
	7	80.7	I	100	100	0	*Halodule wrightii*	100
	7	80.7	P	96	96	0	*Halodule wrightii*	96
	7	93.4	I	100	100	0	*Halodule wrightii*	100
	7	93.4	P	100	100	0	*Halodule wrightii*	100
	7	101.0	I	100	100	0	*Halodule wrightii*	100
	7	101.0	I	100	100	0	*Halophila englemannii*	2
	7	101.0	P	97	97	0	*Halodule wrightii*	97
	7	107.0	I	100	100	0	*Halodule wrightii*	100
	7	107.0	P	93	93	0	*Halodule wrightii*	93
	8	0.0	I	91	91	0	*Halodule wrightii*	91
	8	0.0	I	91	91	0	*Halophila englemannii*	6
	8	0.0	P	99	99	2	*Caulerpa prolifera*	2
	8	0.0	P	99	99	2	*Halodule wrightii*	99
	8	0.0	P	99	99	2	*Halophila englemannii*	2
	8	5.7	I	97	97	0	*Halodule wrightii*	97
	8	5.7	I	97	97	0	*Halophila englemannii*	2
	8	5.7	P	94	94	0	*Halodule wrightii*	94
	8	13.4	I	98	98	0	*Halodule wrightii*	98
	8	13.4	I	98	98	0	*Halophila englemannii*	6
	8	13.4	P	100	100	0	*Halodule wrightii*	100
	8	22.9	I	100	100	0	*Halodule wrightii*	100
	8	22.9	I	100	100	0	*Halophila englemannii*	4
	8	22.9	P	95	95	0	*Halodule wrightii*	95

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
8		28.3	I	94	94	0	*Halodule wrightii*	94
8		28.3	P	94	94	0	*Halodule wrightii*	94
8		28.3	P	94	94	0	*Halophila englemannii*	4
8		43.9	I	90	90	0	*Halodule wrightii*	90
8		43.9	P	76	76	0	*Halodule wrightii*	76
8		48.7	I	75	75	0	*Halodule wrightii*	75
8		48.7	P	100	100	0	*Halodule wrightii*	100
8		57.6	I	86	86	0	*Halodule wrightii*	86
8		57.6	P	96	96	0	*Halodule wrightii*	96
8		79.0	I	94	94	0	*Halodule wrightii*	94
8		79.0	P	90	90	0	*Halodule wrightii*	90
9		0.0	I	56	56	0	*Syringodium filiforme*	56
9		0.0	P	94	94	0	*Halophila englemannii*	2
9		0.0	P	94	94	0	*Syringodium filiforme*	94
9		11.0	I	94	94	0	*Syringodium filiforme*	94
9		11.0	P	96	96	0	*Syringodium filiforme*	96
9		24.0	I	94	94	0	*Halodule wrightii*	6
9		24.0	I	94	94	0	*Syringodium filiforme*	94
9		24.0	P	93	93	0	*Syringodium filiforme*	93
9		49.6	I	85	85	0	*Syringodium filiforme*	85
9		49.6	P	80	80	1	*Caulerpa prolifera*	1
9		49.6	P	80	80	1	*Halophila englemannii*	3
9		49.6	P	80	80	1	*Syringodium filiforme*	80
9		63.5	I	93	93	0	*Syringodium filiforme*	93
9		63.5	P	86	86	0	*Syringodium filiforme*	86
9		78.3	I	84	84	0	*Halophila englemannii*	2
9		78.3	I	84	84	0	*Syringodium filiforme*	82
9		78.3	P	92	92	0	*Syringodium filiforme*	92
9		116.3	I	28	28	0	*Syringodium filiforme*	28
9		116.3	P	89	89	0	*Halophila englemannii*	11
9		116.3	P	89	89	0	*Syringodium filiforme*	78
9		136.9	I	91	91	0	*Halophila englemannii*	10

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	9	136.9	I	91	91	0	*Syringodium filiforme*	91
	9	136.9	P	79	79	0	*Halophila englemannii*	10
	9	136.9	P	79	79	0	*Syringodium filiforme*	79
	9	153.8	I	67	67	0	*Syringodium filiforme*	67
	9	153.8	P	89	89	0	*Halophila englemannii*	7
	9	153.8	P	89	89	0	*Syringodium filiforme*	89
	9	167.4	I	94	94	0	*Syringodium filiforme*	94
	9	167.4	P	90	90	0	*Halophila englemannii*	3
	9	167.4	P	90	90	0	*Syringodium filiforme*	90
	10	0.0	I	24	24	0	*Halophila englemannii*	17
	10	0.0	I	24	24	0	*Syringodium filiforme*	7
	10	0.0	P	90	90	4	*Caulerpa prolifera*	4
	10	0.0	P	90	90	4	*Syringodium filiforme*	90
	10	14.0	I	78	78	0	*Syringodium filiforme*	78
	10	14.0	P	77	77	8	*Caulerpa prolifera*	8
	10	14.0	P	77	77	8	*Syringodium filiforme*	77
	10	25.1	I	84	84	4	*Caulerpa prolifera*	4
	10	25.1	I	84	84	4	*Syringodium filiforme*	84
	10	25.1	P	84	68	16	*Caulerpa prolifera*	16
	10	25.1	P	84	68	16	*Syringodium filiforme*	84
	10	36.8	I	59	59	0	*Syringodium filiforme*	59
	10	36.8	P	80	80	0	*Syringodium filiforme*	80
	10	48.2	I	68	68	6	*Caulerpa prolifera*	6
	10	48.2	I	68	68	6	*Syringodium filiforme*	68
	10	48.2	P	77	77	0	*Syringodium filiforme*	77
	10	63.7	I	60	58	2	*Caulerpa prolifera*	2
	10	63.7	I	60	58	2	*Syringodium filiforme*	58
	10	63.7	P	6	6	0	*Syringodium filiforme*	6
	10	75.8	I	0	0	0	Bare	0
	10	75.8	P	13	13	0	*Syringodium filiforme*	13
	10	91.1	I	19	19	0	*Syringodium filiforme*	19
	10	91.1	P	87	87	5	*Caulerpa prolifera*	5

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover	
	10	91.1	P	87	87	5	*Syringodium filiforme*	87
	10	136.7	I	76	76	0	*Syringodium filiforme*	76
	10	136.7	P	100	100	0	*Halophila englemannii*	3
	10	136.7	P	100	100	0	*Syringodium filiforme*	100
	10	166.3	I	94	94	0	*Syringodium filiforme*	94
	10	166.3	P	100	100	0	*Syringodium filiforme*	100
	11	0.0	I	100	100	0	*Syringodium filiforme*	100
	11	0.0	P	99	99	0	*Syringodium filiforme*	99
	11	11.1	I	100	100	0	*Syringodium filiforme*	100
	11	11.1	P	100	100	0	*Halophila englemannii*	1
	11	11.1	P	100	100	0	*Syringodium filiforme*	100
	11	21.0	I	99	99	0	*Syringodium filiforme*	99
	11	21.0	P	97	97	0	*Syringodium filiforme*	97
	11	29.6	I	100	100	0	*Syringodium filiforme*	100
	11	29.6	P	98	98	0	*Syringodium filiforme*	98
	11	40.6	I	94	94	0	*Syringodium filiforme*	94
	11	40.6	P	100	100	0	*Syringodium filiforme*	100
	11	51.1	I	95	95	0	*Syringodium filiforme*	95
	11	51.1	P	93	93	0	*Halophila englemannii*	2
	11	51.1	P	93	93	0	*Syringodium filiforme*	93
	11	81.0	I	95	95	0	*Syringodium filiforme*	95
	11	81.0	P	100	100	0	*Syringodium filiforme*	100
	11	87.6	I	100	100	0	*Syringodium filiforme*	100
	11	87.6	P	100	100	0	*Syringodium filiforme*	100
	11	104.2	I	100	100	0	*Syringodium filiforme*	100
	11	104.2	P	100	100	0	*Syringodium filiforme*	100
	11	115.0	I	100	100	0	*Syringodium filiforme*	100
	11	115.0	P	96	96	0	*Syringodium filiforme*	96
	12	0.0	I	100	100	0	*Halodule wrightii*	100
	12	0.0	I	100	100	0	*Syringodium filiforme*	100
	12	0.0	P	88	88	0	*Syringodium filiforme*	88
	12	10.0	I	98	92	6	*Caulerpa prolifera*	6

Appendix Table 2 . Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	12	10.0	I	98	92	6	*Syringodium filiforme*	92
	12	10.0	P	88	88	0	*Syringodium filiforme*	88
	12	28.1	I	70	68	2	*Caulerpa prolifera*	2
	12	28.1	I	70	68	2	*Halodule wrightii*	34
	12	28.1	I	70	68	2	*Syringodium filiforme*	34
	12	28.1	P	89	88	1	*Caulerpa prolifera*	1
	12	28.1	P	89	88	1	*Syringodium filiforme*	88
	12	42.2	I	100	80	20	*Caulerpa prolifera*	20
	12	42.2	I	100	80	20	*Syringodium filiforme*	80
	12	42.2	P	88	66	12	*Caulerpa prolifera*	12
	12	42.2	P	88	66	12	*Syringodium filiforme*	66
	12	52.5	I	97	97	0	*Syringodium filiforme*	97
	12	52.5	P	94	93	1	*Caulerpa prolifera*	1
	12	52.5	P	94	93	1	*Syringodium filiforme*	93
	12	61.6	I	100	99	1	*Caulerpa prolifera*	1
	12	61.6	I	100	99	1	*Syringodium filiforme*	99
	12	61.6	P	96	96	0	*Syringodium filiforme*	96
	12	71.0	I	97	97	0	*Syringodium filiforme*	97
	12	71.0	P	95	95	0	*Syringodium filiforme*	95
	12	85.5	I	89	89	0	*Syringodium filiforme*	89
	12	85.5	P	95	95	0	*Syringodium filiforme*	95
	12	92.6	I	96	96	0	*Syringodium filiforme*	96
	12	92.6	P	78	78	0	*Syringodium filiforme*	78
	12	110.4	I	98	98	0	*Syringodium filiforme*	98
	12	110.4	P	92	92	0	*Syringodium filiforme*	92
	13	0.0	I	96	96	15	*Caulerpa prolifera*	15
	13	0.0	I	96	96	15	*Halodule wrightii*	96
	13	0.0	I	96	96	15	*Thalassia testudinum*	5
	13	0.0	P	82	76	6	*Caulerpa prolifera*	6
	13	0.0	P	82	76	6	*Halodule wrightii*	78
	13	14.5	I	94	10	84	*Caulerpa prolifera*	6
	13	14.5	I	94	10	84	*Caulerpa mexicana*	78

Appendix Table 2. Continued.

Station	Perimeter ID. (ft)	Perimeter/ Interior (P/I)		Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	13	14.5	I	94	10	84	*Thalassia testudinum*	10
	13	14.5	P	68	55	13	*Caulerpa mexicana*	13
	13	14.5	P	68	55	13	*Halodule wrightii*	55
	13	14.5	P	68	55	13	*Thalassia testudinum*	3
	13	30.3	I	53	16	37	*Caulerpa mexicana*	37
	13	30.3	I	53	16	37	*Thalassia testudinum*	16
	13	30.3	P	55	0	55	*Caulerpa mexicana*	55
	13	48.8	I	97	0	97	*Caulerpa prolifera*	70
	13	48.8	I	97	0	97	*Caulerpa mexicana*	27
	13	48.8	P	100	0	100	*Caulerpa prolifera*	80
	13	48.8	P	100	0	100	*Caulerpa mexicana*	20
	13	56.8	I	50	0	50	*Caulerpa prolifera*	20
	13	56.8	I	50	0	50	*Caulerpa mexicana*	30
	13	56.8	P	72	0	72	*Caulerpa mexicana*	72
	13	75.4	I	90	0	90	*Caulerpa prolifera*	80
	13	75.4	I	90	0	90	*Caulerpa mexicana*	10
	13	75.4	P	60	0	60	*Caulerpa mexicana*	60
	13	87.0	I	70	0	70	*Caulerpa prolifera*	70
	13	87.0	P	70	0	70	*Caulerpa prolifera*	70
	13	94.9	I	42	0	42	*Caulerpa prolifera*	42
	13	94.9	P	40	0	40	*Caulerpa mexicana*	40
	13	122.1	I	95	0	95	*Caulerpa mexicana*	95
	13	122.1	P	60	20	40	*Caulerpa mexicana*	40
	13	122.1	P	60	20	40	*Halodule wrightii*	20
	13	127.5	I	90	0	90	*Caulerpa mexicana*	90
	13	127.5	P	85	75	10	*Caulerpa prolifera*	10
	13	127.5	P	85	75	10	*Halodule wrightii*	75
	14	0.0	I	69	69	0	*Halodule wrightii*	69
	14	0.0	P	100	100	0	*Halodule wrightii*	100
	14	22.2	I	98	98	0	*Halodule wrightii*	98
	14	22.2	P	100	100	0	*Halodule wrightii*	100
	14	41.4	I	95	95	0	*Halodule wrightii*	95

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	14	41.4	P	82	82	0	*Halodule wrightii*	82
	14	50.6	I	97	97	0	*Halodule wrightii*	97
	14	50.6	P	73	73	0	*Halodule wrightii*	73
	14	59.1	I	95	95	0	*Halodule wrightii*	95
	14	59.1	P	95	95	0	*Halodule wrightii*	95
	14	77.9	I	93	93	2	*Caulerpa prolifera*	2
	14	77.9	I	93	93	2	*Halodule wrightii*	91
	14	77.9	P	97	97	0	*Halodule wrightii*	97
	14	87.3	I	93	93	0	*Halodule wrightii*	93
	14	87.3	P	96	96	0	*Halodule wrightii*	96
	14	109.7	I	95	95	0	*Halodule wrightii*	95
	14	109.7	P	89	89	0	*Halodule wrightii*	89
	14	129.3	I	83	83	0	*Halodule wrightii*	3
	14	129.3	I	83	83	0	*Thalassia testudinum*	83
	14	129.3	P	77	77	0	*Thalassia testudinum*	77
	14	149.2	I	100	100	0	*Halodule wrightii*	100
	14	149.2	P	98	98	0	*Halodule wrightii*	98
	15	0.0	I	95	95	0	*Thalassia testudinum*	95
	15	0.0	P	90	90	0	*Thalassia testudinum*	90
	15	19.3	I	95	95	0	*Thalassia testudinum*	95
	15	19.3	P	88	88	0	*Thalassia testudinum*	88
	15	32.4	I	89	89	0	*Halodule wrightii*	18
	15	32.4	I	89	89	0	*Thalassia testudinum*	86
	15	32.4	P	28	28	0	*Thalassia testudinum*	28
	15	41.4	I	100	100	0	*Halodule wrightii*	100
	15	41.4	P	89	89	0	*Halodule wrightii*	89
	15	62.0	I	100	100	0	*Halodule wrightii*	100
	15	62.0	P	100	100	0	*Halodule wrightii*	100
	15	69.8	I	100	100	0	*Halodule wrightii*	100
	15	69.8	P	78	78	0	*Halodule wrightii*	78
	15	90.1	I	100	100	0	*Halodule wrightii*	100
	15	90.1	P	100	100	0	*Halodule wrightii*	100

Appendix Table 2. Continued.

Station	Perimeter ID.	Perimeter (ft)	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
	15	102.1	I	100	100	0	*Halodule wrightii*	100
	15	102.1	P	75	75	15	*Caulerpa prolifera*	15
	15	102.1	P	75	75	15	*Halodule wrightii*	75
	15	116.5	I	100	100	0	*Halodule wrightii*	100
	15	116.5	P	100	100	0	*Halodule wrightii*	100
	15	133.6	I	98	98	0	*Halodule wrightii*	98
	15	133.6	P	100	100	0	*Halodule wrightii*	100

1994 Summary Report for:

CRYSTAL RIVER 3 YEAR NPDES MONITORING PROJECT

FPC Contract S01100

Work Authorization 401 (Addendum 2)

submitted December 19, 1994 to

Ms. Manitia Moultrie
Environmental Services Department
Florida Power Corporation
3201 34th Street South
St. Petersburg, Florida 33733

by the

Mote Marine Laboratory
1600 Ken Thompson Parkway
Sarasota, Florida 34236

Ernest D. Estevez, Ph.D.
and
Michael J. Marshall, Ph.D.

Principal Investigators

INTRODUCTION

Florida Power Corporation (FPC) and federal and state regulatory agencies seek to demonstrate that the operation of new helper cooling towers at the FPC Crystal River Station will lead to an expansion in the area of benthic habitat occupied by submerged aquatic vegetation (SAV: seagrasses and rhizophytic macroalgae). A monitoring program was begun in the Fall of 1993 and is continuing on an annual basis through the Fall of 1995. The monitoring program emphasizes near-shore waters within a two mile radius from the point of discharge (POD) of the Crystal River Station.

The 1993 Summary Report (Estevez and Marshall, 1993[1]) reviewed SAV information available for the Crystal River Station area, and also provided the technical rationale for the present monitoring study. To recapitulate highlights of the rationale:

-- Past efforts at aerial photography have often met with failure due usually to turbidity;

-- New monitoring should take advantage of successful photography but not depend upon it;

-- Surveys are needed to determine whether new SAV beds are recruiting into barren areas, especially the areas that once supported SAV;

-- In the event that barren areas are not recolonized, existing SAV beds should be monitored to determine whether they are expanding along their margins;

-- If SAV is not expanding or colonizing new areas, there may be signs of improvement within existing beds insofar as SAV condition (biomass, productivity) is concerned. Sav condition in August 1994 should be compared to condition in August of 1995 for indications of improvements, although the variances are expected to be high.

---

[1]/ Estevez, E.D. and M.A. Marshall. 1993. 1993 summary report for Crystal River 3 year NPDES monitoring project, FPC Contract No. S01100. Mote Marine Laboratory Technical Report Number 343. Sarasota FL.

This report summarizes findings for barren area surveys, "perimeter" studies at intensive SAV beds, and the August 1994 condition assessment.

METHODS

Positioning

Several independent systems were employed. Approximate station locations were mapped onto charts carried in the field, to depict the orientation of a station to creeks, islands, day marks, levees, and other land marks. LORAN and GPS coordinates of all stations and transects, measured in 1993, were also taken into the field. As needed, the end points of transects that were marked on land or in marshes with steel bars, stones, colored paint, or other permanent material were replaced.

In 1994, transect end points and station locations were again measured using a Voyager LORAN Navigator and a Magellan NAVPRO global positioning system. Electronic positions also were measured for NOS benchmarks at the mouth of the discharge canal, and at the U.S. Geological Survey "Knott" benchmark on Drum Island. Preliminary analysis of the electronic data indicate high field accuracy but relatively low map precision (see Discussion).

Barren Area Transects

Barren area transects established in 1993 were revisited in October 1994. As shown in Figure 1, most effort was directed to Basins 1, 2 and 3, with some effort in the areas of Basins 4 and 5, closest to the POD (e.g, inside the 2-mile radius).

Barren areas were surveyed by a diver towed behind a shallow draft vessel. Most transects ran due north or south to pre-determined landmarks. For long transects, tows followed transect lines marked in advance with temporary buoys. Buoys marked end points and way points, as needed. Beginning and end points were permanently positioned and marked. Where needed, tows were made into the current to reduce drift.

If the diver encountered seagrass or rhizophytic algae in barren areas the vessel stopped and marked the site(s). The immediate area was reconnoitered to determine the extent of SAV. If it corresponded to a previously-mapped SAV bed, it was recorded as "mapped" and was discounted as barren area. If new, the area, centroid position, species composition, and percent cover (see below) of the SAV was to be recorded, unless the vegetation was found to be Sargassum attached to rock outcrops. SAV markers were then recovered, and the survey of the transect continued.

Intensive SAV BED Surveys

In October 1994, GPS and LORAN coordinates and compass sightings were used to relocate the seagrass beds selected for study. Several beds were marked by crab trap buoys anchored with screw-in tie down anchors to facilitate site recovery in 1995.

Within each bed, the position of a "center" marker was determined in 1993 by GPS, LORAN, and compass bearings. Center markers are hemispherical concrete parking lot markers. Each marker was painted with blue anti-fouling paint and anchored to the bottom with screw-in anchors. Concrete markers were tied to the anchors with 1" diameter nylon rope.

Edges of all 15 sites were marked during 1993 in order to determine whether the seagrass beds expand, contract, or remain unchanged during the duration of the three year study.

Seagrass bed edges were marked with short (<1.0 m) sections of 3/8" steel reinforcement rods driven into the bottom with a small sledge hammer. Each steel stake was allowed to extend about 10 cm upward from the sediment surface. Seagrass bed edges were usually very easy to define, based on the sharp delineations between bare bottom and vegetated bottom.

A surveyor's tape was strung out along the set of edge markers at each site. In 1993, distances between edge markers and the distance from the center marker to each edge marker were recorded.

In 1994, bed markers were found by wading, snorkeling, or pulling a weighted polypropylene line across the bottom. Center markers and edge markers were relocated or replaced as needed. The majority of markers was relocated, so that only a few needed to be replaced. PVC poles were installed next to

each edge marker to simplify working in turbid water. The distance of the actual SAV bed edge was tape-measured from the edge marker. Seaward changes were recorded as expansions. Changes toward the central bed marker were recorded as contractions.

As in 1993, the percentage of bottom covered by SAV on the edge of each bed (from 0.0 to 1.0 m into each bed) and deeper into the bed (at a distance of 2.0 to 3.0 m) was measured. Ten 1.0 m2 quadrat-based estimates of bottom cover were taken along the vegetated edge of each SAV bed. The quadrats were positioned on the vegetated side of a randomly selected subset of the 15 edge markers at each site. Ten 1.0 m2 additional cover estimates were made by flipping the quadrat frame over twice away from the perimeter of each seagrass bed.

Subdivisions (100 cm2) of the 1.0 m2 quadrat were used as the units for the cover estimates. SAV coverage was determined by counting the number of units in which various species of SAV were actually rooted. A barren square was defined as being devoid of any rooted vegetation. Seagrass blades from plants rooted in other units were not counted as cover in the otherwise completely barren units. Four seagrasses (Halodule, Syringodium, Thalassia, and Halophila) were encountered in the study sites. Two species of the rhizophytic algal genus, Caulerpa, were found at several of the sites. Divers recorded data on slates and the data were transferred to log books for later use.

SAV Condition

Condition was defined as SAV shoot count, above-ground biomass, and productivity. Methods and effort followed the 316 Demonstration Study (Mattson et al.,1986[2]) with some variations as noted below. SAV condition was measured at the 15 intensive beds that are used for perimeter measurements in the 1993-95 monitoring program.

---

[2]/ Mattson, R., J.A. Derrenbacker, Jr. and R.R. Lewis. 1986. Effects of thermal addition from the Crystal River generating complex on the submerged macrophytic communities in Crystal Bay, Florida, pp. 11-67 in K. Mahadevan et al. (eds.), Proceedings, Southeastern Workshop on Aquatic Ecological Effects of Power Generation, Mote Marine Laboratory Technical Report Number 124. Sarasota FL.

At each station, 6 samples for biomass of seagrasses and rhizophytic macroalgae were collected with a 25x25 cm sampler. The sampler was a PVC frame partially covered by a dive bag. Macrophytes clipped at the sediment surface floated into the upturned bag, which was labelled, closed and removed before moving to the next clip site. Contents of 6 samples were sorted into seagrasses (by species) and algae (pooled). Sorted samples were dried to constant weight at 105° C and weighed.

Seagrass productivity was determined as 14 day regrowth. At least 4, and usually 5 or 6, replicate measurements were made in each bed, using 11.3 cm diameter clip rings for Halodule, or 16.7 cm diameter clip rings for other seagrasses. After clip rings were installed, all SAV was clipped level with the surface of the ring, and discarded. Two weeks later, new growth was harvested, sorted, preserved, and labelled. Samples were dried to constant weight at 70° C and weighed. Seagrass shoot densities were measured by counting the shoots collected in the clip rings after 14 days of regrowth.

As biomass and productivity samples were being made in the field, percent cover was measured within the interior of each bed. Percent cover was determined by the same methods employed in annual sampling.

RESULTS

All data collected from the 1994 sampling effort appear in the tables and appendix tables that follow. Data from 1993 are included where appropriate.

Barren Area Transects

Three SAV beds were encountered in 1994 that were not seen when the transects were established in 1993 (Table 1). Two were Halodule beds and the third was a mixed Halodule-Syringodium bed with small amounts of the green alga, Caulerpa.

One of the "new" beds was found on Transect 1N, which is Basin 1. It was a small (7x10 m), sparse (5% mean cover) Halodule bed with short (<5 cm) blades. The bed was growing in a silty sand underlain by rock. Many large

(10-20 cm) burrows were found in the rock near the bed and elsewhere on the Basin 1 flats crossed by Transects 1N, 1W and 2W. The burrows were not seen in 1993.

Another Halodule bed was found on Transect 3W, in Basin 2. The bed covered 40 m of transect on flats southwest of Thumb Island. The north end of the bed was characterized by sparse calcareous green algae and Halodule was the principal SAV at the bed's southern end. Average percent cover of Halodule near the south end of the bed was 48%.

A third novel bed was found on Transect 5W, which crosses from Basin 2 into Basin 3. The bed was found in the Basin 2 portion of the transect, south of Drum Island. The bed was a mixture of small, dense patches of either Caulerpa (4% mean cover) or Halodule (14% mean cover), with the two sometimes combined. Syringodium was present but rare (30% cover in 1 of 10 replicates.

Perimeter Beds

Thirteen of 15 intensively studied SAV beds had positive growth along their margins since 1993, based on the mean change observed at 10 to 16 reference markers per bed (Table 2). Mean expansion ranged from 0.06 m to 6.51 m. Standard deviations usually exceeded means because considerable variation was measured, ranging in expanding beds from 0.0 to 14.0 m.

Two stations, 3 in Basin 1 and 5 in Basin 2, contracted by -0.38 m and -0.21 m in terms of their respective mean values.

On a basin-wise basis, Basin 3 SAV beds showed approximately twice the mean expansion values as beds in Basins 1 or 2, or control beds south of the intake canal.

Percent Cover

The majority of cases in both 1993 and 1994 were such that percent cover measurements were made on algae-free SAV beds (Table 3). Although algae were present in some cases, the cover and changes in cover of seagrass generally represent the same values as data for "total vegetation".

In 1994, no basin-wise differences in mean cover were significant. Basin 3 had greater than 90% cover compared to mean covers of 71-78% in Basin 1 and 61-70% in Basin 2.

Percent cover was determined along the perimeters of beds and in the bed interior (Table 4). For both locations, as many beds had increases in seagrass cover as had decreases (7 each, 1 with no data). Perimeter samples averaged a decrease in percent cover of 5.1% from 1993 to 1994, whereas interior samples averaged a decrease of 3.4% over the same period. No basin-wise patterns or trends in cover change were seen.

Biomass

Biomass was evaluated for individual seagrass species, all seagrass, and all vegetation (Table 5). For Halodule, biomass had a bimodal distribution when plotted in terms of station proximity to the POD (Figure 2A). Stations 1 and 15 had maximum Halodule biomass values, but no significant differences occurred between station pairs.

Syringodium occurred at fewer stations but biomass data also displayed a bimodal distribution with respect to station order (Figure 2B). It is noteworthy that the relationship between percent cover and biomass of Syringodium was meaningful whereas the relationship for Halodule was not (Figure 3).

Combining all seagrass species biomass obscured the bimodal pattern seen for individual species biomass (Figure 4), although it is evident that stations closest to the POD had much lower mean biomass values than more distant stations. Mean seagrass biomass values for the six stations closest to the POD were significantly lower than mean biomass values for 3 more distant stations (9,11, and 12).

All vegetation (seagrass plus rhizophytic macroalgae) biomass accentuated the spatial pattern seen for all seagrass species combined (Figure 4). Distant stations north of the Intake Canal had greater mean biomass values than stations closer to the POD, due largely to the increased abundance of macroalgae.

Shoot Density

Mean numbers of Halodule shoots per square meter also displayed a bimodal distribution with respect to station order (Figure 5), whereas the pattern was not as evident for Syringodium.

Productivity

Clip data (Table 6) were normalized for regrowth period and sample size to calculate productivity as mg dry weight per square meter per day (Table 7). Halodule productivity data were bimodally distributed with respect to station proximity to the POD, whereas Syringodium productivity was not (Figure 6).

DISCUSSION

Based on data from 1993 and 1994, including data collected for the first time in 1994, the following points are offered.

1. "New" SAV beds appeared along barren-area transects. Three beds were found in 1994 that were not seen in 1993. Two are small Halodule beds in relatively close proximity (Basins 1 and 2) to the point of discharge. The apparent recruitment of beds into barren areas could be an artifact of sampling dates (November-December 1993 versus October 1994), especially for the multiple species bed on Transect 5 near Drum Island. Beds on transects closer to the point of discharge are more likely to be genuine additions, because the tidal flats in that area are shallow, easily surveyed, and frequently visited. Surveys in 1995 will determine whether these beds have persisted or grown, and whether additional new beds occur.

2. Recruitment of new beds into barren areas has not been extensive. During the first full year of monitoring, there was no evidence that SAV was colonizing extensive areas of barren sediment. This suggests that seasonal differences in SAV cover were not great from 1993 to 1994. Historical data indicate that losses of SAV along the southern side of Basin 3 were considerable. The record is moot as to whether the cause of this decline was thermal stress, turbidity, or other factor(s). To the extent that

thermal stress was involved, the southern side of Basin 3 remains a likely area to expect SAV colonization during the coming year.

3. The seaward edges of selected SAV beds have expanded. Thirteen of 15 SAV beds had positive growth along their margins since 1993, on the order of 0.7 to 1.4 m. Basin 3 SAV beds showed approximately twice the mean expansion values as beds in other basins. This trend could be an artifact of sampling a month earlier in 1994 than in 1993. Sampling in 1995 will be directly comparable to 1994 sampling and will provide insight to the permanence of bed expansion.

4. No significant patterns in 1994 SAV cover were observed. In 1994, Basin 3 beds had higher percent cover[3] averages than beds in other basins. Compared to 1993, there were small (<5.1%) decreases in percent cover along the perimeter and within the interior of beds. Neither temporal trends nor spatial patterns in percent cover were significant.

5. Other indicators of SAV condition covaried and were distributed in a bimodal pattern with respect to station proximity to the POD. Biomass, shoot density, and productivity rates increased, decreased (to minima at Station 5), and then increased relative to distance from the POD, especially for Halodule. This pattern suggests that more than one factor influences spatial variation in seagrass condition, a finding consistent with previous investigations.

6. Combining species of seagrass or adding rhizophytic macroalgae to condition data transforms spatial patterns. Mean station biomass values are bimodal on a species basis. Combining species or adding algae changes the spatial pattern so that biomass increases with distance from the POD. Total biomass is much lower at the 6 stations closest to the POD than at more distant stations, reflecting algal contributions.

Photography and Mapping

The 1993-94 aerial photography effort was unsuccessful due to low water clarity. A 1994-95 effort is in progress. If it is successful, images will be photo-interpreted, ground-truthed, and digitally mapped by a subcontractor. An effort will be made during ground-truthing to distinguish

---

[3]/ Of seagrasses, the dominant component of total SAV.

lithophytic Sargassum from seagrasses and rhizophytic algae. A separate report will accompany the maps. Progress has also been made in producing an independent GIS map of the study area, at the level of detail needed to plot LORAN and GPS data collected in 1993 and 1994. A draft GIS product was submitted to FPC in October 1994 and a final version will be submitted for approval as soon as a computer hardware failure is repaired.

Conclusions

In 1994 the monitoring program at Crystal River produced repeat data and new data concerning the occurrence, spatial extent, and condition of SAV within a 2 mile radius of the point of discharge. Repeat data indicate that existing SAV beds are stable. No evidence was found that existing beds were retreating from their 1993 dimensions. Most beds expanded along their margins, by an amount that could be due to the one month difference in sampling time. Condition data suggest that the expansion was not an artifact of sampling date, and surveys in 1995 will determine whether expansion is continuing. Condition data were either uninformative (percent cover) or indicated a bimodal spatial pattern relative to proximity of stations to the POD. Shoot densities, biomass, and productivity tended to increase with distance from the POD but the pattern of increases indicates that several factors affect SAV condition. Data to be collected in 1995 will reveal the persistence of these patterns and allow for trends to be identified between years. In 1994, three beds of mostly Halodule were encountered along transects crossing areas that were barren in 1993. One bed was in Basin 1, very close to the POD. Other beds appeared in Basin 2, the area next closest to the POD. No new beds were found in Basin 3, where colonization of barren areas was expected on the basis of historic data, but colonization in Basins 1 and 2 offer hope that additional recruitment will be detected throughout the study area in 1995.

FIGURE 1

The base map employed in Figure 1A and 1B is a composite in which marsh and canal shorelines, and oyster reefs, have been added to the 1983 SAV map produced as part of the FPC 316 Demonstration Study. Shorelines were transferred from U.S. Geological Survey topographic quadrangles and oyster reefs were taken from unpublished data available at Mote Marine Laboratory. Spoil islands of the Cross-Florida Barge Canal appear at the top of the map, which is north. The discharge canal levee is the shorter feature depicted to the north of the longer levee on the intake canal. In the map, A denotes algal beds; S, seagrass beds; AS, mixed beds dominated by algae; SA, mixed beds dominated by seagrass; O, open or barren bottom.

Figure 1A

This figure depicts the number and orientation of barren area transects established for the present study. One transect, "13W", is not shown. It is north of the Barge Canal, extending from Green 35 day mark on the Canal, to Green 23A day mark on the Withlacoochee River. Note that most transects have at least one land-side end, which has been marked in the field with a permanent monument. Transect "9W" is 2 miles from the point of discharge.

The locations of 3 "new" barren area SAV beds encountered in 1994 are highlighted with asterisks (*).

Figure 1B

This figure depicts the locations of SAV beds selected for intensive surveys (percent cover, biomass, productivity, etc.). One station, "10", is immediately south of station "9" but off the figure. Stations 1-3 are in Basin 1. Stations 5-7 are in Basin 2. Four stations between the canals are in Basin 3. Station 11 is in Rocky Cove. Station 13 is 2 miles from the point of discharge.

FIGURE 1A: Barren Area Transects

FIGURE 1B: Intensive SAV Beds



Figure 2. Biomass in order of station proximity to POD. A, Halodule; B, Syringodium.



Figure 3. Biomass vs. Percent Cover (mean station values). A, Halodule; B, Syringodium.



Figure 4. Biomass in order of station proximity to POD. A, All vegetation; B, All seagrass.



Figure 5. Shoot density in order of station proximity to POD. A, Halodule. B, Syringodium.



Figure 6. Productivity in order of station proximity to POD. A, Halodule; B, Syringodium.

Table 1. SAV beds found in October 1994 on 1993 barren area transects.

	Bed 1	Bed 2	Bed 3
Transect No.	1N	3W	5W
Basin No.	1	2	2/3
LORAN			
45-	229.16	236.00	240.85
62-	880.75	885.49	888.81
Near to:	POD	Thumb I.	Drum I.
Mean % Cover			
Halodule	5	48	14
Syringodium	0	0	3
Caulerpa	0	0	4
Bare	95	52	85
N	10	9	10

Table 2. Expansion of seagrass beds measured along staked edges: December 1993-October 1994.

Station	No. of Stakes	Mean Expansion (m)	S.D.	Min (m)	Max (m)
1	13	1.90	1.42	-1.40	4.10
2	15	0.98	1.58	-2.30	3.30
3	15	-0.38	0.93	-2.00	1.40
4	14	0.06	0.41	-0.60	0.80
5	16	-0.21	0.52	-1.00	0.70
6	13	0.48	0.99	-0.70	2.30
7	12	2.52	1.99	0.00	6.00
8	10	6.51	4.02	1.30	14.00
9	14	0.83	0.60	0.00	2.30
10	14	0.71	0.79	0.00	2.70
11	12	0.58	0.27	0.00	1.00
12	14	0.30	1.05	-1.40	3.10
13	13	0.05	3.29	-6.00	4.60
14	15	0.56	0.59	-0.60	1.40
15	15	0.56	0.75	-0.10	2.70

Table 3. Counts of presence of seagrass and algae species in $1m^2$ quadrats inside (I) and on perimeters (P) of grass beds.

Date	Station	*Halodule wrightii* P	*Halodule wrightii* I	*Halophila englemannii* P	*Halophila englemannii* I	*Syringodium filiforme* P	*Syringodium filiforme* I	*Thalassia testudinum* P	*Thalassia testudinum* I	*Caulerpa prolifera* P	*Caulerpa prolifera* I	*Caulerpa mexicana* P	*Caulerpa mexicana* I
1993-12	1	9	10	0	0	0	0	0	0	0	0	0	0
1994-08	1	10	10	0	0	0	0	0	0	0	0	0	0
1994-10	1	10	10	0	0	0	0	0	0	0	0	0	0
1993-12	2	10	10	0	0	0	0	0	0	0	0	0	0
1994-08	2	10	10	0	0	0	0	0	0	0	0	0	0
1994-10	2	10	10	0	0	0	0	0	0	0	0	0	0
1993-12	3	10	10	0	0	0	0	0	0	0	0	0	0
1994-08	3	10	10	0	0	0	0	0	0	0	0	0	0
1994-10	3	9	10	0	0	0	0	0	0	0	0	0	0
1993-12	4	9	9	1	0	0	0	0	0	0	2	0	0
1994-08	4	0	0	1	0	10	10	0	0	0	0	0	0
1994-10	4	0	0	0	1	11	10	0	0	4	1	0	0
1993-12	5	10	10	0	0	0	0	0	0	0	0	0	0
1994-08	5	10	10	0	0	0	0	0	0	1	0	0	0
1994-10	5	10	10	0	1	0	0	0	0	0	0	0	0
1993-12	6	9	9	4	2	0	0	0	0	0	0	0	0
1994-08	6	8	8	6	5	0	0	0	0	0	0	0	0
1994-10	6	10	10	7	5	0	0	0	0	0	0	0	0
1993-12	7	10	10	0	1	0	0	0	0	0	0	0	0
1994-08	7	10	10	0	6	0	0	0	0	0	0	0	1
1994-10	7	9	8	1	1	1	2	0	0	1	0	0	0
1993-12	8	9	9	2	4	0	0	0	0	1	0	0	0
1994-08	8	7	7	2	1	4	5	0	0	0	2	0	0
1994-10	8	4	4	0	0	10	10	0	0	0	0	0	0
1993-12	9	0	1	6	2	10	10	0	0	1	0	0	0
1994-08	9	0	0	7	5	10	10	0	0	6	3	0	0
1994-10	9	1	0	6	6	10	10	0	0	0	0	0	0
1993-12	10	0	0	1	1	10	9	0	0	4	3	0	0
1994-08	10	0	0	0	0	9	10	0	0	10	9	0	0
1994-10	10	0	0	0	0	10	10	0	0	0	0	0	0
1993-12	11	0	0	2	0	10	10	0	0	0	0	0	0

Table 3. Continued.

Date	Station	*Halodule wrightii* P	*Halodule wrightii* I	*Halophila englemannii* P	*Halophila englemannii* I	*Syringodium filiforme* P	*Syringodium filiforme* I	*Thalassia testudinum* P	*Thalassia testudinum* I	*Caulerpa prolifera* P	*Caulerpa prolifera* I	*Caulerpa mexicana* P	*Caulerpa mexicana* I
1994-08	11	0	0	1	0	10	10	0	0	0	0	0	0
1994-10	11	1	0	0	0	10	10	0	0	2	2	0	0
1993-12	12	0	2	0	0	10	10	0	0	3	4	0	0
1994-08	12	0	0	0	0	10	10	0	0	0	0	0	0
1994-10	12	9	6	2	2	0	0	2	3	8	2	6	7
1993-12	13	4	1	0	0	0	0	1	3	4	7	7	7
1994-08	13	2	0	1	0	0	0	7	0	12	0	8	0
1994-10	13	9	10	0	0	0	0	1	1	1	0	0	0
1993-12	14	9	10	0	0	0	0	1	1	0	1	0	0
1994-08	14	8	10	0	0	0	0	3	0	0	0	0	0
1994-10	14	8	8	1	1	0	0	2	2	2	0	0	0
1993-12	15	7	8	0	0	0	0	3	3	1	0	0	0
1994-08	15	10	10	0	0	0	0	0	0	1	0	0	0

Table 4. Average percent cover (n = 10) of 1 m quadrats on the perimeter and 2 m inside the perimeter of seagrass beds for each station and date.

Date	Station	Perimeter Total Vegetation	Perimeter Seagrass	Perimeter Algae	Inside Vegetation	Inside Total Seagrass	Inside Algae
1993-12	1	79.6	79.6	0.0	80.0	80.0	0.0
1994-08	1	100.0	100.0	0.0	100.0	100.0	0.0
1994-10	1	96.1	96.1	0.0	92.5	92.5	0.0
1993-12	2	87.1	87.1	0.0	96.4	96.4	0.0
1994-08	2	99.0	99.0	0.0	98.9	98.9	0.0
1994-10	2	81.5	81.5	0.0	97.1	97.1	0.0
1993-12	3	80.1	80.1	0.0	93.7	93.7	0.0
1994-08	3	42.0	42.0	0.0	36.9	36.9	0.0
1994-10	3	34.7	34.7	0.0	45.3	45.3	0.0
1993-12	4	76.3	76.3	0.0	87.0	86.6	1.3
1994-08	4	73.5	73.5	0.0	72.5	72.5	0.0
1994-10	4	85.0	84.8	4.9	71.8	71.6	2.5
1993-12	5	90.4	90.4	0.0	83.2	83.2	0.0
1994-08	5	59.7	59.7	0.3	49.7	49.7	0.0
1994-10	5	26.1	26.1	0.0	39.4	39.2	0.0
1993-12	6	91.8	91.8	0.0	98.7	98.7	0.0
1994-08	6	83.9	83.9	0.0	91.1	91.1	0.0
1994-10	6	74.4	74.4	0.0	92.3	92.3	0.0
1993-12	7	91.5	91.5	0.0	98.5	98.5	0.0
1994-08	7	73.1	73.1	0.0	85.8	85.8	0.3
1994-10	7	91.1	91.1	0.3	98.2	98.2	0.0
1993-12	8	94.7	94.7	0.5	93.2	93.2	0.0
1994-08	8	95.5	95.5	0.0	92.0	92.0	2.3
1994-10	8	93.8	93.8	0.0	95.5	95.5	0.0
1993-12	9	87.6	87.6	0.2	81.2	81.2	0.0
1994-08	9	88.7	87.6	9.8	94.2	94.2	1.3
1994-10	9	92.0	92.0	0.2	98.5	98.5	0.4
1993-12	10	76.8	74.7	4.4	57.0	56.7	1.7
1994-08	10	96.4	43.0	75.8	94.8	84.3	38.8
1993-12	11	98.0	98.0	0.0	98.3	98.3	0.0
1994-08	11	99.6	99.6	0.0	100.0	100.0	0.0
1994-10	11	99.8	99.8	0.0	100.0	100.0	0.0
1993-12	12	90.3	86.6	2.2	92.7	88.9	3.8
1994-08	12	98.9	98.9	0.0	95.5	95.5	0.0
1994-10	12	91.8	91.8	0.9	98.0	98.0	0.8
1993-12	13	72.2	31.7	40.5	80.4	19.4	63.4
1994-08	13	N/A	N/A	N/A	82.6	31.8	54.9
1994-10	13	75.7	53.9	40.9	60.4	49.6	13.8
1993-12	14	90.7	90.7	0.0	91.2	91.2	0.3
1994-08	14	85.4	85.4	0.0	87.8	87.8	0.7
1994-10	14	87.4	87.5	0.2	88.0	88.0	0.0
1993-12	15	83.9	83.9	2.7	96.9	96.9	0.0
1994-08	15	86.9	86.9	0.5	98.4	98.4	0.8
1994-10	15	95.2	90.7	24.9	96.5	90.9	17.6

Table 5. Dry Weight biomass (g) per m^2. Means and standard deviations from six replicate 25 x 25 cm quadrats.

	Syringodium filiforme	*Halophila englemannii*	*Halodule wrightii*	*Thalassia testudinum*	*Caulerpa prolifera*	*Caulerpa mexicana*	Drift Algae
Station 1							
Count (>0g)			6				
Mean			26.2				
S.D.			17.7				
Station 2							
Count (>0g)			6				
Mean			13.1				
S.D.			2.8				
Station 3							
Count (>0g)			6				
Mean			8.3				
S.D.			5.7				
Station 4							
Count (>0g)	6						2
Mean	42.9						27.4
S.D.	15.9						42.4
Station 5							
Count (>0g)			6				
Mean			8.5				
S.D.			5.7				
Station 6							
Count (>0g)			6				
Mean			20.3				
S.D.			14.3				
Station 7							
Count (>0g)		2	6				
Mean		2.3	18.3				
S.D.		4.4	5.7				
Station 8							
Count (>0g)	5	4	5				5
Mean	33.4	1.8	19.9				24.3
S.D.	34.9	2.1	12.1				38.1

Table 5. Continued.

	Syringodium filiforme	*Halophila englemannii*	*Halodule wrightii*	*Thalassia testudinum*	*Caulerpa prolifera*	*Caulerpa mexicana*	Drift Algae
Station 9							
Count (>0g)	6	4	1				3
Mean	71.8	3.4	0.5				4.9
S.D.	14.8	3.6	1.1				8.8
Station 10							
Count (>0g)	5	1			6		2
Mean	54.2	0.6			23.4		76.2
S.D.	35.1	1.6			22.5		118.1
Station 11							
Count (>0g)	6						
Mean	126.7						
S.D.	34.0						
Station 12							
Count (>0g)	6		1		5		4
Mean	109.2		13.3		1.6		182.4
S.D.	72.5		32.5		1.9		198.4
Station 13							
Count (>0g)				5	5	4	6
Mean				38.4	18.3	171.8	124.0
S.D.				42.3	15.9	163.0	194.2
Station 14							
Count (>0g)	4		6				5
Mean	13.7		10.6				50.7
S.D.	24.3		4.0				60.8
Station 15							
Count (>0g)			6	2			3
Mean			69.1	3.3			14.5
S.D.			51.5	6.6			29.1

Table 6. Dry weights (ug) from clipped 14-day growth samples.

Station	Species	Clip Area Weight Mean	Clip Area Weight S.D.	Shoot Weight Mean	Shoot Weight S.D.
1	*Halodule wrightii*	743	293	153	34
2	*Halodule wrightii*	288	125	81	29
3	*Halodule wrightii*	117	102	41	13
5	*Halodule wrightii*	110	52	63	26
6	*Halodule wrightii*	492	210	132	68
7	*Halodule wrightii*	291	109	87	38
8	*Halodule wrightii*	621	257	109	32
13	*Halodule wrightii*	261	209	69	43
14	*Halodule wrightii*	843	290	208	82
15	*Halodule wrightii*	629	166	125	60
4	*Syringodium filiforme*	1332	617	260	86
9	*Syringodium filiforme*	2476	1184	189	45
10	*Syringodium filiforme*	1328	623	105	32
11	*Syringodium filiforme*	988	500	355	117
12	*Syringodium filiforme*	934	615	170	113

Table 7. Productivity (mg/m2/day) and number of shoots (m2) from grass clip sample and dry weight biomass (mg/m2) from quadrat collections.

		Productivity (mg/m2/day)		Shoots per m2		Biomass (g/m2)	
Station	Species	Mean	S.D.	Mean	S.D.	Mean	S.D.
3	Halodule wrightii	83	73	259	151	8.3	5.7
2	Halodule wrightii	205	89	379	192	13.1	2.8
1	Halodule wrightii	529	209	465	103	26.2	17.7
7	Halodule wrightii	207	77	379	204	18.3	5.7
6	Halodule wrightii	350	150	382	117	15.1	9.5
5	Halodule wrightii	73	34	199	126	8.5	5.7
8	Halodule wrightii	516	213	638	350	19.9	12.1
15	Halodule wrightii	522	138	638	409	69.1	51.5
14	Halodule wrightii	700	241	474	275	10.6	4.0
13	Halodule wrightii	186	149	339	167	--	--
4	Syringodium filiforme	434	201	228	72	42.9	15.9
12	Syringodium filiforme	305	201	247	69	109.2	72.5
11	Syringodium filiforme	376	190	137	91	126.7	34.0
9	Syringodium filiforme	807	386	594	258	71.8	14.8
10	Syringodium filiforme	433	203	575	249	54.2	35.1

Appendix Table 1. Station locations for the seagrass bed edge observations in 1994.

Station	Latitude	Longitude	Loran (45)	Loran (62)
1	28 57 58.39	82 43 56.35	45234.56	62883.88
2	28 58 00.79	82 43 50.00	45234.06	62883.08
3	28 58 03.88	82 43 41.91	45233.61	62882.21
4	28 57 17.67	82 44 21.52	45232.47	62887.19
5	28 58 35.81	82 44 33.48	45244.78	62888.00
6	N/A	N/A	45240.33	62885.49
7	28 58 25 00	82 44 09 00	45237.91	62884.67
8	28 57 07.30	82 44 19.26	45230.70	62887.06
9	28 56 49.65	82 43 25.10	45220.91	62880.80
10	28 56 41.19	82 43 14.31	45218.47	62879.68
11	28 57 23.73	82 43 38.31	45227.68	62882.13
12	28 57 10.49	82 44 17.21	45230.03	62886.80
13	28 58 12.34	82 45 15.62	45274.30	67893.40
14	28 57 04.40	82 44 35.00	45232.39	67889.09
15	28 57 05.90	82 44 39.40	45232.91	62889.56

Appendix Table 2. Vegetation coverage (percent) in seagrass beds for $1m^2$ quadrats along bed perimeters and 2 meters inside beds.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	1	1	I	43	43	0	*Halodule wrightii*	43
1993-12	1	2	I	93	93	0	*Halodule wrightii*	93
1993-12	1	2	P	74	74	0	*Halodule wrightii*	74
1993-12	1	3	I	85	85	0	*Halodule wrightii*	85
1993-12	1	3	P	89	89	0	*Halodule wrightii*	89
1993-12	1	4	I	97	97	0	*Halodule wrightii*	97
1993-12	1	4	P	79	79	0	*Halodule wrightii*	79
1993-12	1	5	I	71	71	0	*Halodule wrightii*	71
1993-12	1	5	P	79	79	0	*Halodule wrightii*	79
1993-12	1	6	I	96	96	0	*Halodule wrightii*	96
1993-12	1	6	P	82	82	0	*Halodule wrightii*	82
1993-12	1	7	I	94	94	0	*Halodule wrightii*	94
1993-12	1	7	P	87	87	0	*Halodule wrightii*	87
1993-12	1	8	I	96	96	0	*Halodule wrightii*	96
1993-12	1	8	P	73	73	0	*Halodule wrightii*	73
1993-12	1	9	I	90	90	0	*Halodule wrightii*	90
1993-12	1	9	P	73	73	0	*Halodule wrightii*	73
1993-12	1	10	I	35	35	0	*Halodule wrightii*	35
1993-12	1	10	P	80	80	0	*Halodule wrightii*	80
1993-12	2	1	I	96	96	0	*Halodule wrightii*	96
1993-12	2	1	P	94	94	0	*Halodule wrightii*	94
1993-12	2	2	I	98	98	0	*Halodule wrightii*	98
1993-12	2	2	P	80	80	0	*Halodule wrightii*	80
1993-12	2	3	I	98	98	0	*Halodule wrightii*	98
1993-12	2	3	P	95	95	0	*Halodule wrightii*	95
1993-12	2	4	I	98	98	0	*Halodule wrightii*	98
1993-12	2	4	P	100	100	0	*Halodule wrightii*	100
1993-12	2	5	I	100	100	0	*Halodule wrightii*	100
1993-12	2	5	P	100	100	0	*Halodule wrightii*	100
1993-12	2	6	I	97	97	0	*Halodule wrightii*	97
1993-12	2	6	P	87	87	0	*Halodule wrightii*	87
1993-12	2	7	I	95	95	0	*Halodule wrightii*	95
1993-12	2	7	P	93	93	0	*Halodule wrightii*	93
1993-12	2	8	I	96	96	0	*Halodule wrightii*	96
1993-12	2	8	P	82	82	0	*Halodule wrightii*	82
1993-12	2	9	I	92	92	0	*Halodule wrightii*	92
1993-12	2	9	P	83	83	0	*Halodule wrightii*	83
1993-12	2	10	I	94	94	0	*Halodule wrightii*	94
1993-12	2	10	P	57	57	0	*Halodule wrightii*	57
1993-12	3	1	I	88	88	0	*Halodule wrightii*	88
1993-12	3	1	P	70	70	0	*Halodule wrightii*	70
1993-12	3	2	I	87	87	0	*Halodule wrightii*	87
1993-12	3	2	P	84	84	0	*Halodule wrightii*	84
1993-12	3	3	I	100	100	0	*Halodule wrightii*	100
1993-12	3	3	P	92	92	0	*Halodule wrightii*	92
1993-12	3	4	I	100	100	0	*Halodule wrightii*	100

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	3	4	P	94	94	0	*Halodule wrightii*	94
1993-12	3	5	I	98	98	0	*Halodule wrightii*	98
1993-12	3	5	P	64	64	0	*Halodule wrightii*	64
1993-12	3	6	I	81	81	0	*Halodule wrightii*	81
1993-12	3	6	P	84	84	0	*Halodule wrightii*	84
1993-12	3	7	I	91	91	0	*Halodule wrightii*	91
1993-12	3	7	P	98	98	0	*Halodule wrightii*	98
1993-12	3	8	I	100	100	0	*Halodule wrightii*	100
1993-12	3	8	P	46	46	0	*Halodule wrightii*	46
1993-12	3	9	I	100	100	0	*Halodule wrightii*	100
1993-12	3	9	P	93	93	0	*Halodule wrightii*	93
1993-12	3	10	I	92	92	0	*Halodule wrightii*	92
1993-12	3	10	P	76	76	0	*Halodule wrightii*	76
1993-12	4	1	I	84	84	0	*Halodule wrightii*	84
1993-12	4	1	P	92	92	0	*Halodule wrightii*	92
1993-12	4	2	I	74	74	0	*Halodule wrightii*	74
1993-12	4	2	P	71	71	0	*Halodule wrightii*	71
1993-12	4	3	I	71	71	0	*Halodule wrightii*	71
1993-12	4	3	P	68	68	0	*Halodule wrightii*	68
1993-12	4	4	I	87	87	0	*Halodule wrightii*	87
1993-12	4	4	P	66	66	0	*Halodule wrightii*	65
1993-12	4	4	P	66	66	0	*Halophila englemannii*	1
1993-12	4	5	I	94	94	0	*Halodule wrightii*	94
1993-12	4	5	P	73	73	0	*Halodule wrightii*	73
1993-12	4	6	I	96	96	0	*Halodule wrightii*	96
1993-12	4	6	P	78	78	0	*Halodule wrightii*	78
1993-12	4	7	I	89	87	2	*Caulerpa prolifera*	2
1993-12	4	7	I	89	87	2	*Halodule wrightii*	87
1993-12	4	7	P	70	70	0	*Halodule wrightii*	70
1993-12	4	8	I	95	95	5	*Caulerpa prolifera*	5
1993-12	4	8	I	95	95	5	*Halodule wrightii*	90
1993-12	4	8	P	89	89	0	*Halodule wrightii*	89
1993-12	4	9	I	83	83	0	*Halodule wrightii*	83
1993-12	4	9	P	90	90	0	*Halodule wrightii*	90
1993-12	5	1	I	40	40	0	*Halodule wrightii*	40
1993-12	5	1	P	92	92	0	*Halodule wrightii*	92
1993-12	5	2	I	96	96	0	*Halodule wrightii*	96
1993-12	5	2	P	93	93	0	*Halodule wrightii*	93
1993-12	5	3	I	91	91	0	*Halodule wrightii*	91
1993-12	5	3	P	93	93	0	*Halodule wrightii*	93
1993-12	5	4	I	93	93	0	*Halodule wrightii*	93
1993-12	5	4	P	83	83	0	*Halodule wrightii*	83
1993-12	5	5	I	84	84	0	*Halodule wrightii*	84
1993-12	5	5	P	88	88	0	*Halodule wrightii*	88
1993-12	5	6	I	77	77	0	*Halodule wrightii*	77
1993-12	5	6	P	89	89	0	*Halodule wrightii*	89
1993-12	5	7	I	80	80	0	*Halodule wrightii*	80
1993-12	5	7	P	88	88	0	*Halodule wrightii*	88

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	5	8	I	79	79	0	*Halodule wrightii*	79
1993-12	5	8	P	100	100	0	*Halodule wrightii*	100
1993-12	5	9	I	96	96	0	*Halodule wrightii*	96
1993-12	5	9	P	88	88	0	*Halodule wrightii*	88
1993-12	5	10	I	96	96	0	*Halodule wrightii*	96
1993-12	5	10	P	90	90	0	*Halodule wrightii*	90
1993-12	6	1	I	100	100	0	*Halodule wrightii*	100
1993-12	6	1	P	100	100	0	*Halodule wrightii*	100
1993-12	6	2	I	97	97	0	*Halodule wrightii*	59
1993-12	6	2	I	97	97	0	*Halophila englemannii*	38
1993-12	6	2	P	75	75	0	*Halodule wrightii*	75
1993-12	6	3	I	99	99	0	*Halodule wrightii*	99
1993-12	6	3	I	99	99	0	*Halophila englemannii*	1
1993-12	6	3	P	83	83	0	*Halodule wrightii*	83
1993-12	6	3	P	83	83	0	*Halophila englemannii*	10
1993-12	6	4	I	100	100	0	*Halodule wrightii*	100
1993-12	6	4	P	94	94	0	*Halodule wrightii*	92
1993-12	6	4	P	94	94	0	*Halophila englemannii*	2
1993-12	6	5	I	99	99	0	*Halodule wrightii*	99
1993-12	6	5	P	90	90	0	*Halodule wrightii*	90
1993-12	6	6	I	99	99	0	*Halodule wrightii*	99
1993-12	6	6	P	98	98	0	*Halodule wrightii*	97
1993-12	6	6	P	98	98	0	*Halophila englemannii*	1
1993-12	6	7	I	99	99	0	*Halodule wrightii*	99
1993-12	6	7	P	94	94	0	*Halodule wrightii*	94
1993-12	6	8	I	99	99	0	*Halodule wrightii*	99
1993-12	6	8	P	98	98	0	*Halodule wrightii*	98
1993-12	6	9	I	98	98	0	*Halodule wrightii*	98
1993-12	6	9	P	93	93	0	*Halodule wrightii*	93
1993-12	6	9	P	93	93	0	*Halophila englemannii*	15
1993-12	7	1	I	100	100	0	*Halodule wrightii*	100
1993-12	7	1	P	93	93	0	*Halodule wrightii*	93
1993-12	7	2	I	88	88	0	*Halodule wrightii*	88
1993-12	7	2	P	86	86	0	*Halodule wrightii*	86
1993-12	7	3	I	95	95	0	*Halodule wrightii*	95
1993-12	7	3	P	66	66	0	*Halodule wrightii*	66
1993-12	7	4	I	100	100	0	*Halodule wrightii*	100
1993-12	7	4	P	100	100	0	*Halodule wrightii*	100
1993-12	7	5	I	100	100	0	*Halodule wrightii*	100
1993-12	7	5	P	90	90	0	*Halodule wrightii*	90
1993-12	7	6	I	100	100	0	*Halodule wrightii*	100
1993-12	7	6	P	94	94	0	*Halodule wrightii*	94
1993-12	7	7	I	100	100	0	*Halodule wrightii*	100
1993-12	7	7	P	96	96	0	*Halodule wrightii*	96
1993-12	7	8	I	100	100	0	*Halodule wrightii*	100
1993-12	7	8	P	100	100	0	*Halodule wrightii*	100
1993-12	7	9	I	100	100	0	*Halodule wrightii*	100
1993-12	7	9	I	100	100	0	*Halophila englemannii*	2

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	7	9	P	97	97	0	*Halodule wrightii*	97
1993-12	7	10	I	100	100	0	*Halodule wrightii*	100
1993-12	7	10	P	93	93	0	*Halodule wrightii*	93
1993-12	8	1	I	91	91	0	*Halodule wrightii*	91
1993-12	8	1	I	91	91	0	*Halophila englemannii*	6
1993-12	8	1	P	99	99	2	*Caulerpa prolifera*	2
1993-12	8	1	P	99	99	2	*Halodule wrightii*	99
1993-12	8	1	P	99	99	2	*Halophila englemannii*	2
1993-12	8	2	I	97	97	0	*Halodule wrightii*	97
1993-12	8	2	I	97	97	0	*Halophila englemannii*	2
1993-12	8	2	P	94	94	0	*Halodule wrightii*	94
1993-12	8	3	I	98	98	0	*Halodule wrightii*	98
1993-12	8	3	I	98	98	0	*Halophila englemannii*	6
1993-12	8	3	P	100	100	0	*Halodule wrightii*	100
1993-12	8	4	I	100	100	0	*Halodule wrightii*	100
1993-12	8	4	I	100	100	0	*Halophila englemannii*	4
1993-12	8	4	P	95	95	0	*Halodule wrightii*	95
1993-12	8	5	I	94	94	0	*Halodule wrightii*	94
1993-12	8	5	P	94	94	0	*Halodule wrightii*	94
1993-12	8	5	P	94	94	0	*Halophila englemannii*	4
1993-12	8	6	I	90	90	0	*Halodule wrightii*	90
1993-12	8	6	P	76	76	0	*Halodule wrightii*	76
1993-12	8	7	I	75	75	0	*Halodule wrightii*	75
1993-12	8	7	P	100	100	0	*Halodule wrightii*	100
1993-12	8	8	I	86	86	0	*Halodule wrightii*	86
1993-12	8	8	P	96	96	0	*Halodule wrightii*	96
1993-12	8	9	I	94	94	0	*Halodule wrightii*	94
1993-12	8	9	P	90	90	0	*Halodule wrightii*	90
1993-12	9	1	I	56	56	0	*Syringodium filiforme*	56
1993-12	9	1	P	94	94	0	*Halophila englemannii*	2
1993-12	9	1	P	94	94	0	*Syringodium filiforme*	94
1993-12	9	2	I	94	94	0	*Syringodium filiforme*	94
1993-12	9	2	P	96	96	0	*Syringodium filiforme*	96
1993-12	9	3	I	94	94	0	*Halodule wrightii*	6
1993-12	9	3	I	94	94	0	*Syringodium filiforme*	94
1993-12	9	3	P	93	93	0	*Syringodium filiforme*	93
1993-12	9	4	I	85	85	0	*Syringodium filiforme*	85
1993-12	9	4	P	80	80	1	*Caulerpa prolifera*	1
1993-12	9	4	P	80	80	1	*Halophila englemannii*	3
1993-12	9	4	P	80	80	1	*Syringodium filiforme*	80
1993-12	9	5	I	93	93	0	*Syringodium filiforme*	93
1993-12	9	5	P	86	86	0	*Syringodium filiforme*	86
1993-12	9	6	I	84	84	0	*Halophila englemannii*	2
1993-12	9	6	I	84	84	0	*Syringodium filiforme*	82
1993-12	9	6	P	92	92	0	*Syringodium filiforme*	92
1993-12	9	7	I	28	28	0	*Syringodium filiforme*	28
1993-12	9	7	P	89	89	0	*Halophila englemannii*	11
1993-12	9	7	P	89	89	0	*Syringodium filiforme*	78

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	9	8	I	91	91	0	*Halophila englemannii*	10
1993-12	9	8	I	91	91	0	*Syringodium filiforme*	91
1993-12	9	8	P	79	79	0	*Halophila englemannii*	10
1993-12	9	8	P	79	79	0	*Syringodium filiforme*	79
1993-12	9	9	I	67	67	0	*Syringodium filiforme*	67
1993-12	9	9	P	89	89	0	*Halophila englemannii*	7
1993-12	9	9	P	89	89	0	*Syringodium filiforme*	89
1993-12	9	10	I	94	94	0	*Syringodium filiforme*	94
1993-12	9	10	P	90	90	0	*Halophila englemannii*	3
1993-12	9	10	P	90	90	0	*Syringodium filiforme*	90
1993-12	10	1	I	24	24	0	*Halophila englemannii*	17
1993-12	10	1	I	24	24	0	*Syringodium filiforme*	7
1993-12	10	1	P	90	90	4	*Caulerpa prolifera*	4
1993-12	10	1	P	90	90	4	*Syringodium filiforme*	90
1993-12	10	2	I	78	78	0	*Syringodium filiforme*	78
1993-12	10	2	P	77	77	8	*Caulerpa prolifera*	8
1993-12	10	2	P	77	77	8	*Syringodium filiforme*	77
1993-12	10	3	I	84	84	4	*Caulerpa prolifera*	4
1993-12	10	3	I	84	84	4	*Syringodium filiforme*	84
1993-12	10	3	P	84	68	16	*Caulerpa prolifera*	16
1993-12	10	3	P	84	68	16	*Syringodium filiforme*	84
1993-12	10	4	I	59	59	0	*Syringodium filiforme*	59
1993-12	10	4	P	80	80	0	*Syringodium filiforme*	80
1993-12	10	5	I	68	68	6	*Caulerpa prolifera*	6
1993-12	10	5	I	68	68	6	*Syringodium filiforme*	68
1993-12	10	5	P	77	77	0	*Syringodium filiforme*	77
1993-12	10	6	I	60	58	2	*Caulerpa prolifera*	2
1993-12	10	6	I	60	58	2	*Syringodium filiforme*	58
1993-12	10	6	P	6	6	0	*Syringodium filiforme*	6
1993-12	10	7	I	0	0	0	Bare	0
1993-12	10	7	P	13	13	0	*Syringodium filiforme*	13
1993-12	10	8	I	19	19	0	*Syringodium filiforme*	19
1993-12	10	8	P	87	87	5	*Caulerpa prolifera*	5
1993-12	10	8	P	87	87	5	*Syringodium filiforme*	87
1993-12	10	9	I	76	76	0	*Syringodium filiforme*	76
1993-12	10	9	P	100	100	0	*Halophila englemannii*	3
1993-12	10	9	P	100	100	0	*Syringodium filiforme*	100
1993-12	10	10	I	94	94	0	*Syringodium filiforme*	94
1993-12	10	10	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	1	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	1	P	99	99	0	*Syringodium filiforme*	99
1993-12	11	2	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	2	P	100	100	0	*Halophila englemannii*	1
1993-12	11	2	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	3	I	99	99	0	*Syringodium filiforme*	99
1993-12	11	3	P	97	97	0	*Syringodium filiforme*	97
1993-12	11	4	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	4	P	98	98	0	*Syringodium filiforme*	98

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	11	5	I	94	94	0	*Syringodium filiforme*	94
1993-12	11	5	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	6	I	95	95	0	*Syringodium filiforme*	95
1993-12	11	6	P	93	93	0	*Halophila englemannii*	2
1993-12	11	6	P	93	93	0	*Syringodium filiforme*	93
1993-12	11	7	I	95	95	0	*Syringodium filiforme*	95
1993-12	11	7	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	8	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	8	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	9	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	9	P	100	100	0	*Syringodium filiforme*	100
1993-12	11	10	I	100	100	0	*Syringodium filiforme*	100
1993-12	11	10	P	96	96	0	*Syringodium filiforme*	96
1993-12	12	1	I	100	100	0	*Halodule wrightii*	100
1993-12	12	1	I	100	100	0	*Syringodium filiforme*	100
1993-12	12	1	P	88	88	0	*Syringodium filiforme*	88
1993-12	12	2	I	98	92	6	*Caulerpa prolifera*	6
1993-12	12	2	I	98	92	6	*Syringodium filiforme*	92
1993-12	12	2	P	88	88	0	*Syringodium filiforme*	88
1993-12	12	3	I	70	68	2	*Caulerpa prolifera*	2
1993-12	12	3	I	70	68	2	*Halodule wrightii*	34
1993-12	12	3	I	70	68	2	*Syringodium filiforme*	34
1993-12	12	3	P	89	88	1	*Caulerpa prolifera*	1
1993-12	12	3	P	89	88	1	*Syringodium filiforme*	88
1993-12	12	4	I	100	80	20	*Caulerpa prolifera*	20
1993-12	12	4	I	100	80	20	*Syringodium filiforme*	80
1993-12	12	4	P	88	66	12	*Caulerpa prolifera*	12
1993-12	12	4	P	88	66	12	*Syringodium filiforme*	66
1993-12	12	5	I	97	97	0	*Syringodium filiforme*	97
1993-12	12	5	P	94	93	1	*Caulerpa prolifera*	1
1993-12	12	5	P	94	93	1	*Syringodium filiforme*	93
1993-12	12	6	I	100	99	1	*Caulerpa prolifera*	1
1993-12	12	6	I	100	99	1	*Syringodium filiforme*	99
1993-12	12	6	P	96	96	0	*Syringodium filiforme*	96
1993-12	12	7	I	97	97	0	*Syringodium filiforme*	97
1993-12	12	7	P	95	95	0	*Syringodium filiforme*	95
1993-12	12	8	I	89	89	0	*Syringodium filiforme*	89
1993-12	12	8	P	95	95	0	*Syringodium filiforme*	95
1993-12	12	9	I	96	96	0	*Syringodium filiforme*	96
1993-12	12	9	P	78	78	0	*Syringodium filiforme*	78
1993-12	12	10	I	98	98	0	*Syringodium filiforme*	98
1993-12	12	10	P	92	92	0	*Syringodium filiforme*	92
1993-12	13	1	I	96	96	15	*Caulerpa prolifera*	15
1993-12	13	1	I	96	96	15	*Halodule wrightii*	96
1993-12	13	1	I	96	96	15	*Thalassia testudinum*	5
1993-12	13	1	P	82	76	6	*Caulerpa prolifera*	6
1993-12	13	1	P	82	76	6	*Halodule wrightii*	78
1993-12	13	2	I	94	10	84	*Caulerpa prolifera*	6

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	13	2	I	94	10	84	*Caulerpa mexicana*	78
1993-12	13	2	I	94	10	84	*Thalassia testudinum*	10
1993-12	13	2	P	68	55	13	*Caulerpa mexicana*	13
1993-12	13	2	P	68	55	13	*Halodule wrightii*	55
1993-12	13	2	P	68	55	13	*Thalassia testudinum*	3
1993-12	13	3	I	53	16	37	*Caulerpa mexicana*	37
1993-12	13	3	I	53	16	37	*Thalassia testudinum*	16
1993-12	13	3	P	55	0	55	*Caulerpa mexicana*	55
1993-12	13	4	I	97	0	97	*Caulerpa prolifera*	70
1993-12	13	4	I	97	0	97	*Caulerpa mexicana*	27
1993-12	13	4	P	100	0	100	*Caulerpa prolifera*	80
1993-12	13	4	P	100	0	100	*Caulerpa mexicana*	20
1993-12	13	5	I	50	0	50	*Caulerpa prolifera*	20
1993-12	13	5	I	50	0	50	*Caulerpa mexicana*	30
1993-12	13	5	P	72	0	72	*Caulerpa mexicana*	72
1993-12	13	6	I	90	0	90	*Caulerpa prolifera*	80
1993-12	13	6	I	90	0	90	*Caulerpa mexicana*	10
1993-12	13	6	P	60	0	60	*Caulerpa mexicana*	60
1993-12	13	7	I	70	0	70	*Caulerpa prolifera*	70
1993-12	13	7	P	70	0	70	*Caulerpa prolifera*	70
1993-12	13	8	I	42	0	42	*Caulerpa prolifera*	42
1993-12	13	8	P	40	0	40	*Caulerpa mexicana*	40
1993-12	13	9	I	95	0	95	*Caulerpa mexicana*	95
1993-12	13	9	P	60	20	40	*Caulerpa mexicana*	40
1993-12	13	9	P	60	20	40	*Halodule wrightii*	20
1993-12	13	10	I	90	0	90	*Caulerpa mexicana*	90
1993-12	13	10	P	85	75	10	*Caulerpa prolifera*	10
1993-12	13	10	P	85	75	10	*Halodule wrightii*	75
1993-12	14	1	I	69	69	0	*Halodule wrightii*	69
1993-12	14	1	P	100	100	0	*Halodule wrightii*	100
1993-12	14	2	I	98	98	0	*Halodule wrightii*	98
1993-12	14	2	P	100	100	0	*Halodule wrightii*	100
1993-12	14	3	I	95	95	0	*Halodule wrightii*	95
1993-12	14	3	P	82	82	0	*Halodule wrightii*	82
1993-12	14	4	I	97	97	0	*Halodule wrightii*	97
1993-12	14	4	P	73	73	0	*Halodule wrightii*	73
1993-12	14	5	I	95	95	0	*Halodule wrightii*	95
1993-12	14	5	P	95	95	0	*Halodule wrightii*	95
1993-12	14	6	I	93	93	2	*Caulerpa prolifera*	2
1993-12	14	6	I	93	93	2	*Halodule wrightii*	91
1993-12	14	6	P	97	97	0	*Halodule wrightii*	97
1993-12	14	7	I	93	93	0	*Halodule wrightii*	93
1993-12	14	7	P	96	96	0	*Halodule wrightii*	96
1993-12	14	8	I	95	95	0	*Halodule wrightii*	95
1993-12	14	8	P	89	89	0	*Halodule wrightii*	89
1993-12	14	9	I	83	83	0	*Halodule wrightii*	3
1993-12	14	9	I	83	83	0	*Thalassia testudinum*	83
1993-12	14	9	P	77	77	0	*Thalassia testudinum*	77

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	14	10	I	100	100	0	*Halodule wrightii*	100
1993-12	14	10	P	98	98	0	*Halodule wrightii*	98
1993-12	15	1	I	95	95	0	*Thalassia testudinum*	95
1993-12	15	1	P	90	90	0	*Thalassia testudinum*	90
1993-12	15	2	I	95	95	0	*Thalassia testudinum*	95
1993-12	15	2	P	88	88	0	*Thalassia testudinum*	88
1993-12	15	3	I	89	89	0	*Halodule wrightii*	18
1993-12	15	3	I	89	89	0	*Thalassia testudinum*	86
1993-12	15	3	P	28	28	0	*Thalassia testudinum*	28
1993-12	15	4	I	100	100	0	*Halodule wrightii*	100
1993-12	15	4	P	89	89	0	*Halodule wrightii*	89
1993-12	15	5	I	100	100	0	*Halodule wrightii*	100
1993-12	15	5	P	100	100	0	*Halodule wrightii*	100
1993-12	15	6	I	100	100	0	*Halodule wrightii*	100
1993-12	15	6	P	78	78	0	*Halodule wrightii*	78
1993-12	15	7	I	100	100	0	*Halodule wrightii*	100
1993-12	15	7	P	100	100	0	*Halodule wrightii*	100
1993-12	15	8	I	100	100	0	*Halodule wrightii*	100
1993-12	15	8	P	75	75	15	*Caulerpa prolifera*	15
1993-12	15	8	P	75	75	15	*Halodule wrightii*	75
1993-12	15	9	I	100	100	0	*Halodule wrightii*	100
1993-12	15	9	P	100	100	0	*Halodule wrightii*	100
1993-12	15	10	I	98	98	0	*Halodule wrightii*	98
1993-12	15	10	P	100	100	0	*Halodule wrightii*	100
1994-08	1	1	P	100	100	0	*Halodule wrightii*	100
1994-08	1	1	I	100	100	0	*Halodule wrightii*	100
1994-08	1	2	P	100	100	0	*Halodule wrightii*	100
1994-08	1	2	I	100	100	0	*Halodule wrightii*	100
1994-08	1	3	P	100	100	0	*Halodule wrightii*	100
1994-08	1	3	I	100	100	0	*Halodule wrightii*	100
1994-08	1	4	P	100	100	0	*Halodule wrightii*	100
1994-08	1	4	I	100	100	0	*Halodule wrightii*	100
1994-08	1	5	P	100	100	0	*Halodule wrightii*	100
1994-08	1	5	I	100	100	0	*Halodule wrightii*	100
1994-08	1	6	P	100	100	0	*Halodule wrightii*	100
1994-08	1	6	I	100	100	0	*Halodule wrightii*	100
1994-08	1	7	P	100	100	0	*Halodule wrightii*	100
1994-08	1	7	I	100	100	0	*Halodule wrightii*	100
1994-08	1	8	P	100	100	0	*Halodule wrightii*	100
1994-08	1	8	I	100	100	0	*Halodule wrightii*	100
1994-08	1	9	P	100	100	0	*Halodule wrightii*	100
1994-08	1	9	I	100	100	0	*Halodule wrightii*	100
1994-08	1	10	P	100	100	0	*Halodule wrightii*	100
1994-08	1	10	I	100	100	0	*Halodule wrightii*	100
1994-08	2	1	P	94	94	0	*Halodule wrightii*	94
1994-08	2	1	I	92	92	0	*Halodule wrightii*	92
1994-08	2	2	P	100	100	0	*Halodule wrightii*	100
1994-08	2	2	I	100	100	0	*Halodule wrightii*	100

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	2	3	P	100	100	0	*Halodule wrightii*	100
1994-08	2	3	I	100	100	0	*Halodule wrightii*	100
1994-08	2	4	P	100	100	0	*Halodule wrightii*	100
1994-08	2	4	I	100	100	0	*Halodule wrightii*	100
1994-08	2	5	P	100	100	0	*Halodule wrightii*	100
1994-08	2	5	I	100	100	0	*Halodule wrightii*	100
1994-08	2	6	P	100	100	0	*Halodule wrightii*	100
1994-08	2	6	I	100	100	0	*Halodule wrightii*	100
1994-08	2	7	P	100	100	0	*Halodule wrightii*	100
1994-08	2	7	I	100	100	0	*Halodule wrightii*	100
1994-08	2	8	P	100	100	0	*Halodule wrightii*	100
1994-08	2	8	I	100	100	0	*Halodule wrightii*	100
1994-08	2	9	P	100	100	0	*Halodule wrightii*	100
1994-08	2	9	I	99	99	0	*Halodule wrightii*	99
1994-08	2	10	P	96	96	0	*Halodule wrightii*	96
1994-08	2	10	I	98	98	0	*Halodule wrightii*	98
1994-08	3	1	P	46	46	0	*Halodule wrightii*	46
1994-08	3	1	I	30	30	0	*Halodule wrightii*	30
1994-08	3	2	P	15	15	0	*Halodule wrightii*	15
1994-08	3	2	I	25	25	0	*Halodule wrightii*	25
1994-08	3	3	P	64	64	0	*Halodule wrightii*	64
1994-08	3	3	I	81	81	0	*Halodule wrightii*	81
1994-08	3	4	P	28	28	0	*Halodule wrightii*	28
1994-08	3	4	I	36	36	0	*Halodule wrightii*	36
1994-08	3	5	P	54	54	0	*Halodule wrightii*	54
1994-08	3	5	I	30	30	0	*Halodule wrightii*	30
1994-08	3	6	P	0	0	0	*Halodule wrightii*	0
1994-08	3	6	I	15	15	0	*Halodule wrightii*	15
1994-08	3	7	P	80	80	0	*Halodule wrightii*	80
1994-08	3	7	I	15	15	0	*Halodule wrightii*	15
1994-08	3	8	P	65	65	0	*Halodule wrightii*	65
1994-08	3	8	I	90	90	0	*Halodule wrightii*	90
1994-08	3	9	P	42	42	0	*Halodule wrightii*	42
1994-08	3	9	I	20	20	0	*Halodule wrightii*	20
1994-08	3	10	P	26	26	0	*Halodule wrightii*	26
1994-08	3	10	I	27	27	0	*Halodule wrightii*	27
1994-08	4	1	P	98	98	0	*Syringodium filiforme*	98
1994-08	4	1	I	100	100	0	*Syringodium filiforme*	100
1994-08	4	2	P	73	73	0	*Syringodium filiforme*	73
1994-08	4	2	I	94	94	0	*Syringodium filiforme*	94
1994-08	4	3	P	91	91	0	*Syringodium filiforme*	91
1994-08	4	3	I	58	58	0	*Syringodium filiforme*	58
1994-08	4	4	P	70	70	0	*Syringodium filiforme*	70
1994-08	4	4	I	83	83	0	*Syringodium filiforme*	83
1994-08	4	5	P	48	48	0	*Syringodium filiforme*	48
1994-08	4	5	I	58	58	0	*Syringodium filiforme*	58
1994-08	4	6	P	76	76	0	*Syringodium filiforme*	76
1994-08	4	6	I	84	84	0	*Syringodium filiforme*	84

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	4	7	P	76	76	0	*Syringodium filiforme*	76
1994-08	4	7	I	95	95	0	*Syringodium filiforme*	95
1994-08	4	8	P	80	80	0	*Syringodium filiforme*	80
1994-08	4	8	I	18	18	0	*Syringodium filiforme*	18
1994-08	4	8	P	80	80	0	*Halophila englemannii*	1
1994-08	4	9	P	96	96	0	*Syringodium filiforme*	96
1994-08	4	9	I	91	91	0	*Syringodium filiforme*	91
1994-08	4	10	P	21	21	0	*Syringodium filiforme*	21
1994-08	4	10	I	44	44	0	*Syringodium filiforme*	44
1994-08	5	1	P	56	56	0	*Halodule wrightii*	56
1994-08	5	1	I	50	50	0	*Halodule wrightii*	50
1994-08	5	2	P	53	53	0	*Halodule wrightii*	53
1994-08	5	2	I	65	65	0	*Halodule wrightii*	65
1994-08	5	3	P	71	71	0	*Halodule wrightii*	71
1994-08	5	3	I	18	18	0	*Halodule wrightii*	18
1994-08	5	3	P	71	71	3	*Caulerpa prolifera*	3
1994-08	5	4	P	48	48	0	*Halodule wrightii*	48
1994-08	5	4	I	9	9	0	*Halodule wrightii*	9
1994-08	5	5	P	37	37	0	*Halodule wrightii*	37
1994-08	5	5	I	16	16	0	*Halodule wrightii*	16
1994-08	5	6	P	50	50	0	*Halodule wrightii*	50
1994-08	5	6	I	74	74	0	*Halodule wrightii*	74
1994-08	5	7	P	85	85	0	*Halodule wrightii*	85
1994-08	5	7	I	98	98	0	*Halodule wrightii*	98
1994-08	5	8	P	74	74	0	*Halodule wrightii*	74
1994-08	5	8	I	85	85	0	*Halodule wrightii*	85
1994-08	5	9	P	55	55	0	*Halodule wrightii*	55
1994-08	5	9	I	4	4	0	*Halodule wrightii*	4
1994-08	5	10	P	57	57	0	*Halodule wrightii*	57
1994-08	5	10	I	78	78	0	*Halodule wrightii*	78
1994-08	6	1	P	66	66	0	*Halodule wrightii*	66
1994-08	6	1	I	85	85	0	*Halodule wrightii*	85
1994-08	6	1	P	66	66	0	*Halophila englemannii*	3
1994-08	6	1	I	85	85	0	*Halophila englemannii*	4
1994-08	6	2	P	63	63	0	*Halodule wrightii*	63
1994-08	6	2	I	81	81	0	*Halodule wrightii*	81
1994-08	6	2	P	63	63	0	*Halophila englemannii*	1
1994-08	6	2	I	81	81	0	*Halophila englemannii*	1
1994-08	6	3	P	93	93	0	*Halodule wrightii*	93
1994-08	6	3	I	97	97	0	*Halodule wrightii*	97
1994-08	6	3	P	93	93	0	*Halophila englemannii*	7
1994-08	6	4	P	92	92	0	*Halodule wrightii*	92
1994-08	6	4	I	92	92	0	*Halodule wrightii*	92
1994-08	6	4	P	92	92	0	*Halophila englemannii*	5
1994-08	6	4	I	92	92	0	*Halophila englemannii*	6
1994-08	6	5	P	84	84	0	*Halodule wrightii*	84
1994-08	6	5	I	91	91	0	*Halodule wrightii*	91
1994-08	6	5	P	84	84	0	*Halophila englemannii*	6

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	6	5	I	91	91	0	*Halophila englemannii*	1
1994-08	6	6	P	92	92	0	*Halodule wrightii*	92
1994-08	6	6	I	99	99	0	*Halodule wrightii*	99
1994-08	6	7	P	94	94	0	*Halodule wrightii*	94
1994-08	6	7	I	95	95	0	*Halodule wrightii*	95
1994-08	6	7	P	94	94	0	*Halophila englemannii*	3
1994-08	6	7	I	95	95	0	*Halophila englemannii*	5
1994-08	6	8	P	98	98	0	*Halodule wrightii*	98
1994-08	6	8	I	100	100	0	*Halodule wrightii*	100
1994-08	7	1	P	61	61	0	*Halodule wrightii*	61
1994-08	7	2	P	58	58	0	*Halodule wrightii*	58
1994-08	7	3	P	49	49	0	*Halodule wrightii*	49
1994-08	7	4	P	79	79	0	*Halodule wrightii*	79
1994-08	7	5	P	78	78	0	*Halodule wrightii*	78
1994-08	7	6	P	75	75	0	*Halodule wrightii*	75
1994-08	7	7	P	87	87	0	*Halodule wrightii*	87
1994-08	7	8	P	80	80	0	*Halodule wrightii*	80
1994-08	7	9	P	76	76	0	*Halodule wrightii*	76
1994-08	7	10	P	88	88	0	*Halodule wrightii*	88
1994-08	7	1	I	73	73	2	*Halodule wrightii*	73
1994-08	7	2	I	56	56	0	*Halodule wrightii*	56
1994-08	7	3	I	90	90	0	*Halodule wrightii*	90
1994-08	7	4	I	75	75	0	*Halodule wrightii*	75
1994-08	7	5	I	89	89	0	*Halodule wrightii*	89
1994-08	7	6	I	99	99	0	*Halodule wrightii*	99
1994-08	7	7	I	94	94	0	*Halodule wrightii*	94
1994-08	7	8	I	97	97	0	*Halodule wrightii*	97
1994-08	7	9	I	98	98	0	*Halodule wrightii*	98
1994-08	7	10	I	96	96	0	*Halodule wrightii*	96
1994-08	7	1	I	73	73	0	*Caulerpa mexicana*	2
1994-08	7	2	I	56	56	0	*Halophila englemannii*	10
1994-08	7	4	I	75	75	3	*Halophila englemannii*	3
1994-08	7	6	I	99	99	0	*Halophila englemannii*	15
1994-08	7	7	I	94	94	0	*Halophila englemannii*	3
1994-08	7	9	I	98	98	0	*Halophila englemannii*	7
1994-08	7	10	I	96	96	0	*Halophila englemannii*	7
1994-08	8	1	P	99	99	0	*Halodule wrightii*	99
1994-08	8	2	P	100	100	0	*Halodule wrightii*	100
1994-08	8	3	P	88	88	0	*Halodule wrightii*	88
1994-08	8	4	P	96	96	0	*Halodule wrightii*	96
1994-08	8	5	P	94	94	0	*Halodule wrightii*	94
1994-08	8	6	P	91	91	0	*Syringodium filiforme*	91
1994-08	8	6	P	91	91	0	*Halophila englemannii*	3
1994-08	8	7	P	95	95	0	*Halodule wrightii*	95
1994-08	8	7	P	95	95	0	*Halophila englemannii*	1
1994-08	8	8	P	100	100	0	*Syringodium filiforme*	100
1994-08	8	9	P	98	98	0	*Halodule wrightii*	73
1994-08	8	9	P	98	98	0	*Syringodium filiforme*	83

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	8	10	P	97	97	0	*Syringodium filiforme*	97
1994-08	8	1	I	100	100	0	*Halodule wrightii*	100
1994-08	8	2	I	96	96	0	*Halodule wrightii*	96
1994-08	8	3	I	60	60	0	*Syringodium filiforme*	6
1994-08	8	3	I	60	60	0	*Halodule wrightii*	60
1994-08	8	4	I	100	100	0	*Halodule wrightii*	100
1994-08	8	5	I	95	95	0	*Halodule wrightii*	95
1994-08	8	6	I	99	99	0	*Syringodium filiforme*	99
1994-08	8	7	I	96	96	11	*Halodule wrightii*	96
1994-08	8	7	I	96	96	11	*Caulerpa prolifera*	1
1994-08	8	7	I	96	96	11	*Udotea conglutinata*	11
1994-08	8	8	I	92	92	1	*Halodule wrightii*	55
1994-08	8	8	I	92	92	1	*Caulerpa prolifera*	1
1994-08	8	8	I	92	92	1	*Syringodium filiforme*	28
1994-08	8	9	I	99	99	0	*Syringodium filiforme*	98
1994-08	8	9	I	99	99	0	*Halophila englemannii*	2
1994-08	8	10	I	100	100	0	*Syringodium filiforme*	100
1994-08	9	1	P	100	100	4	*Syringodium filiforme*	100
1994-08	9	1	P	100	100	4	*Halophila englemannii*	8
1994-08	9	1	P	100	100	4	*Caulerpa prolifera*	4
1994-08	9	2	P	11	11	1	*Syringodium filiforme*	11
1994-08	9	2	P	11	11	1	*Caulerpa prolifera*	1
1994-08	9	3	P	71	71	0	*Syringodium filiforme*	71
1994-08	9	3	P	71	71	0	*Halophila englemannii*	5
1994-08	9	4	P	93	93	0	*Syringodium filiforme*	93
1994-08	9	5	P	96	96	0	*Syringodium filiforme*	96
1994-08	9	6	P	100	92	20	*Syringodium filiforme*	92
1994-08	9	6	P	100	92	20	*Halophila englemannii*	38
1994-08	9	6	P	100	92	20	*Caulerpa prolifera*	18
1994-08	9	6	P	100	92	20	*Udotea conglutinata*	2
1994-08	9	7	P	93	93	8	*Syringodium filiforme*	88
1994-08	9	7	P	93	93	8	*Halophila englemannii*	46
1994-08	9	7	P	93	93	8	*Udotea conglutinata*	8
1994-08	9	8	P	96	96	5	*Syringodium filiforme*	81
1994-08	9	8	P	96	96	5	*Halophila englemannii*	60
1994-08	9	8	P	96	96	5	*Caulerpa prolifera*	5
1994-08	9	9	P	96	96	20	*Syringodium filiforme*	87
1994-08	9	9	P	96	96	20	*Halophila englemannii*	32
1994-08	9	9	P	96	96	20	*Caulerpa prolifera*	15
1994-08	9	9	P	96	96	20	*Udotea conglutinata*	5
1994-08	9	10	P	98	98	13	*Syringodium filiforme*	86
1994-08	9	10	P	98	98	13	*Halophila englemannii*	42
1994-08	9	10	P	98	98	13	*Caulerpa prolifera*	9
1994-08	9	10	P	98	98	13	*Udotea conglutinata*	4
1994-08	9	1	I	73	73	1	*Syringodium filiforme*	73
1994-08	9	1	I	73	73	1	*Udotea conglutinata*	1
1994-08	9	1	I	73	73	1	*Halophila englemannii*	3
1994-08	9	2	I	100	100	2	*Syringodium filiforme*	100

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	9	2	I	100	100	2	*Halophila englemannii*	8
1994-08	9	2	I	100	100	2	*Caulerpa prolifera*	2
1994-08	9	3	I	97	97	0	*Syringodium filiforme*	97
1994-08	9	3	I	97	97	0	*Halophila englemannii*	2
1994-08	9	4	I	95	95	3	*Syringodium filiforme*	95
1994-08	9	4	I	95	95	3	*Caulerpa prolifera*	3
1994-08	9	5	I	100	100	0	*Syringodium filiforme*	100
1994-08	9	6	I	98	98	0	*Syringodium filiforme*	98
1994-08	9	7	I	96	96	0	*Syringodium filiforme*	96
1994-08	9	8	I	100	100	0	*Syringodium filiforme*	100
1994-08	9	9	I	100	100	3	*Syringodium filiforme*	100
1994-08	9	9	I	100	100	3	*Halophila englemannii*	12
1994-08	9	9	I	100	100	3	*Caulerpa prolifera*	3
1994-08	9	10	I	96	96	0	*Syringodium filiforme*	95
1994-08	9	10	I	96	96	0	*Halophila englemannii*	29
1994-08	10	1	P	74	42	32	*Syringodium filiforme*	42
1994-08	10	1	P	74	42	32	*Caulerpa prolifera*	32
1994-08	10	2	P	92	55	40	*Syringodium filiforme*	55
1994-08	10	2	P	92	55	40	*Caulerpa prolifera*	40
1994-08	10	3	P	99	6	99	*Syringodium filiforme*	6
1994-08	10	3	P	99	6	99	*Caulerpa prolifera*	99
1994-08	10	4	P	100	47	96	*Syringodium filiforme*	47
1994-08	10	4	P	100	47	96	*Caulerpa prolifera*	96
1994-08	10	5	P	100	64	36	*Syringodium filiforme*	64
1994-08	10	5	P	100	64	36	*Caulerpa prolifera*	36
1994-08	10	6	P	100	74	90	*Syringodium filiforme*	74
1994-08	10	6	P	100	74	90	*Udotea conglutinata*	2
1994-08	10	6	P	100	74	90	*Caulerpa prolifera*	90
1994-08	10	7	P	100	50	80	*Syringodium filiforme*	50
1994-08	10	7	P	100	50	80	*Caulerpa prolifera*	80
1994-08	10	7	P	100	50	80	*Udotea conglutinata*	2
1994-08	10	8	P	99	11	99	*Syringodium filiforme*	11
1994-08	10	8	P	99	11	99	*Caulerpa prolifera*	99
1994-08	10	9	P	99	0	99	*Caulerpa prolifera*	99
1994-08	10	10	P	99	40	89	*Syringodium filiforme*	40
1994-08	10	10	P	99	40	89	*Caulerpa prolifera*	89
1994-08	10	1	I	52	30	22	*Syringodium filiforme*	30
1994-08	10	1	I	52	30	22	*Caulerpa prolifera*	22
1994-08	10	2	I	100	100	7	*Syringodium filiforme*	100
1994-08	10	2	I	100	100	7	*Caulerpa prolifera*	7
1994-08	10	3	I	96	89	9	*Syringodium filiforme*	89
1994-08	10	3	I	96	89	9	*Caulerpa prolifera*	9
1994-08	10	4	I	100	36	66	*Syringodium filiforme*	35
1994-08	10	4	I	100	36	66	*Caulerpa prolifera*	66
1994-08	10	5	I	100	100	0	*Syringodium filiforme*	100
1994-08	10	6	I	100	100	8	*Syringodium filiforme*	100
1994-08	10	6	I	100	100	8	*Caulerpa prolifera*	8
1994-08	10	7	I	100	100	46	*Syringodium filiforme*	100

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	10	7	I	100	100	46	*Caulerpa prolifera*	46
1994-08	10	8	I	100	94	89	*Syringodium filiforme*	94
1994-08	10	8	I	100	94	89	*Caulerpa prolifera*	89
1994-08	10	8	I	100	94	89	*Udotea conglutinata*	5
1994-08	10	9	I	100	99	10	*Syringodium filiforme*	99
1994-08	10	9	I	100	99	10	*Caulerpa prolifera*	10
1994-08	10	10	I	100	98	86	*Syringodium filiforme*	98
1994-08	10	10	I	100	98	86	*Caulerpa prolifera*	86
1994-08	11	1	P	98	98	0	*Syringodium filiforme*	98
1994-08	11	1	P	98	98	0	*Halophila englemannii*	2
1994-08	11	2	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	3	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	4	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	5	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	6	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	7	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	8	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	9	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	10	P	100	100	0	*Syringodium filiforme*	100
1994-08	11	1	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	2	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	3	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	4	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	5	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	6	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	7	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	8	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	9	I	100	100	0	*Syringodium filiforme*	100
1994-08	11	10	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	1	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	1	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	2	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	2	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	3	P	99	99	0	*Syringodium filiforme*	99
1994-08	12	3	I	99	99	0	*Syringodium filiforme*	99
1994-08	12	4	P	90	90	0	*Syringodium filiforme*	90
1994-08	12	4	I	90	90	0	*Syringodium filiforme*	90
1994-08	12	5	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	5	I	70	70	0	*Syringodium filiforme*	70
1994-08	12	6	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	6	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	7	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	7	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	8	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	8	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	9	P	100	100	0	*Syringodium filiforme*	100
1994-08	12	9	I	100	100	0	*Syringodium filiforme*	100
1994-08	12	10	P	100	100	0	*Syringodium filiforme*	100

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	12	10	I	96	96	0	*Syringodium filiforme*	96
1994-08	14	1	P	91	91	0	*Halodule wrightii*	89
1994-08	14	1	P	91	91	0	*Thalassia testudinum*	2
1994-08	14	2	P	92	92	0	*Halodule wrightii*	92
1994-08	14	3	P	90	90	0	*Halodule wrightii*	90
1994-08	14	4	P	81	81	0	*Halodule wrightii*	81
1994-08	14	5	P	93	93	0	*Halodule wrightii*	93
1994-08	14	6	P	100	100	0	*Halodule wrightii*	100
1994-08	14	7	P	100	100	0	*Halodule wrightii*	100
1994-08	14	8	P	100	100	0	*Halodule wrightii*	100
1994-08	14	9	P	90	90	0	*Thalassia testudinum*	90
1994-08	14	10	P	11	11	0	*Thalassia testudinum*	89
1994-08	14	1	I	97	97	4	*Halodule wrightii*	97
1994-08	14	1	I	97	97	4	*Halimeda incrassata*	4
1994-08	14	2	I	77	77	0	*Halodule wrightii*	77
1994-08	14	3	I	85	85	0	*Halodule wrightii*	85
1994-08	14	4	I	97	97	0	*Halodule wrightii*	97
1994-08	14	5	I	13	13	0	*Halodule wrightii*	13
1994-08	14	6	I	100	100	0	*Halodule wrightii*	100
1994-08	14	7	I	100	100	0	*Halodule wrightii*	100
1994-08	14	8	I	100	100	0	*Halodule wrightii*	100
1994-08	14	9	I	100	100	0	*Halodule wrightii*	100
1994-08	14	10	I	100	100	0	*Halodule wrightii*	100
1994-08	15	1	P	90	90	0	*Halodule wrightii*	90
1994-08	15	2	P	88	88	0	*Halodule wrightii*	88
1994-08	15	3	P	78	78	0	*Halodule wrightii*	78
1994-08	15	4	P	71	71	0	*Halodule wrightii*	71
1994-08	15	5	P	80	80	0	*Halodule wrightii*	80
1994-08	15	6	P	99	99	3	*Halodule wrightii*	99
1994-08	15	6	P	99	99	3	*Caulerpa prolifera*	3
1994-08	15	7	P	98	98	0	*Halodule wrightii*	98
1994-08	15	8	P	99	99	0	*Halodule wrightii*	99
1994-08	15	9	P	56	56	0	*Halodule wrightii*	56
1994-08	15	10	P	98	98	0	*Halodule wrightii*	98
1994-08	15	1	I	98	98	0	*Halodule wrightii*	98
1994-08	15	2	I	94	94	0	*Halodule wrightii*	94
1994-08	15	3	I	93	93	0	*Halodule wrightii*	93
1994-08	15	4	I	100	100	0	*Halodule wrightii*	100
1994-08	15	5	I	100	100	0	*Halodule wrightii*	100
1994-08	15	6	I	99	99	3	*Halodule wrightii*	99
1994-08	15	7	I	99	99	3	*Halimeda incrassata*	3
1994-08	15	7	I	99	99	2	*Halodule wrightii*	99
1994-08	15	8	I	99	99	2	*Halimeda incrassata*	2
1994-08	15	8	I	100	100	0	*Halodule wrightii*	100
1994-08	15	9	I	100	100	0	*Halodule wrightii*	100
1994-08	15	10	I	100	100	0	*Halodule wrightii*	100
1994-08	13	1	P/I	99	0	99	*Caulerpa prolifera*	99
1994-08	13	2	P/I	65	1	66	*Caulerpa prolifera*	65

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	13	2	P/I	65	1	66	*Thalassia testudinum*	1
1994-08	13	3	P/I	74	74	0	*Thalassia testudinum*	74
1994-08	13	4	P/I	95	7	88	*Caulerpa prolifera*	88
1994-08	13	4	P/I	95	7	88	*Thalassia testudinum*	7
1994-08	13	5	P/I	28	0	28	*Caulerpa prolifera*	21
1994-08	13	5	P/I	28	0	28	*Caulerpa mexicana*	7
1994-08	13	6	P/I	65	31	34	*Caulerpa prolifera*	18
1994-08	13	6	P/I	65	31	34	*Caulerpa mexicana*	16
1994-08	13	6	P/I	65	31	34	*Thalassia testudinum*	10
1994-08	13	6	P/I	65	31	34	*Halophila englemannii*	21
1994-08	13	7	P/I	87	0	87	*Caulerpa mexicana*	87
1994-08	13	8	P/I	56	0	56	*Caulerpa mexicana*	56
1994-08	13	9	P/I	97	0	97	*Caulerpa prolifera*	97
1994-08	13	10	P/I	94	0	94	*Caulerpa prolifera*	94
1994-08	13	11	P/I	96	96	18	*Thalassia testudinum*	55
1994-08	13	11	P/I	96	96	18	*Halodule wrightii*	41
1994-08	13	11	P/I	96	96	18	*Caulerpa prolifera*	18
1994-08	13	12	P/I	100	61	65	*Thalassia testudinum*	61
1994-08	13	12	P/I	100	61	65	*Caulerpa prolifera*	57
1994-08	13	12	P/I	100	61	65	*Caulerpa mexicana*	8
1994-08	13	13	P/I	87	67	16	*Thalassia testudinum*	42
1994-08	13	13	P/I	87	67	16	*Caulerpa mexicana*	9
1994-08	13	13	P/I	87	67	16	*Halodule wrightii*	15
1994-08	13	13	P/I	87	67	16	*Caulerpa prolifera*	7
1994-08	13	14	P/I	100	0	100	*Caulerpa prolifera*	29
1994-08	13	14	P/I	100	0	100	*Caulerpa mexicana*	100
1994-08	13	15	P/I	100	0	100	*Caulerpa prolifera*	2
1994-08	13	15	P/I	100	0	100	*Caulerpa mexicana*	100
1994-10	1	1	P	71	71	0	*Halodule wrightii*	71
1994-10	1	1	I	54	54	0	*Halodule wrightii*	54
1994-10	1	2	P	100	100	0	*Halodule wrightii*	100
1994-10	1	2	I	99	99	0	*Halodule wrightii*	99
1994-10	1	3	P	96	96	0	*Halodule wrightii*	96
1994-10	1	3	I	77	77	0	*Halodule wrightii*	77
1994-10	1	4	P	100	100	0	*Halodule wrightii*	100
1994-10	1	4	I	97	97	0	*Halodule wrightii*	97
1994-10	1	5	P	99	99	0	*Halodule wrightii*	99
1994-10	1	5	I	99	99	0	*Halodule wrightii*	99
1994-10	1	6	P	96	96	0	*Halodule wrightii*	96
1994-10	1	6	I	100	100	0	*Halodule wrightii*	100
1994-10	1	7	P	100	100	0	*Halodule wrightii*	100
1994-10	1	7	I	100	100	0	*Halodule wrightii*	100
1994-10	1	8	P	99	99	0	*Halodule wrightii*	99
1994-10	1	8	I	99	99	0	*Halodule wrightii*	99
1994-10	1	9	P	100	100	0	*Halodule wrightii*	100
1994-10	1	9	I	100	100	0	*Halodule wrightii*	100
1994-10	1	10	P	100	100	0	*Halodule wrightii*	100
1994-10	1	10	I	100	100	0	*Halodule wrightii*	100

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	2	1	P	85	85	0	*Halodule wrightii*	85
1994-10	2	1	I	93	93	0	*Halodule wrightii*	93
1994-10	2	2	P	93	93	0	*Halodule wrightii*	93
1994-10	2	2	I	96	96	0	*Halodule wrightii*	96
1994-10	2	3	P	92	92	0	*Halodule wrightii*	92
1994-10	2	3	I	92	92	0	*Halodule wrightii*	92
1994-10	2	4	P	98	98	0	*Halodule wrightii*	98
1994-10	2	4	I	100	100	0	*Halodule wrightii*	100
1994-10	2	5	P	96	96	0	*Halodule wrightii*	96
1994-10	2	5	I	100	100	0	*Halodule wrightii*	100
1994-10	2	6	P	65	65	0	*Halodule wrightii*	65
1994-10	2	6	I	99	99	0	*Halodule wrightii*	99
1994-10	2	7	P	81	81	0	*Halodule wrightii*	81
1994-10	2	7	I	99	99	0	*Halodule wrightii*	99
1994-10	2	8	P	50	50	0	*Halodule wrightii*	50
1994-10	2	8	I	100	100	0	*Halodule wrightii*	100
1994-10	2	9	P	87	87	0	*Halodule wrightii*	87
1994-10	2	9	I	97	97	0	*Halodule wrightii*	97
1994-10	2	10	P	68	68	0	*Halodule wrightii*	68
1994-10	2	10	I	95	95	0	*Halodule wrightii*	95
1994-10	3	1	P	22	22	0	*Halodule wrightii*	22
1994-10	3	1	I	26	26	0	*Halodule wrightii*	26
1994-10	3	2	P	6	6	0	*Halodule wrightii*	6
1994-10	3	2	I	8	8	0	*Halodule wrightii*	8
1994-10	3	3	P	91	91	0	*Halodule wrightii*	91
1994-10	3	3	I	6	6	0	*Halodule wrightii*	6
1994-10	3	4	P	72	72	0	*Halodule wrightii*	72
1994-10	3	4	I	12	12	0	*Halodule wrightii*	12
1994-10	3	5	P	17	17	0	*Halodule wrightii*	17
1994-10	3	5	I	16	16	0	*Halodule wrightii*	16
1994-10	3	6	P	46	46	0	*Halodule wrightii*	46
1994-10	3	6	I	55	55	0	*Halodule wrightii*	55
1994-10	3	7	P	28	28	0	*Halodule wrightii*	28
1994-10	3	7	I	96	96	0	*Halodule wrightii*	96
1994-10	3	8	P	4	4	0	*Halodule wrightii*	4
1994-10	3	8	I	74	74	0	*Halodule wrightii*	74
1994-10	3	9	P	0	0	0	Bare	0
1994-10	3	9	I	86	86	0	*Halodule wrightii*	86
1994-10	3	10	P	61	61	0	*Halodule wrightii*	61
1994-10	3	10	I	74	74	0	*Halodule wrightii*	74
1994-10	4	1	P	92	92	8	*Halimeda incrassata*	3
1994-10	4	1	P	92	92	8	*Udotea conglutinata*	5
1994-10	4	1	P	92	92	8	*Syringodium filiforme*	92
1994-10	4	1	I	99	99	0	*Syringodium filiforme*	99
1994-10	4	2	P	78	78	0	*Syringodium filiforme*	78
1994-10	4	2	I	83	83	9	*Syringodium filiforme*	83
1994-10	4	2	I	83	83	9	*Halimeda incrassata*	3
1994-10	4	2	I	83	83	9	*Halophila englemannii*	6

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	4	3	P	75	75	0	*Syringodium filiforme*	75
1994-10	4	3	I	87	87	0	*Syringodium filiforme*	87
1994-10	4	4	P	91	89	2	*Caulerpa prolifera*	2
1994-10	4	4	P	91	89	2	*Syringodium filiforme*	89
1994-10	4	4	I	88	88	3	*Syringodium filiforme*	88
1994-10	4	4	I	88	88	3	*Halimeda incrassata*	3
1994-10	4	5	P	57	57	0	*Syringodium filiforme*	57
1994-10	4	5	I	2	2	0	*Syringodium filiforme*	2
1994-10	4	6	P	13	13	0	*Syringodium filiforme*	13
1994-10	4	6	I	22	22	0	*Syringodium filiforme*	22
1994-10	4	7	P	89	89	2	*Syringodium filiforme*	89
1994-10	4	7	P	89	89	2	*Caulerpa prolifera*	2
1994-10	4	7	I	79	78	1	*Caulerpa prolifera*	1
1994-10	4	7	I	79	78	1	*Syringodium filiforme*	78
1994-10	4	8	P	100	100	14	*Penicillus* sp.	2
1994-10	4	8	P	100	100	14	*Syringodium filiforme*	4
1994-10	4	8	P	100	100	14	*Caulerpa prolifera*	8
1994-10	4	8	P	100	100	14	*Syringodium filiforme*	100
1994-10	4	8	I	88	88	0	*Syringodium filiforme*	88
1994-10	4	9	P	80	80	0	*Syringodium filiforme*	80
1994-10	4	9	I	30	30	0	*Syringodium filiforme*	30
1994-10	4	10	P	92	92	2	*Halimeda incrassata*	1
1994-10	4	10	P	92	92	2	*Caulerpa prolifera*	1
1994-10	4	10	P	92	92	2	*Syringodium filiforme*	92
1994-10	4	10	I	94	94	0	*Syringodium filiforme*	94
1994-10	5	1	P	46	46	0	*Halodule wrightii*	46
1994-10	5	1	I	24	24	0	*Halodule wrightii*	24
1994-10	5	2	P	52	52	0	*Halodule wrightii*	52
1994-10	5	2	I	29	29	0	*Halodule wrightii*	29
1994-10	5	3	P	14	14	0	*Halodule wrightii*	14
1994-10	5	3	I	60	60	0	*Halodule wrightii*	60
1994-10	5	4	P	15	15	0	*Halodule wrightii*	15
1994-10	5	4	I	51	51	0	*Halodule wrightii*	51
1994-10	5	5	P	22	22	0	*Halodule wrightii*	22
1994-10	5	5	I	53	53	0	*Halodule wrightii*	53
1994-10	5	6	P	73	73	0	*Halodule wrightii*	73
1994-10	5	6	I	6	5	0	*Halodule wrightii*	5
1994-10	5	6	I	6	5	0	*Halophila englemannii*	1
1994-10	5	7	P	13	13	0	*Halodule wrightii*	13
1994-10	5	7	I	19	19	0	*Halodule wrightii*	19
1994-10	5	8	P	8	8	0	*Halodule wrightii*	8
1994-10	5	8	I	15	15	0	*Halodule wrightii*	15
1994-10	5	9	P	12	12	0	*Halodule wrightii*	12
1994-10	5	9	I	84	84	0	*Halodule wrightii*	84
1994-10	5	10	P	6	6	0	*Halodule wrightii*	6
1994-10	5	10	I	86	86	0	*Halodule wrightii*	86
1994-10	6	1	P	65	65	0	*Halodule wrightii*	65
1994-10	6	1	P	65	65	0	*Halophila englemannii*	8

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	6	1	I	90	90	0	*Halodule wrightii*	90
1994-10	6	1	I	90	90	0	*Halophila englemannii*	6
1994-10	6	2	P	86	86	0	*Halodule wrightii*	86
1994-10	6	2	P	86	86	0	*Halophila englemannii*	4
1994-10	6	2	I	97	97	0	*Halodule wrightii*	97
1994-10	6	2	I	97	97	0	*Halophila englemannii*	1
1994-10	6	3	P	94	94	0	*Halodule wrightii*	94
1994-10	6	3	I	100	100	0	*Halodule wrightii*	100
1994-10	6	3	I	100	100	0	*Halophila englemannii*	16
1994-10	6	4	P	100	100	0	*Halodule wrightii*	100
1994-10	6	4	I	100	100	0	*Halodule wrightii*	100
1994-10	6	4	I	100	100	0	*Halophila englemannii*	4
1994-10	6	5	P	67	67	0	*Halodule wrightii*	53
1994-10	6	5	P	67	67	0	*Halophila englemannii*	16
1994-10	6	5	I	81	81	0	*Halodule wrightii*	81
1994-10	6	6	P	71	71	0	*Halodule wrightii*	66
1994-10	6	6	P	71	71	0	*Halophila englemannii*	8
1994-10	6	6	I	97	97	0	*Halodule wrightii*	97
1994-10	6	7	P	68	68	0	*Halodule wrightii*	55
1994-10	6	7	P	68	68	0	*Halophila englemannii*	28
1994-10	6	7	I	98	98	0	*Halodule wrightii*	98
1994-10	6	8	P	87	87	0	*Halodule wrightii*	87
1994-10	6	8	P	87	87	0	*Halophila englemannii*	7
1994-10	6	8	I	68	68	0	*Halodule wrightii*	62
1994-10	6	8	I	68	68	0	*Halophila englemannii*	21
1994-10	6	9	P	70	70	0	*Halodule wrightii*	70
1994-10	6	9	P	70	70	0	*Halophila englemannii*	11
1994-10	6	9	I	99	99	0	*Halodule wrightii*	99
1994-10	6	10	P	43	43	0	*Halodule wrightii*	43
1994-10	6	10	I	100	100	0	*Halodule wrightii*	100
1994-10	7	1	P	96	96	0	*Halodule wrightii*	96
1994-10	7	1	I	96	96	0	*Halodule wrightii*	96
1994-10	7	2	P	99	99	0	*Halodule wrightii*	99
1994-10	7	2	I	97	97	0	*Halodule wrightii*	97
1994-10	7	3	P	73	73	0	*Halodule wrightii*	73
1994-10	7	3	I	100	100	0	*Halodule wrightii*	100
1994-10	7	4	P	100	100	0	*Halodule wrightii*	100
1994-10	7	4	I	100	100	0	*Halodule wrightii*	100
1994-10	7	5	P	97	97	0	*Halodule wrightii*	97
1994-10	7	5	I	98	98	0	*Halodule wrightii*	98
1994-10	7	6	P	76	76	0	*Halodule wrightii*	76
1994-10	7	6	I	98	98	0	*Halodule wrightii*	98
1994-10	7	7	P	99	99	0	*Halodule wrightii*	99
1994-10	7	7	I	100	100	0	*Halodule wrightii*	100
1994-10	7	8	P	91	91	1	*Caulerpa prolifera*	1
1994-10	7	8	P	91	91	1	*Halodule wrightii*	88
1994-10	7	8	P	91	91	1	*Halophila englemannii*	16
1994-10	7	8	I	96	96	0	*Halodule wrightii*	96

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	7	8	I	96	96	0	*Halophila englemannii*	9
1994-10	7	9	P	100	100	0	*Syringodium filiforme*	100
1994-10	7	9	I	100	100	0	*Syringodium filiforme*	100
1994-10	7	10	P	80	80	0	*Halodule wrightii*	80
1994-10	7	10	I	99	99	0	*Syringodium filiforme*	99
1994-10	8	1	P	86	86	0	*Syringodium filiforme*	86
1994-10	8	1	I	100	100	0	*Syringodium filiforme*	100
1994-10	8	2	P	96	96	0	*Syringodium filiforme*	96
1994-10	8	2	I	93	93	0	*Syringodium filiforme*	93
1994-10	8	2	I	93	93	0	*Halodule wrightii*	40
1994-10	8	3	P	94	94	0	*Syringodium filiforme*	94
1994-10	8	3	P	94	94	0	*Halodule wrightii*	6
1994-10	8	3	I	92	92	0	*Syringodium filiforme*	92
1994-10	8	4	P	94	94	0	*Syringodium filiforme*	94
1994-10	8	4	I	100	100	0	*Syringodium filiforme*	100
1994-10	8	5	P	92	92	0	*Syringodium filiforme*	92
1994-10	8	5	P	92	92	0	*Halodule wrightii*	26
1994-10	8	5	I	93	93	0	*Syringodium filiforme*	93
1994-10	8	5	I	93	93	0	*Halodule wrightii*	28
1994-10	8	6	P	100	100	0	*Syringodium filiforme*	100
1994-10	8	6	I	100	100	0	*Syringodium filiforme*	100
1994-10	8	7	P	95	95	0	*Syringodium filiforme*	95
1994-10	8	7	P	95	95	0	*Halodule wrightii*	5
1994-10	8	7	I	100	100	0	*Syringodium filiforme*	100
1994-10	8	7	I	100	100	0	*Halodule wrightii*	3
1994-10	8	8	P	75	75	0	*Syringodium filiforme*	75
1994-10	8	8	I	88	88	0	*Syringodium filiforme*	88
1994-10	8	8	I	88	88	0	*Halodule wrightii*	3
1994-10	8	9	P	100	100	0	*Syringodium filiforme*	100
1994-10	8	9	I	98	98	0	*Syringodium filiforme*	98
1994-10	8	10	P	100	100	0	*Syringodium filiforme*	100
1994-10	8	10	P	100	100	0	*Halodule wrightii*	2
1994-10	8	10	I	99	99	0	*Syringodium filiforme*	99
1994-10	9	1	P	92	92	0	*Syringodium filiforme*	92
1994-10	9	1	I	98	98	0	*Syringodium filiforme*	98
1994-10	9	1	I	98	98	0	*Halophila englemannii*	2
1994-10	9	2	P	98	98	0	*Syringodium filiforme*	98
1994-10	9	2	P	98	98	0	*Halophila englemannii*	2
1994-10	9	2	I	95	95	0	*Syringodium filiforme*	95
1994-10	9	2	I	95	95	0	*Halophila englemannii*	12
1994-10	9	3	P	97	97	0	*Syringodium filiforme*	97
1994-10	9	3	I	100	100	0	*Syringodium filiforme*	100
1994-10	9	3	I	100	100	0	*Halophila englemannii*	10
1994-10	9	4	P	92	92	0	*Syringodium filiforme*	92
1994-10	9	4	I	98	98	2	*Syringodium filiforme*	98
1994-10	9	4	I	98	98	2	*Halophila englemannii*	8
1994-10	9	4	I	98	98	2	*Udotea conglutinata*	2
1994-10	9	5	P	85	85	2	*Syringodium filiforme*	85

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	9	5	P	85	85	2	*Udotea conglutinata*	2
1994-10	9	5	I	100	100	0	*Syringodium filiforme*	100
1994-10	9	5	I	100	100	0	*Halophila englemannii*	8
1994-10	9	6	P	100	100	0	*Syringodium filiforme*	100
1994-10	9	6	P	100	100	0	*Halophila englemannii*	14
1994-10	9	6	I	100	100	0	*Syringodium filiforme*	100
1994-10	9	7	P	95	95	0	*Syringodium filiforme*	95
1994-10	9	7	P	95	95	0	*Halophila englemannii*	2
1994-10	9	7	I	97	97	0	*Syringodium filiforme*	97
1994-10	9	8	P	97	97	0	*Syringodium filiforme*	89
1994-10	9	8	P	97	97	0	*Halophila englemannii*	8
1994-10	9	8	P	97	97	0	*Halodule wrightii*	5
1994-10	9	8	I	100	100	0	*Syringodium filiforme*	100
1994-10	9	8	I	100	100	0	*Halophila englemannii*	4
1994-10	9	9	P	80	80	0	*Syringodium filiforme*	80
1994-10	9	9	P	80	80	0	*Halophila englemannii*	1
1994-10	9	9	I	99	99	0	*Syringodium filiforme*	99
1994-10	9	10	P	84	84	0	*Syringodium filiforme*	84
1994-10	9	10	P	84	84	0	*Halophila englemannii*	5
1994-10	9	10	I	98	98	0	*Syringodium filiforme*	98
1994-10	11	1	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	1	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	2	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	2	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	3	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	3	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	4	P	99	99	0	*Syringodium filiforme*	99
1994-10	11	4	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	5	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	5	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	6	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	6	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	7	P	99	99	0	*Syringodium filiforme*	99
1994-10	11	7	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	8	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	8	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	9	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	9	I	100	100	0	*Syringodium filiforme*	100
1994-10	11	10	P	100	100	0	*Syringodium filiforme*	100
1994-10	11	10	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	1	P	98	98	0	*Syringodium filiforme*	98
1994-10	12	1	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	2	P	99	99	0	*Syringodium filiforme*	99
1994-10	12	2	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	3	P	92	92	2	*Syringodium filiforme*	65
1994-10	12	3	P	92	92	2	*Halodule wrightii*	25
1994-10	12	3	P	92	92	2	*Caulerpa prolifera*	2
1994-10	12	3	I	93	93	3	*Syringodium filiforme*	93

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	12	3	I	93	93	3	*Caulerpa prolifera*	3
1994-10	12	4	P	100	100	0	*Syringodium filiforme*	100
1994-10	12	4	I	90	90	0	*Syringodium filiforme*	90
1994-10	12	5	P	100	100	0	*Syringodium filiforme*	100
1994-10	12	5	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	6	P	100	100	0	*Syringodium filiforme*	100
1994-10	12	6	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	7	P	100	100	3	*Syringodium filiforme*	100
1994-10	12	7	P	100	100	3	*Caulerpa prolifera*	3
1994-10	12	7	I	100	100	2	*Syringodium filiforme*	100
1994-10	12	7	I	100	100	2	*Caulerpa prolifera*	2
1994-10	12	8	P	100	100	0	*Syringodium filiforme*	100
1994-10	12	8	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	9	P	21	21	0	*Syringodium filiforme*	21
1994-10	12	9	I	100	100	0	*Syringodium filiforme*	100
1994-10	12	10	P	100	100	0	*Syringodium filiforme*	100
1994-10	12	10	I	100	100	0	*Syringodium filiforme*	100
1994-10	13	1	P	99	90	77	*Halodule wrightii*	90
1994-10	13	1	P	99	90	77	*Caulerpa prolifera*	77
1994-10	13	1	I	99	81	18	*Thalassia testudinum*	81
1994-10	13	1	I	99	81	18	*Caulerpa mexicana*	18
1994-10	13	1	I	99	81	18	*Halodule wrightii*	1
1994-10	13	2	P	96	80	69	*Thalassia testudinum*	72
1994-10	13	2	P	96	80	69	*Halodule wrightii*	8
1994-10	13	2	P	96	80	69	*Caulerpa mexicana*	60
1994-10	13	2	P	96	80	69	*Caulerpa prolifera*	9
1994-10	13	2	I	96	96	8	*Thalassia testudinum*	96
1994-10	13	2	I	96	96	8	*Caulerpa mexicana*	8
1994-10	13	3	P	94	23	84	*Thalassia testudinum*	12
1994-10	13	3	P	94	23	84	*Halodule wrightii*	11
1994-10	13	3	P	94	23	84	*Caulerpa prolifera*	32
1994-10	13	3	P	94	23	84	*Caulerpa mexicana*	52
1994-10	13	3	I	72	8	64	*Caulerpa mexicana*	64
1994-10	13	3	I	72	8	64	*Thalassia testudinum*	8
1994-10	13	4	P	92	0	92	*Caulerpa mexicana*	78
1994-10	13	4	P	92	0	92	*Caulerpa prolifera*	16
1994-10	13	4	I	68	57	11	*Halodule wrightii*	57
1994-10	13	4	I	68	57	11	*Caulerpa prolifera*	10
1994-10	13	4	I	68	57	11	*Caulerpa mexicana*	1
1994-10	13	5	P	25	25	5	*Halodule wrightii*	25
1994-10	13	5	P	25	25	5	*Caulerpa prolifera*	5
1994-10	13	6	P	70	60	19	*Halodule wrightii*	59
1994-10	13	6	P	70	60	19	*Caulerpa prolifera*	15
1994-10	13	6	P	70	60	19	*Caulerpa mexicana*	4
1994-10	13	6	P	70	60	19	*Halophila englemannii*	1
1994-10	13	7	P	70	70	6	*Halodule wrightii*	70
1994-10	13	7	P	70	70	6	*Caulerpa mexicana*	6
1994-10	13	7	P	70	70	6	*Halophila englemannii*	1

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	13	7	I	40	40	7	*Halodule wrightii*	40
1994-10	13	7	I	40	40	7	*Caulerpa prolifera*	6
1994-10	13	7	I	40	40	7	*Caulerpa mexicana*	1
1994-10	13	8	P	80	80	10	*Halodule wrightii*	80
1994-10	13	8	P	80	80	10	*Caulerpa mexicana*	5
1994-10	13	8	P	80	80	10	*Caulerpa prolifera*	5
1994-10	13	8	I	20	20	10	*Halodule wrightii*	20
1994-10	13	8	I	20	20	10	*Caulerpa mexicana*	10
1994-10	13	9	P	83	83	0	*Halodule wrightii*	83
1994-10	13	9	I	30	30	0	*Halodule wrightii*	30
1994-10	13	9	I	30	30	0	*Halophila englemannii*	5
1994-10	13	10	P	20	20	10	*Halodule wrightii*	20
1994-10	13	10	P	20	20	10	*Caulerpa prolifera*	10
1994-10	13	10	I	50	50	1	*Halodule wrightii*	40
1994-10	13	10	I	50	50	1	*Halophila englemannii*	10
1994-10	13	10	I	50	50	1	*Caulerpa mexicana*	1
1994-10	14	1	P	96	96	0	*Halodule wrightii*	96
1994-10	14	1	I	84	84	0	*Halodule wrightii*	84
1994-10	14	2	P	91	91	0	*Thalassia testudinum*	91
1994-10	14	2	I	72	72	0	*Halodule wrightii*	72
1994-10	14	2	I	72	72	0	*Thalassia testudinum*	2
1994-10	14	3	P	67	67	0	*Halodule wrightii*	67
1994-10	14	3	I	84	84	0	*Halodule wrightii*	84
1994-10	14	4	P	96	96	0	*Halodule wrightii*	96
1994-10	14	4	I	99	99	0	*Halodule wrightii*	99
1994-10	14	5	P	99	99	0	*Halodule wrightii*	99
1994-10	14	5	I	97	97	0	*Halodule wrightii*	97
1994-10	14	6	P	95	95	0	*Halodule wrightii*	95
1994-10	14	6	I	98	98	0	*Halodule wrightii*	98
1994-10	14	7	P	76	76	0	*Halodule wrightii*	76
1994-10	14	7	I	97	97	0	*Halodule wrightii*	97
1994-10	14	8	P	87	88	1	*Halodule wrightii*	87
1994-10	14	8	P	87	88	1	*Caulerpa prolifera*	1
1994-10	14	8	I	86	86	0	*Halodule wrightii*	86
1994-10	14	9	P	88	88	0	*Halodule wrightii*	88
1994-10	14	9	I	88	88	0	*Halodule wrightii*	88
1994-10	14	10	P	79	79	0	*Halodule wrightii*	79
1994-10	14	10	I	91	91	0	*Halodule wrightii*	91
1994-10	15	1	P	87	87	0	*Thalassia testudinum*	87
1994-10	15	1	I	87	87	0	*Thalassia testudinum*	87
1994-10	15	2	P	91	91	0	*Thalassia testudinum*	91
1994-10	15	2	I	84	84	0	*Thalassia testudinum*	84
1994-10	15	3	P	86	86	0	*Halodule wrightii*	86
1994-10	15	3	I	97	97	0	*Halodule wrightii*	97
1994-10	15	4	P	96	96	1	*Halodule wrightii*	96
1994-10	15	4	P	96	96	1	*Udotea conglutinata*	1
1994-10	15	4	I	86	86	0	*Halodule wrightii*	86
1994-10	15	5	P	100	100	0	*Halodule wrightii*	100

Appendix Table 2. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	15	5	I	100	100	0	*Halodule wrightii*	100
1994-10	15	6	P	91	91	0	*Halodule wrightii*	83
1994-10	15	6	P	91	91	0	*Halophila englemannii*	11
1994-10	15	6	I	100	100	0	*Halodule wrightii*	100
1994-10	15	6	I	100	100	0	*Halophila englemannii*	4
1994-10	15	7	P	94	94	70	*Halodule wrightii*	94
1994-10	15	7	P	94	94	70	*Halimeda incrassata*	70
1994-10	15	7	I	100	96	22	*Halodule wrightii*	96
1994-10	15	7	I	100	96	22	*Halimeda incrassata*	22
1994-10	15	8	P	96	76	78	*Halodule wrightii*	76
1994-10	15	8	P	96	76	78	*Halimeda incrassata*	76
1994-10	15	8	P	96	76	78	*Udotea conglutinata*	2
1994-10	15	8	I	100	65	98	*Halimeda incrassata*	98
1994-10	15	8	I	100	65	98	*Halodule wrightii*	65
1994-10	15	9	P	100	95	23	*Halodule wrightii*	95
1994-10	15	9	P	100	95	23	*Halimeda incrassata*	2
1994-10	15	9	P	100	95	23	*Caulerpa prolifera*	19
1994-10	15	9	P	100	95	23	*Udotea conglutinata*	2
1994-10	15	9	I	100	100	3	*Halodule wrightii*	100
1994-10	15	9	I	100	100	3	*Halimeda incrassata*	3
1994-10	15	10	P	97	95	3	*Halodule wrightii*	95
1994-10	15	10	P	97	95	3	*Caulerpa prolifera*	3
1994-10	15	10	I	97	97	0	*Halodule wrightii*	97

Appendix Table 3. Expansion or contraction of seagrass beds measured from staked edges: December 1993-October 1994. The "Perimeter" and "Radius" distances identify the stakes.

Station	Perimeter ID	Radius ID	Grass Expansion (m)	
1	0.0	15.7	3.10	
1	16.1	12.5	3.35	
1	27.2	10.2	2.10	
1	40.3	8.7	2.20	
1	54.0	8.5	2.20	
1	73.0	10.3	-1.40	
1	88.0	7.6	well inside bed	
1	99.0	7.4	well inside bed	
1	114.0	11.1	1.30	
1	130.0	14.0	3.10	
1	138.7	16.6	1.60	
1	149.0	18.9	4.10	
1	166.5	21.5	1.50	
1	184.8	19.3	0.60	
1	198.7	15.8	1.00	
2	0.0	12.7	0.00	
2	11.4	12.9	1.60	
2	21.6	14.0	0.30	
2	32.1	11.5	3.30	
2	44.4	8.1	-0.10	
2	60.0	6.4	2.70	
2	71.6	8.2	2.60	
2	79.1	9.7	1.70	
2	90.3	11.8	1.60	
2	99.2	13.9	0.00	
2	105.1	13.8	0.00	
2	113.6	11.6	-2.30	in hole; filled
2	126.3	14.7	0.00	
2	139.4	15.9	0.00	
2	147.1	15.9	3.30	
3	0.0	13.3	1.40	
3	10.7	12.3	-1.50	
3	22.8	11.1	0.00	
3	34.9	9.1	0.00	
3	43.1	7.3	-1.00	
3	62.2	8.4	-0.30	
3	83.3	13.7	0.00	
3	93.0	17.5	0.02	
3	102.3	19.5	1.10	
3	112.6	20.4	-0.10	
3	120.2	22.1	0.00	
3	132.6	22.6	-2.00	
3	141.6	22.7	-1.10	
3	163.0	27.2	-1.10	
3	176.2	31.3	-1.10	

Appendix Table 3. Continued.

Station	Perimeter ID	Radius ID	Grass Expansion (m)	
4	0.0	18.0	0.50	
4	9.5	15.4	-0.50	
4	20.4	12.5	0.60	
4	36.1	7.2	0.10	
4	50.5	4.3	-0.60	
4	57.5	2.1	0.00	
4	84.2	9.8	-0.40	
4	92.3	9.9	0.00	
4	97.8	10.4	0.80	
4	103.8	11.8	0.40	
4	108.8	12.9	0.10	
4	124.5	17.5	0.10	
4	132.3	18.4	0.00	
4	139.8	19.1	-0.20	
5	0.0	9.2	0.50	
5	5.8	8.5	0.00	
5	13.5		0.50	
5	21.6	10.8	0.00	
5	31.6	12.5	-0.20	
5	38.8	11.4	0.00	
5	45.4	10.0	-0.80	
5	52.0	8.4	-0.60	
5	57.4	8.0	-0.30	
5	63.5	7.3	0.70	
5	70.8	8.2	-0.60	
5	82.3	9.4	-1.00	
5	89.0	11.3	0.00	
5	97.0	12.4	-0.60	
5	102.3	14.4	-1.00	
5	111.2	14.8	0.00	
6	0.0	13.1	0.70	
6	11.1	7.9	-0.50	
6	18.6	7.9	-0.70	
6	27.9	7.6	-0.60	
6	33.4	7.6	2.30	
6	40.6	8.1	0.00	
6	54.6	10.7	0.30	new stake
6	66.4	13.5	2.00	new stake
6	72.8	15.4	0.60	
6	84.5	18.9	-0.40	
6	101.2	22.3	0.00	
6	110.4	20.8	1.10	
6	120.9	27.8	1.40	
7	0.0	10.6	4.40	
7	7.4	10.8	4.00	
7	16.2	13.0	missing	
7	22.1	14.4	1.10	
7	37.3	8.6	2.50	

Station	Perimeter ID	Radius ID	Grass Expansion (m)
7	44.9	9.6	4.50
7	52.3	10.0	3.00
7	59.2	11.1	6.00
7	64.7	10.7	3.00
7	74.0	9.5	1.50
7	80.7	11.8	missing; not replaced
7	93.4	14.2	missing; not replaced
7	101.0	15.4	0.20
7	107.0	11.9	0.00
7	116.8	18.4	0.00
8	0.0	11.8	14.00
8	5.7	10.9	7.40
8	10.4	8.8	10.20
8	13.6	N/A	--
8	22.9	9.9	3.20
8	28.3	10.2	4.30
8	43.9	9.8	7.20
8	48.7	9.2	7.60
8	57.6	8.6	8.50
8	79.0	11.7	1.30
8	86.6	11.9	1.40
9	0.0	25.5	--
9	11.0	22.7	0.20
9	24.0	1880.0	0.50
9	37.3	15.4	0.00
9	49.6	12.4	found on leaving
9	63.5	13.2	0.00
9	78.3	11.8	0.60
9	95.1	9.0	1.20
9	107.1	9.6	2.30
9	116.3	12.4	1.30
9	126.8	14.3	1.10
9	136.9	16.3	0.70
9	145.1	18.1	0.80
9	153.8	20.7	0.80
9	160.4	22.4	1.10
9	167.4	24.1	1.00
10	0.0	18.5	0.40
10	14.0	15.2	0.25
10	25.1	12.2	0.40
10	36.8	9.0	0.80
10	48.2	6.3	replaced
10	63.7	4.0	0.10
10	75.8	7.4	0.30
10	91.1	11.6	1.30
10	101.0	14.1	0.00
10	118.8	18.7	0.00
10	126.0	20.2	1.20

Appendix Table 3. Continued.

Station	Perimeter ID	Radius ID	Grass Expansion (m)
10	136.7	18.6	2.70
10	149.4	15.1	0.70
10	158.0	12.8	0.00
10	166.3	10.4	1.80
11	0.0	12.8	1.00
11	11.1	11.2	0.50
11	21.0	11.1	0.40
11	29.6	10.2	0.70
11	40.6	12.1	0.00
11	51.1	13.4	0.70
11	61.0	14.2	0.30
11	81.0	8.8	0.70
11	87.6	8.2	0.80
11	97.0	8.9	0.80
11	104.2	8.8	0.50
11	115.0	12.5	0.60
12	0.0	18.9	0.00
12	10.0	19.1	--
12	18.5	20.2	0.10
12	28.1	18.9	0.50
12	34.8	17.0	0.55
12	42.2	15.9	0.40
12	52.5	14.3	0.30
12	61.6	12.8	0.40
12	71.0	12.3	0.80
12	76.8	12.4	1.10
12	85.5	12.6	-0.90
12	92.6	12.6	-1.40
12	100.6	12.7	-0.70
12	110.4	11.7	3.10
12	124.3	14.8	0.00
13	0.0	14.4	0.00
13	14.5	13.9	0.00
13	30.3	12.7	0.00
13	48.8	14.7	-1.40
13	56.8	16.9	-4.00
13	63.9	18.8	-6.00
13	75.4	17.4	-1.30
13	80.5	17.9	-1.60
13	87.0	19.5	-1.50
13	94.9	20.9	2.80
13	105.5	20.6	4.40
13	114.9	23.3	4.60
13	122.1	24.2	found on leaving
13	127.5	24.9	4.60
14	0.0	17.9	1.00
14	11.9	14.4	0.80
14	22.2	11.3	1.00

Appendix Table 3. Continued.

Station	Perimeter ID	Radius ID	Grass Expansion (m)
14	31.1	8.9	1.20
14	41.4	8.6	0.80
14	50.6	7.6	-0.40
14	59.1	5.0	1.40
14	69.5	4.2	0.90
14	77.9	3.8	0.00
14	87.3	6.4	-0.60
14	98.1	8.1	0.00
14	109.7	10.4	replaced
14	119.9	13.5	0.70
14	129.3	16.1	0.20
14	139.5	11.3	0.70
14	149.2	10.6	0.70
15	0.0	19.0	2.70
15	9.4	17.7	0.80
15	19.3	15.3	0.40
15	32.4	11.3	-0.10
15	41.4	9.2	0.30
15	50.3	10.2	0.00
15	62.0	6.7	1.40
15	69.8	4.3	0.10
15	80.2	5.0	0.00
15	90.1	6.2	0.10
15	102.1	8.7	0.00
15	109.4	10.8	0.60
15	116.5	12.1	0.35
15	125.0	14.6	0.50
15	133.6	17.1	1.30

Appendix Table 4. Dry weight biomass from 25 cm x 25 cm quadrats.

Station	Rep.	Spp.	Biomass (g)
1	1	*Halodule wrightii*	1.53
1	2	*Halodule wrightii*	1.66
1	3	*Halodule wrightii*	0.55
1	4	*Halodule wrightii*	1.37
1	5	*Halodule wrightii*	0.98
1	6	*Halodule wrightii*	3.74
2	1	*Halodule wrightii*	0.63
2	2	*Halodule wrightii*	1.06
2	3	*Halodule wrightii*	0.70
2	4	*Halodule wrightii*	0.97
2	5	*Halodule wrightii*	0.87
2	6	*Halodule wrightii*	0.67
3	1	*Halodule wrightii*	0.48
3	2	*Halodule wrightii*	0.12
3	3	*Halodule wrightii*	0.56
3	4	*Halodule wrightii*	0.40
3	5	*Halodule wrightii*	1.18
3	6	*Halodule wrightii*	0.39
4	1	Drift Algae	4.96
4	1	*Syringodium filiforme*	4.14
4	2	*Syringodium filiforme*	1.51
4	3	*Syringodium filiforme*	1.90
4	4	Drift Algae	5.30
4	4	*Syringodium filiforme*	2.76
4	5	*Syringodium filiforme*	2.27
4	6	*Syringodium filiforme*	3.49
5	1	*Halodule wrightii*	0.50
5	2	*Halodule wrightii*	0.16
5	3	*Halodule wrightii*	1.13
5	4	*Halodule wrightii*	0.29
5	5	*Halodule wrightii*	0.35
5	6	*Halodule wrightii*	0.75
6	1	*Halodule wrightii*	1.15
6	2	*Halodule wrightii*	0.43
6	3	*Halodule wrightii*	1.96
6	3	*Halodule wrightii*	0.70
6	4	*Halodule wrightii*	2.04
6	5	*Halodule wrightii*	0.51
6	6	*Halodule wrightii*	0.83
7	1	*Halodule wrightii*	0.83
7	2	*Halodule wrightii*	1.31
7	3	*Halodule wrightii*	1.51
7	4	*Halodule wrightii*	1.55
7	4	*Halophila englemannii*	0.19
7	5	*Halodule wrightii*	0.73
7	5	*Halophila englemannii*	0.69
7	6	*Halodule wrightii*	0.94
8	1	Drift Algae	0.56
8	1	*Halodule wrightii*	1.25

Appendix Table 4. Continued.

Station	Rep.	Spp.	Biomass (g)
8	1	*Halophila englemannii*	0.21
8	1	*Syringodium filiforme*	3.66
8	2	Drift Algae	0.08
8	2	*Syringodium filiforme*	5.74
8	3	Drift Algae	2.23
8	3	*Halodule wrightii*	1.18
8	3	*Halophila englemannii*	0.32
8	3	*Syringodium filiforme*	0.73
8	4	Drift Algae	0.18
8	4	*Halodule wrightii*	2.03
8	4	*Halophila englemannii*	0.09
8	5	Drift Algae	6.08
8	5	*Halodule wrightii*	2.02
8	5	*Syringodium filiforme*	0.94
8	6	*Halodule wrightii*	0.99
8	6	*Halophila englemannii*	0.04
8	6	*Syringodium filiforme*	1.44
9	1	*Halophila englemannii*	0.11
9	1	*Syringodium filiforme*	3.29
9	2	Drift Algae	0.11
9	2	*Halodule wrightii*	0.17
9	2	*Halophila englemannii*	0.56
9	2	*Syringodium filiforme*	4.09
9	3	*Halophila englemannii*	0.38
9	3	*Syringodium filiforme*	3.85
9	4	Drift Algae	1.40
9	4	*Syringodium filiforme*	5.52
9	5	Drift Algae	0.31
9	5	*Syringodium filiforme*	5.58
9	6	*Halophila englemannii*	0.21
9	6	*Syringodium filiforme*	4.61
10	1	*Caulerpa prolifera*	0.61
10	1	*Syringodium filiforme*	4.41
10	2	*Caulerpa prolifera*	0.78
10	2	Drift Algae	14.16
10	2	*Syringodium filiforme*	5.23
10	3	*Caulerpa prolifera*	2.80
10	3	*Syringodium filiforme*	5.85
10	4	*Caulerpa prolifera*	0.52
10	4	*Syringodium filiforme*	2.77
10	5	*Caulerpa prolifera*	3.67
10	5	Drift Algae	14.42
10	5	*Halophila englemannii*	0.24
10	6	*Caulerpa prolifera*	0.38
10	6	*Syringodium filiforme*	2.06
11	1	*Syringodium filiforme*	9.12
11	2	*Syringodium filiforme*	7.84
11	3	*Syringodium filiforme*	6.77
11	4	*Syringodium filiforme*	11.45

Appendix Table 4. Continued.

Station	Rep.	Spp.	Biomass (g)
11	5	*Syringodium filiforme*	6.97
11	6	*Syringodium filiforme*	5.37
12	1	*Caulerpa prolifera*	0.02
12	1	*Syringodium filiforme*	5.96
12	2	*Caulerpa prolifera*	0.04
12	2	*Syringodium filiforme*	8.36
12	3	Drift Algae	13.16
12	3	*Halodule wrightii*	4.97
12	3	*Syringodium filiforme*	1.45
12	4	*Caulerpa prolifera*	0.17
12	4	Drift Algae	32.31
12	4	*Syringodium filiforme*	9.63
12	5	*Caulerpa prolifera*	0.31
12	5	Drift Algae	5.62
12	5	*Syringodium filiforme*	2.25
12	6	*Caulerpa prolifera*	0.06
12	6	Drift Algae	17.30
12	6	*Syringodium filiforme*	13.30
13	1	*Caulerpa prolifera*	2.58
13	1	Drift Algae	2.34
13	1	*Thalassia testudinum*	7.34
13	2	*Caulerpa mexicana*	20.91
13	2	Drift Algae	2.11
13	3	*Caulerpa prolifera*	2.15
13	3	Drift Algae	3.19
13	3	*Thalassia testudinum*	3.14
13	4	*Caulerpa mexicana*	18.84
13	4	*Caulerpa prolifera*	0.86
13	4	Drift Algae	32.43
13	4	*Thalassia testudinum*	1.70
13	5	*Caulerpa mexicana*	19.90
13	5	*Caulerpa prolifera*	0.70
13	5	Drift Algae	1.74
13	5	*Thalassia testudinum*	1.56
13	6	*Caulerpa mexicana*	4.78
13	6	*Caulerpa prolifera*	0.59
13	6	Drift Algae	4.68
13	6	*Thalassia testudinum*	0.66
14	1	Drift Algae	1.34
14	1	*Halodule wrightii*	0.85
14	1	*Syringodium filiforme*	0.37
14	2	Drift Algae	3.01
14	2	*Halodule wrightii*	0.86
14	3	*Halodule wrightii*	0.41
14	3	*Syringodium filiforme*	0.53
14	4	Drift Algae	4.13
14	4	*Halodule wrightii*	0.37
14	4	*Syringodium filiforme*	0.30
14	5	Drift Algae	0.32

Appendix Table 4. Continued.

Station	Rep.	Spp.	Biomass (g)
14	5	*Halodule wrightii*	0.95
14	6	Drift Algae	10.23
14	6	*Halodule wrightii*	0.55
14	6	*Syringodium filiforme*	3.92
15	1	*Halodule wrightii*	1.06
15	1	*Thalassia testudinum*	0.21
15	2	Drift Algae	0.09
15	2	*Halodule wrightii*	1.39
15	3	*Halodule wrightii*	8.35
15	4	Drift Algae	4.56
15	4	*Halodule wrightii*	7.63
15	5	Drift Algae	0.79
15	5	*Halodule wrightii*	5.27
15	6	*Halodule wrightii*	2.20
15	6	*Thalassia testudinum*	1.03

Appendix Table 5. Biomass (ug) of 14-day growth clip samples.

Station	Rep.	Species	Number of Shoots	Grass Wt. (μg)	Wt./Shoot (μg)
1	A	*Halodule wrightii*	3	275	92
1	B	*Halodule wrightii*	5	762	152
1	C	*Halodule wrightii*	5	848	170
1	D	*Halodule wrightii*	5	881	176
1	E	*Halodule wrightii*	4	566	142
1	F	*Halodule wrightii*	6	1128	188
2	A	*Halodule wrightii*	3	385	128
2	B	*Halodule wrightii*	2	170	85
2	C	*Halodule wrightii*	7	456	65
2	D	*Halodule wrightii*	3	216	72
2	E	*Halodule wrightii*	4	215	54
3	A	*Halodule wrightii*	3	77	26
3	B	*Halodule wrightii*	2	90	45
3	C	*Halodule wrightii*	1	31	31
3	D	*Halodule wrightii*	5	295	59
3	E	*Halodule wrightii*	2	93	47
4	A	*Syringodium filiforme*	7	1428	204
4	B	*Syringodium filiforme*	6	2190	365
4	C	*Syringodium filiforme*	4	1279	320
4	D	*Syringodium filiforme*	5	1312	262
4	E	*Syringodium filiforme*	3	451	150
5	A	*Halodule wrightii*	3	130	43
5	B	*Halodule wrightii*	1	90	90
5	C	*Halodule wrightii*	1	103	103
5	D	*Halodule wrightii*	1	49	49
5	E	*Halodule wrightii*	2	88	44
5	F	*Halodule wrightii*	4	201	50
6	A	*Halodule wrightii*	5	494	99
6	B	*Halodule wrightii*	3	802	267
6	C	*Halodule wrightii*	4	430	108
6	D	*Halodule wrightii*	2	154	77
6	E	*Halodule wrightii*	4	497	124
6	F	*Halodule wrightii*	5	575	115
7	A	*Halodule wrightii*	2	304	152
7	B	*Halodule wrightii*	2	156	78
7	C	*Halodule wrightii*	6	455	76
7	D	*Halodule wrightii*	6	295	49
7	E	*Halodule wrightii*	3	246	82
8	A	*Halodule wrightii*	2	258	129
8	B	*Halodule wrightii*	4	508	127
8	C	*Halodule wrightii*	8	794	99
8	D	*Halodule wrightii*	11	626	57
8	E	*Halodule wrightii*	7	919	131
9	A	*Syringodium filiforme*	17	3420	201
9	B	*Syringodium filiforme*	9	2054	228
9	C	*Syringodium filiforme*	9	1941	216
9	D	*Syringodium filiforme*	21	3940	188
9	E	*Syringodium filiforme*	9	1023	114

Appendix Table 5. Continued.

Station	Rep.	Species	Number of Shoots	Grass Wt. (µg)	Wt./Shoot (µg)
10	A	*Syringodium filiforme*	8	1066	133
10	B	*Syringodium filiforme*	18	1968	109
10	C	*Syringodium filiforme*	19	1851	97
10	D	*Syringodium filiforme*	8	433	54
10	E	*Syringodium filiforme*	10	1322	132
11	A	*Syringodium filiforme*	2	478	239
11	B	*Syringodium filiforme*	2	818	409
11	C	*Syringodium filiforme*	6	1668	278
11	D	*Syringodium filiforme*	2	986	493
12	A	*Syringodium filiforme*	3	246	82
12	B	*Syringodium filiforme*	5	1764	353
12	C	*Syringodium filiforme*	6	1068	178
12	D	*Syringodium filiforme*	7	1181	169
12	E	*Syringodium filiforme*	6	413	69
13	A	*Halodule wrightii*	6	538	90
13	B	*Halodule wrightii*	3	398	133
13	C	*Halodule wrightii*	2	72	36
13	D	*Halodule wrightii*	4	246	62
13	E	*Halodule wrightii*	2	51	26
14	A	*Halodule wrightii*	6	743	124
14	B	*Halodule wrightii*	3	859	286
14	C	*Halodule wrightii*	8	1230	154
14	D	*Halodule wrightii*	2	540	270
15	A	*Halodule wrightii*	3	533	178
15	B	*Halodule wrightii*	6	468	78
15	C	*Halodule wrightii*	13	688	53
15	D	*Halodule wrightii*	7	889	127
15	E	*Halodule wrightii*	3	565	188

Appendix Table 6. Productivity (mg/m2/day) and number of shoots per m2 calculated from grass clip samples

Station	Rep.	Species	Number of Shoots	Productivity (mg/m2/day)	Shoots/m2	Regrowth Days
1	A	Halodule wrightii	3	196	299	14
1	B	Halodule wrightii	5	543	499	14
1	C	Halodule wrightii	5	604	499	14
1	D	Halodule wrightii	5	627	499	14
1	E	Halodule wrightii	4	403	399	14
1	F	Halodule wrightii	6	803	598	14
2	A	Halodule wrightii	3	274	299	14
2	B	Halodule wrightii	2	121	199	14
2	C	Halodule wrightii	7	325	698	14
2	D	Halodule wrightii	3	154	299	14
2	E	Halodule wrightii	4	153	399	14
3	A	Halodule wrightii	3	55	299	14
3	B	Halodule wrightii	2	64	199	14
3	C	Halodule wrightii	1	22	100	14
3	D	Halodule wrightii	5	210	499	14
3	E	Halodule wrightii	2	66	199	14
5	A	Halodule wrightii	3	86	299	15
5	B	Halodule wrightii	1	60	100	15
5	C	Halodule wrightii	1	68	100	15
5	D	Halodule wrightii	1	33	100	15
5	E	Halodule wrightii	2	58	199	15
5	F	Halodule wrightii	4	134	399	15
6	A	Halodule wrightii	5	352	499	14
6	B	Halodule wrightii	3	571	299	14
6	C	Halodule wrightii	4	306	399	14
6	D	Halodule wrightii	2	110	199	14
6	E	Halodule wrightii	4	354	399	14
6	F	Halodule wrightii	5	409	499	14
7	A	Halodule wrightii	2	216	199	14
7	B	Halodule wrightii	2	111	199	14
7	C	Halodule wrightii	6	324	598	14
7	D	Halodule wrightii	6	210	598	14
7	E	Halodule wrightii	3	175	299	14
8	A	Halodule wrightii	2	214	199	12
8	B	Halodule wrightii	4	422	399	12
8	C	Halodule wrightii	8	660	798	12
8	D	Halodule wrightii	11	520	1097	12
8	E	Halodule wrightii	7	764	698	12
13	A	Halodule wrightii	6	383	598	14
13	B	Halodule wrightii	3	283	299	14
13	C	Halodule wrightii	2	51	199	14
13	D	Halodule wrightii	4	175	399	14
13	E	Halodule wrightii	2	36	199	14
14	A	Halodule wrightii	6	617	598	12
14	B	Halodule wrightii	3	714	299	12
14	C	Halodule wrightii	8	1022	798	12
14	D	Halodule wrightii	2	449	199	12
15	A	Halodule wrightii	3	443	299	12

Appendix Table 6. continued

Station	Rep.	Species	Number of Shoots	Productivity (mg/m2/day)	Shoots/m2	Regrowth Days
15	B	Halodule wrightii	6	389	598	12
15	C	Halodule wrightii	13	572	1296	12
15	D	Halodule wrightii	7	739	698	12
15	E	Halodule wrightii	3	469	299	12
4	A	Syringodium filiforme	7	466	320	14
4	B	Syringodium filiforme	6	714	274	14
4	C	Syringodium filiforme	4	417	183	14
4	D	Syringodium filiforme	5	428	228	14
4	E	Syringodium filiforme	3	147	137	14
9	A	Syringodium filiforme	17	1115	776	14
9	B	Syringodium filiforme	9	670	411	14
9	C	Syringodium filiforme	9	633	411	14
9	D	Syringodium filiforme	21	1285	959	14
9	E	Syringodium filiforme	9	334	411	14
10	A	Syringodium filiforme	8	348	365	14
10	B	Syringodium filiforme	18	642	822	14
10	C	Syringodium filiforme	19	604	868	14
10	D	Syringodium filiforme	8	141	365	14
10	E	Syringodium filiforme	10	431	457	14
11	A	Syringodium filiforme	2	182	91	12
11	B	Syringodium filiforme	2	311	91	12
11	C	Syringodium filiforme	6	635	274	12
11	D	Syringodium filiforme	2	375	91	12
12	A	Syringodium filiforme	3	80	137	14
12	B	Syringodium filiforme	5	575	228	14
12	C	Syringodium filiforme	6	348	274	14
12	D	Syringodium filiforme	7	385	320	14
12	E	Syringodium filiforme	6	135	274	14

1995 Summary Report for:

CRYSTAL RIVER 3 YEAR NPDES MONITORING PROJECT

FPC Contract S01100

Work Authorization 501 (Addendum 1)

submitted December 15, 1995 to

Ms. Manitia Moultrie
Environmental Services Department
Florida Power Corporation
3201 34th Street South
St. Petersburg, Florida 33733

by the

Mote Marine Laboratory
1600 Ken Thompson Parkway
Sarasota, Florida 34236

Ernest D. Estevez, Ph.D.
and
Michael J. Marshall, Ph.D.

Principal Investigators

EXECUTIVE SUMMARY

Florida Power Corporation (FPC) and federal and state regulatory agencies seek to demonstrate that the operation of new helper cooling towers at the FPC Crystal River Station will lead to an expansion in the area of benthic habitat occupied by submerged aquatic vegetation (SAV: seagrasses and rhizophytic macroalgae). A monitoring program was begun in the Fall of 1993 and was completed in the Fall of 1995. The monitoring program emphasized near-shore waters within a two mile radius from the point of discharge (POD) of the Crystal River Station.

The major questions to be answered by the monitoring plan were 1) Are barren areas being colonized by SAV?, and 2) Are existing areas of SAV expanding? To answer Question 1, it was necessary to design and implement a robust survey program in barren areas. To answer Question 2, selected SAV beds were surveyed at a very fine scale and results were compared between years. Important corollary questions included: 3) Changes in SAV cover outside of the designated study area (control sites); 4) Changes in the relative abundance of macroalgae, compared to seagrasses; and 5) Changes in the biomass or productivity of existing SAV beds. We addressed Question 3 by occupying barren and vegetated sites in control sites. We addressed Question 4 by measuring percent cover by species, and percent barren area, at stations within the SAV beds selected for more intensive surveys. Changes in SAV biomass or productivity (Question 5) were determined by sampling the intensive survey beds during August of each year.

Professional aerial photography was to be used to backstop the field measurements. We did not recommend using aerial imagery as a primary source of SAV dispersion data because past experience has shown that turbidity, color, tide, sea surface conditions, and weather are significant impediments to successful photography at this site. Aerial photography scheduled for 1993 was not completed until spring of 1994 because of unsuitable weather and water conditions. Usefulness of 1994 images was marginal due to turbidity fronts in Basins 1 and 2, equivalent to the study area within a 2 mile POD radius. Photography authorized for fall 1994 was not completed despite extended readiness through 1995. Flight conditions were hampered during winter 1994-95, and unusual tropical storm conditions reduced water clarity during summer and fall, 1995.

Our plans for field sampling were informed by the record of poor conditions for aerial photography at the site. Lack of contemporaneous aerial photographs prevented the production of digitized SAV maps but did not hamper our ability to monitor barren and vegetated areas throughout the study area, in order to answer project questions. Future attempts at aerial photography should be made, with or without collateral field sampling, as opportunities arise.

Results

Exhibit I summarizes all results from the 3 year monitoring program. In 1993, barren area transects encountered few SAV beds, and these were

previously known. The 1993 survey established that most of Basins 1-3 were barren of seagrasses. By 1994, 3 new beds had developed, all north of the Discharge Canal. Two of the 1994 beds could not be found in 1995, but 3 other beds were discovered. These also were north of the Discharge Canal. The gross increase in new seagrass areas during the 3 year survey period was 6 beds. Two failed to persist to 1995. Compared to 1993 conditions, 4 new beds were added to Basins 1 and 2. There were, in general, no signs of bed development in the middle or southern areas of the 2 basins closest to the POD. However, one new 1994 Halodule bed was only a few hundred meters from the POD. There was some minor coverage of new seagrass and rhizophytic algae in the southern part of Basin 3.

Twelve of fifteen beds selected for intensive monitoring expanded beyond their 1993 perimeters, by 1994. Eight expanded between 1993 and 1995. The majority of intensively studied beds also showed increases in percent cover, both along their edges and within their interiors, from 1993 to 1994. The 1994 to 1995 period saw fewer beds with increased cover, perhaps owing to the wet summer of 1995. Biomass measurements also depicted declines from 1994 to 1995, although 14 of the 15 intensively studied beds showed increases in daily productivity rates. These responses are consistent with the effects of tropical storm activity and above-average rainfall and river discharges.

Based on data from 1993, 1994, and 1995, the following points are offered.

1. "New" SAV beds appeared along barren-area transects.
2. Recruitment of new beds into barren areas has not been extensive.
3. All of the new beds have formed north of the point of discharge, in Basins 1 and 2.
4. The seaward edges of SAV beds have expanded at 8 of 15 intensively monitored SAV stations.
5. Patterns of change in percent cover, from 1993 to 1995, showed decreased coverages (by total vegetation) at 10 of 15 sites.
6. Biomass distribution patterns showed a general decline from 1993 to 1995 at 10 of 15 sites irrespective of distance from the POD.
7. Shoot densities increased by 1995 for Halodule at 8 of the 10 stations where it was present in 1994.
8. SAV production rates showed large increases from 1994 to 1995 in Basins 1, 2 and 3, closest to the point of discharge.

Overall, monitoring revealed spatial as well as temporal patterns in the distribution of sea grasses and rhizophytic algae. Most patterns depicted a system of bed recruitment and expansion that promoted persistence, and for several parameters (Exhibit I), improvements in SAV cover and condition during the three years. No abiotic parameters were measured in this program, so it is not possible to assign causes for the SAV changes observed during the past 3 years. Changes in transects and beds within the 2 mile POD radius were mirrored by changes at more distant sites, indicating the extent of the 1995 wet season on the region, as well as the study area.

Exhibit 1. 1993-1995 Summary data, Crystal River NPDES Monitoring Project.

Basin/SAV[1]	I-HW	II-HW	III-SF	IV-Mixed	V-SF/Other	Total
Barren Area Results						
No. Transects	3	3	5	2	2	15
No. New Beds						
1993-1994	1	1	1	0	0	3
1994-1995	1	2	0	0	0	3
Net New Beds						
1993-1995	1	2	1	0	0	4
Intensive Seagrass Bed Results						
No. of beds/area	3	3	3	3	3	15
No. Beds Expanding						
1993-1994	2	2	3	2	3	12
1993-1995	2	1	1[2]	3	1	8
No. Beds Increasing						
% Cover						
Interiors						
1993-1994	2	1	2	0	3	8
1994-1995	1	0	0[2]	0	0	1
Perimeters						
1993-1994	1	0	2	2	3	8
1994-1995	1	0	0[2]	0	1	2
No. Beds Increasing						
Biomass						
1994-1995	0	2	0	1	0	3
No. Beds Increasing						
Productivity						
1994-1995	3	3	3	3	2	14

[1] HW, Halodule wrightii; SF, Syringodium filiforme; mixed, more than one species was abundant
[2] Of two remaining marked beds in this area.

TABLE OF CONTENTS

Title Page

Executive Summary i

Table of Contents iv

Introduction 1

Available Information 1
Rationale 2

Methods 4

Positioning 4
Barren Area Transects 4
Intensive SAV Bed Surveys 6
Physical Features 7
Seagrass Observations 7
SAV Condition 8
Seagrass Beds Designations 9

Results 9

Barren Area Studies 9
Transect Completeness 9
Barren Area Transects in 1994 9
Barren Area Transects in 1995 10
Net SAV Changes in Barren Areas, 1993 - 1995 11
Other Changes Observed on Barren Area Transects 12

Seagrass Bed Intensive Studies 12
Physical Characteristics 12
Seagrass Bed Expansion and Contraction 13
Area-wide Bed Expansions 13
Bed Changes in Other Areas 14
Percent Cover 14
Halodule wrightii 15
Syringodium filiforme 15

Halophila engelmannii 15
Thalassia testudinum 15
Total Seagrass Coverage 16
Attached Algae 16
Total SAV Coverage 16
Biomass 16
Halodule wrightii 16
Syringodium filiforme 17
Halophila engelmannii 17
Thalassia testudinum 17
Total Seagrass Biomass 17
Attached Algal Biomass 18
Total SAV Biomass 18
Shoot Density 18
Productivity 18

Discussion 19

Photography 19
Weather in 1995 19
Principal Findings 20

Conclusions 22

Tables

Figures

Appendix Tables

INTRODUCTION

Florida Power Corporation (FPC) and federal and state regulatory agencies seek to demonstrate that the operation of new helper cooling towers at the FPC Crystal River Station will lead to an expansion in the area of benthic habitat occupied by submerged aquatic vegetation (SAV: seagrasses and rhizophytic macroalgae). A monitoring program was begun in the Fall of 1993 and was completed in the Fall of 1995. The monitoring program emphasizes near-shore waters within a two mile radius from the point of discharge (POD) of the Crystal River Station (Figure 1).

Available Information

Early surveys and aerials are described in the 316 Demonstration Report and the 1986 MML report, "Submerged Aquatic Vegetation in the Vicinity of the FPC Crystal River Power Station."

Studies performed in the 1970s by the University of Florida contained a single map by Martin Van Tine of "approximate attached macrophyte standing crop" during the summer of an unknown year (Florida Power Corporation, 1975). The map depicted areas of high and low standing crop, including barren areas. Nothing is known of sampling methods or effort.

Two SAV surveys were performed in the vicinity of the Crystal River Station during the 1980s. The first was conducted under MML supervision as part of the 316 Demonstration Study, in 1983 and 1984. The second was sponsored by FPC and conducted by MML in 1986, to determine the nature of offshore SAV beds closer to the influence of the Withlacoochee River.

The 316 Demonstration Study occupied 50 survey stations. "Thermal" stations fell along four transects between the Barge and Intake Canals. "Control" stations fell along three transects north of the Barge Canal and three transects south of the Intake Canal. (Thirteen of the 50 stations fall within a 2 mile radius from POD, north of the intake canal.) Ten square-meter quadrats were deployed at each station and percent cover of seagrass and algae was determined in each. Nine "intensive" stations were equally divided among Halodule, Thalassia, and Syringodium sites in thermal and control areas. Intensive stations were visited on 6 week intervals. Biomass and productivity (2-week clip method) was measured at each station.

No intensive stations were sampled in November of either year. Aerial photographs were taken in February of 1983 and 1984, and in October/November of 1983. Only three of eight planned, quarterly overflights produced successful aerial images due to poor water quality. Later ground-truthing resulted in SAV maps drawn at a scale of 1:18,000 on stable acetate.

Dense SAV was mapped south of the Intake Canal and between the Intake and Discharge Canals. Sparse SAV beds were mapped in Basins 1 and 3. SAV near Fisherman's Cut was seasonally variable. A large area of SAV in Basin 4 was more persistent. Most of these areas fall within a 2-mile POD radius. Barren areas were most widespread in Basins 1, 2 and 3. Other results are presented in the 316 Demonstration Report.

In November 1986, MML surveyed 177 stations between the Barge and Intake Canals, west of the POD. Station density was determined through a statistical analysis of previous SAV bed distribution. (Twenty-five stations fell within a 2-mile POD radius.) Original LORAN positions of all stations are still available. At each station, 120 meter dive lines were surveyed for dispersion and abundance of SAV.

The survey found that most stations west of the 1983-84 study area contained SAV. SAV (especially sparse macroalgae) was also found at areas mapped as barren in the earlier studies. Caulerpa species were ubiquitous, but other rhizophytic algae were more common in the southern half of the survey area. Overall, there were declines in SAV richness and cover toward the north and toward the west, within the 1986 survey area. Extensive areas of drift and lithophytic Sargassum were also observed.

Rationale

The major questions to be answered by the monitoring plan were:

1) Are barren areas being colonized by SAV?

2) Are existing areas of SAV expanding?

To answer Question 1, it was necessary to design and implement a robust survey program in barren areas. To answer Question 2, selected SAV beds were surveyed at a very fine scale and results were compared between years.

Professional aerial photography was to be used to backstop the field measurements. We did not recommend using aerial imagery as a primary source of SAV dispersion data because past experience has shown that turbidity, color, tide, sea surface conditions, and weather are significant impediments to successful photography at this site. On the other hand, when it is successful, aerial photography can reveal changes in SAV that fixed-station methods might miss. Consequently, we sought to fly the site and examine each year's new imagery prior to commencing field work, where possible.

Important corollary questions included:

3) Changes in SAV cover outside of the designated study area (control sites);

4) Changes in the relative abundance of macroalgae, compared to seagrasses; and

5) Changes in the biomass or productivity of existing SAV beds.

We addressed Question 3 by occupying barren and vegetated sites in control sites, and by including these areas in the flight lines for aerial photography. Where possible, control stations were selected at a variety of depths comparable to stations within the 2-mile POD radius.

We addressed Question 4 by measuring percent cover by species, and percent barren area, at stations within the SAV beds selected for more intensive surveys.

Changes in SAV biomass or productivity (Question 5) were determined by sampling the intensive survey beds during August of each year. The 316 Demonstration Study reported a strong dependence of variation in these parameters, on time. Seagrass biomass and productivity during the Fall are transitional between maxima in August and September, and minima in December and January. Consequently, difficulty was expected in identifying statistically significant differences between years, using November data. Interannual differences are particularly difficult to detect in beds of mixed species, which are more common than single-species beds near Crystal River Station.

This report summarizes findings for barren area surveys, "perimeter" studies at intensive SAV beds, and the August 1994-95 condition assessment.

METHODS

Positioning

Several independent systems were employed. Approximate station locations were mapped onto charts carried in the field, to depict the orientation of a station to creeks, islands, day marks, levees, and other land marks. LORAN and GPS coordinates of all stations and transects, measured in 1993 and 1994, were also taken into the field. As needed, the end points of transects that were marked on land or in marshes with steel bars, stones, colored paint, or other permanent material were replaced.

In 1995, transect end points and station locations were again measured using a Voyager LORAN Navigator and a Magellan NAVPRO global positioning system. Electronic positions also were measured for NOS benchmarks at the mouth of the discharge canal, and at the U.S. Geological Survey "Knott" benchmark on Drum Island. Analysis of the electronic data indicates high field accuracy (reproducibility) but relatively low map precision (see Discussion).

Barren Area Transects

Barren area transects established in 1993 were visited in October 1994 and October 1995. As shown in Figure 2, most effort was directed to Basins 1, 2 and 3, with some effort in the areas of Basins 4 and 5, closest to the POD (e.g, inside the 2-mile radius).

Transects 1N, 1W and 2W covered Basin 1, the shallowest basin in the study area (-0.3 m relative to chart datum). Transects crossed level bottom comprised of variously-sized sediment overlying an irregular limestone platform. Sediments to the north and east, near Juncus marshes, have an organic component found lacking in sediments to the west and south, where shelly sands dominate. This basin is utilized heavily by the west indian manatee.

Basin 2 is crossed by Transects 3W, 4W, and the northern half of 5W. Basin 2 is deeper than Basin 1 (mean depth -0.9 m) and has minor tidal channels as deep as 1.8 m. Basin 2 transects run close by or over oyster reefs and

mapped SAV beds 1, 6 and 7. Sediments are heterogeneous, and bare limestone occurs on Transects 4W and 5W. The influence of Withlacoochee River discharge is evident in this basin.

Basin 3 is crossed by Transects 6W through 10W. This circular basin has a bowl-shaped profile, deepest near the center (-1.9 m). The basin is ringed by oyster reefs to the east and west, and by the Intake Canal Levee to the south. Perimeter beds 14 and 15 are located on 2 shelly shoals that have accumulated atop limestone steppes within the basin. This basin presents the most exposed limestone bottom in the study area, as well as the most sediment with a high silt and mud content. Tidal currents are strong near Transect 10W (adjacent to Dog Head Reef).

Basin 4 contains 2 transects, 2N and 11W. The transects begin near ends of the middle bar in the English Shoals, and meet in waters 2.1 m deep. This bottom is shelly and supports Caulerpa, calcareous algae, and the sea-whip, Leptogorgia. Basin 5 has 1 transect, 12W, that begins on the levee and ends in 2.5 m of water. Solitary corals are present in this basin, which opens directly to the Gulf of Mexico.

Transects 10W, 12 W, and 2N are beyond the 2 mile POD radius, and are treated as background or control sites. Another control site, Transect 13W, lies between the Barge Canal and Withlacoochee River channel. Transect 13W is in 2 m of water over muddy sand. Appendix Table I describes all transect locations.

Barren areas were surveyed by a diver towed behind a shallow draft vessel. Most transects ran due north or south to pre-determined landmarks. For long transects, tows followed transect lines marked in advance with temporary buoys. Buoys marked end points and way points, as needed. Beginning and end points were permanently positioned and marked. Where needed, tows were made into the current to reduce drift.

If the diver encountered seagrass or rhizophytic algae in barren areas the vessel stopped and marked the site(s). The immediate area was reconnoitered to determine the extent of SAV. If it corresponded to a previously-mapped SAV bed, it was recorded as "mapped" and was discounted as barren area. If new, the area, centroid position, species composition, and percent cover (see below) of the SAV was to be recorded, unless the vegetation was found to be Sargassum attached to rock outcrops. SAV markers were then recovered, and the survey of the transect continued.

Yearly barren area transect surveys were begun on November 9, 1993, October 13, 1994, and October 16, 1995.

Intensive SAV BED Surveys

In October 1994, GPS and LORAN coordinates and compass sightings were used to relocate the seagrass beds selected for study. All beds were marked by crab trap buoys anchored with screw-in tie down anchors to facilitate site recovery in 1995.

Within each bed, the position of a "center" marker was determined in 1993 by GPS, LORAN, and compass bearings. Center markers are hemispherical concrete parking lot markers. Each marker was painted with blue anti-fouling paint and anchored to the bottom with screw-in anchors. Center markers were tied to the anchors with 1" diameter nylon rope.

Edges of all 15 sites were marked during November 1993 in order to determine whether the seagrass beds expanded, contracted, or remain unchanged during the duration of the three year study.

Seagrass bed edges were marked with short (<1.0 m) sections of 3/8" steel reinforcement rods driven into the bottom with a small sledge hammer. Each steel stake was allowed to extend about 10 cm upward from the sediment surface. Seagrass bed edges were usually very easy to define, based on the sharp delineations between bare bottom and vegetated bottom.

A surveyor's tape was strung out along the set of edge markers at each site. In 1993, distances between edge markers and the distance from the center marker to each edge marker were recorded.

In 1994, bed markers were found by wading, snorkeling, or pulling a weighted polypropylene line across the bottom. Center markers and edge markers were relocated or replaced as needed. The majority of markers was relocated, so that only a few needed to be replaced. PVC poles were installed next to each edge marker to simplify working in turbid water. The distance of the actual SAV bed edge was tape-measured from the edge marker. Seaward changes were recorded as expansions. Changes toward the central bed marker were recorded as contractions.

The same methods were used to re-locate bed markers in August and October 1995 and the same measurements from edge markers and the center stone were repeated. All markers, including the center stone and bed edge stakes, were missing at Station 4. All other sites were found although various numbers of stakes were missing at several of the 14 re-located sites.

Physical Features

To document that bottom profiles or sediment depths did not vary so much near the edges of SAV beds that future lateral growth might be inhibited, additional data were collected at each site in 1993. These measurements were repeated in October 1995 to follow possible changes in physical characteristics of the bottom. Water depth and sediment thickness were measured on the edge of each SAV bed and at 1.0 and 2.0 m distances into the barren zone. A marked measuring stick was used to measure water depth. Sediment thickness was determined by pushing a 1.5 m long, 3/8" diameter iron rod into the bottom. The rod was pushed in to its full length or to the point of refusal. The rod was then withdrawn and the depth of penetration was measured. Measurements of each type were made adjacent to alternate stake markers along the edges of each of the 15 seagrass beds.

Seagrass Observations

In 1993, 1994, and 1995 the percentage of bottom covered by SAV on the edge of each bed (from 0.0 to 1.0 m into each bed) and deeper into the bed (at a distance of 2.0 to 3.0 m) was measured. Ten 1.0 m^2 quadrat-based estimates of bottom cover were taken along the vegetated edge of each SAV bed. The quadrats were positioned on the vegetated side of a randomly selected subset of the 15 edge markers at each site. Ten 1.0 m^2 additional cover estimates were made by flipping the quadrat frame over twice away from the perimeter of each seagrass bed.

Subdivisions (100 cm2) of the 1.0 m2 quadrat were used as the units for the cover estimates. SAV coverage was determined by counting the number of units in which various species of SAV were actually rooted. A barren square was defined as being devoid of any rooted vegetation. Seagrass blades from plants rooted in other units were not counted as cover in the otherwise completely barren units. Four seagrasses (Halodule, Syringodium, Thalassia, and Halophila) were encountered in the study sites. Two species of the rhizophytic algal genus, Caulerpa, were found at several of the sites.

Divers recorded data on slates and the data were transferred to log books for later use.

SAV Condition

Condition was defined as SAV shoot count, above-ground biomass, and productivity. Methods and effort followed the 316 Demonstration Study (Mattson et al.,1986[1]) with some variations as noted below. SAV condition was measured at the 15 intensive beds that are used for perimeter measurements in the 1993-95 monitoring program.

At each station, 6 samples for biomass of seagrasses and rhizophytic macroalgae were collected with a 25x25 cm sampler. The sampler was a PVC frame partially covered by a dive bag. Macrophytes clipped at the sediment surface floated into the upturned bag, which was labelled and closed. Its contents were then transferred to a labelled plastic bag and stored on ice. Contents of 6 samples were sorted into seagrasses (by species) and algae (pooled). Sorted samples were dried to constant weight at 105° C and weighed.

Seagrass productivity was determined as 14 day regrowth. Six clip rings were deployed at each seagrass bed study site. Losses of one or two rings occurred between deployment and retrieval at a few sites. At least 4, and usually 5 or 6, replicate measurements were made in each bed, using 11.3 cm diameter clip rings for Halodule, or 16.7 cm diameter clip rings for other seagrasses. After clip rings were installed, all SAV was clipped level with the surface of the ring, and discarded. Two weeks later, new growth was harvested, sorted, preserved, and labelled. Samples were dried to constant weight at 105° C and weighed. Seagrass shoot densities were measured by counting the shoots collected in the clip rings after 14 days of regrowth.

---

[1]/ Mattson, R., J.A. Derrenbacker, Jr. and R.R. Lewis. 1986. Effects of thermal addition from the Crystal River generating complex on the submerged macrophytic communities in Crystal Bay, Florida, pp. 11-67 in K. Mahadevan et al. (eds.), Proceedings, Southeastern Workshop on Aquatic Ecological Effects of Power Generation, Mote Marine Laboratory Technical Report Number 124. Sarasota FL.

Seagrass Bed Designations

Seagrass bed designations were changed for the final report (Figure 3) in order to indicate basin locations and dominant vegetation types. Codes for the new groupings are given in Table 1. Area I-HW, for example, includes the nearly monospecific Halodule beds in Basin I. Area IV-Mix beds contain more than one species of seagrass and algae. Figures for all seagrass bed observations are arranged within each group based on distances from the point of discharge (POD). In Areas I-HW and II-HW and at Station 13 this is a straight-line distance from the POD to the center marker at each station. For all other stations distances were measured from the POD to the tip of the southern discharge dike and then to the station centers.

RESULTS

All data collected from the 1995 sampling effort appear in the tables and appendix tables that follow. Data from 1993 and 1994 were included for comparison to the 1995 data.

BARREN AREA STUDIES

Transect Completeness

All transects were surveyed in 1993. In 1994, the Withlacoochee control transect (13W) was not run due to the riverine discharge of highly colored waters. In 1995, the northern half of the Basin 5 control transect (12W) was not surveyed due to a layer of mineral turbidity near the bottom. The shallower, southern half of this transect was surveyed. Overall completeness by transect-effort for the 3 year study was 97%.

Barren Area Transects in 1994

Three SAV beds were encountered in 1994 that were not seen when the transects were established in 1993 (Table 2; Figure 2). Two were Halodule

beds and the third was a mixed Halodule-Syringodium bed with small amounts of the green alga, Caulerpa.

One of the "new" beds was found on Transect 1N, which is Basin 1. It was a small (7x10 m), sparse (5% mean cover) Halodule bed with short (<5 cm) blades. The bed was growing in a silty sand underlain by rock. Many large (10-20 cm) burrows were found in the rock near the bed and elsewhere on the Basin 1 flats crossed by Transects 1N, 1W and 2W. The burrows were not seen in 1993.

Another Halodule bed was found on Transect 3W, in Basin 2. The bed covered 40 m of transect on flats southwest of Thumb Island. The north end of the bed was characterized by sparse calcareous green algae and Halodule was the principal SAV at the bed's southern end. Average percent cover of Halodule near the south end of the bed was 48%.

A third novel bed was found on Transect 5W, which crosses from Basin 2 into Basin 3. The bed was found in the Basin 2 portion of the transect, south of Drum Island. The bed was a mixture of small, dense patches of either Caulerpa (4% mean cover) or Halodule (14% mean cover), with the two sometimes combined. Syringodium was present but rare (30% cover in 1 of 10 replicates.

Barren Area Transects in 1995

In 1995, four SAV beds were encountered in 1994 that were not seen when the transects were established in 1993 (Table 3). Three of the 1995 beds were not encountered in 1994. All of the new beds in 1995 were in Basins 1 and 2, and were dominated by Halodule.

The smallest of the new beds was found on Transect 1W, in Basin 1. It was a irregular (1x1 m), sparse (<5% mean cover, estimated) Halodule bed with short (<5 cm) blades. The bed was growing in a silty sand.

Another Halodule bed was found on Transect 3W, in Basin 2. The bed covered 35 m of transect on flats northeast of Thumb Island. The bed covered 12 m, east to west. Average percent cover of Halodule near the center of the bed was 72%, and a single Halophila rosette was found in one quadrat.

The third new bed in 1995 was on Transect 4W (Basin 2), close by the southeast corner of Drum Island and an adjacent oyster reef. The bed measured 110 m on a north-south axis. Its east-west borders were irregular and the fringes were dissected by courses of barren bottom, but the east-west width of the bed at its center was 22 m. Halodule was the dominant species (34% mean cover) although 1 quadrat contained 6% Halophila and 2% Caulerpa.

The fourth bed was found on Transect 5W, which crosses from Basin 2 into Basin 3. The bed was found in the Basin 2 portion of the transect, south of Drum Island, at the site of its first discovery in 1994. In 1995 the bed was dominated by Syringodium (17% mean cover) with a trace of Caulerpa. This condition differs from 1994, when the bed was a mixture of small, dense patches of either Caulerpa (4% mean cover) or Halodule (14% mean cover), with the two sometimes combined. Syringodium was present in 1994 but rare (30% cover in 1 of 10 replicates).

Finally, small and sparse amounts of new vegetation were encountered on the southern reaches of Transects 6W and 9W, in Basin 3. On Transect 6W, tufts of Syringodium were found among Caulerpa and Sargassum. Caulerpa, alone, was crossed by Transect 9W.

Net SAV Changes in Barren Areas, 1993 - 1995

In 1993, barren area transects encountered few SAV beds, and these were previously known. The 1993 survey established that most of Basins 1-3 were barren of seagrasses. By 1994, 3 new beds had developed, all north of the Discharge Canal. Two of the 1994 beds could not be found in 1995, but 3 other beds were discovered. These also were north of the Discharge Canal.

The gross increase in new seagrass areas during the 3 year survey period was 6 beds. Two failed to persist to 1995. Compared to 1993 conditions, 4 new beds were added to Basins 1 and 2. There were, in general, no signs of bed development in the middle or southern areas of the 2 basins closest to the POD. However, one new 1994 Halodule bed on Transect 1W was only a few hundred meters from the POD. There was some minor coverage of new seagrass and rhizophytic algae in the southern part of Basin 3.

Other Changes Observed on Barren Area Transects

In 1994, many large (10-20 cm) burrows were found in exposed rock and in sand on the Basin 1 flats crossed by Transects 1N, 1W and 2W. The burrows were not seen in 1993, or in 1995. A similar appearance in 1994, of solitary sponges and tunicates, was observed in Basin 3 (Transects 6W and 7W). These filter feeding animals were abundant in deeper Basin 3 waters, but were absent in 1995.

SEAGRASS BED INTENSIVE STUDIES

General characteristics, derived from field observations made during the 3-year duration of this project, of each of the 15 seagrass stations included in the intensive studies are described in Table 4. Table 1 lists the GPS and LORAN determined latitudes and longitudes of the center markers at each of the 15 seagrass stations. The seagrass species present at a site seemed to be highly dependent on the site's degree of exposure to the open Gulf, turbidity at each site, and on sediment thickness as judged from perceptions based on walking across each seagrass bed. In general Halodule was found adjacent to Juncus marshes and Syringodium was found in open bays adjacent to protective offshore oyster bars.

Physical Features

Measurements of water depth at the marked edges of the seagrass beds and at 1.0 and 2.0 m beyond the edges (Figures 4 to 8; Appendix Table II) indicated gradually sloping bottoms at all stations in Area 1-HW, in Area II-HW, in Area III-SF, and in Area V-SF. Stations 14 and 13 in Area IV-Mix contours were less uniform with more rapid changes in depth from the perimeter to 2 m outside of each bed.

In general there was no evidence that changes in bottom topography limited seagrass growth at any of the study sites.

Sediment depth profiles (Figures 9 to 13; Appendix Table II) show an interesting pattern in that most Halodule wrightii beds are situated on soft mud banks with sediment depths reaching 100 cm at 5 of the 6 Halodule beds

(Figures 9 and 10). Station 3 was an exception to this pattern. At Station 3 soft sediments were less deep because the site runs closely parallel to an oyster bar on its shoreward side. Limestone rock outcroppings were also scattered throughout this bed.

Syringodium filiforme beds were typically found rooted in shallow-sediment deposits over rocky substrata (Figures 11 and 13). Surface soft sediment layers rarely reached 100 cm depth with the exception of Station 10.

The mixed species beds (Figure 12) were underlain by a complex mosaic of shallow rock and deep soft sediments. Sediments at Station 14 and 15 were soft while rock was encountered at less than 20 cm at Station 15. All of the Syringodium beds seemed to be limited by exposed rock along at least parts of their borders.

Seagrass Bed Expansion and Contraction

Mean changes in grass bed edge positions ranged from -2.06 m to +6.81 m. Standard deviations usually exceeded means because considerable variation was measured at each site. All data for this effort are presented in Appendix Table III. In general more beds expanded or remained unchanged at distances greater than 1.6 miles from the POD while more beds contracted at locations closer to the POD. All bed edge markers and the center stone were lost at Station 4 during the summer of 1995.

Area-wide Bed Expansions

No completely consistent basin-wide patterns were seen with the exception of Area IV-Mix where all beds expanded from 1993 to 1995 (Table 5; Figure 14). In this area, mean bed expansion ranged from 0.58 to 2.07 m. Stations in all other areas showed a mix of expansion and contraction over the study period. Trends toward expansion seen in 1994 were sometimes drastically reversed by 1995. Two of the three stations in this area consistently expanded from 1993 to 1994. Station 13 remained unchanged in 1994 but expanded by 1995. Stations in this group range from 1.77 to 2.05 miles from the POD.

Bed Changes in Other Areas

Five of the remaining 11 intensively studied SAV beds had positive growth along their margins since 1993, based on the mean change observed at 10 to 16 reference markers per bed (Table 5). Halodule beds in Area I-HW (Figure 15) expanded at two stations, following the pattern seen between 1993 to 1994, and contracted at one station. The I-HW stations are located within 0.63 to 0.73 statute miles of the point of discharge (POD).

Halodule beds in Area II-HW (Figure 16) expanded at Station 7 and contracted at Stations 5 and 6 (Table 5). The grassbed at Station 5 virtually disappeared as will be described in later sections of this report. Grassbeds in this area range from 1.23 to 1.67 statute miles from the POD. Station 5 is the most distant from the POD of these three stations.

Syringodium beds in Areas III-SF (Figure 17) and V-SF (Figure 18) expanded at two stations, remained unchanged at two stations, and contracted at one station. No distance to edge measurements were possible in 1995 at Station 4 because all markers were lost by the time of the 1995 visits. Area III-SF stations range from 1.63 to 1.82 miles to the POD while Area V-SF stations are located from 2.25 to 2.95 miles from the POD.

Percent Cover

The majority of cases in 1993, 1994, and 1995 were such that percent cover measurements were made on algae-free SAV beds (Appendix Table IV). Although algae were present in some cases, the cover and changes in cover of seagrass generally represent the same values as data for "total vegetation".

Percent coverage by all vegetation in area I-HW decreased from a high of 86.1% in 1993 to a low of 56.4% in 1995. Decreases of the same approximate magnitude were seen in all other areas from 1993 to 1995 with the exception of area V-SF (Table 6). A large decrease in percent coverage occurred in these areas between August 1995 and October 1995.

All measurements of percent cover from 1993 to 1995 were combined to produce a series of figures (Figures 19 to 25) which show how bottom coverage by individual seagrass species, algae, and total vegetation (SAV) changed from year to year.

Halodule wrightii

Halodule followed similar patterns in bed edges and interiors at each of the nine stations where this seagrass was abundant. All but one of these stations showed decreased coverages on their perimeters and within the beds' interiors from 1993 to 1995. The patterns followed between 1994 and 1995 show a mixture of changes that included both increased and decreased coverage. Halodule (Figure 19) percent coverage fell from nearly 90% in 1993 to less than 10% in 1995 at Station 5 and to 0% at Station 8. Station 5 changed from a nearly uniform carpet of Halodule to a mud flat with only a few tufts of living grass while Station 8 changed from a mixed species bed to a Syringodium bed. The changes seen at other stations were much less pronounced.

Syringodium filiforme

Syringodium (Figure 20) coverage remained approximately constant or increased at stations where it was the only seagrass species. Syringodium increased coverage at Station 8 from 0% coverage in 1993 to much higher levels in 1995 as described above. Stations 9, 10, and 11 (in group V-SF), all control stations, showed no consistent patterns of change. Syringodium within bed interiors was usually more dense than on bed perimeters but interior percent coverages paralleled perimeter fluctuations at most stations.

Halophila engelmannii

Halophila (Figure 21), never abundant, virtually disappeared at all 15 stations by October 1995. It was present in August 1995 biomass samples and in quadrat surveys for percent cover at 4 sites. Its greatest percent coverage, nearly 25% within perimeter quadrats, was seen at Station 9, south of the intake canal, in 1994. By 1995 all traces of this species disappeared. It was never found at 7 stations and never exceeded 10% coverage at the remaining 7 sites.

Thalassia testudinum

Thalassia (Figure 22) was only found within Area IV-Mix's three stations. Its coverage fluctuated from year to year in patterns unique to each of the three stations.

Total Seagrass Coverage

Total seagrass coverage (Figure 23) decreased at 9 of the 15 grassbed station study sites, increased at 2 stations, and remained approximately constant at 4 stations. The largest decline in coverage, from 80% to 3% coverage, was seen at Station 5. Station 3 also showed a large drop in coverage from 1993 to 1994 but recovered some of the loss by October 1995.

Attached Algae

Attached algae (Figure 24), usually Caulerpa prolifera or C. mexicana, were abundant at only 3 of the 15 stations. No long-term trends were seen at these stations.

Total SAV Coverage

Trends in total vegetation coverage (Figure 25) closely followed the site-specific patterns seen in Figure 23 (total seagrass coverage) because of the sporadic algal coverage. Completely barren bottom, with no seagrass or algae for interiors and perimeters of the 15 seagrass stations, can be read in Figure 25 as the white space above the cross-hatched bars. Cross-hatching represents the area covered by SAV. Interiors and exteriors of most sites were very similar in the percent of bottom area covered by SAV.

The largest decrease in SAV coverage was seen at Station 5. This decrease represents the loss of nearly all of the Halodule found at the station in 1993.

Biomass

Biomass was evaluated for each seagrass species, all seagrass, and all vegetation (Appendix Table V; Table 7).

Halodule wrightii

Halodule biomass declined at 7 of the 12 stations where it was found in 1994 (Figure 26). A general trend of increasing biomass with increased distance from the POD can be seen in Areas I-HW and II-HW with the exception of

Station 5. Halodule disappeared completely in the clip box samples taken at Stations 8 and 12 by 1995. It was replaced by Syringodium.

Syringodium filiforme

Syringodium was never collected in Areas I-HW or in II-HW (Figure 27). Syringodium biomass declined at all 7 stations where it was seen in 1994. The declines were most pronounced in Area V-SF and at Station 12 in Area III-SF. The Area V-SF stations were considered to be controls because Stations 9 and 10 are located south of the intake canal (Figure 3). Station 11 is between the intake and discharge canals well behind the last series of oyster bars in Rocky Cove.

Halophila engelmannii

Halophila occurred sporadically at 7 stations over the 2 years in which biomass was monitored (Figure 28). It never occurred in area I-HW but it was collected in all other areas but not at all stations.

Thalassia testudinum

Thalassia occurred in the clip box samples at only 2 stations (Figure 29). It was more abundant in 1994 than in 1995 at both of these stations.

Total Seagrass Biomass

Combining the biomass of all seagrass species obscured the biomass density distribution patterns seen for individual species biomass (Figure 30), although it is evident that stations closest to the POD had much lower mean biomass values than more distant stations. Mean seagrass biomass values for the six stations closest to the POD were considerably lower than mean biomass values for the three more distant stations (9,11, and 12).

Seagrass biomass (Figure 30) declined at 12 of the 15 seagrass stations from 1994 to 1995. The largest declines were seen at Stations 11 and 12. Small increases in seagrass biomass were seen at Stations 6 and 7 in Basin II. Biomass also increased at Station 14. The overall decline in seagrass biomass was seen both at hot-water impacted and at control stations and was not seagrass species specific.

Attached Algal Biomass

Attached algal biomass (Figure 31) was distributed across sites in similar patterns in 1994 and 1995. The two stations where algal biomass was greatest in 1994 showed a decline in biomass in 1995.

Total SAV Biomass

All vegetation (seagrass plus rhizophytic macroalgae) biomass accentuated the spatial pattern seen for all seagrass species combined (Figure 32). Distant stations north of the Intake Canal had greater mean biomass values than stations closer to the POD, due largely to the increased abundance of macroalgae.

Shoot Density

Mean numbers of Halodule shoots per square meter (Table 8) were generally greater in 1995 at all sites where this seagrass was collected in 1994 (Figure 33). The only exception was Station 8 where Halodule disappeared. Syringodium (Figure 34) shoot densities increased greatly in III-SF from 1994 but showed smaller changes in area V-SF. Shoot density data are presented in Appendix Table VI.

Productivity

Clip data (Table 8; Appendix Table VI) were normalized for regrowth period and sample size to calculate productivity as mg dry weight per square meter per day.

Halodule productivity increased in areas I-HW and II-HW from 1994 to 1995 (Figure 35). All Halodule disappeared at Station 8. Halodule in area IV-Mix beds exceeded 1994 growth rates at two of the three stations. The growth rate increases seen in Areas I-HW and II-HW suggest that presumed declines in water temperature following the start-up of the helper cooling towers may have been a factor.

Syringodium growth was also accelerated from 1994 to 1995 in area III-SF (Figure 36). Growth rate differences in area V-SF, at distances exceeding 2.2 miles from the POD, were not as noticeable between years.

DISCUSSION

Photography

Aerial photography scheduled for 1993 was not completed until spring of 1994 because of unsuitable weather and water conditions. Usefulness of 1994 images was marginal due to turbidity fronts in Basins 1 and 2, equivalent to the study area within a 2 mile POD radius. Photography authorized for fall 1994 was not completed despite extended readiness through 1995. Flight conditions were hampered during winter 1994-95, and unusual tropical storm conditions reduced water clarity during summer and fall, 1995.

Conditions suited for aerial photography of SAV in the vicinity of the FPC power station are less common than elsewhere on the west Florida coast. For example, aerial photography of SAV during favorable conditions in Tampa Bay, by Geonex for the Southwest Florida Water Management District, prompted reconnaissance flights to Crystal River. Transparency at Crystal River was judged unsuitable during the same week that optimal conditions existed in Tampa Bay.

Our plans for field sampling were informed by the record of poor conditions for aerial photography at the site. Lack of contemporaneous aerial photographs prevented the production of digitized SAV maps but did not hamper our ability to monitor barren and vegetated areas throughout the study area. Future attempts at aerial photography should be made, with or without collateral field sampling, as opportunities arise.

Weather in 1995

Effects of 2 hurricanes and a tropical storm were felt along the coasts of Citrus and Levy counties. Storm surges completely inundated coastal Juncus marshes adjacent to the study area. Organic marsh sediments were deposited along the coastal marsh-front --northern and eastern edges of Basins 1 and 2 were fringed with subtidal deposits of fine organic matter, from August through October, 1995. Inorganic sands also were reworked in parts of every basin. Sand and shell was eroded from levees and islands, and deposited along intertidal oyster reefs.

Rainfall and freshwater (Withlacoochee River) discharge also were above average during summer 1995, although 12 month totals matched long-term averages (SWFWMD, 1995). Highly colored water from the Withlacoochee River, Barge Canal, and coastal runoff reduced local transparency to less than 0.5 m during low tides, and colored freshwater plumes were discernable 6 km from shore. Compared to 1993 and 1994 survey periods, August and October 1995 had more wind, more westerly onshore wind, rougher seas, and reduced visibility in all basins.

Halophila engelmannii's disappearance, from August 1995 to October 1995, was probably due to reduced salinities from rainfall and freshwater discharges throughout the study area. Halophila is reported to discolor and to eventually die when exposed to salinities below 10 ppt[2].

Growth rates (0.15 to 0.91 g dry weight m^{-2} d^{-1}) determined for Halodule during 1995 within the study site fall into the range of growth rates (0.1 g in January to 1.7 g dry weight m^{-2} d^{-1}) reported from the Laguna Madre, Texas[3]. In 1994 several of the growth rate determinations for this species fell below this range. Production rates measured at station 5 in Area II-HW and station 3 in Area I-HW, during August 1994, were 0.073 and 0.083 g dry weight m^{-2} d^{-1}, respectively. The considerable increase in production rates seen at sites closest to the POD may have been due to presumably decreased water temperatures at the POD. The highest shoot production rates in the Laguna Madre study occurred when water temperatures ranged from 28 to 29°C. Temperatures above and below that level caused decreased shoot production rates.

Principal Findings

Based on data from 1993, 1994, and 1995, the following points are offered.

1. "New" SAV beds appeared along barren-area transects.

---

[2]Dawes, C., M. Chan, R. Chinn, E.W. Koch, A. Lazar, and D. Tomasko (1987). Proximate composition, photosynthetic and respiratory responses of the seagrass Halophila engelmannii from Florida. Aquat. Bot., 27: 195-201.

[3]Tomasko, D.A. and K.H. Dunton (1995). Primary productivity in Halodule wrightii: a comparison of techniques based on daily carbon budgets. Estuaries 18: 271-278.

Three beds were found in 1994 that were not seen in 1993. Two were small Halodule beds in relatively close proximity (Basins 1 and 2) to the point of discharge. The apparent recruitment of beds into barren areas could have been an artifact of sampling dates (November-December 1993 versus October 1994), especially for the multiple species bed on Transect 5 near Drum Island. Beds on transects closer to the point of discharge are more likely to be genuine additions, because the tidal flats in that area are shallow, easily surveyed, and frequently visited.

In 1995, four SAV beds were encountered in 1994 that were not seen when the transects were established in 1993. Three of the 1995 beds were not encountered in 1994. All of the new beds in 1995 were in Basins 1 and 2, and were dominated by Halodule. The largest new bed (110 m by 22 m) in 1995 was on Transect 4W (Basin 2), near Drum Island. Another bed found near Drum Island in 1994 was found again in 1995. In 1995 the bed was dominated by Syringodium with a trace of Caulerpa, which condition differs from 1994 when the bed was a mixture of small, dense patches of either Caulerpa or Halodule.

2. Recruitment of new beds into barren areas has not been extensive.

During the 3 years of monitoring, there was no evidence that SAV was colonizing extensive areas of barren sediment. All of the new beds were found in the northern parts of Basins 1 and 2, north of the discharge canal. In the 3 years of this study, no new beds were found in any part of Basin 3, although in 1995 small and sparse amounts of new vegetation were encountered on the southern reaches of Transects 6W (tufts of Syringodium in Caulerpa and Sargassum) and 9W (Caulerpa only). Historical data indicate that losses of SAV along the southern side of Basin 3 were considerable.

3. All of the new beds have formed north of the POD, in Basins 1 and 2.

Two of the new beds did not persist, but their appearance conformed with locations of other new beds. Without data on abiotic parameters we cannot attribute this pattern to physical or chemical gradients across the study area. It can be noted, however, that all of the new beds were in the vicinity of stable, persistent beds, and tidal marshes.

4. The seaward edges of SAV beds have expanded at 7 of 15 SAV stations. Expansion was seen at 13 of the 15 beds through 1994. All SAV beds in Area IV-Mix expanded over the study period. No basin-wide contractions of seagrass beds were seen from 1993 to 1995. SAV beds in Areas I-HW and II-HW, in the areas most strongly influenced by thermal discharges, expanded at 3 stations and contracted at 3 stations. Stations in Areas III-SF and V-SF expanded at 2 sites, contracted at 1 site, and remained unchanged at 2 sites.

5. Patterns of change in percent cover, from 1993 to 1995, showed decreased coverages (by total vegetation) at 10 of 15 sites. Five of the six Halodule beds in Areas I-HW and II-HW declined in coverage by total vegetation. Syringodium beds in Areas III-SF and V-SF showed increased coverage at 3 of 6 sites, decreased coverage at 2 sites, and no change at one site.

6. Biomass distribution patterns showed a general decline from 1993 to 1995 at 10 of 15 sites irrespective of distance from the POD.

7. Shoot densities increased by 1995 for Halodule at 8 of the 10 stations where it was present in 1994. Syringodium shoot densities increased by 1995 at 4 of 6 stations where it was seen in 1994.

8. SAV production rates showed large rate increases from 1994 to 1995 in Areas I-HW, II-HW, and III-SF. All of these sites are within the path of historical thermal discharges from the POD. Smaller production increases were measured at stations in Areas IV-Mix and Area V-SF. A decrease in discharge water temperatures may explain part of the increased growth rates seen near the POD, and decreased transparency during the summer of 1995 may also have been a factor.

CONCLUSIONS

Visits in 1994 and 1995 to transects and seagrass beds selected for monitoring in 1993 revealed spatial as well as temporal patterns in the distribution of sea grasses and rhizophytic algae. Most patterns depicted a system of bed recruitment and expansion that promoted persistence, and for several parameters (Table 9), improvements in SAV cover and condition during the three years. Six new beds appeared in barren areas, and 3 persisted

into 1995. More than half of the intensively monitored beds had net increases in perimeter. Until the wet summer of 1995, 8 of 15 beds also increased with respect to cover.

Halodule and Syringodium were the dominant seagrass species in the vicinity of the study area. Halophila, and to a lesser extent, Thalassia, were affected adversely by the wet summer, causing shifts in species dominance within beds, and some declines in percent cover. Halodule demonstrated the greatest potential for recruitment into barren areas, having twice colonized Basin 1, the basin closes to the point of thermal discharge.

No abiotic parameters were measured in this program, so it is not possible to assign causes for the SAV changes observed during the past 3 years. Changes in transects and beds within the 2 mile POD radius were mirrored by changes at more distant sites, indicating the extent of the 1995 wet season on the region, as well as the study area. Biomass was lower and productivity was higher in 1995, than in 1994, consistent with effects of storms and heavy rains.

Table 1. Station codes and locations for all seagrass bed intensive studies. The dominant seagrass species is listed for each station.

Area Codes	Station	Dominant Seagrass	Latitude	Longitude	Loran (45)	Loran (62)	Miles from POD
I-HW							
	3	Halodule wrightii	28 58 03.88	82 43 41.91	45233.61	62882.21	0.63
	2	Halodule wrightii	28 58 00.79	82 43 50.00	45234.06	62883.08	0.68
	1	Halodule wrightii	28 57 58.39	82 43 56.35	45234.56	62883.88	0.73
II-HW							
	7	Halodule wrightii	28 58 25 00	82 44 09 00	45237.91	62884.67	1.23
	6	Halodule wrightii	28 58 24.30	82 44 10.28	45240.33	62885.49	1.29
	5	Halodule wrightii	28 58 35.81	82 44 33.48	45244.78	62888.00	1.67
III-SF							
	4	Syringodium filiforme	28 57 17.67	82 44 21.52	45232.47	62887.19	1.63
	8	Syringodium filiforme	28 57 07.30	82 44 19.26	45230.70	62887.06	1.82
	12	Syringodium filiforme	28 57 10.49	82 44 17.21	45230.03	62886.80	1.79
IV-MIX							
	14	Mixed Species	28 57 04.40	82 44 35.00	45232.39	67889.09	1.79
	15	Mixed Species	28 57 05.90	82 44 39.40	45232.91	62889.56	1.77
	13	Mixed Species	28 58 12.34	82 45 15.62	45274.30	67893.40	2.03
V-SF							
	11	Syringodium filiforme	28 57 23.73	82 43 38.31	45227.68	62882.13	2.23
	9	Syringodium filiforme	28 56 49.65	82 43 25.10	45220.91	62880.80	2.71*
	10	Syringodium filiforme	28 56 41.19	82 43 14.31	45218.47	62879.68	2.95*

* Located south of the intake canal levees.

Table 2. SAV beds found in October 1994 on 1993 barren area transects.

	Bed 1	Bed 2	Bed 3
Transect No.	1N	3W	5W
Basin No.	1	2	2/3
LORAN			
45-	229.16	236.00	240.85
62-	880.75	885.49	888.81
Near to:	POD	Thumb I.	Drum I.
Length, m	7	40	30
Max. Width, m	10	19	31
Mean % Cover			
Halodule	5	48	14
Syringodium	0	0	3
Caulerpa	0	0	4
Bare	95	52	85
N	10	9	10

Table 3. SAV beds found in October 1995 on 1993 barren area transects.

	Bed 3	Bed 4	Bed 5	Bed 6
Transect No.	5W	4W	3W	1W
Basin No.	2/3	2	2	1
LORAN				
45-	240.85	240.13	238.21	230.23
62-	888.81	887.22	885.14	881.30
Near to:	Drum I.	Thumb I.	no name	POD
Length, m	20	110	35	1
Max. Width, m	10	45	12	1
Mean % Cover				
Halodule	0	34	72	<5
Syringodium	17	0	0	0
Caulerpa	t	t	0	0
Halophila	0	t	t	0
Bare	83	66	28	95+
N	10	10	10	10

t, trace record.

Table 4. Brief descriptions of the 15 seagrass stations included in seagrass bed intensive surveys.

Area I-HW Stations:

1) Adjacent to saltmarsh (Juncus sp); very soft bottom; Halodule was only species present; offshore area bordered by oyster bars at varying distances from the study site.

2) same as above

3) same as above except that bottom was rocky in some areas; oyster bar limits grassbed growth on shoreward side; station closest to end of discharge canal

Area II-HW Stations:

5) Saltmarsh bordered by well developed oyster bar at this site. Halodule grassbed reduced to very widely dispersed, small clumps and patches.

6) Site in middle of small embayment away from Juncus marsh; bed bordered by oyster bar on one side.

7) Same as #6 except that original grassbed has grown and merged with other grassbeds. Thalassia seen in the area where the grassbeds merged. Very soft bottom except along edge of oyster bar.

Area III-SF Stations:

4) Bed on seaward edge of Rocky Cove oyster bars. Very exposed to wind and waves; hard bottom with Sargassum attached to rocky bottom at the seaward edge of the seagrass beds. Lost all station markers in 1995. Observations on bottom cover, productivity, biomass all done within GPS and LORAN determined station boundaries

8) Syringodium bed on seaward edge of Rocky Cove oyster bars; very exposed to wind and waves; hard bottom with Sargassum attached to rocky bottom at the seaward edge of the seagrass beds.

12) Syringodium in area between parallel oyster bars at south side of Rocky Cove; good current flow throughout area as tides change.

Area IV-Mix Stations:

13) Very mixed mosaic of seagrasses (Thalassia/ Syringodium/ Halophila/ Halodule) with Caulerpa mexicana and C. prolifera. Oyster bar to west protects this site from heavy chop and waves.

14) Site located on rocky bottom near north edge of intake canal. Open to sea and chop = not protected by bars, mix of Syringodium, Halodule, and Thalassia. This bar drops off to deeper water fairly rapidly

15) same as #14.

Area V-SF Stations:

9) Control site south of the intake canal; soft bottom with luxuriant beds of Syringodium; Lots of drift algae and attached algae outside of bed.

10) Same as #10 except that in October 95 the grassbed was covered with a thick layer of drift algae....made it impossible to find stakes; algal layer was 1 m thick over parts of the bed.

11) Luxuriant Syringodium growth over a thin layer of very soft sediment; easily disturbed. Site in protected water between intake and discharge canals.

Table 5. Seagrass bed expansion or contraction (m) between years.

		1993-1994	1993-1995
I-HW			
Station 3	Mean	-.38	-1.64
	S.D.	.93	2.50
Station 2	Mean	.98	1.63
	S.D.	1.58	1.42
Station 1	Mean	1.90	2.75
	S.D.	1.42	2.43
II-HW			
Station 7	Mean	2.52	6.81
	S.D.	1.99	11.73
Station 6	Mean	.48	-.90
	S.D.	.99	1.89
Station 5	Mean	-.21	-2.06
	S.D.	.52	1.42
III-SF			
Station 4	Mean	.06	N/A
	S.D.	.41	N/A
Station 8	Mean	6.51	-.16
	S.D.	4.02	1.27
Station 12	Mean	.30	1.35
	S.D.	1.05	1.18
IV-MIX			
Station 14	Mean	.56	.58
	S.D.	.59	1.05
Station 15	Mean	.56	1.33
	S.D.	.75	.92
Station 13	Mean	.05	2.07
	S.D.	3.29	2.85
V-SF			
Station 11	Mean	.58	-.17
	S.D.	.27	1.48
Station 9	Mean	.83	1.26
	S.D.	.60	.77
Station 10	Mean	.71	-1.63
	S.D.	.79	2.09

Table 6. Mean percent cover of 1m2 quadrats by rhizophytic algae, seagrass and total vegetation for each station and sampling date. (P/I) indicates grassbed (P)erimeter or 2 meters (I)nside bed).

Year/Month		1993-12 Algae	1994-08 Algae	1994-10 Algae	1995-08 Algae	1995-10 Algae	1993-12 Seagrass	1994-08 Seagrass	1994-10 Seagrass	1995-08 Seagrass	1995-10 Seagrass	1993-12 Total	1994-08 Total	1994-10 Total	1995-08 Total	1995-10 Total
I-HW																
Station 3	I	.0	.0	.0	.0	.0	93.7	36.9	45.3	19.5	51.6	93.7	36.9	45.3	19.5	51.6
	P	.0	.0	.0	.0	.0	80.1	42.0	34.7	11.1	40.8	80.1	42.0	34.7	11.1	40.8
Station 2	I	.0	.0	.0	.0	.0	96.4	98.9	97.1	94.9	47.1	96.4	98.9	97.1	94.9	47.1
	P	.0	.0	.0	.0	.0	87.1	99.0	81.5	89.3	44.0	87.1	99.0	81.5	89.3	44.0
Station 1	I	.0	.0	.0	.0	.0	80.0	100.0	92.5	99.3	76.5	80.0	100.0	92.5	99.3	76.5
	P	.0	.0	.0	.0	.0	79.6	100.0	96.1	100.0	78.4	79.6	100.0	96.1	100.0	78.4
II-HW																
Station 7	I	.0	.2	.0	.0	.0	98.3	86.7	98.4	98.7	94.8	98.3	86.7	98.4	98.7	94.8
	P	.0	.0	.1	.0	.0	91.5	73.1	91.1	94.0	91.2	91.5	73.1	91.1	94.0	91.2
Station 6	I	.0	.0	.0	.0	.0	98.9	92.5	93.0	97.0	70.6	98.9	92.5	93.0	97.0	70.6
	P	.0	.0	.0	1.0	.1	91.7	85.3	75.1	83.4	56.3	91.7	85.3	75.1	83.8	56.3
Station 5	I	.0	.0	.0	.1	.0	83.2	49.7	42.6	6.2	5.7	83.2	49.7	42.7	6.3	5.7
	P	.0	.0	.0	.1	.0	90.4	58.6	26.1	8.7	3.1	90.4	58.6	26.1	8.8	3.1
III-SF																
Station 4	I	.8	.0	1.3	.1	N/A	85.7	72.5	67.1	97.9	N/A	85.9	72.5	67.2	97.9	N/A
	P	.0	.0	2.8	.0	N/A	77.4	72.9	76.5	94.8	N/A	77.4	72.9	76.7	94.8	N/A
Station 8	I	.0	1.2	.0	.0	.0	91.7	93.7	96.3	64.6	63.9	91.7	93.7	96.3	64.6	63.9
	P	.2	.0	.0	.0	.0	93.8	95.8	93.2	48.3	55.0	93.8	95.8	93.2	48.3	55.0
Station 12	I	2.9	.0	.5	.0	.2	91.6	95.5	98.3	94.9	94.8	94.5	95.5	98.3	94.9	94.8
	P	1.4	.0	.5	.0	.1	87.9	98.9	91.0	95.2	86.6	90.3	98.9	91.0	95.2	86.6
IV-MIX																
Station 14	I	.2	.4	.0	.0	.0	91.8	86.9	89.6	93.3	84.8	91.8	86.9	89.6	93.3	84.8
	P	.0	.0	.1	.0	.0	90.7	84.8	87.5	91.2	71.6	90.7	84.8	87.4	91.2	71.6
Station 15	I	.0	.0	12.3	.0	.0	97.7	98.0	91.2	83.9	67.0	97.7	98.0	95.1	83.9	67.0
	P	1.5	.3	17.5	.0	.0	84.8	85.7	91.1	84.7	85.0	84.8	85.7	93.8	84.7	85.0
Station 13	I	67.0	63.2	14.9	65.6	59.1	12.2	22.5	47.8	23.1	.7	77.7	82.9	59.4	82.3	59.4
	P	46.6	63.2	37.2	62.8	48.8	22.6	22.5	53.1	30.7	14.6	69.2	82.9	72.9	72.6	57.6
V-SF																
Station 11	I	.0	.0	.0	.0	.0	98.3	100.0	100.0	98.8	98.4	98.3	100.0	100.0	98.8	98.4
	P	.0	.0	.0	.0	.0	98.3	99.8	99.8	99.8	97.3	98.3	99.8	99.8	99.8	97.3
Station 9	I	.0	.9	.2	.0	.0	78.6	95.5	98.5	98.8	96.5	78.6	95.5	98.5	98.8	96.5
	P	.1	7.1	.2	.0	.0	88.8	84.6	92.0	95.6	96.3	88.8	85.4	92.0	95.6	96.3
Station 10	I	1.2	34.3	N/A	9.7	.0	56.0	84.6	N/A	50.0	55.4	56.2	94.8	N/A	59.2	55.4
	P	3.3	76.0	N/A	2.9	.0	69.8	38.9	N/A	45.9	41.4	71.4	96.2	N/A	48.8	41.4

Table 7. Dry Weight biomass (g/m2) Means and standard deviations from six replicate 25x25cm Quadrats.

	Syringodium filiforme		Halophila englemannii		Halodule wrightii		Thalassia testudinum		Caulerpa prolifera		Caulerpa mexicana		Udotea		Drift Algae	
	94	95	94	95	94	95	94	95	94	95	94	95	94	95	94	95
I-HW																
Station 3																
Count (>0g)					6	6										
Mean					8.3	6.8										
S.D.					5.7	3.9										
Station 2																
Count (>0g)					6	6										
Mean					13.1	5.1										
S.D.					2.8	2.7										
Station 1																
Count (>0g)					6	6										
Mean					26.2	12.1										
S.D.					17.7	6.7										
II-HW																
Station 7																
Count (>0g)			2	1	6	6										3
Mean			2.3	.1	18.3	38.2										2.8
S.D.			4.4	.1	5.7	22.9										3.5
Station 6																
Count (>0g)				1	6	6									1	3
Mean				.4	15.1	32.9									5.2	4.1
S.D.				1.0	9.5	15.3									12.8	5.5
Station 5																
Count (>0g)					6	3					2					
Mean					8.5	.6					2.0					
S.D.					5.7	.7					1.0					
III-SF																
Station 4																
Count (>0g)	6	6		2											2	3
Mean	42.9	35.2		1.2											27.4	2.0
S.D.	15.9	13.1		2.8											42.4	4.0
Station 8																
Count (>0g)	5	5	4		5										5	4
Mean	33.4	12.1	1.8		19.9										24.3	56.4
S.D.	34.9	14.9	2.1		12.1										38.1	112.1

Table 7. Continued.

	Syringodium filiforme		Halophila englemannii		Halodule wrightii		Thalassia testudinum		Caulerpa prolifera		Caulerpa mexicana		Udotea		Drift Algae	
	94	95	94	95	94	95	94	95	94	95	94	95	94	95	94	95
Station 12																
Count (>0g)	6	6			1				5	3		1			4	5
Mean	109.2	21.4			13.3				1.6	.6		.1			182.4	15.7
S.D.	72.5	10.8			32.5				1.9	1.1		.3			198.4	12.7
IV-MIX																
Station 14																
Count (>0g)	4				6	6									5	
Mean	13.7				10.6	48.9									50.7	
S.D.	24.3				4.0	19.0									60.8	
Station 15																
Count (>0g)		2			6	6	2	2		1					3	4
Mean		.1			69.1	31.6	3.3	.1		.2					14.5	13.4
S.D.		.1			51.5	17.1	6.6	.3		.6					29.1	17.0
Station 13																
Count (>0g)				2		3	5	1	5	5	4	3			6	2
Mean				.9		8.6	38.4	.2	18.3	13.8	171.8	1.6			124.0	1.0
S.D.				1.7		14.7	42.3	.5	15.9	10.7	163.0	2.4			194.2	2.4
V-SF																
Station 11																
Count (>0g)	6	6														1
Mean	126.7	43.1														7.9
S.D.	34.0	23.2														19.3
Station 9																
Count (>0g)	6	6	4		1	1				3					3	4
Mean	71.8	34.5	3.4		.5	.6				.2					4.9	19.4
S.D.	14.8	16.6	3.6		1.1	1.6				.4					8.8	17.8
Station 10																
Count (>0g)	5	6	1	1					6	3				1	2	6
Mean	54.2	27.8	.6	1.3					23.4	8.8				1.6	76.2	346.9
S.D.	35.1	17.6	1.6	3.2					22.5	11.7				3.9	118.1	403.9

Table 8. Biomass data and productivity of grass clip samples.

	Calculated Productivity (mg/m2/day)		Calculated Shoots/m2		Wt./Shoot (μg)	
	1994	1995	1994	1995	1994	1995
I-HW						
Station 3						
Mean	83.46	907.04	259.22	1096.71	41.43	129.69
S.D.	72.96	210.12	151.20	471.87	13.27	46.60
Station 2						
Mean	205.38	596.35	378.86	1116.65	80.85	73.64
S.D.	88.71	197.37	191.78	310.52	28.86	6.93
Station 1						
Mean	529.36	858.85	465.27	1246.26	153.23	94.43
S.D.	208.60	386.31	102.97	511.30	34.45	15.84
II-HW						
Station 7						
Mean	207.38	908.81	378.86	977.07	87.40	117.30
S.D.	77.47	444.89	204.33	459.06	38.36	30.31
Station 6						
Mean	350.38	779.20	382.19	681.29	131.65	145.79
S.D.	149.76	581.42	116.55	298.55	68.40	88.22
Station 5						
Mean	73.22	150.70	199.40	332.34	63.26	N/A
S.D.	34.33	108.60	126.11	265.04	26.21	N/A
III-SF						
Station 4						
Mean	434.44	3417.38	228.31	2213.36	260.30	176.70
S.D.	201.37	900.92	72.20	826.38	86.26	25.03
Station 8						
Mean	515.95	1037.04	638.09	1080.09	108.69	105.32
S.D.	213.16	519.14	349.66	342.00	31.74	31.82
Station 12						
Mean	304.76	1078.28	246.58	951.29	170.07	160.92
S.D.	200.57	272.45	69.25	274.61	113.42	19.51
IV-MIX						
Station 14						
Mean	700.40	713.50	473.58	980.39	208.48	101.36
S.D.	240.72	151.37	274.55	277.85	81.66	33.05
Station 15						
Mean	522.27	665.85	638.09	867.58	124.78	112.67
S.D.	137.98	359.78	408.65	502.70	59.57	16.73
Station 13						
Mean	185.87	269.83	338.98	398.80	69.07	N/A
S.D.	149.19	195.32	166.83	209.13	43.35	N/A
V-SF						
Station 11						
Mean	375.76	666.12	136.99	266.36	354.75	N/A
S.D.	190.44	512.39	91.32	145.59	117.39	N/A
Station 9						
Mean	807.44	551.05	593.61	304.41	189.27	188.61
S.D.	386.26	700.66	258.30	128.07	44.93	140.21
Station 10						
Mean	433.14	670.25	575.34	520.55	105.27	168.45
S.D.	203.22	306.73	249.27	245.05	32.41	25.89

Table 9. 1993-1995 Summary data, Crystal River NPDES Monitoring Project.

Basin/SAV[1]	I-HW	II-HW	III-SF	IV-Mixed	V-SF	Total
Barren Area Results						
No. Transects	3	3	5	2	2	15
No. New Beds						
1993-1994	1	1	1	0	0	3
1994-1995	1	2	0	0	0	3
Net New Beds						
1993-1995	1	2	1	0	0	4
Intensive Seagrass Bed Results						
No. of beds/area	3	3	3	3	3	15
No. Beds Expanding						
1993-1994	2	2	3	2	3	12
1993-1995	2	1	1[2]	3	1	8
No. Beds Increasing						
% Cover						
Interiors						
1993-1994	2	1	2	0	3	8
1994-1995	1	0	0[2]	0	0	1
Perimeters						
1993-1994	1	0	2	2	3	8
1994-1995	1	0	0[2]	0	1	2
No. Beds Increasing						
Biomass						
1994-1995	0	2	0	1	0	3
No. Beds Increasing						
Productivity						
1994-1995	3	3	3	3	2	14

[1] HW, Halodule wrightii; SF, Syringodium filiforme; mixed, more than one species was abundant
[2] Of two remaining marked beds in this area.



Figure 1. Crystal River SAV Monitoring Area. B1, Basin 1.



Figure 2. Crystal River SAV Monitoring-Barren Transects (1W) and New Beds (1).

Figure 3. Crystal River SAV Monitoring - Intensive Bed Locations.



Figure 4. Bottom profiles at seagrass stations 1, 2, and 3, in area I-HW. Water depth measurements were taken on the seagrass bed perimeters and at 1 m and 2 m increments seaward of the seagrass bed edges.



Figure 5. Bottom profiles at seagrass stations 5, 6, and 7, in area II-HW. Water depth measurements were taken on the seagrass bed perimeters and at 1 m and 2 m increments seaward of the seagrass bed edges.

III–SF



Figure 6. Bottom profiles at seagrass stations 4, 8, and 12, in area III-SF. Water depth measurements were taken on the seagrass bed perimeters and at 1 m and 2 m increments seaward of the seagrass bed edges.



Figure 7. Bottom profiles at seagrass stations 13, 14, and 15, in area IV-Mix. Water depth measurements were taken on the seagrass bed perimeters and at 1 m and 2 m increments seaward of the seagrass bed edges.

V-SF



Figure 8. Bottom profiles at seagrass stations 9, 10, and 11, in area V-SF. Water depth measurements were taken on the seagrass bed perimeters and at 1 m and 2 m increments seaward of the seagrass bed edges.



Figure 9. Sediment depth profiles at seagrass stations 1, 2, and 3 in Area I-HW during October 1995. Vertical drop bars represent sediment depths, in cms, as determined by probing the bottom on seagrass bed perimeters and at 1 m and 2 m increments seaward of the grassbed edges.



Figure 10. Sediment depth profiles at seagrass stations 5, 6, and 7 in Area II-HW during October 1995. Vertical drop bars represent sediment depths, in cms, as determined by probing the bottom on seagrass bed perimeters and at 1 m and 2 m increments seaward of the grassbed edges.



Figure 11. Sediment depth profiles at seagrass stations 4, 8, and 12 in Area III-SF during October 1995. Vertical drop bars represent sediment depths, in cms, as determined by probing the bottom on seagrass bed perimeters and at 1 m and 2 m increments seaward of the grassbed edges.



Figure 12. Sediment depth profiles at seagrass stations 13, 14, and 15 in Area IV-Mix during October 1995. Vertical drop bars represent sediment depths, in cms, as determined by probing the bottom on seagrass bed perimeters and at 1 m and 2 m increments seaward of the grassbed edges.



Figure 13. Sediment depth profiles at seagrass stations 11, 10, and 9 in Area V-SF during October 1995. Vertical drop bars represent sediment depths, in cms, as determined by probing the bottom on seagrass bed perimeters and at 1 m and 2 m increments seaward of the grassbed edges.



Figure 14. Seagrass bed expansion (+ values) or contraction (- values) from 1993 to 1994 (top row of figures) and from 1993 to 1995 (bottom figures) at Stations 13, 14, and 15 in Area IV-Mix. Dotted lines across each bar graph represent the mean change for each station.



Figure 15. Seagrass bed expansion (+ values) or contraction (- values) from 1993 to 1994 (top row of figures) and from 1993 to 1995 (bottom figures) at Stations 1, 2, and 3 in Area I-HW. Dotted lines across each bar graph represent the mean change for each station.



Figure 16. Seagrass bed expansion (+ values) or contraction (- values) from 1993 to 1994 (top row of figures) and from 1993 to 1995 (bottom figures) at Stations 5, 6, and 7 in Area II-HW. Dotted lines across each bar graph represent the mean change for each station.



Figure 17. Seagrass bed expansion (+ values) or contraction (- values) from 1993 to 1994 (top row of figures) and from 1993 to 1995 (bottom figures) at Stations 4, 8, and 12 in Area III-SF. Dotted lines across each bar graph represent the mean change for each station. All markers were lost at Station 4 in 1995.



Figure 18. Seagrass bed expansion (+ values) or contraction (- values) from 1993 to 1994 (top row of figures) and from 1993 to 1995 (bottom figures) at Stations 9, 10, and 11 in Area V-SF. Dotted lines across each bar graph represent the mean change for each station.



Figure 19. Changes in percent bottom coverage by Halodule wrightii from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 20. Changes in percent bottom coverage by Syringodium filiforme from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 21. Changes in percent bottom coverage by Halophila englemanii from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 22. Changes in percent bottom coverage by Thalassia testudinum from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 23. Changes in percent bottom coverage by all seagrass species from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 24. Changes in percent bottom coverage by all attached rhizophytic algae from December 1993 through October 1995 for seagrass bed perimeters and interiors.



Figure 25. Bar graphs representing total SAV (seagrass and rhizophytic algae) coverage (cross-hatched area) vs. bare bottom (white space above bars) at 15 seagrass stations from December 1993 through October 1995. The top figure shows SAV coverage on seagrass bed perimeters and the bottom set shows coverages in bed interiors.



Figure 26. Dry weight biomass (g m^{-2}) of Halodule wrightii at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 27. Dry weight biomass (g m^{-2}) of Syringodium filiforme at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 28. Dry weight biomass (g m^{-2}) of Halophila englemanii at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 29. Dry weight biomass (g m^{-2}) of Thalassia testudinum at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 30. Dry weight biomass (g m^{-2}) of all seagrass species at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 31. Dry weight biomass (g m^{-2}) of all rhizophytic algae at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 32. Dry weight biomass (g m^{-2}) of all SAV (= seagrass and rhizophytic algae) at all seagrass stations in August 1994 and 1995. Vertical error bars represent + one standard deviation.



Figure 33. Shoot densities (shoots m^{-2}) of Halodule wrightii in August 1994 and 1995. Error bars represent + one standard deviation.



Figure 34. Shoot densities (shoots m^{-2}) of Syringodium filiforme in August 1994 and 1995. Error bars represent + one standard deviation.



Figure 35. Dry weight biomass production (mg d^{-1} m^{-2}) for Halodule wrightii in August 1994 and 1995. Error bars represent + one standard deviation.



Figure 36. Dry weight biomass production (mg d^{-1} m^{-2}) for Syringodium filiforme in August 1994 and 1995. Error bars represent + one standard deviation.

Appendix Table I. Coordinates of seagrass survey transects.

Transect	Base Loran (45)	Base Loran (62)	End Loran (45)	End Loran (62)
1W	45230.38	62881.46	45230.49	62881.28
2W	45230.18	62883.19	45234.21	62883.08
3W	45232.58	62885.16	45240.93	62884.77
4W	45242.71	62886.86	45242.99	62886.69
5W	45236.43	62888.88	45241.70	62888.66
6W	45236.43	62889.10	45236.80	62889.20
7W	45233.27	62890.86	45233.29	62890.74
8W	45234.63	62892.21	45239.99	62893.91
9W	45236.71	62894.34	45247.41	62894.08
10W	45245.29	62896.76	45243.29	62896.82
11W	45254.70	62901.14	45253.71	62900.27
12W	45238.65	62896.69	45241.36	62896.41
13W	45266.69	62906.44	45271.22	62906.49
1N	45228.91	62880.74	45233.15	62884.81
2N	45255.38	62901.73	45253.71	62900.27

Appendix Table II. Water and sediment depths at the seagrass bed perimeters and differences in depths at 0, 1 and 2 meters from the bed edge.

		Water Depths (cm)					Sediment Depths (cm)				
Year	Station	0m	1m	2m	0m-1m	0m-2m	0m	1m	2m	0m-1m	0m-2m
1994	1	88	87	86	-1	-2	82	47	61	-35	-21
1994	1	86	89	85	3	-1	87	79	71	-8	-16
1994	1	89	91	87	2	-2	71	100	100	29	29
1994	1	88	88	88	0	0	100	100	48	0	-52
1994	1	90	90	89	0	-1	100	100	100	0	0
1994	1	91	91	91	0	0	100	100	82	0	-18
1994	1	93	94	95	1	2	28	70	100	42	72
1994	1	94	94	95	0	1	100	58	71	-42	-29
1994	1	90	90	90	0	0	100	100	100	0	0
1994	1	91	90	90	-1	-1	36	38	36	2	0
1994	1	89	90	89	1	0	20	18	20	-2	0
1994	1	82	80	81	-2	-1	58	60	50	2	-8
1994	1	85	85	84	0	-1	15	42	20	27	5
1995	1	42	41	42	-1	0	33	48	100	15	67
1995	1	43	48	44	5	1	21	100	64	79	43
1995	1	50	50	50	0	0	80	70	60	-10	-20
1995	1	54	53	50	-1	-4	31	66	100	35	69
1995	1	50	47	49	-3	-1	31	35	33	4	2
1994	2	80	79	80	-1	0	40	40	25	0	-15
1994	2	80	80	80	0	0	25	25	32	0	7
1994	2	80	80	81	0	1	34	33	35	-1	1
1994	2	81	81	81	0	0	26	30	28	4	2
1994	2	85	88	85	3	0	78	74	120	-4	42
1994	2	90	90	90	0	0	120	120	120	0	0
1994	2	90	90	90	0	0	71	101	71	30	0
1994	2	91	89	89	-2	-2	120	120	95	0	-25
1994	2	89	90	94	1	5	120	120	120	0	0
1994	2	90	88	90	-2	0	120	120	126	0	6
1994	2	90	90	90	0	0	90	80	99	-10	9
1994	2	88	89	90	1	2	70	43	82	-27	12
1994	2	90	90	90	0	0	76	71	94	-5	18
1994	2	90	90	89	0	-1	60	73	70	13	10
1994	2	89	89	88	0	-1	55	56	60	1	5
1995	2	82	82	80	0	-2	30	90	30	60	0
1995	2	79	80	81	1	2	76	86	91	10	15
1995	2	83	82	82	-1	-1	100	100	100	0	0
1995	2	83	81	90	-2	7	38	100	100	62	62
1995	2	84	83	85	-1	1	99	100	100	1	1
1994	3	70	70	69	0	-1	5	11	5	6	0
1994	3	68	70	70	2	2	12	8	5	-4	-7
1994	3	70	70	70	0	0	18	11	13	-7	-5
1994	3	75	70	75	-5	0	5	11	5	6	0
1994	3	70	70	70	0	0	5	12	18	7	13
1994	3	71	75	77	4	6	28	18	23	-10	-5
1994	3	70	70	75	0	5	12	12	5	0	-7
1994	3	70	72	70	2	0	3	10	7	7	4
1994	3	65	68	68	3	3	22	30	26	8	4
1995	3	62	63	64	1	2	5	4	9	-1	4
1995	3	61	65	65	4	4	13	7	1	-6	-12
1995	3	60	60	61	0	1	6	10	7	4	1

Appendix Table II. Continued.

Year	Station	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
1995	3	54	60	64	6	10	10	19	14	9	4
1995	3	55	56	59	1	4	18	11	61	-7	43
1994	4	82	80	80	-2	-2	2	1	0	-1	-2
1994	4	94	90	90	-4	-4	22	20	53	-2	31
1994	4	95	95	95	0	0	48	48	36	0	-12
1994	4	85	85	85	0	0	2	3	10	1	8
1994	4	90	90	86	0	-4	8	12	8	4	0
1994	4	85	85	80	0	-5	2	0	1	-2	-1
1994	4	87	80	80	-7	-7	10	0	0	-10	-10
1994	4	80	80	82	0	2	0	0	5	0	5
1994	5	125	125	130	0	5	150	160	150	10	0
1994	5	130	130	132	0	2	70	90	70	20	0
1994	5	130	140	135	10	5	100	100	90	0	-10
1994	5	130	135	135	5	5	100	100	100	0	0
1994	5	135	135	135	0	0	100	70	71	-30	-29
1994	5	130	130	135	0	5	85	65	70	-20	-15
1994	5	130	130	130	0	0	100	100	90	0	-10
1995	5	62	60	60	-2	-2	64	80	53	16	-11
1995	5	69	70	70	1	1	65	76	69	11	4
1995	5	66	65	65	-1	-1	73	73	70	0	-3
1995	5	62	64	63	2	1	87	80	83	-7	-4
1995	5	67	70	70	3	3	98	88	71	-10	-27
1994	6	105	104	105	-1	0	100	100	45	0	-55
1994	6	105	105	105	0	0	100	100	45	0	-55
1994	6	100	100	100	0	0	100	100	20	0	-80
1994	6	95	95	95	0	0	25	25	25	0	0
1994	6	95	95	95	0	0	15	17	15	2	0
1994	6	95	95	94	0	-1	50	40	52	-10	2
1994	6	100	104	100	4	0	N/A	N/A	N/A	0	0
1994	6	102	100	104	-2	2	25	48	58	23	33
1995	6	39	38	37	-1	-2	88	42	76	-46	-12
1995	6	37	36	37	-1	0	69	48	59	-21	-10
1995	6	36	36	36	0	0	34	17	24	-17	-10
1995	6	30	31	29	1	-1	9	13	4	4	-5
1995	6	34	35	35	1	1	71	20	43	-51	-28
1994	7	70	70	70	0	0	100	25	20	-75	-80
1994	7	70	70	70	0	0	22	15	25	-7	3
1994	7	70	70	70	0	0	45	40	30	-5	-15
1994	7	70	70	70	0	0	40	55	48	15	8
1994	7	100	100	95	0	-5	22	18	10	-4	-12
1994	7	90	90	100	0	10	25	15	12	-10	-13
1994	7	80	90	100	10	20	40	50	15	10	-25
1994	7	90	95	100	5	10	20	29	18	9	-2
1995	7	127	122	120	-5	-7	73	20	19	-53	-54
1995	7	123	120	123	-3	0	24	23	25	-1	1
1995	7	123	120	122	-3	-1	30	23	16	-7	-14
1995	7	122	123	122	1	0	24	25	22	1	-2
1995	7	122	126	123	4	1	23	32	30	9	7
1994	8	150	150	150	0	0	30	20	25	-10	-5
1994	8	150	150	150	0	0	30	30	20	0	-10
1994	8	150	150	150	0	0	23	27	15	4	-8
1994	8	150	150	150	0	0	20	20	15	0	-5

Appendix Table II. Continued.

Year	Station	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
1994	8	145	140	150	-5	5	17	16	18	-1	1
1994	8	150	150	150	0	0	7	12	12	5	5
1995	8	72	74	74	2	2	8	8	4	0	-4
1995	8	74	75	80	1	6	18	10	6	-8	-12
1995	8	73	75	78	2	5	5	21	20	16	15
1995	8	74	74	77	0	3	12	16	15	4	3
1995	8	72	71	75	-1	3	14	15	13	1	-1
1994	9	120	115	115	-5	-5	2	15	2	13	0
1994	9	128	127	125	-1	-3	10	10	18	0	8
1994	9	125	125	120	0	-5	15	2	10	-13	-5
1994	9	125	122	120	-3	-5	18	17	20	-1	2
1994	9	125	120	120	-5	-5	15	20	20	5	5
1994	9	125	122	122	-3	-3	20	6	10	-14	-10
1994	9	130	130	130	0	0	2	2	20	0	18
1994	9	130	132	130	2	0	13	12	13	-1	0
1995	9	136	137	134	1	-2	10	2	2	-8	-8
1995	9	135	135	132	0	-3	22	17	7	-5	-15
1995	9	130	132	130	2	0	11	7	4	-4	-7
1995	9	130	128	127	-2	-3	18	12	5	-6	-13
1995	9	124	122	121	-2	-3	8	11	4	3	-4
1994	10	105	105	105	0	0	14	2	2	-12	-12
1994	10	105	110	110	5	5	14	16	16	2	2
1994	10	115	115	115	0	0	5	3	6	-2	1
1994	10	120	120	120	0	0	25	13	15	-12	-10
1994	10	125	123	123	-2	-2	15	60	15	45	0
1994	10	120	120	122	0	2	20	18	7	-2	-13
1994	10	115	115	115	0	0	77	55	70	-22	-7
1994	10	113	115	115	2	2	115	120	120	5	5
1995	10	154	154	155	0	1	18	9	8	-9	-10
1995	10	158	156	156	-2	-2	28	4	11	-24	-17
1995	10	152	149	156	-3	4	20	32	29	12	9
1995	10	148	150	152	2	4	19	17	15	-2	-4
1995	10	154	152	150	-2	-4	43	100	100	57	57
1994	11	82	80	79	-2	-3	10	10	13	0	3
1994	11	80	75	78	-5	-2	8	3	1	-5	-7
1994	11	80	78	75	-2	-5	5	1	10	-4	5
1994	11	78	78	78	0	0	2	5	1	3	-1
1994	11	71	71	69	0	-2	8	4	7	-4	-1
1994	11	80	79	80	-1	0	20	1	5	-19	-15
1994	11	80	79	79	-1	-1	1	5	2	4	1
1994	11	79	80	80	1	1	5	5	5	0	0
1995	11	163	162	163	-1	0	5	0	0	-5	-5
1995	11	168	167	163	-1	-5	5	0	0	-5	-5
1995	11	164	160	166	-4	2	2	0	3	-2	1
1995	11	162	161	165	-1	3	8	0	2	-8	-6
1995	11	164	161	166	-3	2	5	5	0	0	-5
1994	12	118	115	115	-3	-3	5	7	12	2	7
1994	12	115	115	115	0	0	10	12	12	2	2
1994	12	116	120	120	4	4	6	20	10	14	4
1994	12	120	120	120	0	0	2	7	2	5	0
1994	12	118	118	115	0	-3	4	2	1	-2	-3
1994	12	112	110	110	-2	-2	4	10	8	6	4

Appendix Table II. Continued.

Year	Station	Water Depths (cm) 0m	1m	2m	0m-1m	0m-2m	Sediment Depths (cm) 0m	1m	2m	0m-1m	0m-2m
1994	12	101	105	101	4	0	9	5	5	-4	-4
1994	12	98	96	95	-2	-3	10	8	3	-2	-7
1995	12	108	111	108	3	0	11	6	8	-5	-3
1995	12	106	110	107	4	1	7	7	13	0	6
1995	12	111	113	112	2	1	11	3	2	-8	-9
1995	12	112	113	113	1	1	6	7	6	1	0
1995	12	108	108	110	0	2	4	8	1	4	-3
1994	13	80	75	80	-5	0	20	25	15	5	-5
1994	13	95	95	95	0	0	50	35	65	-15	15
1994	13	110	110	110	0	0	35	35	45	0	10
1994	13	120	120	120	0	0	22	22	25	0	3
1994	13	120	120	120	0	0	52	31	34	-21	-18
1994	13	115	115	115	0	0	75	55	60	-20	-15
1994	13	120	120	120	0	0	55	55	70	0	15
1994	13	120	120	120	0	0	56	58	65	2	9
1995	13	175	177	176	2	1	48	49	35	1	-13
1995	13	180	180	180	0	0	18	21	8	3	-10
1995	13	175	174	176	-1	1	9	9	12	0	3
1995	13	170	149	171	-21	1	7	9	14	2	7
1995	13	174	173	173	-1	-1	7	9	9	2	2
1994	14	80	80	85	0	5	20	110	45	90	25
1994	14	89	95	97	6	8	72	52	90	-20	18
1994	14	115	120	125	5	10	55	76	76	21	21
1994	14	130	140	160	10	30	140	120	130	-20	-10
1994	14	130	140	145	10	15	100	62	42	-38	-58
1994	14	130	140	145	10	15	40	30	35	-10	-5
1994	14	95	100	110	5	15	30	45	55	15	25
1994	14	80	82	82	2	2	10	5	25	-5	15
1994	14	68	72	75	4	7	19	5	5	-14	-14
1995	14	60	67	70	7	10	12	13	5	1	-7
1995	14	65	74	75	9	10	5	3	15	-2	10
1995	14	76	80	87	4	11	3	25	14	22	11
1995	14	96	103	105	7	9	43	70	35	27	-8
1995	14	130	138	138	8	8	41	63	38	22	-3
1994	15	90	90	95	0	5	5	5	5	0	0
1994	15	90	95	92	5	2	9	3	7	-6	-2
1994	15	90	95	90	5	0	8	11	8	3	0
1994	15	90	90	90	0	0	7	15	12	8	5
1994	15	90	90	90	0	0	5	8	12	3	7
1994	15	90	90	90	0	0	7	8	7	1	0
1994	15	95	90	90	-5	-5	19	8	6	-11	-13
1994	15	95	95	95	0	0	9	11	7	2	-2
1995	15	78	80	78	2	0	5	5	0	0	-5
1995	15	80	81	83	1	3	10	3	1	-7	-9
1995	15	78	78	78	0	0	9	3	9	-6	0
1995	15	74	77	77	3	3	6	10	10	4	4
1995	15	78	77	74	-1	-4	9	7	14	-2	5

Appendix Table III. Expansion or contraction of seagrass beds initially staked in December 1993. The "Perimeter and "Radius" distances identify the marker stakes.

Station	Perimeter ID	Radius ID	1994 Grass Expansion (m)	1995 Grass Expansion (m)
1	.0	15.7	3.10	-2.30
1	16.1	12.5	3.35	-1.60
1	27.2	10.2	2.10	3.30
1	40.3	8.7	2.20	4.50
1	54.0	8.5	2.20	3.10
1	73.0	10.3	-1.40	3.80
1	88.0	7.6	well inside bed	
1	99.0	7.4	well inside bed	
1	114.0	11.1	1.30	
1	130.0	14.0	3.10	5.20
1	138.7	16.6	1.60	5.00
1	149.0	18.9	4.10	4.50
1	166.5	21.5	1.50	2.00
1	184.8	19.3	.60	2.00
1	198.7	15.8	1.00	3.50
2	.0	12.7	.00	1.80
2	11.4	12.9	1.60	.40
2	21.6	14.0	.30	.00
2	32.1	11.5	3.30	.50
2	44.4	8.1	-.10	1.70
2	60.0	6.4	2.70	3.90
2	71.6	8.2	2.60	3.80
2	79.1	9.7	1.70	3.90
2	90.3	11.8	1.60	.00
2	99.2	13.9	.00	
2	105.1	13.8	.00	1.90
2	113.6	11.6	-2.30	.70
2	126.3	14.7	.00	1.20
2	139.4	15.9	.00	1.40
2	147.1	15.9	3.30	
3	.0	13.3	1.40	
3	10.7	12.3	-1.50	-1.10
3	22.8	11.1	.00	-1.20
3	34.9	9.1	.00	-3.60
3	43.1	7.3	-1.00	-5.40
3	62.2	8.4	-.30	-5.60
3	83.3	13.7	.00	-4.30
3	93.0	17.5	.02	-1.30
3	102.3	19.5	1.10	-.60
3	112.6	20.4	-.10	-.40
3	120.2	22.1	.00	-.60
3	132.6	22.6	-2.00	.00
3	141.6	22.7	-1.10	1.10
3	163.0	27.2	-1.10	3.20
3	176.2	31.3	-1.10	-3.20

Appendix Table III. Continued.

Station	Perimeter ID	Radius ID	1994 Grass Expansion (m)	1995 Grass Expansion (m)
4	.0	18.0	.50	N/A
4	9.5	15.4	-.50	N/A
4	20.4	12.5	.60	N/A
4	36.1	7.2	.10	N/A
4	50.5	4.3	-.60	N/A
4	57.5	2.1	.00	N/A
4	84.2	9.8	-.40	N/A
4	92.3	9.9	.00	N/A
4	97.8	10.4	.80	N/A
4	103.8	11.8	.40	N/A
4	108.8	12.9	.10	N/A
4	124.5	17.5	.10	N/A
4	132.3	18.4	.00	N/A
4	139.8	19.1	-.20	N/A
5	.0	9.2	.50	.00
5	5.8	8.5	.00	-2.90
5	13.5		.50	-.90
5	21.6	10.8	.00	-1.40
5	31.6	12.5	-.20	-.90
5	38.8	11.4	.00	-.90
5	45.4	10.0	-.80	-2.90
5	52.0	8.4	-.60	-1.80
5	57.4	8.0	-.30	-3.20
5	63.5	7.3	.70	-4.30
5	70.8	8.2	-.60	-4.30
5	82.3	9.4	-1.00	
5	89.0	11.3	.00	
5	97.0	12.4	-.60	
5	102.3	14.4	-1.00	-1.20
5	111.2	14.8	.00	
6	.0	13.1	.70	-1.20
6	11.1	7.9	-.50	-5.90
6	18.6	7.9	-.70	-2.70
6	27.9	7.6	-.60	-1.40
6	33.4	7.6	2.30	-.95
6	40.6	8.1	.00	-1.00
6	54.6	10.7	.30	.00
6	66.4	13.5	2.00	1.10
6	72.8	15.4	.60	.00
6	84.5	18.9	-.40	-1.50
6	101.2	22.3	.00	.30
6	110.4	20.8	1.10	1.60
6	120.9	27.8	1.40	.00
7	.0	10.6	4.40	27.00
7	7.4	10.8	4.00	38.00
7	16.2	13.0	missing	
7	22.1	14.4	1.10	4.00

Appendix Table III. Continued.

Station	Perimeter ID	Radius ID	1994 Grass Expansion (m)	1995 Grass Expansion (m)
7	37.3	8.6	2.50	1.50
7	44.9	9.6	4.50	2.30
7	52.3	10.0	3.00	2.20
7	59.2	11.1	6.00	4.70
7	64.7	10.7	3.00	1.80
7	74.0	9.5	1.50	1.80
7	80.7	11.8	missing; not replaced	
7	93.4	14.2		2.30
7	101.0	15.4	.20	.00
7	107.0	11.9	.00	-1.10
7	116.8	18.4	.00	4.00
8	.0	11.8	14.00	.75
8	5.7	10.9	7.40	2.50
8	10.4	8.8	10.20	.70
8	13.6	N/A	--	
8	22.9	9.9	3.20	-.45
8	28.3	10.2	4.30	-1.50
8	43.9	9.8	7.20	-.45
8	48.7	9.2	7.60	-.60
8	57.6	8.6	8.50	-1.30
8	79.0	11.7	1.30	-1.10
8	86.6	11.9	1.40	
9	.0	25.5	--	
9	11.0	22.7	.20	
9	24.0	1880.0	.50	
9	37.3	15.4	.00	
9	49.6	12.4	found on leaving	
9	63.5	13.2	.00	.60
9	78.3	11.8	.60	.60
9	95.1	9.0	1.20	1.70
9	107.1	9.6	2.30	2.90
9	116.3	12.4	1.30	1.30
9	126.8	14.3	1.10	.90
9	136.9	16.3	.70	.00
9	145.1	18.1	.80	1.60
9	153.8	20.7	.80	1.80
9	160.4	22.4	1.10	1.10
9	167.4	24.1	1.00	1.40
10	.0	18.5	.40	.00
10	14.0	15.2	.25	-.10
10	25.1	12.2	.40	.00
10	36.8	9.0	.80	-2.80
10	48.2	6.3	replaced	-1.70
10	63.7	4.0	.10	-5.20
10	75.8	7.4	.30	
10	91.1	11.6	1.30	
10	101.0	14.1	.00	

Appendix Table III. Continued.

Station	Perimeter ID	Radius ID	1994 Grass Expansion (m)	1995 Grass Expansion (m)
10	118.8	18.7	.00	
10	126.0	20.2	1.20	
10	136.7	18.6	2.70	
10	149.4	15.1	.70	
10	158.0	12.8	.00	
10	166.3	10.4	1.80	
11	.0	12.8	1.00	.00
11	11.1	11.2	.50	.70
11	21.0	11.1	.40	.00
11	29.6	10.2	.70	-.40
11	40.6	12.1	.00	-.95
11	51.1	13.4	.70	-4.50
11	61.0	14.2	.30	-.25
11	81.0	8.8	.70	.50
11	87.6	8.2	.80	.50
11	97.0	8.9	.80	.70
11	104.2	8.8	.50	.80
11	115.0	12.5	.60	.90
12	.0	18.9	.00	.60
12	10.0	19.1	--	
12	18.5	20.2	.10	1.10
12	28.1	18.9	.50	.70
12	34.8	17.0	.55	.40
12	42.2	15.9	.40	1.00
12	52.5	14.3	.30	1.10
12	61.6	12.8	.40	.80
12	71.0	12.3	.80	.45
12	76.8	12.4	1.10	.50
12	85.5	12.6	-.90	3.00
12	92.6	12.6	-1.40	4.00
12	100.6	12.7	-.70	2.60
12	110.4	11.7	3.10	
12	124.3	14.8	.00	
13	.0	14.4	.00	.10
13	14.5	13.9	.00	-1.40
13	30.3	12.7	.00	.70
13	48.8	14.7	-1.40	.50
13	56.8	16.9	-4.00	2.10
13	63.9	18.8	-6.00	1.60
13	75.4	17.4	-1.30	1.30
13	80.5	17.9	-1.60	2.20
13	87.0	19.5	-1.50	
13	94.9	20.9	2.80	
13	105.5	20.6	4.40	
13	114.9	23.3	4.60	4.90
13	122.1	24.2	found on leaving	
13	127.5	24.9	4.60	8.70

Appendix Table III. Continued.

Station	Perimeter ID	Radius ID	1994 Grass Expansion (m)	1995 Grass Expansion (m)
14	.0	17.9	1.00	
14	11.9	14.4	.80	1.10
14	22.2	11.3	1.00	1.20
14	31.1	8.9	1.20	1.20
14	41.4	8.6	.80	.80
14	50.6	7.6	-.40	-1.30
14	59.1	5.0	1.40	1.20
14	69.5	4.2	.90	-.80
14	77.9	3.8	.00	.30
14	87.3	6.4	-.60	-.70
14	98.1	8.1	.00	.15
14	109.7	10.4	replaced	.00
14	119.9	13.5	.70	2.70
14	129.3	16.1	.20	.00
14	139.5	11.3	.70	1.50
14	149.2	10.6	.70	1.30
15	.0	19.0	2.70	2.30
15	9.4	17.7	.80	.40
15	19.3	15.3	.40	1.00
15	32.4	11.3	-.10	.00
15	41.4	9.2	.30	1.30
15	50.3	10.2	.00	2.00
15	62.0	6.7	1.40	2.00
15	69.8	4.3	.10	.50
15	80.2	5.0	.00	
15	90.1	6.2	.10	3.20
15	102.1	8.7	.00	1.10
15	109.4	10.8	.60	1.60
15	116.5	12.1	.35	1.40
15	125.0	14.6	.50	.00
15	133.6	17.1	1.30	1.80

Appendix Table IV. Vegetation coverage (percent) in seagrass beds for 1m2 quadrats along bed perimeters and 2 meters inside beds.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	1	1	I	43	43	0	Halodule wrightii	43
1993-12	1	2	I	93	93	0	Halodule wrightii	93
1993-12	1	2	P	74	74	0	Halodule wrightii	74
1993-12	1	3	I	85	85	0	Halodule wrightii	85
1993-12	1	3	P	89	89	0	Halodule wrightii	89
1993-12	1	4	I	97	97	0	Halodule wrightii	97
1993-12	1	4	P	79	79	0	Halodule wrightii	79
1993-12	1	5	I	71	71	0	Halodule wrightii	71
1993-12	1	5	P	79	79	0	Halodule wrightii	79
1993-12	1	6	I	96	96	0	Halodule wrightii	96
1993-12	1	6	P	82	82	0	Halodule wrightii	82
1993-12	1	7	I	94	94	0	Halodule wrightii	94
1993-12	1	7	P	87	87	0	Halodule wrightii	87
1993-12	1	8	I	96	96	0	Halodule wrightii	96
1993-12	1	8	P	73	73	0	Halodule wrightii	73
1993-12	1	9	I	90	90	0	Halodule wrightii	90
1993-12	1	9	P	73	73	0	Halodule wrightii	73
1993-12	1	10	I	35	35	0	Halodule wrightii	35
1993-12	1	10	P	80	80	0	Halodule wrightii	80
1994-08	1	1	I	100	100	0	Halodule wrightii	100
1994-08	1	1	P	100	100	0	Halodule wrightii	100
1994-08	1	2	I	100	100	0	Halodule wrightii	100
1994-08	1	2	P	100	100	0	Halodule wrightii	100
1994-08	1	3	I	100	100	0	Halodule wrightii	100
1994-08	1	3	P	100	100	0	Halodule wrightii	100
1994-08	1	4	I	100	100	0	Halodule wrightii	100
1994-08	1	4	P	100	100	0	Halodule wrightii	100
1994-08	1	5	I	100	100	0	Halodule wrightii	100
1994-08	1	5	P	100	100	0	Halodule wrightii	100
1994-08	1	6	I	100	100	0	Halodule wrightii	100
1994-08	1	6	P	100	100	0	Halodule wrightii	100
1994-08	1	7	I	100	100	0	Halodule wrightii	100
1994-08	1	7	P	100	100	0	Halodule wrightii	100
1994-08	1	8	I	100	100	0	Halodule wrightii	100
1994-08	1	8	P	100	100	0	Halodule wrightii	100
1994-08	1	9	I	100	100	0	Halodule wrightii	100
1994-08	1	9	P	100	100	0	Halodule wrightii	100
1994-08	1	10	I	100	100	0	Halodule wrightii	100
1994-08	1	10	P	100	100	0	Halodule wrightii	100
1994-10	1	1	I	54	54	0	Halodule wrightii	54
1994-10	1	1	P	71	71	0	Halodule wrightii	71
1994-10	1	2	I	99	99	0	Halodule wrightii	99
1994-10	1	2	P	100	100	0	Halodule wrightii	100
1994-10	1	3	I	77	77	0	Halodule wrightii	77
1994-10	1	3	P	96	96	0	Halodule wrightii	96
1994-10	1	4	I	97	97	0	Halodule wrightii	97
1994-10	1	4	P	100	100	0	Halodule wrightii	100
1994-10	1	5	I	99	99	0	Halodule wrightii	99
1994-10	1	5	P	99	99	0	Halodule wrightii	99
1994-10	1	6	I	100	100	0	Halodule wrightii	100
1994-10	1	6	P	96	96	0	Halodule wrightii	96
1994-10	1	7	I	100	100	0	Halodule wrightii	100
1994-10	1	7	P	100	100	0	Halodule wrightii	100
1994-10	1	8	I	99	99	0	Halodule wrightii	99
1994-10	1	8	P	99	99	0	Halodule wrightii	99

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	1	9	I	100	100	0	Halodule wrightii	100
1994-10	1	9	P	100	100	0	Halodule wrightii	100
1994-10	1	10	I	100	100	0	Halodule wrightii	100
1994-10	1	10	P	100	100	0	Halodule wrightii	100
1995-08	1	1	I	99	99	0	Halodule wrightii	99
1995-08	1	1	P	100	100	0	Halodule wrightii	100
1995-08	1	2	I	100	100	0	Halodule wrightii	100
1995-08	1	2	P	100	100	0	Halodule wrightii	100
1995-08	1	3	I	100	100	0	Halodule wrightii	100
1995-08	1	3	P	100	100	0	Halodule wrightii	100
1995-08	1	4	I	100	100	0	Halodule wrightii	100
1995-08	1	4	P	100	100	0	Halodule wrightii	100
1995-08	1	5	I	100	100	0	Halodule wrightii	100
1995-08	1	5	P	100	100	0	Halodule wrightii	100
1995-08	1	6	I	100	100	0	Halodule wrightii	100
1995-08	1	6	P	100	100	0	Halodule wrightii	100
1995-08	1	7	I	100	100	0	Halodule wrightii	100
1995-08	1	7	P	100	100	0	Halodule wrightii	100
1995-08	1	8	I	100	100	0	Halodule wrightii	100
1995-08	1	8	P	100	100	0	Halodule wrightii	100
1995-08	1	9	I	97	97	0	Halodule wrightii	97
1995-08	1	9	P	100	100	0	Halodule wrightii	100
1995-08	1	10	I	97	97	0	Halodule wrightii	97
1995-08	1	10	P	100	100	0	Halodule wrightii	100
1995-10	1	1	I	17	17	0	Halodule wrightii	17
1995-10	1	1	P	65	65	0	Halodule wrightii	65
1995-10	1	2	I	100	100	0	Halodule wrightii	100
1995-10	1	2	P	100	100	0	Halodule wrightii	100
1995-10	1	3	I	99	99	0	Halodule wrightii	99
1995-10	1	3	P	98	98	0	Halodule wrightii	98
1995-10	1	4	I	98	98	0	Halodule wrightii	98
1995-10	1	4	P	98	98	0	Halodule wrightii	98
1995-10	1	5	I	100	100	0	Halodule wrightii	100
1995-10	1	5	P	99	99	0	Halodule wrightii	99
1995-10	1	6	I	18	18	0	Halodule wrightii	18
1995-10	1	6	P	20	20	0	Halodule wrightii	20
1995-10	1	7	I	82	82	0	Halodule wrightii	82
1995-10	1	7	P	60	60	0	Halodule wrightii	60
1995-10	1	8	I	75	75	0	Halodule wrightii	75
1995-10	1	8	P	85	85	0	Halodule wrightii	85
1995-10	1	9	I	78	78	0	Halodule wrightii	78
1995-10	1	9	P	72	72	0	Halodule wrightii	72
1995-10	1	10	I	98	98	0	Halodule wrightii	98
1995-10	1	10	P	87	87	0	Halodule wrightii	87
1993-12	2	1	I	96	96	0	Halodule wrightii	96
1993-12	2	1	P	94	94	0	Halodule wrightii	94
1993-12	2	2	I	98	98	0	Halodule wrightii	98
1993-12	2	2	P	80	80	0	Halodule wrightii	80
1993-12	2	3	I	98	98	0	Halodule wrightii	98
1993-12	2	3	P	95	95	0	Halodule wrightii	95
1993-12	2	4	I	98	98	0	Halodule wrightii	98
1993-12	2	4	P	100	100	0	Halodule wrightii	100
1993-12	2	5	I	100	100	0	Halodule wrightii	100
1993-12	2	5	P	100	100	0	Halodule wrightii	100
1993-12	2	6	I	97	97	0	Halodule wrightii	97
1993-12	2	6	P	87	87	0	Halodule wrightii	87

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	2	7	I	95	95	0	Halodule wrightii	95
1993-12	2	7	P	93	93	0	Halodule wrightii	93
1993-12	2	8	I	96	96	0	Halodule wrightii	96
1993-12	2	8	P	82	82	0	Halodule wrightii	82
1993-12	2	9	I	92	92	0	Halodule wrightii	92
1993-12	2	9	P	83	83	0	Halodule wrightii	83
1993-12	2	10	I	94	94	0	Halodule wrightii	94
1993-12	2	10	P	57	57	0	Halodule wrightii	57
1994-08	2	1	I	92	92	0	Halodule wrightii	92
1994-08	2	1	P	94	94	0	Halodule wrightii	94
1994-08	2	2	I	100	100	0	Halodule wrightii	100
1994-08	2	2	P	100	100	0	Halodule wrightii	100
1994-08	2	3	I	100	100	0	Halodule wrightii	100
1994-08	2	3	P	100	100	0	Halodule wrightii	100
1994-08	2	4	I	100	100	0	Halodule wrightii	100
1994-08	2	4	P	100	100	0	Halodule wrightii	100
1994-08	2	5	I	100	100	0	Halodule wrightii	100
1994-08	2	5	P	100	100	0	Halodule wrightii	100
1994-08	2	6	I	100	100	0	Halodule wrightii	100
1994-08	2	6	P	100	100	0	Halodule wrightii	100
1994-08	2	7	I	100	100	0	Halodule wrightii	100
1994-08	2	7	P	100	100	0	Halodule wrightii	100
1994-08	2	8	I	100	100	0	Halodule wrightii	100
1994-08	2	8	P	100	100	0	Halodule wrightii	100
1994-08	2	9	I	99	99	0	Halodule wrightii	99
1994-08	2	9	P	100	100	0	Halodule wrightii	100
1994-08	2	10	I	98	98	0	Halodule wrightii	98
1994-08	2	10	P	96	96	0	Halodule wrightii	96
1994-10	2	1	I	93	93	0	Halodule wrightii	93
1994-10	2	1	P	85	85	0	Halodule wrightii	85
1994-10	2	2	I	96	96	0	Halodule wrightii	96
1994-10	2	2	P	93	93	0	Halodule wrightii	93
1994-10	2	3	I	92	92	0	Halodule wrightii	92
1994-10	2	3	P	92	92	0	Halodule wrightii	92
1994-10	2	4	I	100	100	0	Halodule wrightii	100
1994-10	2	4	P	98	98	0	Halodule wrightii	98
1994-10	2	5	I	100	100	0	Halodule wrightii	100
1994-10	2	5	P	96	96	0	Halodule wrightii	96
1994-10	2	6	I	99	99	0	Halodule wrightii	99
1994-10	2	6	P	65	65	0	Halodule wrightii	65
1994-10	2	7	I	99	99	0	Halodule wrightii	99
1994-10	2	7	P	81	81	0	Halodule wrightii	81
1994-10	2	8	I	100	100	0	Halodule wrightii	100
1994-10	2	8	P	50	50	0	Halodule wrightii	50
1994-10	2	9	I	97	97	0	Halodule wrightii	97
1994-10	2	9	P	87	87	0	Halodule wrightii	87
1994-10	2	10	I	95	95	0	Halodule wrightii	95
1994-10	2	10	P	68	68	0	Halodule wrightii	68
1995-08	2	1	I	97	97	0	Halodule wrightii	97
1995-08	2	1	P	100	100	0	Halodule wrightii	100
1995-08	2	2	I	99	99	0	Halodule wrightii	99
1995-08	2	2	P	100	100	0	Halodule wrightii	100
1995-08	2	3	I	100	100	0	Halodule wrightii	100
1995-08	2	3	P	100	100	0	Halodule wrightii	100
1995-08	2	4	I	100	100	0	Halodule wrightii	100
1995-08	2	4	P	91	91	0	Halodule wrightii	91

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	15	2	P	88	88	0	Halodule wrightii	88
1994-08	15	3	I	93	93	0	Halodule wrightii	93
1994-08	15	3	P	78	78	0	Halodule wrightii	78
1994-08	15	4	I	100	100	0	Halodule wrightii	100
1994-08	15	4	P	71	71	0	Halodule wrightii	71
1994-08	15	5	I	100	100	0	Halodule wrightii	100
1994-08	15	5	P	80	80	0	Halodule wrightii	80
1994-08	15	6	I	99	99	3	Halimeda incrassata	3
1994-08	15	6	I	99	99	3	Halodule wrightii	99
1994-08	15	6	P	99	99	3	Caulerpa prolifera	3
1994-08	15	6	P	99	99	3	Halodule wrightii	99
1994-08	15	7	I	99	99	2	Halimeda incrassata	2
1994-08	15	7	I	99	99	2	Halodule wrightii	99
1994-08	15	7	P	98	98	0	Halodule wrightii	98
1994-08	15	8	I	100	100	0	Halodule wrightii	100
1994-08	15	8	P	99	99	0	Halodule wrightii	99
1994-08	15	9	I	100	100	0	Halodule wrightii	100
1994-08	15	9	P	56	56	0	Halodule wrightii	56
1994-08	15	10	I	100	100	0	Halodule wrightii	100
1994-08	15	10	P	98	98	0	Halodule wrightii	98
1994-10	15	1	I	87	87	0	Thalassia testudinum	87
1994-10	15	1	P	87	87	0	Thalassia testudinum	87
1994-10	15	2	I	84	84	0	Thalassia testudinum	84
1994-10	15	2	P	91	91	0	Thalassia testudinum	91
1994-10	15	3	I	97	97	0	Halodule wrightii	97
1994-10	15	3	P	86	86	0	Halodule wrightii	86
1994-10	15	4	I	86	86	0	Halodule wrightii	86
1994-10	15	4	P	96	96	1	Halodule wrightii	96
1994-10	15	4	P	96	96	1	Udotea conglutinata	1
1994-10	15	5	I	100	100	0	Halodule wrightii	100
1994-10	15	5	P	100	100	0	Halodule wrightii	100
1994-10	15	6	I	100	100	0	Halodule wrightii	100
1994-10	15	6	I	100	100	0	Halophila englemannii	4
1994-10	15	6	P	91	91	0	Halodule wrightii	83
1994-10	15	6	P	91	91	0	Halophila englemannii	11
1994-10	15	7	I	100	96	22	Halimeda incrassata	22
1994-10	15	7	I	100	96	22	Halodule wrightii	96
1994-10	15	7	P	94	94	70	Halimeda incrassata	70
1994-10	15	7	P	94	94	70	Halodule wrightii	94
1994-10	15	8	I	100	65	98	Halimeda incrassata	98
1994-10	15	8	I	100	65	98	Halodule wrightii	65
1994-10	15	8	P	96	76	78	Halimeda incrassata	76
1994-10	15	8	P	96	76	78	Halodule wrightii	76
1994-10	15	8	P	96	76	78	Udotea conglutinata	2
1994-10	15	9	I	100	100	3	Halimeda incrassata	3
1994-10	15	9	I	100	100	3	Halodule wrightii	100
1994-10	15	9	P	100	95	23	Caulerpa prolifera	19
1994-10	15	9	P	100	95	23	Halimeda incrassata	2
1994-10	15	9	P	100	95	23	Halodule wrightii	95
1994-10	15	9	P	100	95	23	Udotea conglutinata	2
1994-10	15	10	I	97	97	0	Halodule wrightii	97
1994-10	15	10	P	97	95	3	Caulerpa prolifera	3
1994-10	15	10	P	97	95	3	Halodule wrightii	95
1995-08	15	1	I	58	58	0	Halodule wrightii	58
1995-08	15	1	P	92	92	0	Halodule wrightii	92
1995-08	15	2	I	95	95	0	Halodule wrightii	95

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	15	2	P	86	86	0	Halodule wrightii	86
1995-08	15	3	I	94	94	0	Halodule wrightii	94
1995-08	15	3	P	95	95	0	Halodule wrightii	95
1995-08	15	4	I	100	100	0	Halodule wrightii	100
1995-08	15	4	P	94	94	0	Halodule wrightii	94
1995-08	15	5	I	95	95	0	Halodule wrightii	95
1995-08	15	5	P	94	94	0	Halodule wrightii	94
1995-08	15	6	I	0	0	0	Bare	0
1995-08	15	6	P	21	21	0	Halodule wrightii	21
1995-08	15	7	I	100	100	0	Halodule wrightii	100
1995-08	15	7	P	75	75	0	Halodule wrightii	75
1995-08	15	8	I	100	100	0	Halodule wrightii	100
1995-08	15	8	P	94	94	0	Halodule wrightii	94
1995-08	15	9	I	97	97	0	Halodule wrightii	97
1995-08	15	9	P	98	98	0	Halodule wrightii	98
1995-08	15	10	I	100	100	0	Halodule wrightii	100
1995-08	15	10	P	98	98	0	Halodule wrightii	98
1995-10	15	1	I	42	42	0	Thalassia testudinum	42
1995-10	15	1	P	70	70	0	Thalassia testudinum	70
1995-10	15	2	I	88	88	0	Thalassia testudinum	88
1995-10	15	2	P	90	90	0	Thalassia testudinum	90
1995-10	15	3	I	100	100	0	Halodule wrightii	100
1995-10	15	3	I	100	100	0	Thalassia testudinum	4
1995-10	15	3	P	85	85	0	Halodule wrightii	10
1995-10	15	3	P	85	85	0	Thalassia testudinum	85
1995-10	15	4	I	100	100	0	Halodule wrightii	100
1995-10	15	4	P	100	100	0	Halodule wrightii	100
1995-10	15	5	I	99	99	0	Halodule wrightii	99
1995-10	15	5	P	99	99	0	Halodule wrightii	99
1995-10	15	6	I	98	98	0	Halodule wrightii	98
1995-10	15	6	P	80	80	0	Halodule wrightii	80
1995-10	15	7	I	25	25	0	Halodule wrightii	25
1995-10	15	7	P	93	93	0	Halodule wrightii	93
1995-10	15	8	I	20	20	0	Halodule wrightii	20
1995-10	15	8	P	88	88	0	Halodule wrightii	88
1995-10	15	9	I	0	0	0	Bare	0
1995-10	15	9	P	68	68	0	Halodule wrightii	68
1995-10	15	10	I	98	98	0	Halodule wrightii	98
1995-10	15	10	P	77	77	0	Halodule wrightii	77

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	2	5	I	88	88	0	Halodule wrightii	88
1995-08	2	5	P	97	97	0	Halodule wrightii	97
1995-08	2	6	I	85	85	0	Halodule wrightii	85
1995-08	2	6	P	83	83	0	Halodule wrightii	83
1995-08	2	7	I	95	95	0	Halodule wrightii	95
1995-08	2	7	P	93	93	0	Halodule wrightii	93
1995-08	2	8	I	90	90	0	Halodule wrightii	90
1995-08	2	8	P	65	65	0	Halodule wrightii	65
1995-08	2	9	I	98	98	0	Halodule wrightii	98
1995-08	2	9	P	75	75	0	Halodule wrightii	75
1995-08	2	10	I	97	97	0	Halodule wrightii	97
1995-08	2	10	P	89	89	0	Halodule wrightii	89
1995-10	2	1	I	35	35	0	Halodule wrightii	35
1995-10	2	1	P	48	48	0	Halodule wrightii	48
1995-10	2	2	I	75	75	0	Halodule wrightii	75
1995-10	2	2	P	8	8	0	Halodule wrightii	8
1995-10	2	3	I	22	22	0	Halodule wrightii	22
1995-10	2	3	P	82	82	0	Halodule wrightii	82
1995-10	2	4	I	55	55	0	Halodule wrightii	55
1995-10	2	4	P	62	62	0	Halodule wrightii	62
1995-10	2	5	I	80	80	0	Halodule wrightii	80
1995-10	2	5	P	49	49	0	Halodule wrightii	49
1995-10	2	6	I	2	2	0	Halodule wrightii	2
1995-10	2	6	P	2	2	0	Halodule wrightii	2
1995-10	2	7	I	97	97	0	Halodule wrightii	97
1995-10	2	7	P	99	99	0	Halodule wrightii	99
1995-10	2	8	I	45	45	0	Halodule wrightii	45
1995-10	2	8	P	65	65	0	Halodule wrightii	65
1995-10	2	9	I	45	45	0	Halodule wrightii	45
1995-10	2	9	P	15	15	0	Halodule wrightii	15
1995-10	2	10	I	15	15	0	Halodule wrightii	15
1995-10	2	10	P	10	10	0	Halodule wrightii	10
1993-12	3	1	I	88	88	0	Halodule wrightii	88
1993-12	3	1	P	70	70	0	Halodule wrightii	70
1993-12	3	2	I	87	87	0	Halodule wrightii	87
1993-12	3	2	P	84	84	0	Halodule wrightii	84
1993-12	3	3	I	100	100	0	Halodule wrightii	100
1993-12	3	3	P	92	92	0	Halodule wrightii	92
1993-12	3	4	I	100	100	0	Halodule wrightii	100
1993-12	3	4	P	94	94	0	Halodule wrightii	94
1993-12	3	5	I	98	98	0	Halodule wrightii	98
1993-12	3	5	P	64	64	0	Halodule wrightii	64
1993-12	3	6	I	81	81	0	Halodule wrightii	81
1993-12	3	6	P	84	84	0	Halodule wrightii	84
1993-12	3	7	I	91	91	0	Halodule wrightii	91
1993-12	3	7	P	98	98	0	Halodule wrightii	98
1993-12	3	8	I	100	100	0	Halodule wrightii	100
1993-12	3	8	P	46	46	0	Halodule wrightii	46
1993-12	3	9	I	100	100	0	Halodule wrightii	100
1993-12	3	9	P	93	93	0	Halodule wrightii	93
1993-12	3	10	I	92	92	0	Halodule wrightii	92
1993-12	3	10	P	76	76	0	Halodule wrightii	76
1994-08	3	1	I	30	30	0	Halodule wrightii	30
1994-08	3	1	P	46	46	0	Halodule wrightii	46
1994-08	3	2	I	25	25	0	Halodule wrightii	25
1994-08	3	2	P	15	15	0	Halodule wrightii	15

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	3	3	I	81	81	0	Halodule wrightii	81
1994-08	3	3	P	64	64	0	Halodule wrightii	64
1994-08	3	4	I	36	36	0	Halodule wrightii	36
1994-08	3	4	P	28	28	0	Halodule wrightii	28
1994-08	3	5	I	30	30	0	Halodule wrightii	30
1994-08	3	5	P	54	54	0	Halodule wrightii	54
1994-08	3	6	I	15	15	0	Halodule wrightii	15
1994-08	3	6	P	0	0	0	Halodule wrightii	0
1994-08	3	7	I	15	15	0	Halodule wrightii	15
1994-08	3	7	P	80	80	0	Halodule wrightii	80
1994-08	3	8	I	90	90	0	Halodule wrightii	90
1994-08	3	8	P	65	65	0	Halodule wrightii	65
1994-08	3	9	I	20	20	0	Halodule wrightii	20
1994-08	3	9	P	42	42	0	Halodule wrightii	42
1994-08	3	10	I	27	27	0	Halodule wrightii	27
1994-08	3	10	P	26	26	0	Halodule wrightii	26
1994-10	3	1	I	26	26	0	Halodule wrightii	26
1994-10	3	1	P	22	22	0	Halodule wrightii	22
1994-10	3	2	I	8	8	0	Halodule wrightii	8
1994-10	3	2	P	6	6	0	Halodule wrightii	6
1994-10	3	3	I	6	6	0	Halodule wrightii	6
1994-10	3	3	P	91	91	0	Halodule wrightii	91
1994-10	3	4	I	12	12	0	Halodule wrightii	12
1994-10	3	4	P	72	72	0	Halodule wrightii	72
1994-10	3	5	I	16	16	0	Halodule wrightii	16
1994-10	3	5	P	17	17	0	Halodule wrightii	17
1994-10	3	6	I	55	55	0	Halodule wrightii	55
1994-10	3	6	P	46	46	0	Halodule wrightii	46
1994-10	3	7	I	96	96	0	Halodule wrightii	96
1994-10	3	7	P	28	28	0	Halodule wrightii	28
1994-10	3	8	I	74	74	0	Halodule wrightii	74
1994-10	3	8	P	4	4	0	Halodule wrightii	4
1994-10	3	9	I	86	86	0	Halodule wrightii	86
1994-10	3	9	P	0	0	0	Bare	0
1994-10	3	10	I	74	74	0	Halodule wrightii	74
1994-10	3	10	P	61	61	0	Halodule wrightii	61
1995-08	3	1	I	45	45	0	Halodule wrightii	45
1995-08	3	1	P	51	51	0	Halodule wrightii	51
1995-08	3	2	I	0	0	0	Bare	0
1995-08	3	2	P	3	3	0	Halodule wrightii	3
1995-08	3	3	I	2	2	0	Halodule wrightii	2
1995-08	3	3	P	26	26	0	Halodule wrightii	26
1995-08	3	4	I	21	21	0	Halodule wrightii	21
1995-08	3	4	P	0	0	0	Halodule wrightii	0
1995-08	3	5	I	13	13	0	Halodule wrightii	13
1995-08	3	5	P	26	26	0	Halodule wrightii	26
1995-08	3	6	I	95	95	0	Halodule wrightii	95
1995-08	3	6	P	4	4	0	Halodule wrightii	4
1995-08	3	7	I	7	7	0	Halodule wrightii	7
1995-08	3	7	P	0	0	0	Bare	0
1995-08	3	8	I	1	1	0	Halodule wrightii	1
1995-08	3	8	P	0	0	0	Bare	0
1995-08	3	9	I	0	0	0	Bare	0
1995-08	3	9	P	1	1	0	Halodule wrightii	1
1995-08	3	10	I	11	11	0	Halodule wrightii	11
1995-08	3	10	P	0	0	0	Bare	0

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	3	1	I	0	0	0	Bare	0
1995-10	3	1	P	2	2	0	Halodule wrightii	2
1995-10	3	2	I	2	2	0	Halodule wrightii	2
1995-10	3	2	P	0	0	0	Halodule wrightii	0
1995-10	3	3	I	5	5	0	Halodule wrightii	5
1995-10	3	3	P	1	1	0	Halodule wrightii	1
1995-10	3	4	I	93	93	0	Halodule wrightii	93
1995-10	3	4	P	82	82	0	Halodule wrightii	82
1995-10	3	5	I	100	100	0	Halodule wrightii	100
1995-10	3	5	P	94	94	0	Halodule wrightii	94
1995-10	3	6	I	13	13	0	Halodule wrightii	13
1995-10	3	6	P	29	29	0	Halodule wrightii	29
1995-10	3	7	I	4	4	0	Halodule wrightii	4
1995-10	3	7	P	2	2	0	Halodule wrightii	2
1995-10	3	8	I	100	100	0	Halodule wrightii	100
1995-10	3	8	P	100	100	0	Halodule wrightii	100
1995-10	3	9	I	99	99	0	Halodule wrightii	99
1995-10	3	9	P	98	98	0	Halodule wrightii	98
1995-10	3	10	I	100	100	0	Halodule wrightii	100
1995-10	3	10	P	0	0	0	Bare	0
1993-12	4	1	I	84	84	0	Syringodium filiforme	84
1993-12	4	1	P	92	92	0	Syringodium filiforme	92
1993-12	4	2	I	74	74	0	Syringodium filiforme	74
1993-12	4	2	P	71	71	0	Syringodium filiforme	71
1993-12	4	3	I	71	71	0	Syringodium filiforme	71
1993-12	4	3	P	68	68	0	Syringodium filiforme	68
1993-12	4	4	I	87	87	0	Syringodium filiforme	87
1993-12	4	4	P	66	66	0	Halophila englemannii	1
1993-12	4	4	P	66	66	0	Syringodium filiforme	65
1993-12	4	5	I	94	94	0	Syringodium filiforme	94
1993-12	4	5	P	73	73	0	Syringodium filiforme	73
1993-12	4	6	I	96	96	0	Syringodium filiforme	96
1993-12	4	6	P	78	78	0	Syringodium filiforme	78
1993-12	4	7	I	89	87	2	Caulerpa prolifera	2
1993-12	4	7	I	89	87	2	Syringodium filiforme	87
1993-12	4	7	P	70	70	0	Syringodium filiforme	70
1993-12	4	8	I	95	95	5	Caulerpa prolifera	5
1993-12	4	8	I	95	95	5	Syringodium filiforme	90
1993-12	4	8	P	89	89	0	Syringodium filiforme	89
1993-12	4	9	I	83	83	0	Syringodium filiforme	83
1993-12	4	9	P	90	90	0	Syringodium filiforme	90
1994-08	4	1	I	100	100	0	Syringodium filiforme	100
1994-08	4	1	P	98	98	0	Syringodium filiforme	98
1994-08	4	2	I	94	94	0	Syringodium filiforme	94
1994-08	4	2	P	73	73	0	Syringodium filiforme	73
1994-08	4	3	I	58	58	0	Syringodium filiforme	58
1994-08	4	3	P	91	91	0	Syringodium filiforme	91
1994-08	4	4	I	83	83	0	Syringodium filiforme	83
1994-08	4	4	P	70	70	0	Syringodium filiforme	70
1994-08	4	5	I	58	58	0	Syringodium filiforme	58
1994-08	4	5	P	48	48	0	Syringodium filiforme	48
1994-08	4	6	I	84	84	0	Syringodium filiforme	84
1994-08	4	6	P	76	76	0	Syringodium filiforme	76
1994-08	4	7	I	95	95	0	Syringodium filiforme	95
1994-08	4	7	P	76	76	0	Syringodium filiforme	76
1994-08	4	8	I	18	18	0	Syringodium filiforme	18

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	4	8	P	80	80	0	Halophila englemannii	1
1994-08	4	8	P	80	80	0	Syringodium filiforme	80
1994-08	4	9	I	91	91	0	Syringodium filiforme	91
1994-08	4	9	P	96	96	0	Syringodium filiforme	96
1994-08	4	10	I	44	44	0	Syringodium filiforme	44
1994-08	4	10	P	21	21	0	Syringodium filiforme	21
1994-10	4	1	I	99	99	0	Syringodium filiforme	99
1994-10	4	1	P	92	92	8	Halimeda incrassata	3
1994-10	4	1	P	92	92	8	Syringodium filiforme	92
1994-10	4	1	P	92	92	8	Udotea conglutinata	5
1994-10	4	2	I	83	83	9	Halimeda incrassata	3
1994-10	4	2	I	83	83	9	Halophila englemannii	6
1994-10	4	2	I	83	83	9	Syringodium filiforme	83
1994-10	4	2	P	78	78	0	Syringodium filiforme	78
1994-10	4	3	I	87	87	0	Syringodium filiforme	87
1994-10	4	3	P	75	75	0	Syringodium filiforme	75
1994-10	4	4	I	88	88	3	Halimeda incrassata	3
1994-10	4	4	I	88	88	3	Syringodium filiforme	88
1994-10	4	4	P	91	89	2	Caulerpa prolifera	2
1994-10	4	4	P	91	89	2	Syringodium filiforme	89
1994-10	4	5	I	2	2	0	Syringodium filiforme	2
1994-10	4	5	P	57	57	0	Syringodium filiforme	57
1994-10	4	6	I	22	22	0	Syringodium filiforme	22
1994-10	4	6	P	13	13	0	Syringodium filiforme	13
1994-10	4	7	I	79	78	1	Caulerpa prolifera	1
1994-10	4	7	I	79	78	1	Syringodium filiforme	78
1994-10	4	7	P	89	89	2	Caulerpa prolifera	2
1994-10	4	7	P	89	89	2	Syringodium filiforme	89
1994-10	4	8	I	88	88	0	Syringodium filiforme	88
1994-10	4	8	P	100	100	14	Caulerpa prolifera	8
1994-10	4	8	P	100	100	14	Penicillus sp.	2
1994-10	4	8	P	100	100	14	Syringodium filiforme	4
1994-10	4	8	P	100	100	14	Syringodium filiforme	100
1994-10	4	9	I	30	30	0	Syringodium filiforme	30
1994-10	4	9	P	80	80	0	Syringodium filiforme	80
1994-10	4	10	I	94	94	0	Syringodium filiforme	94
1994-10	4	10	P	92	92	2	Caulerpa prolifera	1
1994-10	4	10	P	92	92	2	Halimeda incrassata	1
1994-10	4	10	P	92	92	2	Syringodium filiforme	92
1995-08	4	1	I	97	97	0	Syringodium filiforme	97
1995-08	4	1	P	98	98	0	Syringodium filiforme	98
1995-08	4	2	I	93	93	0	Syringodium filiforme	93
1995-08	4	2	P	96	96	0	Syringodium filiforme	96
1995-08	4	3	I	98	98	0	Syringodium filiforme	98
1995-08	4	3	P	83	83	0	Syringodium filiforme	83
1995-08	4	4	I	100	100	0	Syringodium filiforme	100
1995-08	4	4	P	98	98	0	Syringodium filiforme	98
1995-08	4	5	I	100	100	0	Syringodium filiforme	100
1995-08	4	5	P	97	97	0	Syringodium filiforme	97
1995-08	4	6	I	100	100	0	Syringodium filiforme	100
1995-08	4	6	P	97	97	0	Syringodium filiforme	97
1995-08	4	7	I	98	98	0	Syringodium filiforme	98
1995-08	4	7	P	100	100	0	Syringodium filiforme	100
1995-08	4	8	I	96	96	0	Syringodium filiforme	96
1995-08	4	8	P	97	97	0	Syringodium filiforme	97
1995-08	4	9	I	99	99	1	Caulerpa prolifera	1

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	4	9	I	99	99	1	Halodule wrightii	1
1995-08	4	9	I	99	99	1	Syringodium filiforme	99
1995-08	4	9	P	96	96	0	Syringodium filiforme	96
1995-08	4	10	I	98	98	0	Syringodium filiforme	98
1995-08	4	10	P	86	86	0	Syringodium filiforme	86
1993-12	5	1	I	40	40	0	Halodule wrightii	40
1993-12	5	1	P	92	92	0	Halodule wrightii	92
1993-12	5	2	I	96	96	0	Halodule wrightii	96
1993-12	5	2	P	93	93	0	Halodule wrightii	93
1993-12	5	3	I	91	91	0	Halodule wrightii	91
1993-12	5	3	P	93	93	0	Halodule wrightii	93
1993-12	5	4	I	93	93	0	Halodule wrightii	93
1993-12	5	4	P	83	83	0	Halodule wrightii	83
1993-12	5	5	I	84	84	0	Halodule wrightii	84
1993-12	5	5	P	88	88	0	Halodule wrightii	88
1993-12	5	6	I	77	77	0	Halodule wrightii	77
1993-12	5	6	P	89	89	0	Halodule wrightii	89
1993-12	5	7	I	80	80	0	Halodule wrightii	80
1993-12	5	7	P	88	88	0	Halodule wrightii	88
1993-12	5	8	I	79	79	0	Halodule wrightii	79
1993-12	5	8	P	100	100	0	Halodule wrightii	100
1993-12	5	9	I	96	96	0	Halodule wrightii	96
1993-12	5	9	P	88	88	0	Halodule wrightii	88
1993-12	5	10	I	96	96	0	Halodule wrightii	96
1993-12	5	10	P	90	90	0	Halodule wrightii	90
1994-08	5	1	I	50	50	0	Halodule wrightii	50
1994-08	5	1	P	56	56	0	Halodule wrightii	56
1994-08	5	2	I	65	65	0	Halodule wrightii	65
1994-08	5	2	P	53	53	0	Halodule wrightii	53
1994-08	5	3	I	18	18	0	Halodule wrightii	18
1994-08	5	3	P	71	71	3	Caulerpa prolifera	3
1994-08	5	3	P	71	71	0	Halodule wrightii	71
1994-08	5	4	I	9	9	0	Halodule wrightii	9
1994-08	5	4	P	48	48	0	Halodule wrightii	48
1994-08	5	5	I	16	16	0	Halodule wrightii	16
1994-08	5	5	P	37	37	0	Halodule wrightii	37
1994-08	5	6	I	74	74	0	Halodule wrightii	74
1994-08	5	6	P	50	50	0	Halodule wrightii	50
1994-08	5	7	I	98	98	0	Halodule wrightii	98
1994-08	5	7	P	85	85	0	Halodule wrightii	85
1994-08	5	8	I	85	85	0	Halodule wrightii	85
1994-08	5	8	P	74	74	0	Halodule wrightii	74
1994-08	5	9	I	4	4	0	Halodule wrightii	4
1994-08	5	9	P	55	55	0	Halodule wrightii	55
1994-08	5	10	I	78	78	0	Halodule wrightii	78
1994-08	5	10	P	57	57	0	Halodule wrightii	57
1994-10	5	1	I	24	24	0	Halodule wrightii	24
1994-10	5	1	P	46	46	0	Halodule wrightii	46
1994-10	5	2	I	29	29	0	Halodule wrightii	29
1994-10	5	2	P	52	52	0	Halodule wrightii	52
1994-10	5	3	I	60	60	0	Halodule wrightii	60
1994-10	5	3	P	14	14	0	Halodule wrightii	14
1994-10	5	4	I	51	51	0	Halodule wrightii	51
1994-10	5	4	P	15	15	0	Halodule wrightii	15
1994-10	5	5	I	53	53	0	Halodule wrightii	53
1994-10	5	5	P	22	22	0	Halodule wrightii	22

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	5	6	I	6	5	0	Halodule wrightii	5
1994-10	5	6	I	6	5	0	Halophila englemannii	1
1994-10	5	6	P	73	73	0	Halodule wrightii	73
1994-10	5	7	I	19	19	0	Halodule wrightii	19
1994-10	5	7	P	13	13	0	Halodule wrightii	13
1994-10	5	8	I	15	15	0	Halodule wrightii	15
1994-10	5	8	P	8	8	0	Halodule wrightii	8
1994-10	5	9	I	84	84	0	Halodule wrightii	84
1994-10	5	9	P	12	12	0	Halodule wrightii	12
1994-10	5	10	I	86	86	0	Halodule wrightii	86
1994-10	5	10	P	6	6	0	Halodule wrightii	6
1995-08	5	1	I	5	5	0	Halodule wrightii	5
1995-08	5	1	P	60	60	0	Halodule wrightii	60
1995-08	5	2	I	0	0	0	Bare	0
1995-08	5	2	P	16	16	0	Halodule wrightii	16
1995-08	5	3	I	17	16	1	Caulerpa mexicana	1
1995-08	5	3	I	17	16	1	Halodule wrightii	16
1995-08	5	3	P	2	1	1	Caulerpa prolifera	1
1995-08	5	3	P	2	1	1	Halodule wrightii	1
1995-08	5	4	I	7	7	0	Halodule wrightii	7
1995-08	5	4	P	6	6	0	Halodule wrightii	6
1995-08	5	5	I	3	3	0	Halodule wrightii	3
1995-08	5	5	P	1	1	0	Halodule wrightii	1
1995-08	5	6	I	5	5	0	Halodule wrightii	5
1995-08	5	6	P	0	0	0	Bare	0
1995-08	5	7	I	14	14	0	Halodule wrightii	14
1995-08	5	7	P	3	3	0	Halodule wrightii	3
1995-08	5	8	I	5	5	0	Halodule wrightii	5
1995-08	5	8	P	0	0	0	Bare	0
1995-08	5	9	I	4	4	0	Halodule wrightii	4
1995-08	5	9	P	0	0	0	Bare	0
1995-08	5	10	I	3	3	0	Halodule wrightii	3
1995-08	5	10	P	0	0	0	Bare	0
1995-10	5	1	I	1	1	0	Halodule wrightii	1
1995-10	5	1	P	3	3	0	Halodule wrightii	3
1995-10	5	2	I	13	13	0	Halodule wrightii	13
1995-10	5	2	P	0	0	0	Bare	0
1995-10	5	3	I	0	0	0	Bare	0
1995-10	5	3	P	1	1	0	Halodule wrightii	1
1995-10	5	4	I	0	0	0	Bare	0
1995-10	5	4	P	2	2	0	Halodule wrightii	2
1995-10	5	5	I	3	3	0	Halodule wrightii	3
1995-10	5	5	P	1	1	0	Halodule wrightii	1
1995-10	5	6	I	0	0	0	Bare	0
1995-10	5	6	P	10	10	0	Halodule wrightii	10
1995-10	5	7	I	4	4	0	Halodule wrightii	4
1995-10	5	7	P	4	4	0	Halodule wrightii	4
1995-10	5	8	I	29	29	0	Halodule wrightii	29
1995-10	5	8	P	3	3	0	Halodule wrightii	3
1995-10	5	9	I	1	1	0	Halodule wrightii	1
1995-10	5	9	P	5	5	0	Halodule wrightii	5
1995-10	5	10	I	6	6	0	Halodule wrightii	6
1995-10	5	10	P	2	2	0	Halodule wrightii	2
1993-12	6	1	I	100	100	0	Halodule wrightii	100
1993-12	6	1	P	100	100	0	Halodule wrightii	100
1993-12	6	2	I	97	97	0	Halodule wrightii	59

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1993-12	6	2	I	97	97	0	Halophila englemannii	38
1993-12	6	2	P	75	75	0	Halodule wrightii	75
1993-12	6	3	I	99	99	0	Halodule wrightii	99
1993-12	6	3	I	99	99	0	Halophila englemannii	1
1993-12	6	3	P	83	83	0	Halodule wrightii	83
1993-12	6	3	P	83	83	0	Halophila englemannii	10
1993-12	6	4	I	100	100	0	Halodule wrightii	100
1993-12	6	4	P	94	94	0	Halodule wrightii	92
1993-12	6	4	P	94	94	0	Halophila englemannii	2
1993-12	6	5	I	99	99	0	Halodule wrightii	99
1993-12	6	5	P	90	90	0	Halodule wrightii	90
1993-12	6	6	I	99	99	0	Halodule wrightii	99
1993-12	6	6	P	98	98	0	Halodule wrightii	97
1993-12	6	6	P	98	98	0	Halophila englemannii	1
1993-12	6	7	I	99	99	0	Halodule wrightii	99
1993-12	6	7	P	94	94	0	Halodule wrightii	94
1993-12	6	8	I	99	99	0	Halodule wrightii	99
1993-12	6	8	P	98	98	0	Halodule wrightii	98
1993-12	6	9	I	98	98	0	Halodule wrightii	98
1993-12	6	9	P	93	93	0	Halodule wrightii	93
1993-12	6	9	P	93	93	0	Halophila englemannii	15
1994-08	6	1	I	85	85	0	Halodule wrightii	85
1994-08	6	1	I	85	85	0	Halophila englemannii	4
1994-08	6	1	P	66	66	0	Halodule wrightii	66
1994-08	6	1	P	66	66	0	Halophila englemannii	3
1994-08	6	2	I	81	81	0	Halodule wrightii	81
1994-08	6	2	I	81	81	0	Halophila englemannii	1
1994-08	6	2	P	63	63	0	Halodule wrightii	63
1994-08	6	2	P	63	63	0	Halophila englemannii	1
1994-08	6	3	I	97	97	0	Halodule wrightii	97
1994-08	6	3	P	93	93	0	Halodule wrightii	93
1994-08	6	3	P	93	93	0	Halophila englemannii	7
1994-08	6	4	I	92	92	0	Halodule wrightii	92
1994-08	6	4	I	92	92	0	Halophila englemannii	6
1994-08	6	4	P	92	92	0	Halodule wrightii	92
1994-08	6	4	P	92	92	0	Halophila englemannii	5
1994-08	6	5	I	91	91	0	Halodule wrightii	91
1994-08	6	5	I	91	91	0	Halophila englemannii	1
1994-08	6	5	P	84	84	0	Halodule wrightii	84
1994-08	6	5	P	84	84	0	Halophila englemannii	6
1994-08	6	6	I	99	99	0	Halodule wrightii	99
1994-08	6	6	P	92	92	0	Halodule wrightii	92
1994-08	6	7	I	95	95	0	Halodule wrightii	95
1994-08	6	7	I	95	95	0	Halophila englemannii	5
1994-08	6	7	P	94	94	0	Halodule wrightii	94
1994-08	6	7	P	94	94	0	Halophila englemannii	3
1994-08	6	8	I	100	100	0	Halodule wrightii	100
1994-08	6	8	P	98	98	0	Halodule wrightii	98
1994-10	6	1	I	90	90	0	Halodule wrightii	90
1994-10	6	1	I	90	90	0	Halophila englemannii	6
1994-10	6	1	P	65	65	0	Halodule wrightii	65
1994-10	6	1	P	65	65	0	Halophila englemannii	8
1994-10	6	2	I	97	97	0	Halodule wrightii	97
1994-10	6	2	I	97	97	0	Halophila englemannii	1
1994-10	6	2	P	86	86	0	Halodule wrightii	86
1994-10	6	2	P	86	86	0	Halophila englemannii	4

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	6	3	I	100	100	0	Halodule wrightii	100
1994-10	6	3	I	100	100	0	Halophila englemannii	16
1994-10	6	3	P	94	94	0	Halodule wrightii	94
1994-10	6	4	I	100	100	0	Halodule wrightii	100
1994-10	6	4	I	100	100	0	Halophila englemannii	4
1994-10	6	4	P	100	100	0	Halodule wrightii	100
1994-10	6	5	I	81	81	0	Halodule wrightii	81
1994-10	6	5	P	67	67	0	Halodule wrightii	53
1994-10	6	5	P	67	67	0	Halophila englemannii	16
1994-10	6	6	I	97	97	0	Halodule wrightii	97
1994-10	6	6	P	71	71	0	Halodule wrightii	66
1994-10	6	6	P	71	71	0	Halophila englemannii	8
1994-10	6	7	I	98	98	0	Halodule wrightii	98
1994-10	6	7	P	68	68	0	Halodule wrightii	55
1994-10	6	7	P	68	68	0	Halophila englemannii	28
1994-10	6	8	I	68	68	0	Halodule wrightii	62
1994-10	6	8	I	68	68	0	Halophila englemannii	21
1994-10	6	8	P	87	87	0	Halodule wrightii	87
1994-10	6	8	P	87	87	0	Halophila englemannii	7
1994-10	6	9	I	99	99	0	Halodule wrightii	99
1994-10	6	9	P	70	70	0	Halodule wrightii	70
1994-10	6	9	P	70	70	0	Halophila englemannii	11
1994-10	6	10	I	100	100	0	Halodule wrightii	100
1994-10	6	10	P	43	43	0	Halodule wrightii	43
1995-08	6	1	I	100	100	0	Halodule wrightii	100
1995-08	6	1	P	98	98	0	Halodule wrightii	98
1995-08	6	2	I	100	100	0	Halodule wrightii	100
1995-08	6	2	P	85	85	0	Halodule wrightii	82
1995-08	6	2	P	85	85	0	Halophila englemannii	15
1995-08	6	3	I	91	91	0	Halodule wrightii	91
1995-08	6	3	P	59	59	0	Halodule wrightii	59
1995-08	6	3	P	59	59	0	Halophila englemannii	1
1995-08	6	4	I	93	93	0	Halodule wrightii	93
1995-08	6	4	P	73	69	10	Halodule wrightii	69
1995-08	6	4	P	73	69	10	Halophila englemannii	1
1995-08	6	4	P	73	69	10	Udotea conglutinata	7
1995-08	6	5	I	89	89	0	Halodule wrightii	89
1995-08	6	5	P	45	45	0	Halodule wrightii	30
1995-08	6	5	P	45	45	0	Halophila englemannii	15
1995-08	6	6	I	98	98	0	Halodule wrightii	98
1995-08	6	6	P	99	99	0	Halodule wrightii	99
1995-08	6	7	I	100	100	0	Halodule wrightii	100
1995-08	6	7	P	97	97	0	Halodule wrightii	97
1995-08	6	8	I	100	100	0	Halodule wrightii	100
1995-08	6	8	P	93	93	0	Halodule wrightii	93
1995-08	6	9	I	100	100	0	Halodule wrightii	100
1995-08	6	9	P	89	89	0	Halodule wrightii	89
1995-08	6	10	I	99	99	0	Halodule wrightii	99
1995-08	6	10	P	100	100	0	Halodule wrightii	100
1995-10	6	1	I	7	7	0	Halodule wrightii	7
1995-10	6	1	P	3	3	0	Halodule wrightii	3
1995-10	6	2	I	78	78	0	Halodule wrightii	78
1995-10	6	2	P	80	80	0	Halodule wrightii	80
1995-10	6	3	I	40	40	0	Halodule wrightii	40
1995-10	6	3	P	78	78	0	Halodule wrightii	78
1995-10	6	4	I	3	3	0	Halodule wrightii	3

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	6	4	P	5	5	0	Halodule wrightii	5
1995-10	6	5	I	82	82	0	Halodule wrightii	82
1995-10	6	5	P	3	3	0	Halodule wrightii	3
1995-10	6	6	I	100	100	0	Halodule wrightii	100
1995-10	6	6	P	100	100	0	Halodule wrightii	100
1995-10	6	7	I	100	100	0	Halodule wrightii	100
1995-10	6	7	P	97	97	0	Halodule wrightii	97
1995-10	6	8	I	96	96	0	Halodule wrightii	96
1995-10	6	8	P	64	64	0	Halodule wrightii	64
1995-10	6	9	I	100	100	0	Halodule wrightii	100
1995-10	6	9	P	35	35	1	Halodule wrightii	35
1995-10	6	9	P	35	35	1	Udotea conglutinata	1
1995-10	6	10	I	100	100	0	Halodule wrightii	100
1995-10	6	10	P	98	98	0	Halodule wrightii	98
1993-12	7	1	I	100	100	0	Halodule wrightii	100
1993-12	7	1	P	93	93	0	Halodule wrightii	93
1993-12	7	2	I	88	88	0	Halodule wrightii	88
1993-12	7	2	P	86	86	0	Halodule wrightii	86
1993-12	7	3	I	95	95	0	Halodule wrightii	95
1993-12	7	3	P	66	66	0	Halodule wrightii	66
1993-12	7	4	I	100	100	0	Halodule wrightii	100
1993-12	7	4	P	100	100	0	Halodule wrightii	100
1993-12	7	5	I	100	100	0	Halodule wrightii	100
1993-12	7	5	P	90	90	0	Halodule wrightii	90
1993-12	7	6	I	100	100	0	Halodule wrightii	100
1993-12	7	6	P	94	94	0	Halodule wrightii	94
1993-12	7	7	I	100	100	0	Halodule wrightii	100
1993-12	7	7	P	96	96	0	Halodule wrightii	96
1993-12	7	8	I	100	100	0	Halodule wrightii	100
1993-12	7	8	P	100	100	0	Halodule wrightii	100
1993-12	7	9	I	100	100	0	Halodule wrightii	100
1993-12	7	9	I	100	100	0	Halophila englemannii	2
1993-12	7	9	P	97	97	0	Halodule wrightii	97
1993-12	7	10	I	100	100	0	Halodule wrightii	100
1993-12	7	10	P	93	93	0	Halodule wrightii	93
1994-08	7	1	I	73	73	0	Caulerpa mexicana	2
1994-08	7	1	I	73	73	2	Halodule wrightii	73
1994-08	7	1	P	61	61	0	Halodule wrightii	61
1994-08	7	2	I	56	56	0	Halodule wrightii	56
1994-08	7	2	I	56	56	0	Halophila englemannii	10
1994-08	7	2	P	58	58	0	Halodule wrightii	58
1994-08	7	3	I	90	90	0	Halodule wrightii	90
1994-08	7	3	P	49	49	0	Halodule wrightii	49
1994-08	7	4	I	75	75	3	Halodule wrightii	75
1994-08	7	4	I	75	75	3	Halophila englemannii	3
1994-08	7	4	P	79	79	0	Halodule wrightii	79
1994-08	7	5	I	89	89	0	Halodule wrightii	89
1994-08	7	5	P	78	78	0	Halodule wrightii	78
1994-08	7	6	I	99	99	0	Halodule wrightii	99
1994-08	7	6	I	99	99	0	Halophila englemannii	15
1994-08	7	6	P	75	75	0	Halodule wrightii	75
1994-08	7	7	I	94	94	0	Halodule wrightii	94
1994-08	7	7	I	94	94	0	Halophila englemannii	3
1994-08	7	7	P	87	87	0	Halodule wrightii	87
1994-08	7	8	I	97	97	0	Halodule wrightii	97
1994-08	7	8	P	80	80	0	Halodule wrightii	80

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	7	9	I	98	98	0	Halodule wrightii	98
1994-08	7	9	I	98	98	0	Halophila englemannii	7
1994-08	7	9	P	76	76	0	Halodule wrightii	76
1994-08	7	10	I	96	96	0	Halodule wrightii	96
1994-08	7	10	I	96	96	0	Halophila englemannii	7
1994-08	7	10	P	88	88	0	Halodule wrightii	88
1994-10	7	1	I	96	96	0	Halodule wrightii	96
1994-10	7	1	P	96	96	0	Halodule wrightii	96
1994-10	7	2	I	97	97	0	Halodule wrightii	97
1994-10	7	2	P	99	99	0	Halodule wrightii	99
1994-10	7	3	I	100	100	0	Halodule wrightii	100
1994-10	7	3	P	73	73	0	Halodule wrightii	73
1994-10	7	4	I	100	100	0	Halodule wrightii	100
1994-10	7	4	P	100	100	0	Halodule wrightii	100
1994-10	7	5	I	98	98	0	Halodule wrightii	98
1994-10	7	5	P	97	97	0	Halodule wrightii	97
1994-10	7	6	I	98	98	0	Halodule wrightii	98
1994-10	7	6	P	76	76	0	Halodule wrightii	76
1994-10	7	7	I	100	100	0	Halodule wrightii	100
1994-10	7	7	P	99	99	0	Halodule wrightii	99
1994-10	7	8	I	96	96	0	Halodule wrightii	96
1994-10	7	8	I	96	96	0	Halophila englemannii	9
1994-10	7	8	P	91	91	1	Caulerpa prolifera	1
1994-10	7	8	P	91	91	1	Halodule wrightii	88
1994-10	7	8	P	91	91	1	Halophila englemannii	16
1994-10	7	9	I	100	100	0	Syringodium filiforme	100
1994-10	7	9	P	100	100	0	Syringodium filiforme	100
1994-10	7	10	I	99	99	0	Syringodium filiforme	99
1994-10	7	10	P	80	80	0	Halodule wrightii	80
1995-08	7	1	I	100	100	0	Halodule wrightii	100
1995-08	7	1	P	100	100	0	Halodule wrightii	100
1995-08	7	2	I	95	95	0	Halodule wrightii	95
1995-08	7	2	P	83	83	0	Halodule wrightii	83
1995-08	7	3	I	100	100	0	Halodule wrightii	100
1995-08	7	3	P	100	100	0	Halodule wrightii	100
1995-08	7	4	I	100	100	0	Halodule wrightii	100
1995-08	7	4	P	98	98	0	Halodule wrightii	98
1995-08	7	5	I	100	100	0	Halodule wrightii	100
1995-08	7	5	P	100	100	0	Halodule wrightii	100
1995-08	7	6	I	99	99	0	Halodule wrightii	99
1995-08	7	6	P	96	96	0	Halodule wrightii	96
1995-08	7	7	I	96	96	0	Halodule wrightii	96
1995-08	7	7	P	95	95	0	Halodule wrightii	95
1995-08	7	8	I	100	100	0	Halodule wrightii	100
1995-08	7	8	P	93	93	0	Halodule wrightii	93
1995-08	7	9	I	99	99	0	Halodule wrightii	99
1995-08	7	9	P	83	83	0	Halodule wrightii	83
1995-08	7	10	I	98	98	0	Halodule wrightii	98
1995-08	7	10	P	92	92	0	Halodule wrightii	92
1995-10	7	1	I	89	89	0	Halodule wrightii	89
1995-10	7	1	P	87	87	0	Halodule wrightii	87
1995-10	7	2	I	97	97	0	Halodule wrightii	97
1995-10	7	2	P	93	93	0	Halodule wrightii	93
1995-10	7	3	I	96	96	0	Halodule wrightii	96
1995-10	7	3	P	90	90	0	Halodule wrightii	90
1995-10	7	4	I	76	76	0	Halodule wrightii	76

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	7	4	P	88	88	0	Halodule wrightii	88
1995-10	7	5	I	100	100	0	Halodule wrightii	100
1995-10	7	5	P	95	95	0	Halodule wrightii	95
1995-10	7	6	I	98	98	0	Halodule wrightii	98
1995-10	7	6	P	99	99	0	Halodule wrightii	99
1995-10	7	7	I	97	97	0	Halodule wrightii	97
1995-10	7	7	P	99	99	0	Halodule wrightii	99
1995-10	7	8	I	100	100	0	Halodule wrightii	100
1995-10	7	8	P	80	80	0	Halodule wrightii	80
1995-10	7	9	I	97	97	0	Halodule wrightii	97
1995-10	7	9	P	95	95	0	Halodule wrightii	95
1995-10	7	10	I	98	98	0	Halodule wrightii	98
1995-10	7	10	P	86	86	0	Halodule wrightii	86
1993-12	8	1	I	91	91	0	Halodule wrightii	91
1993-12	8	1	I	91	91	0	Halophila englemannii	6
1993-12	8	1	P	99	99	2	Caulerpa prolifera	2
1993-12	8	1	P	99	99	2	Halodule wrightii	99
1993-12	8	1	P	99	99	2	Halophila englemannii	2
1993-12	8	2	I	97	97	0	Halodule wrightii	97
1993-12	8	2	I	97	97	0	Halophila englemannii	2
1993-12	8	2	P	94	94	0	Halodule wrightii	94
1993-12	8	3	I	98	98	0	Halodule wrightii	98
1993-12	8	3	I	98	98	0	Halophila englemannii	6
1993-12	8	3	P	100	100	0	Halodule wrightii	100
1993-12	8	4	I	100	100	0	Halodule wrightii	100
1993-12	8	4	I	100	100	0	Halophila englemannii	4
1993-12	8	4	P	95	95	0	Halodule wrightii	95
1993-12	8	5	I	94	94	0	Halodule wrightii	94
1993-12	8	5	P	94	94	0	Halodule wrightii	94
1993-12	8	5	P	94	94	0	Halophila englemannii	4
1993-12	8	6	I	90	90	0	Halodule wrightii	90
1993-12	8	6	P	76	76	0	Halodule wrightii	76
1993-12	8	7	I	75	75	0	Halodule wrightii	75
1993-12	8	7	P	100	100	0	Halodule wrightii	100
1993-12	8	8	I	86	86	0	Halodule wrightii	86
1993-12	8	8	P	96	96	0	Halodule wrightii	96
1993-12	8	9	I	94	94	0	Halodule wrightii	94
1993-12	8	9	P	90	90	0	Halodule wrightii	90
1994-08	8	1	I	100	100	0	Halodule wrightii	100
1994-08	8	1	P	99	99	0	Halodule wrightii	99
1994-08	8	2	I	96	96	0	Halodule wrightii	96
1994-08	8	2	P	100	100	0	Halodule wrightii	100
1994-08	8	3	I	60	60	0	Halodule wrightii	60
1994-08	8	3	I	60	60	0	Syringodium filiforme	6
1994-08	8	3	P	88	88	0	Halodule wrightii	88
1994-08	8	4	I	100	100	0	Halodule wrightii	100
1994-08	8	4	P	96	96	0	Halodule wrightii	96
1994-08	8	5	I	95	95	0	Halodule wrightii	95
1994-08	8	5	P	94	94	0	Halodule wrightii	94
1994-08	8	6	I	99	99	0	Syringodium filiforme	99
1994-08	8	6	P	91	91	0	Halophila englemannii	3
1994-08	8	6	P	91	91	0	Syringodium filiforme	91
1994-08	8	7	I	96	96	11	Caulerpa prolifera	1
1994-08	8	7	I	96	96	11	Halodule wrightii	96
1994-08	8	7	I	96	96	11	Udotea conglutinata	11
1994-08	8	7	P	95	95	0	Halodule wrightii	95

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	8	7	P	95	95	0	Halophila englemannii	1
1994-08	8	8	I	92	92	1	Caulerpa prolifera	1
1994-08	8	8	I	92	92	1	Halodule wrightii	55
1994-08	8	8	I	92	92	1	Syringodium filiforme	28
1994-08	8	8	P	100	100	0	Syringodium filiforme	100
1994-08	8	9	I	99	99	0	Halophila englemannii	2
1994-08	8	9	I	99	99	0	Syringodium filiforme	98
1994-08	8	9	P	98	98	0	Halodule wrightii	73
1994-08	8	9	P	98	98	0	Syringodium filiforme	83
1994-08	8	10	I	100	100	0	Syringodium filiforme	100
1994-08	8	10	P	97	97	0	Syringodium filiforme	97
1994-10	8	1	I	100	100	0	Syringodium filiforme	100
1994-10	8	1	P	86	86	0	Syringodium filiforme	86
1994-10	8	2	I	93	93	0	Halodule wrightii	40
1994-10	8	2	I	93	93	0	Syringodium filiforme	93
1994-10	8	2	P	96	96	0	Syringodium filiforme	96
1994-10	8	3	I	92	92	0	Syringodium filiforme	92
1994-10	8	3	P	94	94	0	Halodule wrightii	6
1994-10	8	3	P	94	94	0	Syringodium filiforme	94
1994-10	8	4	I	100	100	0	Syringodium filiforme	100
1994-10	8	4	P	94	94	0	Syringodium filiforme	94
1994-10	8	5	I	93	93	0	Halodule wrightii	28
1994-10	8	5	I	93	93	0	Syringodium filiforme	93
1994-10	8	5	P	92	92	0	Halodule wrightii	26
1994-10	8	5	P	92	92	0	Syringodium filiforme	92
1994-10	8	6	I	100	100	0	Syringodium filiforme	100
1994-10	8	6	P	100	100	0	Syringodium filiforme	100
1994-10	8	7	I	100	100	0	Halodule wrightii	3
1994-10	8	7	I	100	100	0	Syringodium filiforme	100
1994-10	8	7	P	95	95	0	Halodule wrightii	5
1994-10	8	7	P	95	95	0	Syringodium filiforme	95
1994-10	8	8	I	88	88	0	Halodule wrightii	3
1994-10	8	8	I	88	88	0	Syringodium filiforme	88
1994-10	8	8	P	75	75	0	Syringodium filiforme	75
1994-10	8	9	I	98	98	0	Syringodium filiforme	98
1994-10	8	9	P	100	100	0	Syringodium filiforme	100
1994-10	8	10	I	99	99	0	Syringodium filiforme	99
1994-10	8	10	P	100	100	0	Halodule wrightii	2
1994-10	8	10	P	100	100	0	Syringodium filiforme	100
1995-08	8	1	I	38	38	0	Syringodium filiforme	38
1995-08	8	1	P	2	2	0	Syringodium filiforme	2
1995-08	8	2	I	94	94	0	Syringodium filiforme	94
1995-08	8	2	P	0	0	0	Syringodium filiforme	0
1995-08	8	3	I	8	8	0	Syringodium filiforme	8
1995-08	8	3	P	10	10	0	Syringodium filiforme	10
1995-08	8	4	I	75	75	0	Syringodium filiforme	75
1995-08	8	4	P	64	64	0	Syringodium filiforme	64
1995-08	8	5	I	16	16	0	Syringodium filiforme	16
1995-08	8	5	P	9	9	0	Syringodium filiforme	9
1995-08	8	6	I	61	61	0	Syringodium filiforme	61
1995-08	8	6	P	86	86	0	Syringodium filiforme	86
1995-08	8	7	I	95	95	0	Syringodium filiforme	95
1995-08	8	7	P	83	83	0	Syringodium filiforme	83
1995-08	8	8	I	71	71	0	Syringodium filiforme	71
1995-08	8	8	P	52	52	0	Syringodium filiforme	52
1995-08	8	9	I	89	89	0	Syringodium filiforme	89

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	8	9	P	86	86	0	Syringodium filiforme	86
1995-08	8	10	I	99	99	0	Syringodium filiforme	99
1995-08	8	10	P	91	91	0	Halodule wrightii	91
1995-08	8	10	P	91	91	0	Syringodium filiforme	13
1995-10	8	1	I	82	82	0	Syringodium filiforme	82
1995-10	8	1	P	87	87	0	Syringodium filiforme	87
1995-10	8	2	I	76	76	0	Syringodium filiforme	76
1995-10	8	2	P	80	80	0	Syringodium filiforme	80
1995-10	8	3	I	98	98	0	Syringodium filiforme	98
1995-10	8	3	P	90	90	0	Syringodium filiforme	90
1995-10	8	4	I	92	92	0	Syringodium filiforme	92
1995-10	8	4	P	91	91	0	Syringodium filiforme	91
1995-10	8	5	I	100	100	0	Syringodium filiforme	100
1995-10	8	5	P	62	62	0	Syringodium filiforme	62
1995-10	8	6	I	10	10	0	Syringodium filiforme	10
1995-10	8	6	P	22	22	0	Syringodium filiforme	22
1995-10	8	7	I	75	75	0	Syringodium filiforme	75
1995-10	8	7	P	92	92	0	Syringodium filiforme	92
1995-10	8	8	I	2	2	0	Syringodium filiforme	2
1995-10	8	8	P	18	18	0	Syringodium filiforme	18
1995-10	8	9	I	36	36	0	Syringodium filiforme	36
1995-10	8	9	P	7	7	0	Syringodium filiforme	7
1995-10	8	10	I	68	68	0	Syringodium filiforme	68
1995-10	8	10	P	1	1	0	Syringodium filiforme	1
1993-12	9	1	I	56	56	0	Syringodium filiforme	56
1993-12	9	1	P	94	94	0	Halophila englemannii	2
1993-12	9	1	P	94	94	0	Syringodium filiforme	94
1993-12	9	2	I	94	94	0	Syringodium filiforme	94
1993-12	9	2	P	96	96	0	Syringodium filiforme	96
1993-12	9	3	I	94	94	0	Halodule wrightii	6
1993-12	9	3	I	94	94	0	Syringodium filiforme	94
1993-12	9	3	P	93	93	0	Syringodium filiforme	93
1993-12	9	4	I	85	85	0	Syringodium filiforme	85
1993-12	9	4	P	80	80	1	Caulerpa prolifera	1
1993-12	9	4	P	80	80	1	Halophila englemannii	3
1993-12	9	4	P	80	80	1	Syringodium filiforme	80
1993-12	9	5	I	93	93	0	Syringodium filiforme	93
1993-12	9	5	P	86	86	0	Syringodium filiforme	86
1993-12	9	6	I	84	84	0	Halophila englemannii	2
1993-12	9	6	I	84	84	0	Syringodium filiforme	82
1993-12	9	6	P	92	92	0	Syringodium filiforme	92
1993-12	9	7	I	28	28	0	Syringodium filiforme	28
1993-12	9	7	P	89	89	0	Halophila englemannii	11
1993-12	9	7	P	89	89	0	Syringodium filiforme	78
1993-12	9	8	I	91	91	0	Halophila englemannii	10
1993-12	9	8	I	91	91	0	Syringodium filiforme	91
1993-12	9	8	P	79	79	0	Halophila englemannii	10
1993-12	9	8	P	79	79	0	Syringodium filiforme	79
1993-12	9	9	I	67	67	0	Syringodium filiforme	67
1993-12	9	9	P	89	89	0	Halophila englemannii	7
1993-12	9	9	P	89	89	0	Syringodium filiforme	89
1993-12	9	10	I	94	94	0	Syringodium filiforme	94
1993-12	9	10	P	90	90	0	Halophila englemannii	3
1993-12	9	10	P	90	90	0	Syringodium filiforme	90
1994-08	9	1	I	73	73	1	Halophila englemannii	3
1994-08	9	1	I	73	73	1	Syringodium filiforme	73

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	9	1	I	73	73	1	Udotea conglutinata	1
1994-08	9	1	P	100	100	4	Caulerpa prolifera	4
1994-08	9	1	P	100	100	4	Halophila englemannii	8
1994-08	9	1	P	100	100	4	Syringodium filiforme	100
1994-08	9	2	I	100	100	2	Caulerpa prolifera	2
1994-08	9	2	I	100	100	2	Halophila englemannii	8
1994-08	9	2	I	100	100	2	Syringodium filiforme	100
1994-08	9	2	P	11	11	1	Caulerpa prolifera	1
1994-08	9	2	P	11	11	1	Syringodium filiforme	11
1994-08	9	3	I	97	97	0	Halophila englemannii	2
1994-08	9	3	I	97	97	0	Syringodium filiforme	97
1994-08	9	3	P	71	71	0	Halophila englemannii	5
1994-08	9	3	P	71	71	0	Syringodium filiforme	71
1994-08	9	4	I	95	95	3	Caulerpa prolifera	3
1994-08	9	4	I	95	95	3	Syringodium filiforme	95
1994-08	9	4	P	93	93	0	Syringodium filiforme	93
1994-08	9	5	I	100	100	0	Syringodium filiforme	100
1994-08	9	5	P	96	96	0	Syringodium filiforme	96
1994-08	9	6	I	98	98	0	Syringodium filiforme	98
1994-08	9	6	P	100	92	20	Caulerpa prolifera	18
1994-08	9	6	P	100	92	20	Halophila englemannii	38
1994-08	9	6	P	100	92	20	Syringodium filiforme	92
1994-08	9	6	P	100	92	20	Udotea conglutinata	2
1994-08	9	7	I	96	96	0	Syringodium filiforme	96
1994-08	9	7	P	93	93	8	Halophila englemannii	46
1994-08	9	7	P	93	93	8	Syringodium filiforme	88
1994-08	9	7	P	93	93	8	Udotea conglutinata	8
1994-08	9	8	I	100	100	0	Syringodium filiforme	100
1994-08	9	8	P	96	96	5	Caulerpa prolifera	5
1994-08	9	8	P	96	96	5	Halophila englemannii	60
1994-08	9	8	P	96	96	5	Syringodium filiforme	81
1994-08	9	9	I	100	100	3	Caulerpa prolifera	3
1994-08	9	9	I	100	100	3	Halophila englemannii	12
1994-08	9	9	I	100	100	3	Syringodium filiforme	100
1994-08	9	9	P	96	96	20	Caulerpa prolifera	15
1994-08	9	9	P	96	96	20	Halophila englemannii	32
1994-08	9	9	P	96	96	20	Syringodium filiforme	87
1994-08	9	9	P	96	96	20	Udotea conglutinata	5
1994-08	9	10	I	96	96	0	Halophila englemannii	29
1994-08	9	10	I	96	96	0	Syringodium filiforme	95
1994-08	9	10	P	98	98	13	Caulerpa prolifera	9
1994-08	9	10	P	98	98	13	Halophila englemannii	42
1994-08	9	10	P	98	98	13	Syringodium filiforme	86
1994-08	9	10	P	98	98	13	Udotea conglutinata	4
1994-10	9	1	I	98	98	0	Halophila englemannii	2
1994-10	9	1	I	98	98	0	Syringodium filiforme	98
1994-10	9	1	P	92	92	0	Syringodium filiforme	92
1994-10	9	2	I	95	95	0	Halophila englemannii	12
1994-10	9	2	I	95	95	0	Syringodium filiforme	95
1994-10	9	2	P	98	98	0	Halophila englemannii	2
1994-10	9	2	P	98	98	0	Syringodium filiforme	98
1994-10	9	3	I	100	100	0	Halophila englemannii	10
1994-10	9	3	I	100	100	0	Syringodium filiforme	100
1994-10	9	3	P	97	97	0	Syringodium filiforme	97
1994-10	9	4	I	98	98	2	Halophila englemannii	8
1994-10	9	4	I	98	98	2	Syringodium filiforme	98

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	9	4	I	98	98	2	Udotea conglutinata	2
1994-10	9	4	P	92	92	0	Syringodium filiforme	92
1994-10	9	5	I	100	100	0	Halophila englemannii	8
1994-10	9	5	I	100	100	0	Syringodium filiforme	100
1994-10	9	5	P	85	85	2	Syringodium filiforme	85
1994-10	9	5	P	85	85	2	Udotea conglutinata	2
1994-10	9	6	I	100	100	0	Syringodium filiforme	100
1994-10	9	6	P	100	100	0	Halophila englemannii	14
1994-10	9	6	P	100	100	0	Syringodium filiforme	100
1994-10	9	7	I	97	97	0	Syringodium filiforme	97
1994-10	9	7	P	95	95	0	Halophila englemannii	2
1994-10	9	7	P	95	95	0	Syringodium filiforme	95
1994-10	9	8	I	100	100	0	Halophila englemannii	4
1994-10	9	8	I	100	100	0	Syringodium filiforme	100
1994-10	9	8	P	97	97	0	Halodule wrightii	5
1994-10	9	8	P	97	97	0	Halophila englemannii	8
1994-10	9	8	P	97	97	0	Syringodium filiforme	89
1994-10	9	9	I	99	99	0	Syringodium filiforme	99
1994-10	9	9	P	80	80	0	Halophila englemannii	1
1994-10	9	9	P	80	80	0	Syringodium filiforme	80
1994-10	9	10	I	98	98	0	Syringodium filiforme	98
1994-10	9	10	P	84	84	0	Halophila englemannii	5
1994-10	9	10	P	84	84	0	Syringodium filiforme	84
1995-08	9	1	I	100	100	0	Syringodium filiforme	100
1995-08	9	1	P	100	100	0	Syringodium filiforme	100
1995-08	9	2	I	100	100	0	Syringodium filiforme	100
1995-08	9	2	P	90	90	0	Syringodium filiforme	90
1995-08	9	3	I	99	99	0	Syringodium filiforme	99
1995-08	9	3	P	98	98	0	Syringodium filiforme	98
1995-08	9	4	I	98	98	0	Syringodium filiforme	98
1995-08	9	4	P	92	92	0	Halophila englemannii	2
1995-08	9	4	P	92	92	0	Syringodium filiforme	90
1995-08	9	5	I	98	98	0	Syringodium filiforme	98
1995-08	9	5	P	100	100	0	Syringodium filiforme	100
1995-08	9	6	I	99	99	0	Syringodium filiforme	99
1995-08	9	6	P	86	86	0	Syringodium filiforme	86
1995-08	9	7	I	100	100	0	Halodule wrightii	4
1995-08	9	7	I	100	100	0	Syringodium filiforme	98
1995-08	9	7	P	100	100	0	Syringodium filiforme	100
1995-08	9	8	I	97	97	0	Syringodium filiforme	97
1995-08	9	8	P	92	92	0	Syringodium filiforme	92
1995-08	9	9	I	98	98	0	Syringodium filiforme	98
1995-08	9	9	P	98	98	0	Syringodium filiforme	98
1995-08	9	10	I	99	99	0	Halophila englemannii	3
1995-08	9	10	I	99	99	0	Syringodium filiforme	96
1995-08	9	10	P	100	100	0	Syringodium filiforme	100
1995-10	9	1	I	98	98	0	Syringodium filiforme	98
1995-10	9	1	P	92	92	0	Syringodium filiforme	92
1995-10	9	2	I	100	100	0	Syringodium filiforme	100
1995-10	9	2	P	97	97	0	Syringodium filiforme	97
1995-10	9	3	I	100	100	0	Syringodium filiforme	100
1995-10	9	3	P	100	100	0	Syringodium filiforme	100
1995-10	9	4	I	89	89	0	Syringodium filiforme	89
1995-10	9	4	P	100	100	0	Syringodium filiforme	100
1995-10	9	5	I	100	100	0	Syringodium filiforme	100
1995-10	9	5	P	97	97	0	Syringodium filiforme	97

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	9	6	I	95	95	0	Syringodium filiforme	95
1995-10	9	6	P	96	96	0	Syringodium filiforme	96
1995-10	9	7	I	100	100	0	Syringodium filiforme	100
1995-10	9	7	P	96	96	0	Syringodium filiforme	96
1995-10	9	8	I	92	92	0	Syringodium filiforme	92
1995-10	9	8	P	100	100	0	Syringodium filiforme	100
1995-10	9	9	I	100	100	0	Syringodium filiforme	100
1995-10	9	9	P	88	88	0	Syringodium filiforme	88
1995-10	9	10	I	91	91	0	Syringodium filiforme	91
1995-10	9	10	P	97	97	0	Syringodium filiforme	97
1993-12	10	1	I	24	24	0	Halophila englemannii	17
1993-12	10	1	I	24	24	0	Syringodium filiforme	7
1993-12	10	1	P	90	90	4	Caulerpa prolifera	4
1993-12	10	1	P	90	90	4	Syringodium filiforme	90
1993-12	10	2	I	78	78	0	Syringodium filiforme	78
1993-12	10	2	P	77	77	8	Caulerpa prolifera	8
1993-12	10	2	P	77	77	8	Syringodium filiforme	77
1993-12	10	3	I	84	84	4	Caulerpa prolifera	4
1993-12	10	3	I	84	84	4	Syringodium filiforme	84
1993-12	10	3	P	84	68	16	Caulerpa prolifera	16
1993-12	10	3	P	84	68	16	Syringodium filiforme	84
1993-12	10	4	I	59	59	0	Syringodium filiforme	59
1993-12	10	4	P	80	80	0	Syringodium filiforme	80
1993-12	10	5	I	68	68	6	Caulerpa prolifera	6
1993-12	10	5	I	68	68	6	Syringodium filiforme	68
1993-12	10	5	P	77	77	0	Syringodium filiforme	77
1993-12	10	6	I	60	58	2	Caulerpa prolifera	2
1993-12	10	6	I	60	58	2	Syringodium filiforme	58
1993-12	10	6	P	6	6	0	Syringodium filiforme	6
1993-12	10	7	I	0	0	0	Bare	0
1993-12	10	7	P	13	13	0	Syringodium filiforme	13
1993-12	10	8	I	19	19	0	Syringodium filiforme	19
1993-12	10	8	P	87	87	5	Caulerpa prolifera	5
1993-12	10	8	P	87	87	5	Syringodium filiforme	87
1993-12	10	9	I	76	76	0	Syringodium filiforme	76
1993-12	10	9	P	100	100	0	Halophila englemannii	3
1993-12	10	9	P	100	100	0	Syringodium filiforme	100
1993-12	10	10	I	94	94	0	Syringodium filiforme	94
1993-12	10	10	P	100	100	0	Syringodium filiforme	100
1994-08	10	1	I	52	30	22	Caulerpa prolifera	22
1994-08	10	1	I	52	30	22	Syringodium filiforme	30
1994-08	10	1	P	74	42	32	Caulerpa prolifera	32
1994-08	10	1	P	74	42	32	Syringodium filiforme	42
1994-08	10	2	I	100	100	7	Caulerpa prolifera	7
1994-08	10	2	I	100	100	7	Syringodium filiforme	100
1994-08	10	2	P	92	55	40	Caulerpa prolifera	40
1994-08	10	2	P	92	55	40	Syringodium filiforme	55
1994-08	10	3	I	96	89	9	Caulerpa prolifera	9
1994-08	10	3	I	96	89	9	Syringodium filiforme	89
1994-08	10	3	P	99	6	99	Caulerpa prolifera	99
1994-08	10	3	P	99	6	99	Syringodium filiforme	6
1994-08	10	4	I	100	36	66	Caulerpa prolifera	66
1994-08	10	4	I	100	36	66	Syringodium filiforme	35
1994-08	10	4	P	100	47	96	Caulerpa prolifera	96
1994-08	10	4	P	100	47	96	Syringodium filiforme	47
1994-08	10	5	I	100	100	0	Syringodium filiforme	100

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	10	5	P	100	64	36	Caulerpa prolifera	36
1994-08	10	5	P	100	64	36	Syringodium filiforme	64
1994-08	10	6	I	100	100	8	Caulerpa prolifera	8
1994-08	10	6	I	100	100	8	Syringodium filiforme	100
1994-08	10	6	P	100	74	90	Caulerpa prolifera	90
1994-08	10	6	P	100	74	90	Syringodium filiforme	74
1994-08	10	6	P	100	74	90	Udotea conglutinata	2
1994-08	10	7	I	100	100	46	Caulerpa prolifera	46
1994-08	10	7	I	100	100	46	Syringodium filiforme	100
1994-08	10	7	P	100	50	80	Caulerpa prolifera	80
1994-08	10	7	P	100	50	80	Syringodium filiforme	50
1994-08	10	7	P	100	50	80	Udotea conglutinata	2
1994-08	10	8	I	100	94	89	Caulerpa prolifera	89
1994-08	10	8	I	100	94	89	Syringodium filiforme	94
1994-08	10	8	I	100	94	89	Udotea conglutinata	5
1994-08	10	8	P	99	11	99	Caulerpa prolifera	99
1994-08	10	8	P	99	11	99	Syringodium filiforme	11
1994-08	10	9	I	100	99	10	Caulerpa prolifera	10
1994-08	10	9	I	100	99	10	Syringodium filiforme	99
1994-08	10	9	P	99	0	99	Caulerpa prolifera	99
1994-08	10	10	I	100	98	86	Caulerpa prolifera	86
1994-08	10	10	I	100	98	86	Syringodium filiforme	98
1994-08	10	10	P	99	40	89	Caulerpa prolifera	89
1994-08	10	10	P	99	40	89	Syringodium filiforme	40
1995-08	10	1	I	92	92	0	Syringodium filiforme	92
1995-08	10	1	P	38	20	18	Caulerpa prolifera	18
1995-08	10	1	P	38	20	18	Syringodium filiforme	20
1995-08	10	2	I	52	52	1	Caulerpa prolifera	1
1995-08	10	2	I	52	52	1	Syringodium filiforme	52
1995-08	10	2	P	40	32	8	Caulerpa prolifera	8
1995-08	10	2	P	40	32	8	Syringodium filiforme	32
1995-08	10	3	I	36	36	0	Syringodium filiforme	36
1995-08	10	3	P	21	18	3	Caulerpa prolifera	3
1995-08	10	3	P	21	18	3	Syringodium filiforme	18
1995-08	10	4	I	26	26	0	Syringodium filiforme	26
1995-08	10	4	P	38	38	0	Syringodium filiforme	38
1995-08	10	5	I	20	20	0	Syringodium filiforme	20
1995-08	10	5	P	44	44	0	Syringodium filiforme	44
1995-08	10	6	I	32	32	0	Syringodium filiforme	32
1995-08	10	6	P	12	12	0	Syringodium filiforme	12
1995-08	10	7	I	76	76	0	Syringodium filiforme	76
1995-08	10	7	P	52	52	0	Syringodium filiforme	52
1995-08	10	8	I	96	4	96	Caulerpa prolifera	96
1995-08	10	8	I	96	4	96	Halodule wrightii	1
1995-08	10	8	I	96	4	96	Halophila englemannii	1
1995-08	10	8	P	60	60	0	Halodule wrightii	1
1995-08	10	8	P	60	60	0	Syringodium filiforme	59
1995-08	10	9	I	87	87	0	Halodule wrightii	1
1995-08	10	9	I	87	87	0	Syringodium filiforme	87
1995-08	10	9	P	88	88	0	Syringodium filiforme	88
1995-08	10	10	I	75	75	0	Syringodium filiforme	75
1995-08	10	10	P	95	95	0	Halodule wrightii	1
1995-08	10	10	P	95	95	0	Syringodium filiforme	95
1995-10	10	1	I	0	0	0	Bare	0
1995-10	10	1	P	0	0	0	Bare	0
1995-10	10	2	I	65	65	0	Syringodium filiforme	65

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	10	2	P	21	21	0	Syringodium filiforme	21
1995-10	10	3	I	53	53	0	Syringodium filiforme	53
1995-10	10	3	P	45	45	0	Syringodium filiforme	45
1995-10	10	4	I	28	28	0	Syringodium filiforme	28
1995-10	10	4	P	60	60	0	Syringodium filiforme	60
1995-10	10	5	I	58	58	0	Syringodium filiforme	58
1995-10	10	5	P	38	38	0	Syringodium filiforme	38
1995-10	10	6	I	95	95	0	Syringodium filiforme	95
1995-10	10	6	P	50	50	0	Syringodium filiforme	50
1995-10	10	7	I	23	23	0	Syringodium filiforme	23
1995-10	10	7	P	64	64	0	Syringodium filiforme	64
1995-10	10	8	I	72	72	0	Syringodium filiforme	72
1995-10	10	8	P	95	95	0	Syringodium filiforme	95
1995-10	10	9	I	78	78	0	Syringodium filiforme	78
1995-10	10	9	P	24	24	0	Syringodium filiforme	24
1995-10	10	10	I	82	82	0	Syringodium filiforme	82
1995-10	10	10	P	17	17	0	Syringodium filiforme	17
1993-12	11	1	I	100	100	0	Syringodium filiforme	100
1993-12	11	1	P	99	99	0	Syringodium filiforme	99
1993-12	11	2	I	100	100	0	Syringodium filiforme	100
1993-12	11	2	P	100	100	0	Halophila englemannii	1
1993-12	11	2	P	100	100	0	Syringodium filiforme	100
1993-12	11	3	I	99	99	0	Syringodium filiforme	99
1993-12	11	3	P	97	97	0	Syringodium filiforme	97
1993-12	11	4	I	100	100	0	Syringodium filiforme	100
1993-12	11	4	P	98	98	0	Syringodium filiforme	98
1993-12	11	5	I	94	94	0	Syringodium filiforme	94
1993-12	11	5	P	100	100	0	Syringodium filiforme	100
1993-12	11	6	I	95	95	0	Syringodium filiforme	95
1993-12	11	6	P	93	93	0	Halophila englemannii	2
1993-12	11	6	P	93	93	0	Syringodium filiforme	93
1993-12	11	7	I	95	95	0	Syringodium filiforme	95
1993-12	11	7	P	100	100	0	Syringodium filiforme	100
1993-12	11	8	I	100	100	0	Syringodium filiforme	100
1993-12	11	8	P	100	100	0	Syringodium filiforme	100
1993-12	11	9	I	100	100	0	Syringodium filiforme	100
1993-12	11	9	P	100	100	0	Syringodium filiforme	100
1993-12	11	10	I	100	100	0	Syringodium filiforme	100
1993-12	11	10	P	96	96	0	Syringodium filiforme	96
1994-08	11	1	I	100	100	0	Syringodium filiforme	100
1994-08	11	1	P	98	98	0	Halophila englemannii	2
1994-08	11	1	P	98	98	0	Syringodium filiforme	98
1994-08	11	2	I	100	100	0	Syringodium filiforme	100
1994-08	11	2	P	100	100	0	Syringodium filiforme	100
1994-08	11	3	I	100	100	0	Syringodium filiforme	100
1994-08	11	3	P	100	100	0	Syringodium filiforme	100
1994-08	11	4	I	100	100	0	Syringodium filiforme	100
1994-08	11	4	P	100	100	0	Syringodium filiforme	100
1994-08	11	5	I	100	100	0	Syringodium filiforme	100
1994-08	11	5	P	100	100	0	Syringodium filiforme	100
1994-08	11	6	I	100	100	0	Syringodium filiforme	100
1994-08	11	6	P	100	100	0	Syringodium filiforme	100
1994-08	11	7	I	100	100	0	Syringodium filiforme	100
1994-08	11	7	P	100	100	0	Syringodium filiforme	100
1994-08	11	8	I	100	100	0	Syringodium filiforme	100
1994-08	11	8	P	100	100	0	Syringodium filiforme	100

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	11	9	I	100	100	0	Syringodium filiforme	100
1994-08	11	9	P	100	100	0	Syringodium filiforme	100
1994-08	11	10	I	100	100	0	Syringodium filiforme	100
1994-08	11	10	P	100	100	0	Syringodium filiforme	100
1994-10	11	1	I	100	100	0	Syringodium filiforme	100
1994-10	11	1	P	100	100	0	Syringodium filiforme	100
1994-10	11	2	I	100	100	0	Syringodium filiforme	100
1994-10	11	2	P	100	100	0	Syringodium filiforme	100
1994-10	11	3	I	100	100	0	Syringodium filiforme	100
1994-10	11	3	P	100	100	0	Syringodium filiforme	100
1994-10	11	4	I	100	100	0	Syringodium filiforme	100
1994-10	11	4	P	99	99	0	Syringodium filiforme	99
1994-10	11	5	I	100	100	0	Syringodium filiforme	100
1994-10	11	5	P	100	100	0	Syringodium filiforme	100
1994-10	11	6	I	100	100	0	Syringodium filiforme	100
1994-10	11	6	P	100	100	0	Syringodium filiforme	100
1994-10	11	7	I	100	100	0	Syringodium filiforme	100
1994-10	11	7	P	99	99	0	Syringodium filiforme	99
1994-10	11	8	I	100	100	0	Syringodium filiforme	100
1994-10	11	8	P	100	100	0	Syringodium filiforme	100
1994-10	11	9	I	100	100	0	Syringodium filiforme	100
1994-10	11	9	P	100	100	0	Syringodium filiforme	100
1994-10	11	10	I	100	100	0	Syringodium filiforme	100
1994-10	11	10	P	100	100	0	Syringodium filiforme	100
1995-08	11	1	I	90	90	0	Syringodium filiforme	90
1995-08	11	1	P	100	100	0	Syringodium filiforme	100
1995-08	11	2	I	100	100	0	Syringodium filiforme	100
1995-08	11	2	P	100	100	0	Syringodium filiforme	100
1995-08	11	3	I	100	100	0	Syringodium filiforme	100
1995-08	11	3	P	100	100	0	Syringodium filiforme	100
1995-08	11	4	I	100	100	0	Syringodium filiforme	100
1995-08	11	4	P	100	100	0	Syringodium filiforme	100
1995-08	11	5	I	100	100	0	Syringodium filiforme	100
1995-08	11	5	P	100	100	0	Syringodium filiforme	100
1995-08	11	6	I	100	100	0	Syringodium filiforme	100
1995-08	11	6	P	99	99	0	Syringodium filiforme	99
1995-08	11	7	I	100	100	0	Syringodium filiforme	100
1995-08	11	7	P	100	100	0	Syringodium filiforme	100
1995-08	11	8	I	98	98	0	Syringodium filiforme	98
1995-08	11	8	P	99	99	0	Syringodium filiforme	99
1995-08	11	9	I	100	100	0	Syringodium filiforme	100
1995-08	11	9	P	100	100	0	Syringodium filiforme	100
1995-08	11	10	I	100	100	0	Syringodium filiforme	100
1995-08	11	10	P	100	100	0	Syringodium filiforme	100
1995-10	11	1	I	95	95	0	Syringodium filiforme	95
1995-10	11	1	P	80	80	0	Syringodium filiforme	80
1995-10	11	2	I	96	96	0	Syringodium filiforme	96
1995-10	11	2	P	100	100	0	Syringodium filiforme	100
1995-10	11	3	I	100	100	0	Syringodium filiforme	100
1995-10	11	3	P	100	100	0	Syringodium filiforme	100
1995-10	11	4	I	100	100	0	Syringodium filiforme	100
1995-10	11	4	P	100	100	0	Syringodium filiforme	100
1995-10	11	5	I	96	96	0	Syringodium filiforme	96
1995-10	11	5	P	100	100	0	Syringodium filiforme	100
1995-10	11	6	I	97	97	0	Syringodium filiforme	97
1995-10	11	6	P	96	96	0	Syringodium filiforme	96

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	11	7	I	100	100	0	Syringodium filiforme	100
1995-10	11	7	P	100	100	0	Syringodium filiforme	100
1995-10	11	8	I	100	100	0	Syringodium filiforme	100
1995-10	11	8	P	100	100	0	Syringodium filiforme	100
1995-10	11	9	I	100	100	0	Syringodium filiforme	100
1995-10	11	9	P	100	100	0	Syringodium filiforme	100
1995-10	11	10	I	100	100	0	Syringodium filiforme	100
1995-10	11	10	P	97	97	0	Syringodium filiforme	97
1993-12	12	1	I	100	100	0	Halodule wrightii	100
1993-12	12	1	I	100	100	0	Syringodium filiforme	100
1993-12	12	1	P	88	88	0	Syringodium filiforme	88
1993-12	12	2	I	98	92	6	Caulerpa prolifera	6
1993-12	12	2	I	98	92	6	Syringodium filiforme	92
1993-12	12	2	P	88	88	0	Syringodium filiforme	88
1993-12	12	3	I	70	68	2	Caulerpa prolifera	2
1993-12	12	3	I	70	68	2	Halodule wrightii	34
1993-12	12	3	I	70	68	2	Syringodium filiforme	34
1993-12	12	3	P	89	88	1	Caulerpa prolifera	1
1993-12	12	3	P	89	88	1	Syringodium filiforme	88
1993-12	12	4	I	100	80	20	Caulerpa prolifera	20
1993-12	12	4	I	100	80	20	Syringodium filiforme	80
1993-12	12	4	P	88	66	12	Caulerpa prolifera	12
1993-12	12	4	P	88	66	12	Syringodium filiforme	66
1993-12	12	5	I	97	97	0	Syringodium filiforme	97
1993-12	12	5	P	94	93	1	Caulerpa prolifera	1
1993-12	12	5	P	94	93	1	Syringodium filiforme	93
1993-12	12	6	I	100	99	1	Caulerpa prolifera	1
1993-12	12	6	I	100	99	1	Syringodium filiforme	99
1993-12	12	6	P	96	96	0	Syringodium filiforme	96
1993-12	12	7	I	97	97	0	Syringodium filiforme	97
1993-12	12	7	P	95	95	0	Syringodium filiforme	95
1993-12	12	8	I	89	89	0	Syringodium filiforme	89
1993-12	12	8	P	95	95	0	Syringodium filiforme	95
1993-12	12	9	I	96	96	0	Syringodium filiforme	96
1993-12	12	9	P	78	78	0	Syringodium filiforme	78
1993-12	12	10	I	98	98	0	Syringodium filiforme	98
1993-12	12	10	P	92	92	0	Syringodium filiforme	92
1994-08	12	1	I	100	100	0	Syringodium filiforme	100
1994-08	12	1	P	100	100	0	Syringodium filiforme	100
1994-08	12	2	I	100	100	0	Syringodium filiforme	100
1994-08	12	2	P	100	100	0	Syringodium filiforme	100
1994-08	12	3	I	99	99	0	Syringodium filiforme	99
1994-08	12	3	P	99	99	0	Syringodium filiforme	99
1994-08	12	4	I	90	90	0	Syringodium filiforme	90
1994-08	12	4	P	90	90	0	Syringodium filiforme	90
1994-08	12	5	I	70	70	0	Syringodium filiforme	70
1994-08	12	5	P	100	100	0	Syringodium filiforme	100
1994-08	12	6	I	100	100	0	Syringodium filiforme	100
1994-08	12	6	P	100	100	0	Syringodium filiforme	100
1994-08	12	7	I	100	100	0	Syringodium filiforme	100
1994-08	12	7	P	100	100	0	Syringodium filiforme	100
1994-08	12	8	I	100	100	0	Syringodium filiforme	100
1994-08	12	8	P	100	100	0	Syringodium filiforme	100
1994-08	12	9	I	100	100	0	Syringodium filiforme	100
1994-08	12	9	P	100	100	0	Syringodium filiforme	100
1994-08	12	10	I	96	96	0	Syringodium filiforme	96

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	12	10	P	100	100	0	Syringodium filiforme	100
1994-10	12	1	I	100	100	0	Syringodium filiforme	100
1994-10	12	1	P	98	98	0	Syringodium filiforme	98
1994-10	12	2	I	100	100	0	Syringodium filiforme	100
1994-10	12	2	P	99	99	0	Syringodium filiforme	99
1994-10	12	3	I	93	93	3	Caulerpa prolifera	3
1994-10	12	3	I	93	93	3	Syringodium filiforme	93
1994-10	12	3	P	92	92	2	Caulerpa prolifera	2
1994-10	12	3	P	92	92	2	Halodule wrightii	25
1994-10	12	3	P	92	92	2	Syringodium filiforme	65
1994-10	12	4	I	90	90	0	Syringodium filiforme	90
1994-10	12	4	P	100	100	0	Syringodium filiforme	100
1994-10	12	5	I	100	100	0	Syringodium filiforme	100
1994-10	12	5	P	100	100	0	Syringodium filiforme	100
1994-10	12	6	I	100	100	0	Syringodium filiforme	100
1994-10	12	6	P	100	100	0	Syringodium filiforme	100
1994-10	12	7	I	100	100	2	Caulerpa prolifera	2
1994-10	12	7	I	100	100	2	Syringodium filiforme	100
1994-10	12	7	P	100	100	3	Caulerpa prolifera	3
1994-10	12	7	P	100	100	3	Syringodium filiforme	100
1994-10	12	8	I	100	100	0	Syringodium filiforme	100
1994-10	12	8	P	100	100	0	Syringodium filiforme	100
1994-10	12	9	I	100	100	0	Syringodium filiforme	100
1994-10	12	9	P	21	21	0	Syringodium filiforme	21
1994-10	12	10	I	100	100	0	Syringodium filiforme	100
1994-10	12	10	P	100	100	0	Syringodium filiforme	100
1995-08	12	1	I	81	81	0	Syringodium filiforme	81
1995-08	12	1	P	88	88	0	Syringodium filiforme	88
1995-08	12	2	I	100	100	0	Syringodium filiforme	100
1995-08	12	2	P	92	92	0	Syringodium filiforme	92
1995-08	12	3	I	100	100	0	Syringodium filiforme	100
1995-08	12	3	P	98	98	0	Syringodium filiforme	98
1995-08	12	4	I	98	98	0	Syringodium filiforme	98
1995-08	12	4	P	100	100	0	Syringodium filiforme	100
1995-08	12	5	I	97	97	0	Syringodium filiforme	97
1995-08	12	5	P	94	94	0	Syringodium filiforme	94
1995-08	12	6	I	92	92	0	Syringodium filiforme	92
1995-08	12	6	P	94	94	0	Syringodium filiforme	94
1995-08	12	7	I	92	92	0	Syringodium filiforme	92
1995-08	12	7	P	100	100	0	Syringodium filiforme	100
1995-08	12	8	I	97	97	0	Syringodium filiforme	97
1995-08	12	8	P	92	92	0	Syringodium filiforme	92
1995-08	12	9	I	96	96	0	Syringodium filiforme	96
1995-08	12	9	P	97	97	0	Syringodium filiforme	97
1995-08	12	10	I	96	96	0	Syringodium filiforme	96
1995-08	12	10	P	97	97	0	Syringodium filiforme	97
1995-10	12	1	I	90	90	0	Syringodium filiforme	90
1995-10	12	1	P	80	80	0	Syringodium filiforme	80
1995-10	12	2	I	92	92	1	Caulerpa prolifera	1
1995-10	12	2	I	92	92	1	Syringodium filiforme	92
1995-10	12	2	P	30	30	1	Caulerpa prolifera	1
1995-10	12	2	P	30	30	1	Syringodium filiforme	30
1995-10	12	3	I	96	96	1	Caulerpa prolifera	1
1995-10	12	3	I	96	96	1	Syringodium filiforme	96
1995-10	12	3	P	100	100	0	Syringodium filiforme	100
1995-10	12	4	I	100	100	0	Syringodium filiforme	100

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-10	12	4	P	100	100	0	Syringodium filiforme	100
1995-10	12	5	I	97	97	0	Syringodium filiforme	97
1995-10	12	5	P	94	94	0	Syringodium filiforme	94
1995-10	12	6	I	97	97	0	Syringodium filiforme	97
1995-10	12	6	P	100	100	0	Syringodium filiforme	100
1995-10	12	7	I	95	95	0	Syringodium filiforme	95
1995-10	12	7	P	85	85	0	Syringodium filiforme	85
1995-10	12	8	I	88	88	0	Syringodium filiforme	88
1995-10	12	8	P	92	92	0	Syringodium filiforme	92
1995-10	12	9	I	95	95	0	Syringodium filiforme	95
1995-10	12	9	P	94	94	0	Syringodium filiforme	94
1995-10	12	10	I	98	98	0	Syringodium filiforme	98
1995-10	12	10	P	91	91	0	Syringodium filiforme	91
1993-12	13	1	I	96	96	15	Caulerpa prolifera	15
1993-12	13	1	I	96	96	15	Halodule wrightii	96
1993-12	13	1	I	96	96	15	Thalassia testudinum	5
1993-12	13	1	P	82	76	6	Caulerpa prolifera	6
1993-12	13	1	P	82	76	6	Halodule wrightii	78
1993-12	13	2	I	94	10	84	Caulerpa mexicana	78
1993-12	13	2	I	94	10	84	Caulerpa prolifera	6
1993-12	13	2	I	94	10	84	Thalassia testudinum	10
1993-12	13	2	P	68	55	13	Caulerpa mexicana	13
1993-12	13	2	P	68	55	13	Halodule wrightii	55
1993-12	13	2	P	68	55	13	Thalassia testudinum	3
1993-12	13	3	I	53	16	37	Caulerpa mexicana	37
1993-12	13	3	I	53	16	37	Thalassia testudinum	16
1993-12	13	3	P	55	0	55	Caulerpa mexicana	55
1993-12	13	4	I	97	0	97	Caulerpa mexicana	27
1993-12	13	4	I	97	0	97	Caulerpa prolifera	70
1993-12	13	4	P	100	0	100	Caulerpa mexicana	20
1993-12	13	4	P	100	0	100	Caulerpa prolifera	80
1993-12	13	5	I	50	0	50	Caulerpa mexicana	30
1993-12	13	5	I	50	0	50	Caulerpa prolifera	20
1993-12	13	5	P	72	0	72	Caulerpa mexicana	72
1993-12	13	6	I	90	0	90	Caulerpa mexicana	10
1993-12	13	6	I	90	0	90	Caulerpa prolifera	80
1993-12	13	6	P	60	0	60	Caulerpa mexicana	60
1993-12	13	7	I	70	0	70	Caulerpa prolifera	70
1993-12	13	7	P	70	0	70	Caulerpa prolifera	70
1993-12	13	8	I	42	0	42	Caulerpa prolifera	42
1993-12	13	8	P	40	0	40	Caulerpa mexicana	40
1993-12	13	9	I	95	0	95	Caulerpa mexicana	95
1993-12	13	9	P	60	20	40	Caulerpa mexicana	40
1993-12	13	9	P	60	20	40	Halodule wrightii	20
1993-12	13	10	I	90	0	90	Caulerpa mexicana	90
1993-12	13	10	P	85	75	10	Caulerpa prolifera	10
1993-12	13	10	P	85	75	10	Halodule wrightii	75
1994-08	13	1	P/I	99	0	99	Caulerpa prolifera	99
1994-08	13	2	P/I	65	1	66	Caulerpa prolifera	65
1994-08	13	2	P/I	65	1	66	Thalassia testudinum	1
1994-08	13	3	P/I	74	74	0	Thalassia testudinum	74
1994-08	13	4	P/I	95	7	88	Caulerpa prolifera	88
1994-08	13	4	P/I	95	7	88	Thalassia testudinum	7
1994-08	13	5	P/I	28	0	28	Caulerpa mexicana	7
1994-08	13	5	P/I	28	0	28	Caulerpa prolifera	21
1994-08	13	6	P/I	65	31	34	Caulerpa mexicana	16

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	13	6	P/I	65	31	34	Caulerpa prolifera	18
1994-08	13	6	P/I	65	31	34	Halophila englemannii	21
1994-08	13	6	P/I	65	31	34	Thalassia testudinum	10
1994-08	13	7	P/I	87	0	87	Caulerpa mexicana	87
1994-08	13	8	P/I	56	0	56	Caulerpa mexicana	56
1994-08	13	9	P/I	97	0	97	Caulerpa prolifera	97
1994-08	13	10	P/I	94	0	94	Caulerpa prolifera	94
1994-08	13	11	P/I	96	96	18	Caulerpa prolifera	18
1994-08	13	11	P/I	96	96	18	Halodule wrightii	41
1994-08	13	11	P/I	96	96	18	Thalassia testudinum	55
1994-08	13	12	P/I	100	61	65	Caulerpa mexicana	8
1994-08	13	12	P/I	100	61	65	Caulerpa prolifera	57
1994-08	13	12	P/I	100	61	65	Thalassia testudinum	61
1994-08	13	13	P/I	87	67	16	Caulerpa mexicana	9
1994-08	13	13	P/I	87	67	16	Caulerpa prolifera	7
1994-08	13	13	P/I	87	67	16	Halodule wrightii	15
1994-08	13	13	P/I	87	67	16	Thalassia testudinum	42
1994-08	13	14	P/I	100	0	100	Caulerpa mexicana	100
1994-08	13	14	P/I	100	0	100	Caulerpa prolifera	29
1994-08	13	15	P/I	100	0	100	Caulerpa mexicana	100
1994-08	13	15	P/I	100	0	100	Caulerpa prolifera	2
1994-10	13	1	I	99	81	18	Caulerpa mexicana	18
1994-10	13	1	I	99	81	18	Halodule wrightii	1
1994-10	13	1	I	99	81	18	Thalassia testudinum	81
1994-10	13	1	P	99	90	77	Caulerpa prolifera	77
1994-10	13	1	P	99	90	77	Halodule wrightii	90
1994-10	13	2	I	96	96	8	Caulerpa mexicana	8
1994-10	13	2	I	96	96	8	Thalassia testudinum	96
1994-10	13	2	P	96	80	69	Caulerpa mexicana	60
1994-10	13	2	P	96	80	69	Caulerpa prolifera	9
1994-10	13	2	P	96	80	69	Halodule wrightii	8
1994-10	13	2	P	96	80	69	Thalassia testudinum	72
1994-10	13	3	I	72	8	64	Caulerpa mexicana	64
1994-10	13	3	I	72	8	64	Thalassia testudinum	8
1994-10	13	3	P	94	23	84	Caulerpa mexicana	52
1994-10	13	3	P	94	23	84	Caulerpa prolifera	32
1994-10	13	3	P	94	23	84	Halodule wrightii	11
1994-10	13	3	P	94	23	84	Thalassia testudinum	12
1994-10	13	4	I	68	57	11	Caulerpa mexicana	1
1994-10	13	4	I	68	57	11	Caulerpa prolifera	10
1994-10	13	4	I	68	57	11	Halodule wrightii	57
1994-10	13	4	P	92	0	92	Caulerpa mexicana	78
1994-10	13	4	P	92	0	92	Caulerpa prolifera	16
1994-10	13	5	P	25	25	5	Caulerpa prolifera	5
1994-10	13	5	P	25	25	5	Halodule wrightii	25
1994-10	13	6	P	70	60	19	Caulerpa mexicana	4
1994-10	13	6	P	70	60	19	Caulerpa prolifera	15
1994-10	13	6	P	70	60	19	Halodule wrightii	59
1994-10	13	6	P	70	60	19	Halophila englemannii	1
1994-10	13	7	I	40	40	7	Caulerpa mexicana	1
1994-10	13	7	I	40	40	7	Caulerpa prolifera	6
1994-10	13	7	I	40	40	7	Halodule wrightii	40
1994-10	13	7	P	70	70	6	Caulerpa mexicana	6
1994-10	13	7	P	70	70	6	Halodule wrightii	70
1994-10	13	7	P	70	70	6	Halophila englemannii	1
1994-10	13	8	I	20	20	10	Caulerpa mexicana	10

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-10	13	8	I	20	20	10	Halodule wrightii	20
1994-10	13	8	P	80	80	10	Caulerpa mexicana	5
1994-10	13	8	P	80	80	10	Caulerpa prolifera	5
1994-10	13	8	P	80	80	10	Halodule wrightii	80
1994-10	13	9	I	30	30	0	Halodule wrightii	30
1994-10	13	9	I	30	30	0	Halophila englemannii	5
1994-10	13	9	P	83	83	0	Halodule wrightii	83
1994-10	13	10	I	50	50	1	Caulerpa mexicana	1
1994-10	13	10	I	50	50	1	Halodule wrightii	40
1994-10	13	10	I	50	50	1	Halophila englemannii	10
1994-10	13	10	P	20	20	10	Caulerpa prolifera	10
1994-10	13	10	P	20	20	10	Halodule wrightii	20
1995-08	13	1	I	100	100	29	Caulerpa mexicana	9
1995-08	13	1	I	100	100	29	Caulerpa prolifera	20
1995-08	13	1	I	100	100	29	Halodule wrightii	100
1995-08	13	1	P	100	100	33	Caulerpa mexicana	8
1995-08	13	1	P	100	100	33	Caulerpa prolifera	29
1995-08	13	1	P	100	100	33	Halodule wrightii	100
1995-08	13	2	I	99	99	21	Caulerpa mexicana	1
1995-08	13	2	I	99	99	21	Caulerpa prolifera	21
1995-08	13	2	I	99	99	21	Halodule wrightii	99
1995-08	13	2	P	86	86	68	Caulerpa mexicana	8
1995-08	13	2	P	86	86	68	Caulerpa prolifera	60
1995-08	13	2	P	86	86	68	Halodule wrightii	86
1995-08	13	3	I	93	9	93	Caulerpa prolifera	93
1995-08	13	3	I	93	9	93	Halophila englemannii	9
1995-08	13	3	P	51	3	51	Caulerpa prolifera	51
1995-08	13	3	P	51	3	51	Halodule wrightii	3
1995-08	13	4	I	100	3	100	Caulerpa mexicana	2
1995-08	13	4	I	100	3	100	Caulerpa prolifera	100
1995-08	13	4	I	100	3	100	Halodule wrightii	3
1995-08	13	4	P	84	6	84	Caulerpa mexicana	3
1995-08	13	4	P	84	6	84	Caulerpa prolifera	84
1995-08	13	4	P	84	6	84	Halodule wrightii	6
1995-08	13	5	I	87	4	85	Caulerpa prolifera	85
1995-08	13	5	I	87	4	85	Halodule wrightii	4
1995-08	13	5	P	88	9	88	Caulerpa mexicana	14
1995-08	13	5	P	88	9	88	Caulerpa prolifera	88
1995-08	13	5	P	88	9	88	Halodule wrightii	9
1995-08	13	6	I	74	4	70	Caulerpa mexicana	60
1995-08	13	6	I	74	4	70	Caulerpa prolifera	10
1995-08	13	6	I	74	4	70	Halophila englemannii	4
1995-08	13	6	P	90	0	90	Caulerpa prolifera	90
1995-08	13	7	I	66	5	61	Caulerpa prolifera	61
1995-08	13	7	I	66	5	61	Halodule wrightii	5
1995-08	13	7	P	30	5	25	Caulerpa mexicana	5
1995-08	13	7	P	30	5	25	Caulerpa prolifera	20
1995-08	13	7	P	30	5	25	Halodule wrightii	5
1995-08	13	8	I	96	0	96	Caulerpa prolifera	96
1995-08	13	8	P	90	90	90	Caulerpa prolifera	90
1995-08	13	8	P	90	90	90	Halodule wrightii	90
1995-08	13	9	I	73	2	71	Caulerpa prolifera	71
1995-08	13	9	I	73	2	71	Halodule wrightii	2
1995-08	13	9	P	41	0	41	Caulerpa mexicana	3
1995-08	13	9	P	41	0	41	Caulerpa prolifera	38
1995-08	13	10	I	35	5	30	Caulerpa mexicana	30

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	13	10	I	35	5	30	Thalassia testudinum	5
1995-08	13	10	P	66	8	58	Caulerpa mexicana	50
1995-08	13	10	P	66	8	58	Caulerpa prolifera	8
1995-08	13	10	P	66	8	58	Halodule wrightii	5
1995-08	13	10	P	66	8	58	Halophila englemannii	3
1995-10	13	1	I	2	0	2	Caulerpa prolifera	2
1995-10	13	1	P	20	16	4	Caulerpa mexicana	4
1995-10	13	1	P	20	16	4	Halodule wrightii	16
1995-10	13	2	I	18	0	18	Caulerpa mexicana	15
1995-10	13	2	I	18	0	18	Caulerpa prolifera	3
1995-10	13	2	P	40	0	40	Caulerpa mexicana	30
1995-10	13	2	P	40	0	40	Caulerpa prolifera	10
1995-10	13	3	I	74	0	74	Caulerpa prolifera	74
1995-10	13	3	P	30	0	30	Caulerpa prolifera	30
1995-10	13	4	I	79	0	79	Caulerpa mexicana	14
1995-10	13	4	I	79	0	79	Caulerpa prolifera	79
1995-10	13	4	P	20	0	20	Caulerpa prolifera	20
1995-10	13	5	I	85	0	85	Caulerpa mexicana	83
1995-10	13	5	I	85	0	85	Caulerpa prolifera	2
1995-10	13	5	P	96	77	71	Caulerpa prolifera	71
1995-10	13	5	P	96	77	71	Halodule wrightii	77
1995-10	13	6	I	26	3	23	Caulerpa prolifera	23
1995-10	13	6	I	26	3	23	Halodule wrightii	3
1995-10	13	6	P	32	0	32	Caulerpa prolifera	32
1995-10	13	7	I	86	3	86	Caulerpa prolifera	86
1995-10	13	7	I	86	3	86	Halodule wrightii	3
1995-10	13	7	P	90	0	90	Caulerpa prolifera	90
1995-10	13	8	I	89	0	89	Caulerpa prolifera	89
1995-10	13	8	P	90	18	72	Caulerpa prolifera	72
1995-10	13	8	P	90	18	72	Thalassia testudinum	18
1995-10	13	9	I	76	0	76	Caulerpa prolifera	76
1995-10	13	9	P	100	20	80	Caulerpa mexicana	2
1995-10	13	9	P	100	20	80	Caulerpa prolifera	80
1995-10	13	9	P	100	20	80	Halodule wrightii	20
1993-12	14	1	I	69	69	0	Halodule wrightii	69
1993-12	14	1	P	100	100	0	Halodule wrightii	100
1993-12	14	2	I	98	98	0	Halodule wrightii	98
1993-12	14	2	P	100	100	0	Halodule wrightii	100
1993-12	14	3	I	95	95	0	Halodule wrightii	95
1993-12	14	3	P	82	82	0	Halodule wrightii	82
1993-12	14	4	I	97	97	0	Halodule wrightii	97
1993-12	14	4	P	73	73	0	Halodule wrightii	73
1993-12	14	5	I	95	95	0	Halodule wrightii	95
1993-12	14	5	P	95	95	0	Halodule wrightii	95
1993-12	14	6	I	93	93	2	Caulerpa prolifera	2
1993-12	14	6	I	93	93	2	Halodule wrightii	91
1993-12	14	6	P	97	97	0	Halodule wrightii	97
1993-12	14	7	I	93	93	0	Halodule wrightii	93
1993-12	14	7	P	96	96	0	Halodule wrightii	96
1993-12	14	8	I	95	95	0	Halodule wrightii	95
1993-12	14	8	P	89	89	0	Halodule wrightii	89
1993-12	14	9	I	83	83	0	Halodule wrightii	3
1993-12	14	9	I	83	83	0	Thalassia testudinum	83
1993-12	14	9	P	77	77	0	Thalassia testudinum	77
1993-12	14	10	I	100	100	0	Halodule wrightii	100
1993-12	14	10	P	98	98	0	Halodule wrightii	98

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1994-08	14	1	I	97	97	4	Halimeda incrassata	4
1994-08	14	1	I	97	97	4	Halodule wrightii	97
1994-08	14	1	P	91	91	0	Halodule wrightii	89
1994-08	14	1	P	91	91	0	Thalassia testudinum	2
1994-08	14	2	I	77	77	0	Halodule wrightii	77
1994-08	14	2	P	92	92	0	Halodule wrightii	92
1994-08	14	3	I	85	85	0	Halodule wrightii	85
1994-08	14	3	P	90	90	0	Halodule wrightii	90
1994-08	14	4	I	97	97	0	Halodule wrightii	97
1994-08	14	4	P	81	81	0	Halodule wrightii	81
1994-08	14	5	I	13	13	0	Halodule wrightii	13
1994-08	14	5	P	93	93	0	Halodule wrightii	93
1994-08	14	6	I	100	100	0	Halodule wrightii	100
1994-08	14	6	P	100	100	0	Halodule wrightii	100
1994-08	14	7	I	100	100	0	Halodule wrightii	100
1994-08	14	7	P	100	100	0	Halodule wrightii	100
1994-08	14	8	I	100	100	0	Halodule wrightii	100
1994-08	14	8	P	100	100	0	Halodule wrightii	100
1994-08	14	9	I	100	100	0	Halodule wrightii	100
1994-08	14	9	P	90	90	0	Thalassia testudinum	90
1994-08	14	10	I	100	100	0	Halodule wrightii	100
1994-08	14	10	P	11	11	0	Thalassia testudinum	89
1994-10	14	1	I	84	84	0	Halodule wrightii	84
1994-10	14	1	P	96	96	0	Halodule wrightii	96
1994-10	14	2	I	72	72	0	Halodule wrightii	72
1994-10	14	2	I	72	72	0	Thalassia testudinum	2
1994-10	14	2	P	91	91	0	Thalassia testudinum	91
1994-10	14	3	I	84	84	0	Halodule wrightii	84
1994-10	14	3	P	67	67	0	Halodule wrightii	67
1994-10	14	4	I	99	99	0	Halodule wrightii	99
1994-10	14	4	P	96	96	0	Halodule wrightii	96
1994-10	14	5	I	97	97	0	Halodule wrightii	97
1994-10	14	5	P	99	99	0	Halodule wrightii	99
1994-10	14	6	I	98	98	0	Halodule wrightii	98
1994-10	14	6	P	95	95	0	Halodule wrightii	95
1994-10	14	7	I	97	97	0	Halodule wrightii	97
1994-10	14	7	P	76	76	0	Halodule wrightii	76
1994-10	14	8	I	86	86	0	Halodule wrightii	86
1994-10	14	8	P	87	88	1	Caulerpa prolifera	1
1994-10	14	8	P	87	88	1	Halodule wrightii	87
1994-10	14	9	I	88	88	0	Halodule wrightii	88
1994-10	14	9	P	88	88	0	Halodule wrightii	88
1994-10	14	10	I	91	91	0	Halodule wrightii	91
1994-10	14	10	P	79	79	0	Halodule wrightii	79
1995-08	14	1	I	63	63	0	Halodule wrightii	63
1995-08	14	1	P	72	72	0	Halodule wrightii	72
1995-08	14	2	I	99	99	0	Halodule wrightii	99
1995-08	14	2	P	90	90	0	Halodule wrightii	90
1995-08	14	3	I	98	98	0	Halodule wrightii	98
1995-08	14	3	P	89	89	0	Halodule wrightii	89
1995-08	14	4	I	100	100	0	Halodule wrightii	100
1995-08	14	4	P	98	98	0	Halodule wrightii	98
1995-08	14	5	I	99	99	0	Halodule wrightii	99
1995-08	14	5	P	100	100	0	Halodule wrightii	100
1995-08	14	6	I	100	100	0	Halodule wrightii	100
1995-08	14	6	P	86	86	0	Halodule wrightii	86

Appendix Table IV. Continued.

Date	Station	Rep.	Perimeter/ Interior (P/I)	Total Vegetation	Total Seagrass	Total Algae	Species	Cover
1995-08	14	7	I	96	96	0	Halodule wrightii	96
1995-08	14	7	P	88	88	0	Halodule wrightii	88
1995-08	14	8	I	91	91	0	Halodule wrightii	42
1995-08	14	8	I	91	91	0	Thalassia testudinum	69
1995-08	14	8	P	99	99	0	Halodule wrightii	82
1995-08	14	8	P	99	99	0	Thalassia testudinum	22
1995-08	14	9	I	94	94	0	Thalassia testudinum	94
1995-08	14	9	P	95	95	0	Thalassia testudinum	95
1995-08	14	10	I	93	93	0	Thalassia testudinum	93
1995-08	14	10	P	95	95	0	Thalassia testudinum	95
1995-10	14	1	I	100	100	0	Halodule wrightii	100
1995-10	14	1	P	100	100	0	Halodule wrightii	100
1995-10	14	2	I	98	98	0	Halodule wrightii	98
1995-10	14	2	I	98	98	0	Thalassia testudinum	1
1995-10	14	2	P	94	94	0	Halodule wrightii	94
1995-10	14	3	I	98	98	0	Halodule wrightii	98
1995-10	14	3	P	100	100	0	Halodule wrightii	100
1995-10	14	4	I	30	30	0	Halodule wrightii	30
1995-10	14	4	P	0	0	0	Bare	0
1995-10	14	5	I	86	86	0	Halodule wrightii	86
1995-10	14	5	P	20	20	0	Halodule wrightii	20
1995-10	14	6	I	95	95	0	Halodule wrightii	95
1995-10	14	6	P	93	93	0	Halodule wrightii	93
1995-10	14	7	I	93	93	0	Halodule wrightii	93
1995-10	14	7	P	90	90	0	Halodule wrightii	90
1995-10	14	8	I	75	75	0	Halodule wrightii	40
1995-10	14	8	I	75	75	0	Thalassia testudinum	35
1995-10	14	8	P	75	75	0	Thalassia testudinum	75
1995-10	14	9	I	77	77	0	Halodule wrightii	77
1995-10	14	9	P	58	58	0	Halodule wrightii	58
1995-10	14	10	I	96	96	0	Halodule wrightii	96
1995-10	14	10	P	86	86	0	Halodule wrightii	86
1993-12	15	1	I	95	95	0	Thalassia testudinum	95
1993-12	15	1	P	90	90	0	Thalassia testudinum	90
1993-12	15	2	I	95	95	0	Thalassia testudinum	95
1993-12	15	2	P	88	88	0	Thalassia testudinum	88
1993-12	15	3	I	89	89	0	Halodule wrightii	18
1993-12	15	3	I	89	89	0	Thalassia testudinum	86
1993-12	15	3	P	28	28	0	Thalassia testudinum	28
1993-12	15	4	I	100	100	0	Halodule wrightii	100
1993-12	15	4	P	89	89	0	Halodule wrightii	89
1993-12	15	5	I	100	100	0	Halodule wrightii	100
1993-12	15	5	P	100	100	0	Halodule wrightii	100
1993-12	15	6	I	100	100	0	Halodule wrightii	100
1993-12	15	6	P	78	78	0	Halodule wrightii	78
1993-12	15	7	I	100	100	0	Halodule wrightii	100
1993-12	15	7	P	100	100	0	Halodule wrightii	100
1993-12	15	8	I	100	100	0	Halodule wrightii	100
1993-12	15	8	P	75	75	15	Caulerpa prolifera	15
1993-12	15	8	P	75	75	15	Halodule wrightii	75
1993-12	15	9	I	100	100	0	Halodule wrightii	100
1993-12	15	9	P	100	100	0	Halodule wrightii	100
1993-12	15	10	I	98	98	0	Halodule wrightii	98
1993-12	15	10	P	100	100	0	Halodule wrightii	100
1994-08	15	1	P	90	90	0	Halodule wrightii	90
1994-08	15	2	I	94	94	0	Halodule wrightii	94

Appendix Table V. Dry weight biomass from .25cmX.25cm quadrats.

Date	Station	Rep.	Spp.	Biomass (g)
1994	1	1	Halodule wrightii	1.53
1994	1	2	Halodule wrightii	1.66
1994	1	3	Halodule wrightii	.55
1994	1	4	Halodule wrightii	1.37
1994	1	5	Halodule wrightii	.98
1994	1	6	Halodule wrightii	3.74
1995	1	1	Halodule wrightii	.61
1995	1	2	Halodule wrightii	.26
1995	1	3	Halodule wrightii	1.05
1995	1	4	Halodule wrightii	1.43
1995	1	5	Halodule wrightii	.53
1995	1	6	Halodule wrightii	.67
1994	2	1	Halodule wrightii	.63
1994	2	2	Halodule wrightii	1.06
1994	2	3	Halodule wrightii	.70
1994	2	4	Halodule wrightii	.97
1994	2	5	Halodule wrightii	.87
1994	2	6	Halodule wrightii	.67
1995	2	1	Halodule wrightii	.30
1995	2	2	Halodule wrightii	.51
1995	2	3	Halodule wrightii	.08
1995	2	4	Halodule wrightii	.27
1995	2	5	Halodule wrightii	.53
1995	2	6	Halodule wrightii	.24
1994	3	1	Halodule wrightii	.48
1994	3	2	Halodule wrightii	.12
1994	3	3	Halodule wrightii	.56
1994	3	4	Halodule wrightii	.40
1994	3	5	Halodule wrightii	1.18
1994	3	6	Halodule wrightii	.39
1995	3	1	Halodule wrightii	.73
1995	3	2	Halodule wrightii	.19
1995	3	3	Halodule wrightii	.43
1995	3	4	Halodule wrightii	.61
1995	3	5	Halodule wrightii	.09
1995	3	6	Halodule wrightii	.49
1994	4	1	Drift Algae	4.96
1994	4	1	Syringodium filiforme	4.14
1994	4	2	Syringodium filiforme	1.51
1994	4	3	Syringodium filiforme	1.90
1994	4	4	Drift Algae	5.30
1994	4	4	Syringodium filiforme	2.76
1994	4	5	Syringodium filiforme	2.27
1994	4	6	Syringodium filiforme	3.49
1995	4	1	Halimeda	.43
1995	4	1	Syringodium filiforme	1.12
1995	4	2	Drift Algae	.63
1995	4	2	Syringodium filiforme	1.84
1995	4	3	Drift Algae	.05
1995	4	3	Syringodium filiforme	3.29

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1995	4	4	Syringodium filiforme	2.47
1995	4	5	Drift Algae	.08
1995	4	5	Syringodium filiforme	2.86
1995	4	6	Halimeda	.01
1995	4	6	Syringodium filiforme	1.62
1994	5	1	Halodule wrightii	.50
1994	5	2	Halodule wrightii	.16
1994	5	3	Halodule wrightii	1.13
1994	5	4	Halodule wrightii	.29
1994	5	5	Halodule wrightii	.35
1994	5	6	Halodule wrightii	.75
1995	5	1	None	.00
1995	5	2	Caulerpa mexicana	.15
1995	5	3	Caulerpa mexicana	.03
1995	5	4	Halodule wrightii	.06
1995	5	5	Halodule wrightii	.11
1995	5	6	Halodule wrightii	.05
1994	6	1	Halodule wrightii	1.15
1994	6	2	Halodule wrightii	.43
1994	6	3	Drift Algae	1.96
1994	6	3	Halodule wrightii	.70
1994	6	4	Halodule wrightii	2.04
1994	6	5	Halodule wrightii	.51
1994	6	6	Halodule wrightii	.83
1995	6	1	Drift Algae	.23
1995	6	1	Halodule wrightii	1.75
1995	6	2	Halodule wrightii	1.16
1995	6	3	Drift Algae	.85
1995	6	3	Halodule wrightii	3.77
1995	6	4	Halodule wrightii	1.24
1995	6	5	Halodule wrightii	2.22
1995	6	6	Drift Algae	.44
1995	6	6	Halodule wrightii	2.18
1995	6	6	Halophila englemannii	.15
1994	7	1	Halodule wrightii	.83
1994	7	2	Halodule wrightii	1.31
1994	7	3	Halodule wrightii	1.51
1994	7	4	Halodule wrightii	1.55
1994	7	4	Halophila englemannii	.19
1994	7	5	Halodule wrightii	.73
1994	7	5	Halophila englemannii	.69
1994	7	6	Halodule wrightii	.94
1995	7	1	Halodule wrightii	2.39
1995	7	2	Halodule wrightii	4.40
1995	7	3	Halodule wrightii	1.49
1995	7	4	Drift Algae	.51
1995	7	4	Halodule wrightii	1.92
1995	7	4	Halophila englemannii	.02
1995	7	5	Drift Algae	.36
1995	7	5	Halodule wrightii	.48

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1995	7	6	Drift Algae	.19
1995	7	6	Halodule wrightii	3.64
1994	8	1	Drift Algae	.56
1994	8	1	Halodule wrightii	1.25
1994	8	1	Halophila englemannii	.21
1994	8	1	Syringodium filiforme	3.66
1994	8	2	Drift Algae	.08
1994	8	2	Syringodium filiforme	5.74
1994	8	3	Drift Algae	2.23
1994	8	3	Halodule wrightii	1.18
1994	8	3	Halophila englemannii	.32
1994	8	3	Syringodium filiforme	.73
1994	8	4	Drift Algae	.18
1994	8	4	Halodule wrightii	2.03
1994	8	4	Halophila englemannii	.09
1994	8	5	Drift Algae	6.08
1994	8	5	Halodule wrightii	2.02
1994	8	5	Syringodium filiforme	.94
1994	8	6	Halodule wrightii	.99
1994	8	6	Halophila englemannii	.04
1994	8	6	Syringodium filiforme	1.44
1995	8	1	Drift Algae	1.05
1995	8	1	Syringodium filiforme	.54
1995	8	2	Drift Algae	1.65
1995	8	2	Syringodium filiforme	2.00
1995	8	3	Drift Algae	.68
1995	8	3	Syringodium filiforme	1.86
1995	8	4	None	.00
1995	8	5	Syringodium filiforme	.01
1995	8	6	Drift Algae	17.77
1995	8	6	Syringodium filiforme	.13
1994	9	1	Halophila englemannii	.11
1994	9	1	Syringodium filiforme	3.29
1994	9	2	Drift Algae	.11
1994	9	2	Halodule wrightii	.17
1994	9	2	Halophila englemannii	.56
1994	9	2	Syringodium filiforme	4.09
1994	9	3	Halophila englemannii	.38
1994	9	3	Syringodium filiforme	3.85
1994	9	4	Drift Algae	1.40
1994	9	4	Syringodium filiforme	5.52
1994	9	5	Drift Algae	.31
1994	9	5	Syringodium filiforme	5.58
1994	9	6	Halophila englemannii	.21
1994	9	6	Syringodium filiforme	4.61
1995	9	1	Caulerpa prolifera	.02
1995	9	1	Drift Algae	1.74
1995	9	1	Syringodium filiforme	2.05
1995	9	2	Caulerpa prolifera	.06
1995	9	2	Drift Algae	2.94

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1995	9	2	Halodule wrightii	.24
1995	9	2	Syringodium filiforme	.77
1995	9	3	Caulerpa prolifera	.01
1995	9	3	Drift Algae	1.24
1995	9	3	Syringodium filiforme	1.69
1995	9	4	Syringodium filiforme	1.81
1995	9	5	Drift Algae	1.34
1995	9	5	Syringodium filiforme	3.79
1995	9	6	Syringodium filiforme	2.84
1994	10	1	Caulerpa prolifera	.61
1994	10	1	Syringodium filiforme	4.41
1994	10	2	Caulerpa prolifera	.78
1994	10	2	Drift Algae	14.16
1994	10	2	Syringodium filiforme	5.23
1994	10	3	Caulerpa prolifera	2.80
1994	10	3	Syringodium filiforme	5.85
1994	10	4	Caulerpa prolifera	.52
1994	10	4	Syringodium filiforme	2.77
1994	10	5	Caulerpa prolifera	3.67
1994	10	5	Drift Algae	14.42
1994	10	5	Halophila englemannii	.24
1994	10	6	Caulerpa prolifera	.38
1994	10	6	Syringodium filiforme	2.06
1995	10	1	Caulerpa prolifera	1.65
1995	10	1	Drift Algae	5.99
1995	10	1	Halophila englemannii	.49
1995	10	1	Syringodium filiforme	1.86
1995	10	1	Udotea	.59
1995	10	2	Caulerpa prolifera	1.28
1995	10	2	Drift Algae	5.54
1995	10	2	Syringodium filiforme	3.29
1995	10	3	Drift Algae	17.06
1995	10	3	Syringodium filiforme	.86
1995	10	4	Drift Algae	19.32
1995	10	4	Syringodium filiforme	2.39
1995	10	5	Drift Algae	71.90
1995	10	5	Syringodium filiforme	.19
1995	10	6	Caulerpa prolifera	.36
1995	10	6	Drift Algae	10.28
1995	10	6	Syringodium filiforme	1.84
1994	11	1	Syringodium filiforme	9.12
1994	11	2	Syringodium filiforme	7.84
1994	11	3	Syringodium filiforme	6.77
1994	11	4	Syringodium filiforme	11.45
1994	11	5	Syringodium filiforme	6.97
1994	11	6	Syringodium filiforme	5.37
1995	11	1	Syringodium filiforme	3.42
1995	11	2	Syringodium filiforme	4.20
1995	11	3	Syringodium filiforme	3.44
1995	11	4	Drift Algae	2.96

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1995	11	4	Syringodium filiforme	.65
1995	11	5	Syringodium filiforme	1.10
1995	11	6	Syringodium filiforme	3.36
1994	12	1	Caulerpa prolifera	.02
1994	12	1	Syringodium filiforme	5.96
1994	12	2	Caulerpa prolifera	.04
1994	12	2	Syringodium filiforme	8.36
1994	12	3	Drift Algae	13.16
1994	12	3	Halodule wrightii	4.97
1994	12	3	Syringodium filiforme	1.45
1994	12	4	Caulerpa prolifera	.17
1994	12	4	Drift Algae	32.31
1994	12	4	Syringodium filiforme	9.63
1994	12	5	Caulerpa prolifera	.31
1994	12	5	Drift Algae	5.62
1994	12	5	Syringodium filiforme	2.25
1994	12	6	Caulerpa prolifera	.06
1994	12	6	Drift Algae	17.30
1994	12	6	Syringodium filiforme	13.30
1995	12	1	Caulerpa prolifera	.17
1995	12	1	Drift Algae	.66
1995	12	1	Syringodium filiforme	1.31
1995	12	2	Syringodium filiforme	.33
1995	12	3	Caulerpa mexicana	.04
1995	12	3	Drift Algae	1.40
1995	12	3	Syringodium filiforme	2.10
1995	12	4	Caulerpa prolifera	.06
1995	12	4	Drift Algae	1.44
1995	12	4	Syringodium filiforme	.77
1995	12	5	Caulerpa prolifera	.01
1995	12	5	Drift Algae	2.08
1995	12	5	Syringodium filiforme	1.66
1995	12	6	Drift Algae	.29
1995	12	6	Syringodium filiforme	1.86
1994	13	1	Caulerpa prolifera	2.58
1994	13	1	Drift Algae	2.34
1994	13	1	Thalassia testudinum	7.34
1994	13	2	Caulerpa mexicana	20.91
1994	13	2	Drift Algae	2.11
1994	13	3	Caulerpa prolifera	2.15
1994	13	3	Drift Algae	3.19
1994	13	3	Thalassia testudinum	3.14
1994	13	4	Caulerpa mexicana	18.84
1994	13	4	Caulerpa prolifera	.86
1994	13	4	Drift Algae	32.43
1994	13	4	Thalassia testudinum	1.70
1994	13	5	Caulerpa mexicana	19.90
1994	13	5	Caulerpa prolifera	.70
1994	13	5	Drift Algae	1.74
1994	13	5	Thalassia testudinum	1.56

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1994	13	6	Caulerpa mexicana	4.78
1994	13	6	Caulerpa prolifera	.59
1994	13	6	Drift Algae	4.68
1994	13	6	Thalassia testudinum	.66
1995	13	1	Caulerpa mexicana	.33
1995	13	1	Caulerpa prolifera	1.15
1995	13	1	Drift Algae	.37
1995	13	1	Halodule wrightii	2.34
1995	13	1	Halophila englemannii	.26
1995	13	2	Caulerpa prolifera	.72
1995	13	3	Caulerpa mexicana	.02
1995	13	3	Caulerpa prolifera	.19
1995	13	4	Caulerpa mexicana	.26
1995	13	4	Halodule wrightii	.66
1995	13	5	Caulerpa prolifera	1.55
1995	13	5	Halophila englemannii	.06
1995	13	6	Caulerpa prolifera	1.55
1995	13	6	Drift Algae	.01
1995	13	6	Halodule wrightii	.24
1995	13	6	Thalassia testudinum	.07
1994	14	1	Drift Algae	1.34
1994	14	1	Halodule wrightii	.85
1994	14	1	Syringodium filiforme	.37
1994	14	2	Drift Algae	3.01
1994	14	2	Halodule wrightii	.86
1994	14	3	Halodule wrightii	.41
1994	14	3	Syringodium filiforme	.53
1994	14	4	Drift Algae	4.13
1994	14	4	Halodule wrightii	.37
1994	14	4	Syringodium filiforme	.30
1994	14	5	Drift Algae	.32
1994	14	5	Halodule wrightii	.95
1994	14	6	Drift Algae	10.23
1994	14	6	Halodule wrightii	.55
1994	14	6	Syringodium filiforme	3.92
1995	14	1	Halodule wrightii	2.45
1995	14	2	Halodule wrightii	3.56
1995	14	3	Halodule wrightii	5.16
1995	14	4	Halodule wrightii	2.96
1995	14	5	Halodule wrightii	2.43
1995	14	6	Halodule wrightii	1.78
1994	15	1	Halodule wrightii	1.06
1994	15	1	Thalassia testudinum	.21
1994	15	2	Drift Algae	.09
1994	15	2	Halodule wrightii	1.39
1994	15	3	Halodule wrightii	8.35
1994	15	4	Drift Algae	4.56
1994	15	4	Halodule wrightii	7.63
1994	15	5	Drift Algae	.79
1994	15	5	Halodule wrightii	5.27

Appendix Table V. Continued.

Date	Station	Rep.	Spp.	Biomass (g)
1994	15	6	Halodule wrightii	2.20
1994	15	6	Thalassia testudinum	1.03
1995	15	1	Drift Algae	.80
1995	15	1	Halodule wrightii	2.38
1995	15	1	Syringodium filiforme	.01
1995	15	1	Thalassia testudinum	.01
1995	15	2	Caulerpa prolifera	.09
1995	15	2	Drift Algae	2.87
1995	15	2	Halodule wrightii	3.05
1995	15	2	Thalassia testudinum	.04
1995	15	3	Halodule wrightii	.65
1995	15	3	Syringodium filiforme	.01
1995	15	4	Drift Algae	.81
1995	15	4	Halodule wrightii	3.23
1995	15	5	Halodule wrightii	1.07
1995	15	6	Drift Algae	.53
1995	15	6	Halodule wrightii	1.47

Appendix Table VI. Biomass data and productivity (mg/m2/day) of grass clip samples.

Year	Station	Rep.	Species	Productivity (mg/m2/day)	Shoots/m2	Growth Days	Wt./Shoot (µg)	Sample Wt. (µg)
1994	1	1	Halodule wrightii	196	299	14	92	275
1994	1	2	Halodule wrightii	543	499	14	152	762
1994	1	3	Halodule wrightii	604	499	14	170	848
1994	1	4	Halodule wrightii	627	499	14	176	881
1994	1	5	Halodule wrightii	403	399	14	142	566
1994	1	6	Halodule wrightii	803	598	14	188	1128
1995	1	1	Halodule wrightii	1225	1595	14	108	1720
1995	1	2	Halodule wrightii	964	1196	14	113	1353
1995	1	3	Halodule wrightii	508	798	14	89	713
1995	1	4	Halodule wrightii	266	499	14	75	374
1995	1	5	Halodule wrightii	1008	1795	14	79	1416
1995	1	6	Halodule wrightii	1182	1595	14	104	1660
1994	2	1	Halodule wrightii	274	299	14	128	385
1994	2	2	Halodule wrightii	121	199	14	85	170
1994	2	3	Halodule wrightii	325	698	14	65	456
1994	2	4	Halodule wrightii	154	299	14	72	216
1994	2	5	Halodule wrightii	153	399	14	54	215
1995	2	1	Halodule wrightii	278	598	14	65	390
1995	2	2	Halodule wrightii	574	1097	14	73	806
1995	2	3	Halodule wrightii	613	1196	14	72	861
1995	2	4	Halodule wrightii	781	1296	14	84	1096
1995	2	6	Halodule wrightii	736	1396	14	74	1034
1994	3	1	Halodule wrightii	55	299	14	26	77
1994	3	2	Halodule wrightii	64	199	14	45	90
1994	3	3	Halodule wrightii	22	100	14	31	31
1994	3	4	Halodule wrightii	210	499	14	59	295
1994	3	5	Halodule wrightii	66	199	14	47	93
1995	3	1	Halodule wrightii	770	798	14	135	1081
1995	3	2	Halodule wrightii	667	1196	14	78	937
1995	3	3	Halodule wrightii	1102	997	14	155	1548
1995	3	4	Halodule wrightii	1102	1196	14	129	1547
1995	3	5	Halodule wrightii	1085	1894	14	80	1524
1995	3	6	Halodule wrightii	716	499	14	201	1005

Appendix Table VI. Continued.

Year	Station	Rep.	Species	Productivity (mg/m2/day)	Shoots/m2	Growth Days	Wt./Shoot (µg)	Sample Wt. (µg)
1994	4	1	Syringodium filiforme	466	320	14	204	1428
1994	4	2	Syringodium filiforme	714	274	14	365	2190
1994	4	3	Syringodium filiforme	417	183	14	320	1279
1994	4	4	Syringodium filiforme	428	228	14	262	1312
1994	4	5	Syringodium filiforme	147	137	14	150	451
1995	4	1	Syringodium filiforme	2212	1196	11	203	2441
1995	4	3	Syringodium filiforme	2837	1595	11	196	3130
1995	4	4	Syringodium filiforme	4148	2493	11	183	4577
1995	4	5	Syringodium filiforme	3516	2493	11	155	3879
1995	4	6	Syringodium filiforme	4373	3290	11	146	4825
1994	5	1	Halodule wrightii	86	299	15	43	130
1994	5	2	Halodule wrightii	60	100	15	90	90
1994	5	3	Halodule wrightii	68	100	15	103	103
1994	5	4	Halodule wrightii	33	100	15	49	49
1994	5	5	Halodule wrightii	58	199	15	44	88
1994	5	6	Halodule wrightii	134	399	15	50	201
1995	5	1	Halodule wrightii	266	499	13	69	347
1995	5	2	Halodule wrightii	54	100	13	71	71
1995	5	3	Halodule wrightii	122	199	13	80	159
1995	5	4	None	0	0	13	N/A	0
1995	5	5	Halodule wrightii	230	598	13	50	300
1995	5	6	Halodule wrightii	232	598	13	50	302
1994	6	1	Halodule wrightii	352	499	14	99	494
1994	6	2	Halodule wrightii	571	299	14	267	802
1994	6	3	Halodule wrightii	306	399	14	108	430
1994	6	4	Halodule wrightii	110	199	14	77	154
1994	6	5	Halodule wrightii	354	399	14	124	497
1994	6	6	Halodule wrightii	409	499	14	115	575
1995	6	1	Halodule wrightii	551	698	13	103	719
1995	6	2	Halodule wrightii	1045	1196	13	114	1362
1995	6	3	Halodule wrightii	449	598	13	98	586
1995	6	4	Halodule wrightii	630	399	13	205	821
1995	6	5	Halodule wrightii	1818	798	13	296	2371
1995	6	6	Halodule wrightii	182	399	13	59	237

Appendix Table VI. Continued.

Year	Station	Rep.	Species	Productivity (mg/m2/day)	Shoots/m2	Growth Days	Wt./Shoot (µg)	Sample Wt. (µg)
1994	7	1	Halodule wrightii	216	199	14	152	304
1994	7	2	Halodule wrightii	111	199	14	78	156
1994	7	3	Halodule wrightii	324	598	14	76	455
1994	7	4	Halodule wrightii	210	598	14	49	295
1994	7	5	Halodule wrightii	175	299	14	82	246
1995	7	2	Halodule wrightii	847	798	13	138	1105
1995	7	3	Halodule wrightii	893	798	13	146	1165
1995	7	4	Halodule wrightii	1251	1496	13	109	1631
1995	7	5	Halodule wrightii	212	399	13	69	277
1995	7	6	Halodule wrightii	1340	1396	13	125	1747
1994	8	1	Halodule wrightii	214	199	12	129	258
1994	8	2	Halodule wrightii	422	399	12	127	508
1994	8	3	Halodule wrightii	660	798	12	99	794
1994	8	4	Halodule wrightii	520	1097	12	57	626
1994	8	5	Halodule wrightii	764	698	12	131	919
1995	8	1	Syringodium filiforme	534	499	11	118	589
1995	8	2	Halodule wrightii	1216	1196	11	112	1342
1995	8	3	Halodule wrightii	834	1396	11	66	920
1995	8	4	Syringodium filiforme	1078	1097	11	108	1189
1995	8	5	Syringodium filiforme	1951	1396	11	154	2153
1995	8	6	Halodule wrightii	609	897	11	75	672
1994	9	1	Syringodium filiforme	1115	776	14	201	3420
1994	9	2	Syringodium filiforme	670	411	14	228	2054
1994	9	3	Syringodium filiforme	633	411	14	216	1941
1994	9	4	Syringodium filiforme	1285	959	14	188	3940
1994	9	5	Syringodium filiforme	334	411	14	114	1023
1995	9	1	Syringodium filiforme	198	274	13	94	565
1995	9	2	Syringodium filiforme	283	228	13	161	806
1995	9	3	Syringodium filiforme	1967	548	13	467	5601
1995	9	4	Syringodium filiforme	414	320	13	168	1178
1995	9	5	Syringodium filiforme	314	274	13	149	894
1995	9	6	Syringodium filiforme	130	183	13	92	369
1994	10	1	Syringodium filiforme	348	365	14	133	1066
1994	10	2	Syringodium filiforme	642	822	14	109	1968

Appendix Table VI. Continued.

Year	Station	Rep.	Species	Productivity (mg/m2/day)	Shoots/m2	Growth Days	Wt./Shoot (µg)	Sample Wt. (µg)
1994	10	3	Syringodium filiforme	604	868	14	97	1851
1994	10	4	Syringodium filiforme	141	365	14	54	433
1994	10	5	Syringodium filiforme	431	457	14	132	1322
1995	10	2	Syringodium filiforme	404	274	13	192	1149
1995	10	3	Syringodium filiforme	840	548	13	199	2392
1995	10	4	Syringodium filiforme	803	685	13	152	2287
1995	10	5	Syringodium filiforme	293	274	13	139	834
1995	10	6	Syringodium filiforme	1011	822	13	160	2879
1994	11	1	Syringodium filiforme	182	91	12	239	478
1994	11	2	Syringodium filiforme	311	91	12	409	818
1994	11	3	Syringodium filiforme	635	274	12	278	1668
1994	11	4	Syringodium filiforme	375	91	12	493	986
1995	11	1	Syringodium filiforme	479	228	14	294	1469
1995	11	2	Syringodium filiforme	1388	320	14	608	4257
1995	11	3	Syringodium filiforme	1145	411	14	390	3510
1995	11	4	Syringodium filiforme	386	365	14	148	1183
1995	11	5	None	0	0	14	N/A	0
1995	11	6	Syringodium filiforme	598	274	14	306	1835
1994	12	1	Syringodium filiforme	80	137	14	82	246
1994	12	2	Syringodium filiforme	575	228	14	353	1764
1994	12	3	Syringodium filiforme	348	274	14	178	1068
1994	12	4	Syringodium filiforme	385	320	14	169	1181
1994	12	5	Syringodium filiforme	135	274	14	69	413
1995	12	1	Syringodium filiforme	1100	822	14	187	3372
1995	12	2	Syringodium filiforme	810	731	14	155	2484
1995	12	3	Syringodium filiforme	1213	1324	14	128	3720
1995	12	4	Syringodium filiforme	931	822	14	159	2855
1995	12	5	Syringodium filiforme	872	731	14	167	2673
1995	12	6	Syringodium filiforme	1543	1279	14	169	4732
1994	13	1	Halodule wrightii	383	598	14	90	538
1994	13	2	Halodule wrightii	283	299	14	133	398
1994	13	3	Halodule wrightii	51	199	14	36	72
1994	13	4	Halodule wrightii	175	399	14	62	246
1994	13	5	Halodule wrightii	36	199	14	26	51

Appendix Table VI. Continued.

Year	Station	Rep.	Species	Productivity (mg/m2/day)	Shoots/m2	Growth Days	Wt./Shoot (µg)	Sample Wt. (µg)
1995	13	1	Halodule wrightii	182	399	13	59	237
1995	13	2	Halodule wrightii	281	399	13	92	367
1995	13	3	None	0	0	13	N/A	0
1995	13	4	Halodule wrightii	589	598	13	128	768
1995	13	5	Halodule wrightii	221	499	13	58	288
1995	13	6	Halodule wrightii	346	499	13	90	451
1994	14	1	Halodule wrightii	617	598	12	124	743
1994	14	2	Halodule wrightii	714	299	12	286	859
1994	14	3	Halodule wrightii	1022	798	12	154	1230
1994	14	4	Halodule wrightii	449	199	12	270	540
1995	14	1	Halodule wrightii	824	798	13	134	1074
1995	14	2	Halodule wrightii	826	1196	13	90	1077
1995	14	3	Halodule wrightii	557	499	13	145	726
1995	14	4	Halodule wrightii	864	1097	13	102	1127
1995	14	5	Halodule wrightii	703	1196	13	76	916
1995	14	6	Halodule wrightii	508	1097	13	60	662
1994	15	1	Halodule wrightii	443	299	12	178	533
1994	15	2	Halodule wrightii	389	598	12	78	468
1994	15	3	Halodule wrightii	572	1296	12	53	688
1994	15	4	Halodule wrightii	739	698	12	127	889
1994	15	5	Halodule wrightii	469	299	12	188	565
1995	15	1	Halodule wrightii	352	365	14	135	1078
1995	15	2	Halodule wrightii	256	274	14	131	785
1995	15	3	Halodule wrightii	1080	1370	14	110	3310
1995	15	4	Halodule wrightii	427	639	14	94	1310
1995	15	5	Halodule wrightii	970	1370	14	99	2974
1995	15	6	Halodule wrightii	911	1187	14	107	2792

FINAL REPORT OF SEAGRASS TECHNICAL ADVISORY COMMITTEE

Submitted By

FLORIDA POWER CORPORATION

CRYSTAL RIVER UNITS 1, 2, 3

NPDES PERMIT NO.

FL0000159



The Florida Power Corporation's (FPC) Crystal River Energy Complex is located on the west coast, approximately 1.5 miles from the shore of the Gulf of Mexico. Approximately 2.5 miles north of the site are the mouths of the Withlacoochee River and the Cross Florida Barge Canal.

NPDES Permit No. FL0000159 currently authorizes the discharge of industrial wastewater from Units 1, 2 and 3. Unit 1 began commercial operation in October 1966, Unit 2 in November 1969. On December 31, 1974, EPA issued an NPDES permit for the operation of Units 1, 2 and 3 which required offstream cooling subject to consideration of a variance and alternative thermal limits under Section 316 of the Clean Water Act. Subsequently, Unit 3 began commercial operation in March 1977.

The thermal component of the discharge from the facility was subject to the water quality standards specified in Section 17-3.050 FAC. The rule required that thermal discharges "shall not increase the temperature of the receiving body of water (RBW) so as to cause substantial damage or harm to the aquatic life or vegetation therein or interfere with the beneficial uses assigned to the RBW". During renewal of the NPDES (and state Industrial Wastewater) permit in 1979, and in accordance with Section 316 and Section 17-3, EPA and the FDEP required post-operational biological and thermal studies in order to make a determination of the need for offstream cooling, reduced thermal discharge and/or reduced intake flow. Following the completion of the 316 (a) and (b) studies in 1984, the EPA and the FDEP issued a public notice of determination that "substantial damage" had occurred in approximately 1100 acres of Crystal Bay, primarily due to the thermal discharge from the facility. Subsequently, in accordance with Section 17-3.05(1)(a)(3), FAC, the agencies imposed permit limitations on the thermal component of the discharge consistent with off-stream cooling. The EPA and FDEP agreed that offstream cooling would subsequently satisfy the requirements of the Florida Water Quality Standards and Sections 316 (a) and (b) of the Act. FPC disagreed with the conclusions made from the study. Specifically, FPC questioned if seagrass was ever actually present in the area, the extent of the area identified as affected and if the thermal discharge from the site resulted in substantial damage in the area to plants and animals. In February 1987, FPC initially proposed to extend the discharge canal into deeper water as an alternative to off-stream cooling towers. Following rejection of the initial proposal, FPC offered a second proposal in 1988 which included the construction of helper cooling towers.

In 1989, following several years of testimony, engineering studies and negotiations, the EPA issued an NPDES (and state Industrial Wastewater) permit with the following requirements: installation of flow reduction equipment to reduce flow through the plant by 15 percent during the months of November through April; construction and operation of a multi-species mariculture center to mitigate for intake impacts to aquatic fisheries; and construction and operation of helper cooling towers to mitigate for thermal impacts to water quality, macrophytes and seagrasses. The multi-species mariculture center was operational October 1991 and flow reduction was implemented May 1992. The helper cooling towers were designed and constructed to ensure that a maximum discharge temperature from the Crystal River site point of discharge (POD) of 97.0°F. Following implementation of cooling tower operation in 1993, the permit required that seagrass monitoring be conducted to quantify seagrass presence and recovery within the zone of discharge of the facility and the establishment of a Seagrass Technical Advisory Committee (TAC) to review the report and make recommendations regarding future activities at the site.

The results of the seagrass monitoring project and recommendations of members of the Seagrass TAC are included in this report.

SEAGRASS MONITORING PROJECT SUMMARY

Following commencement of helper cooling tower operation, NPDES Permit FL0000159 required the following:

Seagrass Monitoring
Evaluation of seagrass colonization in the zone of discharge after a period of two years to determine recruitment rates and zones. A baseline distribution survey using aerial photography and field surveys, including one survey no later than two years following the initial survey. If natural colonization is determined to be proceeding at an acceptable rate, no further activity will be required.

Seagrass Technical Advisory Committee
The establishment of a Technical Advisory Committee to review the seagrass monitoring reports and offer suggestions regarding future activities at the site.

Sprig Planting
If natural colonization is unsatisfactory, sprig planting will be conducted during the third year of tower operation and will consist of replicated, multi-species plots in a cross section of discharge habitats.

Seagrass planting
If it is determined that seagrass planting is feasible and necessary, seagrass will be planted in the area within the zone of discharge during years 5 through 9 following tower operation, at a rate of ten (10) acres per year.

SEAGRASS MONITORING RESULTS

Biological studies were conducted by Mote Marine Laboratory for three years following implementation of the helper cooling towers at the Crystal River Energy Complex. The study was conducted to quantify seagrass presence and recovery within a two mile radius of the site point of discharge (POD) into the Gulf of Mexico.

Spatial as well as temporal patterns in the distribution of seagrasses and rhizophytic algae occurred at transacts and seagrass monitoring bed locations. Patterns depicted a system of bed recruitment and expansion in submerged aquatic vegetation (SAV) cover and condition over the three year monitoring period. Six new beds appeared in barren areas, and of those, three persisted into 1995. More than half of the intensely monitored beds had net increases in perimeter and 8 of 15 beds also increased with respect to cover from 1993 to 1994. Biomass was lower and productivity was higher in 1995, than in 1994, possibly a result of the heavy storms and rains which occurred in 1995. Overall, changes along the transact and bed locations within the 2 mile zone of discharge were mirrored by changes at more distant sites.

TECHNICAL ADVISORY COMMITTEE

A Seagrass Technical Advisory Committee (TAC) which consisted of representatives from state and federal environmental agencies and experts in the field of seagrass dynamics convened to review the Crystal River seagrass monitoring reports and make recommendations regarding future activities at the site.

Participants are as follows:

Mr. Gary Serviss, Senior Scientist, CCI Environmental Services, Inc.

Dr. Clinton Dawes, University Distinguished Research Professor, Department of Biology, University of South Florida.

Dr. Michael Durako, Senior Research Scientist, Florida Marine Research Institute, Florida Department of Environmental Protection.

Mr. Phillip Murphy, Acting Chief, Ecological Support Branch, U. S. Environmental Protection Agency.

Mr. David Bruzek, Manager, Crystal River Mariculture Center, Florida Power Corporation.

Ms. Manitia Moultrie, Chair, Seagrass TAC, Environmental Specialist, Florida Power Corporation.

SEAGRASS TAC MEETINGS

The initial meeting of the Seagrass TAC was held on February 21, 1996 at the Florida Power Corporation, General Office Complex.

Seagrass TAC members discussed the history of the Crystal River site and the results of the Seagrass Monitoring Project conducted in 1994 and 1995. The following issues were discussed:

- Expansion of Seagrass Beds
- Percent Cover
- Total Seagrass Biomass
- Shoot Density
- Productivity

Overall, several seagrass beds had net increases in perimeter and cover from 1993 to 1994, with some decrease in cover in 1995. Biomass was lower and productivity was higher in 1995 than in 1994. TAC members agreed that there may be an infinite array of causes for the increase in productivity and decrease in biomass within the seagrass communities. While the inclination of the TAC was to question if the helper cooling towers have had an impact on seagrass recovery, the focus of the committee was to evaluate seagrass recovery rates within a two mile radius of the site POD and determine if "acceptable" recolonization has occurred. The lack of barren controls which are representative of the study area, the lack of historical data and the regional affects on productivity and biomass were discussed.

The second meeting of the Seagrass TAC was held on March 29, 1996 at the Crystal River Mariculture Center. A helicopter tour of Crystal River Units 1, 2 and 3 and the study area was conducted prior to the meeting.

A summary of the 316 studies which was conducted from June 1983 to August 1984 was provided to the TAC. The monitoring program was conducted to evaluate the effects of plant operations on the area within the zone of discharge from the Crystal River site.

The impact of light intensity, turbidity, salinity variation and suspended load on seagrass colonization was evaluated. The TAC suggested that these factors are a significant influence on seagrass colonization and could be more critical than the temperature factor.

TAC members indicated that they could not determine if adequate seagrass colonization has occurred within the zone of discharge in comparison to regional seagrass colonization rates. There are insufficient areas within the region which are actually representative of the zone of discharge due to the location of the spoil dikes and influences offsite from the Withlacoochee River, Cross Florida Barge Canal and Homosassa Springs.

TAC members indicated that based on available data, there are too many factors to consider which may have a dramatic impact on seagrass colonization. The historical data and geography of the area suggest that while temperature cannot be ruled out as an impact to seagrass colonization, the primary factor affecting seagrass recolonization may not be temperature since seagrass recolonization has not been dramatic since implementation of the helper cooling towers. Impacts which need to be considered which were not a part of this study include turbidity, light intensity and salinity variations. TAC members agreed that the isolation of these factors may not be appropriate for FPC to evaluate since FPC performed the necessary mitigation and should not be required to continue to evaluate the area to isolate which factor is responsible for past impacts to the seagrass community.

The TAC also discussed the cost and benefits of sprig planting and subsequent monitoring to evaluate physical data, seagrass survival rates and regrowth. As a result of this discussion, the TAC agreed that sprig planting may be futile if factors such as turbidity and light intensity are as limiting as they appear to be.

Following the final meeting, each TAC member was asked to provide an official comment letter to address the following issues:

- Interpretation of the historical ecological data regarding impact to seagrass communities within the zone of discharge of the Crystal River POD.

- Expected seagrass recolonization rates based on current research, existing data and regional impacts.

- The requirement to conduct sprig planting, if natural colonization is unsatisfactory and conduct subsequent monitoring to evaluate seagrass survival rates,

Comments from the TAC members are provided in the following section.

COMMENTS

SEAGRASS TAC MEMBERS

Dr. Clinton Dawes, USF
Mr. Gary Serviss, CCI
Dr. Michael Durako, FDEP
Mr. Phillip Murphy, U.S. EPA

From the historical data available, it appears that seagrass beds were present in the POD region but were lost due to the discharge/construction activities. By 1983-84 there were only minimal grass patches and this apparently has remained at the same level based on the 1993-95 study. The patchy nature of seagrass communities surrounding the Crystal River Plant indicates that there are wide fluctuations in seagrass development. Thus one cannot anticipate development of extensive beds at any time in the near future but might expect some contraction.

The colonization rate of the beds appears to be static based on the limited data from the 1993-95 study. However, without control sites outside the impacted region, it is difficult to know just how different expansion or contraction rates are. Thus, a small study comparing colonization rates within and outside the POD/impacted sites might be an alternative to planting. The Syringodium beds to the south of the channels might serve as controls. If this is done, continuous recordings of temperature and salinity are needed.

My experience suggests that the impacted area (POD, region of channels) will not change much in the next 10 to 15 years and that the seagrass communities are in a steady state at this time. The one problem, as pointed out, is the high rates of blade growth determined in 1996, without expansion. This suggests a reaction to high temperatures, low light and a future contraction of the beds.

A general seagrass planting should not be attempted unless there is evidence that the sprigs would survive in the POD and impacted region. If sprig planting is decided on, a number of small pilot, or test plantings should first be tried (2 year study) over the zones (A through D) listed in the 1983-84 study (Fig. 6.1-7). Such a study should include continuous monitoring of temperature and salinity data.

Clinton J. Dawes
Distinguished Research Professor
University of South Florida

Historical data relative to the composition, density and distribution of seagrasses within the zone of discharge of the Crystal River POD is limited. A single map from the 1975 Florida Power Corporation (FPC) report documents the distribution and standing crop of submerged aquatic vegetation (SAV). The methods used to prepare the map, the intensity of the survey effort and the antecedent weather conditions are not known. It is also not known if this map accurately reflects the historic distribution and density of SAV in the zone of discharge.

Consideration must be given to the limited historic distribution data. The historic SAV map essentially represents a snapshot in time and actual historic SAV coverage may vary substantially from that shown on the map.

Based on the above-mentioned limitation, the actual impact to seagrass communities in the zone of discharge is difficult to quantify. Although SAV cover is substantially less than in the 1975 map, it appears that a large percent of the zone of discharge area was barren or sparsely vegetated in 1975.

Review of the water quality section of the 316 Study provides insight into the dynamics of the zone of discharge. The water quality data indicates that this area is probably marginal at supporting seagrasses. The photometry data indicate that a significant percentage of incident light is absorbed before reaching the substrate over much of the zone of discharge. Unconsolidated sediments were documented to resuspend under windy conditions and result in increased turbidity. The area was also documented to be a highly depositional environment.

The 316 Study documented the spatial temperature variation from the POD. Isotherms were provided for the zone of discharge for various tidal and seasonal combinations. These figures provide information relative to the potential impact area of SAV which could be attributed to elevated temperature levels.

The two mile zone of discharge radius for seagrass community impacts due to elevated temperatures appears conservative (i.e., larger than the temperature data would indicate). Although the impact of high water temperature on seagrass communities has been well documented, the temperature changes documented in the 316 Study would not be expected, in and of themselves, to result in the loss of seagrasses within the entire area. It appears that other factors may also have contributed to the reduced coverage of SAV in the zone of discharge. Again, it is important to note these results are based upon a limited historical data base relative to SAV coverage.

Seagrass colonization rates at this location are difficult to estimate. As previously discussed, there is limited historical data on actual seagrass coverage. This combined with the depositional nature of the area, wind suspension of unconsolidated material and the low transparency of the water provide variables to consider in predicting colonization rates.

Based upon the temperature modeling before and after helper cooling tower usage, recolonization of seagrasses would be expected within a portion of the zone of discharge. This predicted recolonization, however, assumes that the higher temperatures were the sole or primary cause of seagrass loss in some areas and that the reduction of temperature in and of itself would allow the area to recolonize. This does not appear to be a reasonable assumption based upon the nature of the area.

Drawing conclusions from the Seagrass Monitoring Report data is exacerbated by several factors. Relative to the study design, it generally appears appropriate for answering the questions discussed. The study could, however, have benefited from water quality data at varying distances from the POD. This is especially true because of the climatic events which occurred in 1995. The impact of these climatical events upon seagrass recolonization is difficult to assess in the absence of some abiotic water quality parameters.

Short of phenomenal natural recolonization, it was probably optimistic to expect two years of monitoring to provide sufficient data on recolonization trends. Typically, monitoring would be necessary over several years to allow for natural fluctuations in recolonization rates and still reveal the appropriate trends. This is especially true when the marginal water quality of the area is considered.

The results of the monitoring in 1994 were encouraging since a few new beds were observed to colonize the area near the POD. Unfortunately, the monitoring in 1995 confused the trends, with seagrasses disappearing from 1994 locations and beds appearing in new locations. The climatic events of 1995 may well have contributed to the variable recolonization of seagrasses. The 316 Study documented the effect of storms on turbidity levels and several storms occurred in 1995.

The results of the study do not allow for a finding that recolonization is proceeding at acceptable rates nor are the results such that one would conclude that recolonization is occurring at unacceptable rates. The limited time frame of data collection combined with the regional climatic events in 1995 does not provide a clear picture of recolonization trends.

The following recommendations are provided:

- Continue monitoring the recolonization of seagrasses, as done in 1994 and 1995, until the trend data stabilizes. Once stabilized, the data can be reviewed for acceptable rates of recolonization. Monitoring could be done every other year to provide information on long-term trends.

- Add the collection of key abiotic parameters (e.g., salinity, transparency, temperature, turbidity) to the monitoring program. Data collection points should extend outward from the POD for approximately three miles. The frequency of water quality monitoring should be sufficient to characterize the various basins.

- Sprig planting is not recommended at this time. Before expending funds to study the planting of seagrasses, the issue of natural recolonization rates should be resolved. The water quality data may also be helpful in determining which basins are likely to be compatible with seagrass re-establishment. Failure of areas to naturally recolonize likely indicates that conditions are not suitable for seagrass establishment and sprig planting would be unsuccessful.

Gary M. Serviss
Senior Scientist
CCI Environmental Services, Inc.

Dr. Michael Durako, FDEP

A primary limitation to the interpretation of the historical data, is the lack of a reliable, pre-operational seagrass distribution map. Based on the findings of the 316(a) studies which were undertaken after Unit 3 was operational, approximately 3,000 acres adjacent to the POD were biologically adversely affected by POD discharge and 1,100 acres were barren of seagrasses. The 316(a) studies concluded this impact was primarily due to thermal effects. Installation of helper cooling towers, which became operational on June 15, 1993, was intended to return the discharge area to the approximate thermal levels in existence prior to the operation of Unit 3. A three-year monitoring report on the seagrass communities adjacent to and in the area contiguous to the POD suggests that the Crystal River site is dynamic, with increases and decreases in seagrass biomass and coverage being observed throughout the study area over the three-year study period. This study did not demonstrate any persistent seagrass recovery within the zone nearest to the POD. The absence of temperature, salinity or light-availability data precludes any assessment as to the reasons why seagrasses have not recolonized the interior 1,100 acre zone. Individual patches of seagrasses were observed to colonize the area, but most disappeared within a year. The lack of suitable control sites also limits the interpretation of the monitoring data with respect to natural, regional seagrass recolonization rate.

The lack of spatial water temperature data in the study area before and after the installation of the helper cooling towers is most surprising (and disturbing). Water temperature reduction was the reason for the helper cooling tower installation. Merely measuring temperatures at the POD does not provide sufficient information regarding the effective spatial scope of the reduced temperatures.

Statements made in both the seagrass monitoring report and in the presentation of the report's findings by Mote Marine Lab scientists, coupled with my observations during the aerial overflight of the sight suggest that factors (e.g., turbidity, salinity, stochastic meteorological events) other than temperature may also be affecting potential recolonization of the site by seagrasses. Without reliable data on light availability, salinity variation, and disturbance regimes, it is impossible to ascertain what factors are restricting recolonization in the study.

Based on the information provided and discussions with the other TAC members, I would not recommend attempting any significant transplanting efforts until more information regarding the physical attributes of the near-POD area have been gathered, specifically turbidity and light availability data.

Michael J. Durako, Ph.D.
Senior Research Scientist
Florida Marine Research Institute

Phillip Murphy, U. S. EPA

This letter is in response to our conversations over the past three months as they relate to the request for my participation on the Seagrass Technical Advisory Committee for the Crystal River Plant. I regret that our participation was severely hampered by the budgetary crisis and associated travel restraints which our office incurred precisely during the period that the TAC was convened. This likewise, coincided with the retirement of Mr. Delbert Hicks who had served for years as the EPA representative for biological matters regarding the Crystal River Power Plant. With his departure, the institutional knowledge of our staff relative to the Crystal River Plant also went out the door. Consequently, I have been playing catch-up without too much success. Thanks to you for supplying me with the TAC meeting minutes and other associated literature. They are my only connection to the questions and TAC discussion relative to the Seagrass Study. Accordingly, with these qualifiers, I offer the following limited comments.

As we discussed several weeks ago via telephone, the seagrass study by Mote Marine Lab is, at best, inconclusive regarding regeneration of seagrasses within the thermal plume area. I think it would be stretching any facts to suggest that recolonization is occurring. It appears from the information that I have at hand, that there are many compounding variables, within the zone potential impact formerly attributed to the heated discharge, which singularly, or collectively, could affect seagrass growth and/or recolonization. While elevated ambient temperatures are the focus of your company's concerns because of Section 316 requirements, it goes without argument the role of turbidity and associated light attenuation play relative to seagrass communities. Like the members of the TAC who were able to participate in the site visit, I, too, am unable to evaluate the interaction of elevated water temperature, turbidity, and light extinction, in the impact area versus control areas. From the information packages you have provided me, my only evidence of the turbidity fronts which have been discussed, is a single aerial photograph which, indeed, appears to indicate a zone of turbidity in excess of ambient, associated with the thermal plume area. I note within the meeting minutes the attribution of this turbidity to the affects of discharges from the Cross Florida Barge Canal. While I cannot refute or confirm this possibility, it does appear to me that the turbidity is most elevated within the thermal plume area. If this perception is correct, I think an appropriate consideration is whether any physical phenomena associated with the increased water temperature is conducive to enhancing, and sustaining, resuspension of sediments within the thermal plume area beyond what is measurable in adjacent coastal areas beyond the thermal plume. We cannot dismiss too quickly the affects of temperature interaction with other factors.

In closing, it is important for me to emphasize that the above comments are offered solely in a technical advisory capacity and does not reflect EPA's position on regulatory matters. Any such position must come from the NPDES program office in EPA's, Region IV, Water Division. Thanks for your patience with us during the past four difficult months.

Phillip Murphy, Acting Chief
Ecological Support Branch
U. S. Environmental Protection Agency

FLORIDA POWER CORPORATION

SUMMARY

&

RECOMMENDATION

As a result of the 316 (a) and (b) studies which were conducted in June 1983 - August 1984, the EPA and FDEP determined that substantial damage had occurred within the zone of discharge to the Gulf of Mexico from the Crystal River site. The demonstration and subsequent determination was controversial due to the complex dynamics of the shallow receiving water body (zone of discharge), the lack of historical baseline data to document conditions within the region prior to the operation of Units 1, 2 and 3 and the lack of environmental justification to require FPC to mitigate for thermal impacts to Crystal Bay.

FPC continues to question if seagrass was ever present in all of the areas identified as being impacted from the thermal discharge from FPC following the 316 studies. A historical vegetation map for the study area provided by the University of Florida provides the only historical baseline map for comparison. The validity of the map is questionable since it does not provide a description of methods, date, an author or narrative.

Ecosystem stress to the biota within the zone of discharge is affected by factors unrelated to the operation of Units 1, 2 and 3 . These factors include salinity, turbidity, siltation and the geography of the area (i.e., fluctuation from the Cross Florida Barge Canal, the input of fresh water and suspended sediment from the Withlacoochee River and Homossassa Springs).

FPC strenuously objected to the requirement to construct helper cooling towers, due to the enormous cost and the lack of environmental justification. While the installation of cooling towers has reduced the temperature in the near shore area and subsequently limited heated water discharges, this change in temperature has not necessarily resulted in any significant measurable benefit to the Crystal Bay area. To date, FPC has completed construction of the helper cooling towers to mitigate for thermal impacts and completed the seagrass monitoring project as specified in the permit, at a cost of over $90 million. Seagrass monitoring results are inconclusive and thus support FPC's initial contention that temperature is not the only factor which affects seagrass colonization in the area.

FPC has always doubted that a cost effective monitoring program could be developed to evaluate biological recovery within the zone of discharge as a function of thermal reductions. It would be difficult for biologists to isolate the individual components which contribute to ecosystem stress and determine their incremental influence on the aquatic community. Additionally, FPC should not be required to conduct long term monitoring to determine the limiting factor to seagrass recovery and/or attempt to identify the impact of light intensity, salinity, regional impacts and/or temperature impacts on seagrass recovery within the zone of discharge from the Crystal River site.

Given the fact that FPC initially questioned the environmental benefit of the construction of cooling towers and contended that temperature was not the limiting factor to seagrass colonization and that a monitoring program would not adequately evaluate biological recovery, FPC request that no further action be required with regard to the seagrass monitoring project.

In conclusion, FPC and members of the TAC currently agree that temperature is not the limiting factor to seagrass recovery. While the TAC suggest that additional data may be warranted to clearly identify the limiting factor to seagrass recovery, they concur that FPC has mitigated for past thermal impacts as required by the FDEP and EPA. FPC should not be required to conduct long term monitoring to determine the limiting factor to seagrass recovery since this is beyond the intent of the seagrass monitoring project. Additionally, an attempt to identify the impact of light intensity, salinity, regional impacts and/or temperature impacts on seagrass recovery within the zone of discharge from Crystal River is overly burdensome and may not result in any significant environmental benefit. Since temperature is not the limiting factor, sprig planting would obviously be futile if factors such as turbidity and light intensity are as limiting as they appear to be. The requirement to conduct sprig planting and subsequent seagrass planting and monitoring should be deleted from the NPDES permit.

Seagrass Survey: November 2001 Resurvey at the Florida Power Crystal River Generating Facility.

Revisit to Area last surveyed in 1995 by MML.

Finalized March 7, 2002

Mr. David A. Bruzek
Natural Resources Specialist
Florida Power – a Progress Energy Company
P.O. Box 14042
St. Petersburg, Florida 3733-4042

By the
Coastal Seas Consortium, Inc.
P.O. Box 20818
Bradenton, Florida 34204-0818
cscmjm@aol.com

Michael J. Marshall
Principal Investigator

Table of Contents.....2

Introduction.....3

Methods 3

Results and Discussion.....4

Summary and Conclusions.....6

Literature Cited.....7

Figures.....8

Appendix – Tables.....13

Introduction

Mote Marine Laboratory (MML) surveyed seagrasses at the Florida Power Corporation (FPC) Crystal River facility in 1993, 1994 and 1995 (Estevez and Marshall, 1993; 1994; and 1995) in an attempt to determine the effect of newly installed helper cooling towers on the distribution of Submerged Aquatic Vegetation (SAV) in the discharge area and within the adjacent estuarine environment. Earlier Mattson et al. (1988) surveyed seagrasses in the thermally impacted area and found that standing crop, productivity, and growth rates were lower than at sites away from the Point of Discharge (POD). MML found several trends in their 3 years of study; 1) several new beds of SAV appeared along transects which were largely completely barren in 1993; 2) recruitment of seagrass into barren areas was not extensive; 3) 8 of the 15 surveyed beds showed some expansion beyond their original boundaries 4) percent coverage of SAV declined at 10 of 15 sites. FPC contracted the Coastal Seas Consortium, Inc., to resurvey the same area in November 2001 in order to determine if SAV beds have changed since the 1995 MML survey.

Our goal in the 2001 resurvey was not to revisit all of the sites but to select several in the areas considered to be most strongly impacted by the thermal effluent and to compare those to the MML (1993 through1995) results. Unfavorable weather conditions (rain and strong winds) limited us to surveys of basins 1, 2, and part of 3 (Figure 1). Basin 4 was not surveyed due to poor visibility. Observations were made in areas where visibility allowed and during low tides when we could walk the flats.

Methods

Station surveys

Our methods were much the same as those used by MML. A recent model Garmin GPS Map 76 was used to relocate the beds from location data given in the MML reports. After arriving at a station we attempted to find the original SAV boundary markers used by MML to delineate the seagrass bed edges in the first year of the MML studies (Estevez and Marshall, 1993). In 2001 we tried to find the markers by dragging a weighted rope through the previously marked beds. MML used the same method in its three years of monitoring. We found no markers at Stations 1 and 3 and two markers at Station 2. We therefore were not able to make the boundary measurements reported by MML. We relied upon MML's recorded GPS location data to find the approximate center of each bed. The Garmin GPS map 76 uses a Wide Area Augmentation System to improve accuracy of measurements and while we tried to find the SAV bed centers we were probably off by some unknown distance as a result of recent changes in the GPS navigational system. Finding two of the original markers at Station 2 at least confirmed that we had found

the original study site. Michael Marshall's (a participant in and co-author of the MML studies) memory of the MML study sites coincided with the GPS-found locations.

We used the GPS unit to locate the shoreward and seaward edges of the study sites. We stopped the width measurements when we reached 100 meters beyond the inside edge of each seagrass bed. The beds at each of the basin 1 sites extended well beyond the 1995 boundaries.

We used a 1-m^2 quadrat divided into 100 subunits (10X10 cm squares) to determine % cover within each bed (Figure 2). Our % cover observations were taken at a series of haphazardly selected points by tossing the quadrat in front of us as we walked or swam through the study sites.

Transect Surveys

We used a similar quadrat technique to determine SAV bottom cover percentages along MML transects 1W, IN, 2W, 3W, 4W and 5W. We attempted to do more transects but poor water visibility limited this effort. . Instead of towing divers along the entire length of each transect we used a bounce diving method by which our observation points along each transect were spaced at 100m intervals (see Figure 3, transect 5W as an example of the dive point spacing). Upon arrival at a site a diver would determine SAV cover within 5 replicated $1m^2$ quadrats and the boat operator would record those observations and depth, bottom type, and GPS determined location data. We used the MML location data again to find the transects. In most cases there were no markers left from the MML studies but we did find, through GPS navigation, two wooden stakes at the exact MML reported starting location at the northern most point of transect 5.

Results and Discussion

The seagrass bed begins at a point 74.6 meters away from the point of discharge (POD) and continues across Basin 1 to the saltmarsh on Basin 1's northern boundary. Transect seagrass observations (Table 1) from Transects 1N, 1W,and 2W (Fig.3) which traverse Basin 1 show seagrass % coverages range, as an average of the series of points checked on each transect, from 32% on Transect 1N to 39% on Transect 2W. *Halodule* was found at 50% of the points checked on transect 1N, at 62.5% of the points on Transect 2W, 75% of the points on Transect 3W, and at 55.6% of the points on Transect 1W (not including the 2A points). The 2A points were an extension of transect 1W into Rocky Creek. *Halodule* was found at several points inside the creek on its banks until a point was reached where rocky substrate replaced the soft sediments found at the creek mouth.

MML found a "new" seagrass bed on Transect 1N in 1995 with an average percent over of <5% mean cover. The bed was irregularly shaped. By November 2001, percent cover at the 14 spots surveyed on this transect reached 100% based

on the mean of bottom coverage from 5, 1 M^2 quadrats. Thus on this transect seagrasses are much more widely distributed and bottom coverage is much higher than when last observed in 1995.

The same is true of the other Basin 1 transects, 1W, 2W, and 3W. No large beds of seagrass were found on these transects in 1993, 1994, or 1995(MML 1993, 1994,1995- see Figure 3). The only seagrass found on these transects in the MML study were centered around the black dot points shown in Figure 3. In our survey, November (2001) we found an extensive bed of seagrass with an overall average for all observed points of 39.19 % for Transect 2W, 38% for Transect 1W and 34.5% for Transect 3W. Seagrass cover reached 100% (as shown in Figure 1) for several points on these three transects.

Intensive monitoring stations.

Basin 1 Stations.

We visited all three of the Basin 1 stations (Stations 1, 2, and 3) which were originally located and monitored by MML in 1993. We were not able to find the iron and concrete parking stone markers that were set out in 1993. We relied upon the MML GPS derived latitude and longitude data to find the beds. We searched for but could not find the center point markers at any of the sites we visited. We did find two re-bar edge markers at Station 2. Our bed width measurements were therefore made from the GPS located center of each bed to the outside edge or to a point not exceeding 100 meters past the shoreward point. The 1995 Station 1 measurements (MML, 1995) showed that the bed width was not much greater than when it had been first measured in 1993: it averaged 2.88 feet wider than the original 1993 measurement of 13.17 feet from the approximate center to the seaward edge. In 2001 we stopped our survey on Station 1 at 217 feet from the approximate position of the center marker. The *Halodule* in this area continued much further toward the discharge channel.

Halodule coverage in the shoreward side of Station 1 averaged 88.9% (Table2). In 2001 seagrass in the outer area beyond the position of the edge in 1995 averaged 97.9%. These % cover data are similar to those reported by MML (1995;). MML reported an interior cover by *Halodule* of 76.5%. The perimeter seagrass in the MML 1995 report was 78.4%. *Halodule wrightii* was the only seagrass present in the Station 1 area in all of the MML reports and in our 2001 survey.

The interior area of Station 2 had a mean of 30% *Halodule* cover in 2001. After swimming beyond the southern edge of the vegetated area we found a sandy patch with 0% seagrass cover. Beyond that patch to the south seagrasses started up again and continued toward the discharge channel. *Halodule* in that area averaged

74% cover. MML reported an interior %cover of 47.1% and a perimeter % cover of 44.0% in 1995. Their 1994 report showed higher percent cover in the interior, 96.4% and perimeter, 89.3% bed areas. The sandy patch seen in 2001 was approximately 114' wide so the seagrass beyond that area should be considered a new bed. The bed was determined to be 136' wide from the north edge to the beginning of the sand patch. This is considerably wider than reported in MML (1995). *Halodule wrightii* was the only seagrass observed at Station 3 and within the surrounding area. The decline in cover at Station 2 suggests a gradual loss of seagrass over time.

Station 3 SAV followed a similar pattern. *Halodule* covered an average 89.75% of the bottom near the original center. It covered 89.2% of the bottom in the newly colonized area beyond the edge of the bed where no seagrasses were found in 1995. MML reported a total cover of 51.6% in 1995. Station 3 seagrasses now extend well beyond 100 meters past the center marker. This is much expanded from the dimensions reported by MML (1995). *Halodule* was the only seagrass species in this area.

We attempted to survey Stations 5,6, and 7 but low visibility in the area at the time of our study, November 13-16, 2001, prevented us from being able to see the bottom and seagrass if it existed.

We did resurvey stations 11 and 12 in Rocky Cove. Station 12 had a mix of Syringodium (11.5% cover) and *Halodule* (55.5% cover). Estevez and Marshall (see Table 6 in MML 1995;) reported a bottom cover of 94%. Visibility at Station 12 was also very poor. These results are similar to that reported in MML (1995). The seagrasses at Station 12 are bounded by oyster bars and a deep channel making further expansion of this bed impossible.

Station 11, located deep in Rocky Cove, had 100% in 2001 and 98.8% in 19995,cover by *Syringodium filiforme.* The only other SAV species, the green alga, *Halophila engelmanni* was found there in 1993 but was not seen in 1995. Poor visibility during our 2001 survey prevented us from seeing if the alga was present.

Summary and Conclusions

Since the last MML survey (Estevez and Marshall, 1995) The seagrass *Halodule wrightii* has spread throughout Basin 1 and 2. Our results (Table 1) demonstrate that this species covers most of the area. It is only limited from covering the entirety of these two basins by rocky bars, shelly bottom inappropriate for seagrass growth and water depths considered to be either too shallow or too deep for *Halodule*. There is such extensive growth that prop scars (Fig.4) are now a

problem in some areas. During our survey manatees were seen over the seagrass beds presumably feeding on the seagrass.

Basin 1 is now up to 50% covered by a large bed of relatively dense *Halodule* bordered by oyster bars, within a mosaic of exposed rock, shallow sandy bars, and a few deep channels. Basin 1 is probably the area most impacted by the thermal effluent from the discharge canal. Thus it appears that the helper cooling towers have apparently altered the thermal regime to achieve suitable conditions for seagrass survival, bed expansion, and reproduction.

Seagrass beds, in Basin 1, at the last MML survey in 1995 had not expanded more than 2.75 meters from the original boundaries established in 1993. On our survey we found that the boundaries of beds 1, 2, and 3 were now located more than 35 meters from the original approximate center of each site. In fact, the beds have now grown into a more or less continuous bed of seagrass throughout Basin 1. Only inappropriate substrate types and depths presumably limiting to *Halodule* growth under the water clarity regime typical of this area break the bed in this area into large patches. There is a barren muddy/sandy band parallel to the discharge channel but it contained small, sparse patches of *Halodule* on our survey dates. These patches may indicate that this channel-side area is now being colonized by seagrass.

The large sand patch adjacent to Station 2 is an area that may not yet been colonized by seagrass. Seagrass adjacent to the seaward and shoreward borders of the sand patch is flourishing and the bed has expanded well beyond the limits of the Station 2 seagrass observed by MML.

Our observations in Basin 1 suggest that it might be possible for other seagrass species to grow in this area. *Halodule wrightii* is generally considered to be a fast growing early colonizer of shallow, barren areas within seagrass beds. Colonization by *Thalassia* and *Syringodium* would be expected to occur at a slower rate. The current mosaic-like arrangement of marsh, seagrass, rocky bars, oyster bars and shallow flats is ideal juvenile habitat for a large number of fish and invertebrate species. Fish can find shelter in the marshes and seagrasses at high tides and feed on the mud flats, oyster bars and rocky outcrops when tides are appropriate. We observed several large schools of small fishes while wading across our transects and at each station. Dolphins were also observed feeding on larger fish at numerous locations around the study site during our fieldwork.

Literature Cited

Estevez, E.D. and M. J. Marshall 1993. 1993 Summary Report for Crystal River 3 year NPDES monitoring project. FPC contract S01100. Environmental Service Department Florida Power Corporation.

Estevez, E.D. and M. J. Marshall 1994. 1994 Summary Report for Crystal River 3 year NPDES monitoring project (addendum 2). FPC contract S01100. Environmental Service Department Florida Power Corporation.

Estevez, E.D. and M. J. Marshall 1995. 1995 Summary Report for Crystal River 3 year NPDES monitoring project. FPC contract S01100 (addendum 1). Environmental Service Department Florida Power Corporation.

Mattson, R.A., J.R. Derrenbacker, Jr., R. R. Lewis, III. 1986. Effects of thermal addition from the Crystal River generating complex on the submergent macrophyte communities in Crystal Bay, Florida. In Mahadevan, K, Rhoda Evans, Paul Behrens, Thomas Biffar, and Lawrence Olsen (editors) Proceedings of the southeastern workshop on aquatic ecological effects of power generation. MML report 124, Sarasota, Florida.

Figures

1-4

Figure 1. Map of basins as defined in Estevez and Marshall (1993) for MML's seagrass studies. Seagrass beds are numbered 1-15. Basins are identified by codes **B1-B5.**



Figure 2. 1m x 1m quadrat used for this study. Photo shows the typical density of the seagrass, *Halodule*, at a location within 100m of the POD.



Figure 3. Transects monitored by MML. Black dots are locations where seagrass patches were located during the MML studies. The green area represents the current (November 2001) area which is largely covered by *Halodu*le. Dark green on the south side of the discharge canal represents the distribution of *Syringodium*.

Figure 4. Prop scars in basin 1 during November 2001.

Appendix

Tables 1 and 2

Appendix Table 1. November 2001 Transect Data Florida Power Corporation Seagrass Survey

Transect Data Florida Power Corporation Seagrass Survey

Table 1A — **Transect 1N** — Mean of 5 quads

Date	Transect	Station	Latitude	Longitude	Depth(Ft.)	SAV % Cover	Seagrass or Bottom Type
11/15/01	1N	1	N28 57 41.0	W82 43 25.1	0	0	oyster bar
11/15/01	1N	2	N28 57 40.9	W82 43 25.6	0	0	edge of seagrass
11/15/01	1N	3	N28 57 40.9	W82 43 27.2	0.2	100	Halodule
11/15/01	1N	4	N28 57 41.6	W82 43 30.5	2	0	tidal channel
11/15/01	1N	5	N28 57 41.9	W82 43 32.1	0.5	99.4	Halodule
11/15/01	1N	6	N28 57 42.2	W82 43 32.6	0	0	oyster bar
11/15/01	1N	7	N28 57 42.4	W82 43 34.3	0	0	edge of bar
11/15/01	1N	8	N28 5742.7	W82 43 35.8	0.5	83.4	Halodule
11/15/01	1N	9	N28 57 43.3	W82 43 39.6	0.5	8.4	Halodule
11/15/01	1N	10	N28 57 44.0	W82 43 43.4	3.5	36	Halodule
11/15/01	1N	11	N28 57 44.9	W82 43 46.9	3	0	barren
11/15/01	1N	12	N28 57 45.5	W82 43 50.8	3.1	42	Halodule
11/15/01	1N	13	N28 57 46.3	W82 43 55.0	3.5	0	rock
11/15/01	1N	14	N28 57 46.1	W82 43 57.0	3.1	80	Halodule
				AVERAGE	1.42	32.09	

Table 1 B — **Transect 2W**

Date	Transect	Station	Latitude	Longitude	Depth(Ft.)	SAV % Cover	Seagrass or Bottom Type
11/15/01	2W	1	N28 58 02.5	W82 43 49.2	1.5	0	sand/mud
11/15/01	2W	2	N28 57 58.6	W82 43 49.1	2.5	86	Halodule
11/15/01	2W	3	N28 57 55.4	W82 43 49.0	2.7	24	Halodule
11/15/01	2W	4	N28 57 52.5	W82 43 49.1	2.7	65.5	Halodule
11/15/01	2W	5a	N28 57 49.2	W82 43 49.8	3	0	sand/mud
11/15/01	2W	6	N28 57 46.1	W82 43 49.9	3.3	90	Halodule
11/15/01	2W	7	N28 57 42.5	W82 43 50.8	2.8	48	Halodule
11/15/01	2W	8	N28 57 39.2	W82 43 49.5	2.7	0	sand/mud
			AVERAGE		2.65	39.19	

Table 1C

Transect 3W

Date	Transect	Station	Latitude	Longitude	Depth(Ft.)	SAV % Cover	Seagrass or Bottom Type
11/15/01	3W	1	N28 57 40.6	W82 44 04.7	2	0	sand/mud
11/15/01	3W	2	N28 58 01.0	W82 44 01.2	2	47	Halodule
11/15/01	3W	3	N28 57 59.7	W82 44 01.3	2.5	2	Halodule
11/15/01	3W	4	N28 57 54.1	W82 44 01.9	2.6	95.4	Halodule
11/15/01	3W	5	N28 57 50.7	W82 44 02.3	3	58	Halodule
11/15/01	3W	6	N28 57 47.9	W82 44 02.3	3	0	rock
11/15/01	3W	7	N28 57 44.1	W82 44 02.7	2.9	37	Halodule
11/15/01	3W	8	N28 57 40.7	W82 44 02.3	2.7	0.8	Halodule
11/15/01	3W	9	N28 58 04.4	W82 44 01.1	2.5	100	Halodule
11/15/01	3W	10	N28 58 06.7	W82 43 59.8	2.6	38	Halodule
11/15/01	3W	11	N28 58 10.6	W82 44 03.2	2.5	36	Halodule
11/15/01	3W	12	N28 58 28.9	W82 44 07.3	2	0	sand/mud
			AVERAGE		2.53	34.52	

Table 1D

Transect 4w

Date	Transect	Station	Latitude	Longitude	Depth(Ft.)	SAV % Cover	Seagrass or Bottom Type
11/16/01	4w	1	N28 58 32.5	W82 44 19.0	3	0	edge of marsh/soft black mud
11/16/01	4W	2	N 28 58 36.2	W82 44 19.1	4.8	0	muck
11/16/01	4W	3	N 28 58 14.0	W82 44 16.9	3.9	0	mud
11/16/01	4W	4	N28 58 03.6	W82 44 16.2	2.9	25	Halodule
11/16/01	4W	5	N28 58 00.4	W82 44 16.6	4.9	1.4	rocky
			AVERAGE		3.9	5.28	

Appendix Table 1 (continued):

Table 1E

Transect 5w

Date	Transect	Station	Latitude	Longitude	Depth(Ft.)	SAV % Cover	Seagrass or Bottom Type
11/16/01	5W	1	N28 58 08.5	W82 44 36.3	3.4	2	
11/16/01	5W	2	N28 58 04.6	W82 44 37.4	3.6	0	barren
11/16/01	5W	3	N28 58 02.0	W82 44 36.9	4.4	0	barren
11/16/01	5W	4	N28 57 57.9	W82 44 37.0	5.6	0	barren
11/16/01	5W	5	N28 57 55.0	W82 44 36.6	6.6	0	barren
11/16/01	5W	6	N28 57 51.6	W82 44 36.1	6.2	0	barren
11/16/01	5W	7	N28 57 48.8	W82 44 36.1	3	0	shell
11/16/01	5W	8	n28 57 45.8	W82 44 35.3	5.8	0	barren
			AVERAGE		4.825	0.25	

Table 1F

Transect 1W (2A stations not in MML surveys)

11/14/01	**1W**	**1**	N28 57 38.0	W82 43 29.5			POD
11/14/01	1W	2	N28 57 38.5	W82 43 29.5	0.1	88	Halodule start
11/14/01	1W	3	N28 57 38.9	W82 43 29.5	0.1	100	Halodule
11/14/01	1W	4	n28 57 40.2	W 82 43 29.5	0.1	100	Halodule
11/14/01	1W	5	N28 57 41.2	W 82 43 29.5	0.1	26	Halodule
11/14/01	1W	6	N28 57 41.0	W 82 43 29.5	0.1	0	rocky bar
11/14/01	1W	7	N28 57 42.0	W82 43 29.5	0	0	rocky bar
11/14/01	1W	8	N 28 57 43.6	W82 43 29.5	0	0	rocky bar
11/14/01	1W	9	N28 57 44.5	W82 43 29.5	0.5	100	shallow channel
11/14/01	1W	10	N 28 57 47.1	W82 43 29.5	0.5	0	marsh edge
11/14/01	2A	1	N28 57 45.9	W82 43 28.3	1	0	creek entrance
11/14/01	2A	2	N28 57 45.8	W 82 43 26.4	1	1	Halodule
11/14/01	2A	3	N28 57 45.5	W82 43 24.6	1	80	Halodule
11/14/01	**2A**	**4**	N28 57 45.5	W 82 43 22.7	0.375	0	rocky bar
			AVERAGE			38.08	

Appendix -Table 2. **Intensive monitoring FPC Station Data - 2001 Survey. All** location data is given in degrees/minutes/seconds. Center locations are approximations of center positions established by MML.

Table 2-1
Station 1

Center at: N 28 57 58.1
W 82 43 56.6

Quad #	% Cover	Bed Position	Species	Quad#	Bed Position	%Cover	Species
1	100	interior	*Halodule*	11	outer	100	*Halodule*
2	97	interior	*Halodule*	12	outer	98	*Halodule*
3	95	interior	*Halodule*	13	outer	99	*Halodule*
4	98	interior	*Halodule*	14	outer	100	*Halodule*
5	83	interior	*Halodule*	15	outer	96	*Halodule*
6	89	interior	*Halodule*	16	outer	100	*Halodule*
7	95	interior	*Halodule*	17	outer	99	*Halodule*
8	99	interior	*Halodule*	18	outer	98	*Halodule*
9	34	interior	*Halodule*	19	outer	100	*Halodule*
10	99	interior	*Halodule*	20	outer	89	*Halodule*
avg	**88.9**					**97.9**	
S.D.	**20.00**					**3.38**	
	Seaward edge of bed		N28 57 56.3 W82 43 57.7				

note: Extends beyond 217+ feet from original center.

Table 2-2
Station 2

Center at: N28 58 00.8
W82 43 51.0

Quad #	%Cover	Bed Position	Species	Quad #	% Cover	Bed Position	Species
1	0	inner	sand				
2	0	inner	sand	18	0	Outer	sand patch
3	0	inner	sand	19	0	outer	sand patch
4	0	inner	sand	20	0	outer	sand patch
5	14	inner	Halodule	21	0	Outer	sand patch
6	75	inner	Halodule	22	0	outer	sand patch
7	7	inner	Halodule	23	0	outer	sand patch
8	0	inner	sand	24	0	Outer	sand patch
9	8	inner	Halodule	25	0	outer	sand patch
10	8	inner	Halodule	26	0	outer	sand patch
11	35	inner	Halodule	27	0	Outer	sand patch
12	23	inner	Halodule	28	0	outer	sand patch
13	95	inner	Halodule	29	0	outer	sand patch
14	87	inner	Halodule	30	0	Outer	sand patch
15	95	inner	Halodule	31	0	outer	sand patch
16	63	inner	Halodule	32	0	outer	sand patch
17	0	inner	Halodule	33	25	Outer	Halodule
				34	95	outer	Halodule
				35	90		Halodule
				36	86		Halodule
Avg.	30.00				15.58		
SD	37.11				33.78		

Table 2-3
Station 3

Center at: N28 58 03.7
W 82 43 43.0

Quad #	% Cover	Species	bed position	Quad #	% Cover	Species	bed position
1	100	Halodule	inner	10	74	Halodule	outer
2	100	Halodule	inner	11	85	Halodule	outer
3	100	Halodule	inner	12	73	Halodule	outer
4	100	Halodule	inner	13	69	Halodule	outer
5	100	Halodule	inner	14	88	Halodule	outer
6	100	Halodule	inner	15	100	Halodule	outer
7	100	Halodule	inner	16	100	Halodule	outer
8	80	Halodule	inner	17	92	Halodule	outer
9	27	Halodule	inner	18	100	Halodule	outer
		Halodule	inner	19	100	Halodule	outer
				20	100	Halodule	outer
Avg.	89.67				89.18	Halodule	outer
SD	24.41				12.29		

note: seagrass bed continues 100+ meters beyond center of Station 3.

Table 2-4
Station 11

center at: N 28 57 05.9
W 82 44 16.0

Quad #	Halodule	Syringodium	Total (H.+S.) %Cover
1	80	0	80
2	60	0	60
3	70	0	70
4	50	10	60
5	40	5	45
6	60	0	60
7	80	0	80
8	10	40	50
9	90	0	90
10	15	60	75
Avg.	55.5	11.5	67
S.D.	27.13	21.09	14.38

Table 2-5
Station 12

Center at: N28 57 23.7
W 82 43 38.3

Quad #	%Cover	Species
1	100	Syringodium
2	100	Syringodium
3	100	Syringodium
4	100	Syringodium
5	100	Syringodium
6	100	Syringodium
7	100	Syringodium
8	100	Syringodium
9	100	Syringodium
10	100	Syringodium
11	100	Syringodium
Avg.	100	Syringodium
S.D.	0	