



Timothy E. Parker, C.F.A.

Putnam County Property Appraiser

386/329-0286 • 1-800-826-1437 x0286 • Fax: 386/329-0447

www.putnam-fl.com/app • appraiser@putnam-fl.com

May 26, 2010

Michael P. Halpin, P.E.
Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Lafarge Gypsum Pollution Control Devices

Dear Mr. Halpin:

Enclosed you will find the Return of Pollution Control Devices for the above referenced account in our county.

Would you please review this information and advise me as to what qualifies for assessment as pollution control devices under Section 193.621, Florida Statutes. If you need any additional information, let me know. Thank you for your assistance.

Sincerely,

A handwritten signature in blue ink, appearing to read "Justin Edwards".

Justin Edwards, CFE
Office Operations Supervisor

DEPARTMENT OF
ENVIRONMENTAL PROTECTION

MAY 28 2010

SITING COORDINATION

Crescent City Annex
115 N. Summit Street
386/698-4284

Main Office
P.O. Box 1920
312 Oak Street
Palatka, Florida 32178

Interlachen Annex
Hitchcock's Plaza, SR #20
386/684-3383



Return of Pollution Control Devices For Ad Valorem Tax Purposes

Florida Statutes Chapter 193.621

To the Property Appraiser

Tim Parker

County, Florida,

Putnam

Return is hereby made for the assessment of the following described property under Florida Statutes as pollution control devices.

Description of Property

Pollution Control

Description of Facility

Wallboard Manufacturing

Name and address of owner:

Lafarge
886 Hwy 17 N.
Palatka, FL 32177

The undersigned taxpayer hereby agrees to furnish such other reasonable information as the Appraiser may request in regard to the assessment requested herein.

April Pearson 4/15/10
Taxpayer's Signature

This form must be filed with the County Property Appraiser before April 1st.

ORIGINAL TO BE RETAINED BY PROPERTY APPRAISER

COPY TO BE GIVEN TO TAXPAYER

**Lafarge North America Gypsum
Palatka, Florida
Account Number 842814**

The following assets are used for the purpose of preventing dust pollution:

Dust Collector/Baghouse: Gypsum plants are required to have baghouses and dust collection systems to manage particulate matter and organics from being released into the atmosphere. These systems collect matter to ensure emissions from the plant are within EPA standard guidelines.

Asset No.	Description	Year Acq.	Asset Cost
164271	HAF BMA Baghouse	2009	104,133
166144	Dust Collector for BC 9	2009	46,828
166240	Imp Mill A Dust Collector Air	2009	6,822
166241	Imp Mill A Dust Collector Air	2009	6,822
21188	Bc 4-6 Environmental Actions	2005	150,291
Total Dust Collector/Baghouse			314,896

Florida P.E. Certification

The above list of air and water pollution abatement devices is being certified in accordance with CCH-ANNO, FL-TAXRPTR 20-300.25, Procedures. This certification confirms that the primary use of each asset is as an air or water pollution abatement device. This above asset list, excluding the asset cost values, was generated by me or under my "responsible charge" and is accurate and complete to the best of my knowledge."



Brad James, P.E.

**Trinity Consultants
4767 New Broad Street
Orlando, FL 32814**